

# Graham Anderson

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3792578/graham-anderson-publications-by-year.pdf>

**Version:** 2024-04-03

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

168 papers	9,597 citations	52 h-index	94 g-index
177 ext. papers	11,101 ext. citations	10 avg, IF	5.97 L-index

#	Paper	IF	Citations
168	Eosinophils are an essential element of a type 2 immune axis that controls thymus regeneration.. <i>Science Immunology</i> , <b>2022</b> , 7, eabn3286	28	1
167	Failures in thymus medulla regeneration during immune recovery cause tolerance loss and prime recipients for auto-GVHD.. <i>Journal of Experimental Medicine</i> , <b>2022</b> , 219,	16.6	3
166	G-CSF induces CD15 + CD14 + cells from granulocytes early in the physiological environment of pregnancy and the cancer immunosuppressive microenvironment. <i>Clinical and Translational Immunology</i> , <b>2022</b> , 11,	6.8	0
165	FOXN1 forms higher-order nuclear condensates displaced by mutations causing immunodeficiency. <i>Science Advances</i> , <b>2021</b> , 7, eabj9247	14.3	1
164	RANK links thymic regulatory T cells to fetal loss and gestational diabetes in pregnancy. <i>Nature</i> , <b>2021</b> , 589, 442-447	50.4	19
163	The thymus medulla and its control of $\gamma\delta$ cell development. <i>Seminars in Immunopathology</i> , <b>2021</b> , 43, 15-27	12	4
162	A novel method to identify Post-Aire stages of medullary thymic epithelial cell differentiation. <i>European Journal of Immunology</i> , <b>2021</b> , 51, 311-318	6.1	2
161	Non-Epithelial Stromal Cells in Thymus Development and Function. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 634367	8.4	4
160	Medullary stromal cells synergize their production and capture of CCL21 for T-cell emigration from neonatal mouse thymus. <i>Blood Advances</i> , <b>2021</b> , 5, 99-112	7.8	4
159	Nr4a1 and Nr4a3 Reporter Mice Are Differentially Sensitive to T Cell Receptor Signal Strength and Duration. <i>Cell Reports</i> , <b>2020</b> , 33, 108328	10.6	17
158	Diversity in medullary thymic epithelial cells controls the activity and availability of iNKT cells. <i>Nature Communications</i> , <b>2020</b> , 11, 2198	17.4	19
157	Homeostatic Cytokines Drive Epigenetic Reprogramming of Activated T Cells into a "Naive-Memory" Phenotype. <i>iScience</i> , <b>2020</b> , 23, 100989	6.1	9
156	Generation and Regeneration of Thymic Epithelial Cells. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 858	8.4	11
155	Active module identification from multilayer weighted gene co-expression networks: a continuous optimization approach. <i>IEEE/ACM Transactions on Computational Biology and Bioinformatics</i> , <b>2020</b> , PP,	3	1
154	Critical role of WNK1 in MYC-dependent early mouse thymocyte development. <i>ELife</i> , <b>2020</b> , 9,	8.9	4
153	A population of proinflammatory T cells coexpresses $\alpha\beta$ and $\gamma\delta$ cell receptors in mice and humans. <i>Journal of Experimental Medicine</i> , <b>2020</b> , 217,	16.6	12
152	Thymic Engraftment by $\alpha\beta$ -Derived Progenitor T Cells in Young and Aged Mice. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 1850	8.4	3

151	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , <b>2019</b> , 49, 1457-1973	6.1	485
150	CXCR4, but not CXCR3, drives CD8 T-cell entry into and migration through the murine bone marrow. <i>European Journal of Immunology</i> , <b>2019</b> , 49, 576-589	6.1	17
149	Rethinking Thymic Tolerance: Lessons from Mice. <i>Trends in Immunology</i> , <b>2019</b> , 40, 279-291	14.4	22
148	Tissue-specific shaping of the TCR repertoire and antigen specificity of iNKT cells. <i>ELife</i> , <b>2019</b> , 8,	8.9	6
147	IgG Responses to Porins and Lipopolysaccharide within an Outer Membrane-Based Vaccine against Nontyphoidal Develop at Discordant Rates. <i>MBio</i> , <b>2018</b> , 9,	7.8	22
146	T-cell egress from the thymus: Should I stay or should I go?. <i>Journal of Leukocyte Biology</i> , <b>2018</b> , 104, 275-284	8.4	24
145	Aire controls the recirculation of murine Foxp3 regulatory T-cells back to the thymus. <i>European Journal of Immunology</i> , <b>2018</b> , 48, 844-854	6.1	20
144	Increased Production of IL-17A-Producing T Cells in the Thymus of Filaggrin-Deficient Mice. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 988	8.4	8
143	Invariant NKT Cells and Control of the Thymus Medulla. <i>Journal of Immunology</i> , <b>2018</b> , 200, 3333-3339	5.3	11
142	Endothelial cells act as gatekeepers for LTB-dependent thymocyte emigration. <i>Journal of Experimental Medicine</i> , <b>2018</b> , 215, 2984-2993	16.6	14
141	Formation of the Intrathymic Dendritic Cell Pool Requires CCL21-Mediated Recruitment of CCR7 Progenitors to the Thymus. <i>Journal of Immunology</i> , <b>2018</b> , 201, 516-523	5.3	19
140	Retinoic Acid Signaling in Thymic Epithelial Cells Regulates Thymopoiesis. <i>Journal of Immunology</i> , <b>2018</b> , 201, 524-532	5.3	10
139	Dynamic changes in intrathymic ILC populations during murine neonatal development. <i>European Journal of Immunology</i> , <b>2018</b> , 48, 1481-1491	6.1	27
138	Thymic Epithelial Cells. <i>Annual Review of Immunology</i> , <b>2017</b> , 35, 85-118	34.7	163
137	Medullary Thymic epithelial cell progenitors: hidden in plain sight. <i>Nature Reviews Immunology</i> , <b>2017</b> , 17, 348	36.5	
136	Generation of diversity in thymic epithelial cells. <i>Nature Reviews Immunology</i> , <b>2017</b> , 17, 295-305	36.5	102
135	A type 2 cytokine axis for thymus emigration. <i>Journal of Experimental Medicine</i> , <b>2017</b> , 214, 2205-2216	16.6	28
134	Prdm1 Regulates Thymic Epithelial Function To Prevent Autoimmunity. <i>Journal of Immunology</i> , <b>2017</b> , 199, 1250-1260	5.3	15

133	Progressive Changes in CXCR4 Expression That Define Thymocyte Positive Selection Are Dispensable For Both Innate and Conventional $\alpha\beta$ -cell Development. <i>Scientific Reports</i> , <b>2017</b> , 7, 5068	4.9	12
132	Redefining thymus medulla specialization for central tolerance. <i>Journal of Experimental Medicine</i> , <b>2017</b> , 214, 3183-3195	16.6	53
131	Thymic Microenvironments: Development, Organization, and Function <b>2016</b> , 390-399		1
130	Lymphotoxin $\alpha$ Receptor Controls T Cell Progenitor Entry to the Thymus. <i>Journal of Immunology</i> , <b>2016</b> , 197, 2665-72	5.3	18
129	Context-Dependent Development of Lymphoid Stroma from Adult CD34(+) Adventitial Progenitors. <i>Cell Reports</i> , <b>2016</b> , 14, 2375-88	10.6	48
128	CCR7 Controls Thymus Recirculation, but Not Production and Emigration, of Foxp3(+) T Cells. <i>Cell Reports</i> , <b>2016</b> , 14, 1041-1048	10.6	42
127	The thymus and rheumatology: should we care?. <i>Current Opinion in Rheumatology</i> , <b>2016</b> , 28, 189-95	5.3	8
126	Affinity for self antigen selects Treg cells with distinct functional properties. <i>Nature Immunology</i> , <b>2016</b> , 17, 1093-101	19.1	59
125	Relb acts downstream of medullary thymic epithelial stem cells and is essential for the emergence of RANK(+) medullary epithelial progenitors. <i>European Journal of Immunology</i> , <b>2016</b> , 46, 857-62	6.1	32
124	Control of the thymic medulla and its influence on $\alpha\beta$ -cell development. <i>Immunological Reviews</i> , <b>2016</b> , 271, 23-37	11.3	16
123	Laying bare the nude mouse gene. <i>Journal of Immunology</i> , <b>2015</b> , 194, 847-8	5.3	2
122	Hepatocyte Growth Factor Receptor c-Met Instructs T Cell Cardiotropism and Promotes T Cell Migration to the Heart via Autocrine Chemokine Release. <i>Immunity</i> , <b>2015</b> , 42, 1087-99	32.3	63
121	Osteoprotegerin-Mediated Homeostasis of Rank+ Thymic Epithelial Cells Does Not Limit Foxp3+ Regulatory T Cell Development. <i>Journal of Immunology</i> , <b>2015</b> , 195, 2675-82	5.3	30
120	Natural Th17 cells are critically regulated by functional medullary thymic microenvironments. <i>Journal of Autoimmunity</i> , <b>2015</b> , 63, 13-22	15.5	12
119	Co-ordination of intrathymic self-representation. <i>Nature Immunology</i> , <b>2015</b> , 16, 895-6	19.1	2
118	CCRL1/ACKR4 is expressed in key thymic microenvironments but is dispensable for T lymphopoiesis at steady state in adult mice. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 574-83	6.1	18
117	Border control: Anatomical origins of the thymus medulla. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 2203-7	6.1	5
116	Thymus medulla fosters generation of natural Treg cells, invariant $\alpha\beta$ T cells, and invariant NKT cells: what we learn from intrathymic migration. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 652-60	6.1	29

115	Differential requirement for CCR4 and CCR7 during the development of innate and adaptive T cells in the adult thymus. <i>Journal of Immunology</i> , <b>2014</b> , 193, 1204-12	5.3	56
114	The primordial thymus: everything you need under one roof. <i>Immunity</i> , <b>2014</b> , 41, 178-80	32.3	1
113	Mechanisms of thymus medulla development and function. <i>Current Topics in Microbiology and Immunology</i> , <b>2014</b> , 373, 19-47	3.3	15
112	An essential role for medullary thymic epithelial cells during the intrathymic development of invariant NKT cells. <i>Journal of Immunology</i> , <b>2014</b> , 192, 2659-66	5.3	64
111	Evolving strategies for cancer and autoimmunity: back to the future. <i>Frontiers in Immunology</i> , <b>2014</b> , 5, 154	8.4	4
110	Resolving Salmonella infection reveals dynamic and persisting changes in murine bone marrow progenitor cell phenotype and function. <i>European Journal of Immunology</i> , <b>2014</b> , 44, 2318-30	6.1	9
109	Serial progression of cortical and medullary thymic epithelial microenvironments. <i>European Journal of Immunology</i> , <b>2014</b> , 44, 16-22	6.1	70
108	Generation of both cortical and Aire(+) medullary thymic epithelial compartments from CD205(+) progenitors. <i>European Journal of Immunology</i> , <b>2013</b> , 43, 589-94	6.1	92
107	The thymic medulla is required for Foxp3+ regulatory but not conventional CD4+ thymocyte development. <i>Journal of Experimental Medicine</i> , <b>2013</b> , 210, 675-81	16.6	150
106	Differential requirement for CCR4 in the maintenance but not establishment of the invariant VB(+) dendritic epidermal T-cell pool. <i>PLoS ONE</i> , <b>2013</b> , 8, e74019	3.7	14
105	Developmentally regulated availability of RANKL and CD40 ligand reveals distinct mechanisms of fetal and adult cross-talk in the thymus medulla. <i>Journal of Immunology</i> , <b>2012</b> , 189, 5519-26	5.3	56
104	CD248 expression on mesenchymal stromal cells is required for post-natal and infection-dependent thymus remodelling and regeneration. <i>FEBS Open Bio</i> , <b>2012</b> , 2, 187-90	2.7	17
103	Lymphotoxin- $\alpha$ receptor signaling through NF- $\kappa$ B2-RelB pathway reprograms adipocyte precursors as lymph node stromal cells. <i>Immunity</i> , <b>2012</b> , 37, 721-34	32.3	96
102	Rank signaling links the development of invariant $\alpha$ cell progenitors and Aire(+) medullary epithelium. <i>Immunity</i> , <b>2012</b> , 36, 427-37	32.3	124
101	Thymic epithelial cells: working class heroes for T cell development and repertoire selection. <i>Trends in Immunology</i> , <b>2012</b> , 33, 256-63	14.4	247
100	Thymic function is maintained during Salmonella-induced atrophy and recovery. <i>Journal of Immunology</i> , <b>2012</b> , 189, 4266-74	5.3	30
99	Lymphoid tissue inducer cells: pivotal cells in the evolution of CD4 immunity and tolerance?. <i>Frontiers in Immunology</i> , <b>2012</b> , 3, 24	8.4	18
98	A novel method to allow noninvasive, longitudinal imaging of the murine immune system in vivo. <i>Blood</i> , <b>2012</b> , 119, 2545-51	2.2	24

97	Lymphoid tissue inducer cells: innate cells critical for CD4+ T cell memory responses?. <i>Annals of the New York Academy of Sciences</i> , <b>2012</b> , 1247, 1-15	6.5	12
96	Cutting edge: lymphoid tissue inducer cells maintain memory CD4 T cells within secondary lymphoid tissue. <i>Journal of Immunology</i> , <b>2012</b> , 189, 2094-8	5.3	70
95	Mesenchymal cells regulate retinoic acid receptor-dependent cortical thymic epithelial cell homeostasis. <i>Journal of Immunology</i> , <b>2012</b> , 188, 4801-9	5.3	40
94	Normal T cell selection occurs in CD205-deficient thymic microenvironments. <i>PLoS ONE</i> , <b>2012</b> , 7, e53416	3.7	7
93	Trans-endocytosis of CD80 and CD86: a molecular basis for the cell-extrinsic function of CTLA-4. <i>Science</i> , <b>2011</b> , 332, 600-3	33.3	1025
92	Mutation in the TCR $\beta$ subunit constant gene (TRAC) leads to a human immunodeficiency disorder characterized by a lack of TCR $\beta$ T cells. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 695-702	15.9	74
91	OX40 and CD30 signals in CD4(+) T-cell effector and memory function: a distinct role for lymphoid tissue inducer cells in maintaining CD4(+) T-cell memory but not effector function. <i>Immunological Reviews</i> , <b>2011</b> , 244, 134-48	11.3	42
90	Multiple suppression pathways of canonical Wnt signalling control thymic epithelial senescence. <i>Mechanisms of Ageing and Development</i> , <b>2011</b> , 132, 249-56	5.6	20
89	CD117+ CD3 $^+$ CD56 $^+$ OX40 $^{\text{high}}$ cells express IL-22 and display an LT $\alpha$ i phenotype in human secondary lymphoid tissues. <i>European Journal of Immunology</i> , <b>2011</b> , 41, 1563-72	6.1	35
88	Wnt-4 protects thymic epithelial cells against dexamethasone-induced senescence. <i>Rejuvenation Research</i> , <b>2011</b> , 14, 241-8	2.6	37
87	Abrogation of CD30 and OX40 signals prevents autoimmune disease in FoxP3-deficient mice. <i>Journal of Experimental Medicine</i> , <b>2011</b> , 208, 1579-84	16.6	44
86	Clonal analysis reveals uniformity in the molecular profile and lineage potential of CCR9(+) and CCR9(-) thymus-settling progenitors. <i>Journal of Immunology</i> , <b>2011</b> , 186, 5227-35	5.3	13
85	Thymocyte Development <b>2011</b> , 1-23		
84	Wnt4 and LAP2alpha as pacemakers of thymic epithelial senescence. <i>PLoS ONE</i> , <b>2010</b> , 5, e10701	3.7	46
83	Ontogeny of stromal organizer cells during lymph node development. <i>Journal of Immunology</i> , <b>2010</b> , 184, 4521-30	5.3	96
82	Lymphoid tissue inducer cells and the evolution of CD4 dependent high-affinity antibody responses. <i>Progress in Molecular Biology and Translational Science</i> , <b>2010</b> , 92, 159-74	4	7
81	Lymphotoxin signals from positively selected thymocytes regulate the terminal differentiation of medullary thymic epithelial cells. <i>Journal of Immunology</i> , <b>2010</b> , 185, 4769-76	5.3	108
80	A distinct subset of podoplanin (gp38) expressing F4/80+ macrophages mediate phagocytosis and are induced following zymosan peritonitis. <i>FEBS Letters</i> , <b>2010</b> , 584, 3955-61	3.8	31

79	Splenic stromal cells mediate IL-7 independent adult lymphoid tissue inducer cell survival. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 359-65	6.1	9
78	The pericyte and stromal cell marker CD248 (endosialin) is required for efficient lymph node expansion. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 1884-9	6.1	27
77	CD30 is required for CCL21 expression and CD4 T cell recruitment in the absence of lymphotoxin signals. <i>Journal of Immunology</i> , <b>2009</b> , 182, 4771-5	5.3	16
76	Enhanced selection of FoxP3+ T-regulatory cells protects CTLA-4-deficient mice from CNS autoimmune disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 3306-11	11.5	38
75	The survival of memory CD4+ T cells within the gut lamina propria requires OX40 and CD30 signals. <i>Journal of Immunology</i> , <b>2009</b> , 183, 5079-84	5.3	36
74	Transplantation of embryonic spleen tissue reveals a role for adult non-lymphoid cells in initiating lymphoid tissue organization. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 280-9	6.1	12
73	A roadmap for thymic epithelial cell development. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 1694-9	6.1	30
72	Synergistic OX40 and CD30 signals sustain CD8+ T cells during antigenic challenge. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 2120-5	6.1	10
71	Absence of thymus crosstalk in the fetus does not preclude hematopoietic induction of a functional thymus in the adult. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 2395-402	6.1	23
70	NK cells protect secondary lymphoid tissue from cytomegalovirus via a CD30-dependent mechanism. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 2800-8	6.1	14
69	Roquin differentiates the specialized functions of duplicated T cell costimulatory receptor genes CD28 and ICOS. <i>Immunity</i> , <b>2009</b> , 30, 228-41	32.3	117
68	Checkpoints in the development of thymic cortical epithelial cells. <i>Journal of Immunology</i> , <b>2009</b> , 182, 130-7	5.3	114
67	Heterogeneity of lymphoid tissue inducer cell populations present in embryonic and adult mouse lymphoid tissues. <i>Immunology</i> , <b>2008</b> , 124, 166-74	7.8	50
66	Lymphoid tissue inducer cells in adaptive CD4 T cell dependent responses. <i>Seminars in Immunology</i> , <b>2008</b> , 20, 159-63	10.7	19
65	Critical synergy of CD30 and OX40 signals in CD4 T cell homeostasis and Th1 immunity to Salmonella. <i>Journal of Immunology</i> , <b>2008</b> , 180, 2824-9	5.3	42
64	AIRE's CARD revealed, a new structure for central tolerance provokes transcriptional plasticity. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 1723-1731	5.4	68
63	An epithelial progenitor pool regulates thymus growth. <i>Journal of Immunology</i> , <b>2008</b> , 181, 6101-8	5.3	61
62	Ly49H+ NK cells migrate to and protect splenic white pulp stroma from murine cytomegalovirus infection. <i>Journal of Immunology</i> , <b>2008</b> , 180, 6768-76	5.3	38



61	Involvement of CCR9 at multiple stages of adult T lymphopoiesis. <i>Journal of Leukocyte Biology</i> , <b>2008</b> , 83, 156-64	6.5	26
60	TSCOT+ thymic epithelial cell-mediated sensitive CD4 tolerance by direct presentation. <i>PLoS Biology</i> , <b>2008</b> , 6, e191	9.7	15
59	Preparation of 2-dGuo-treated thymus organ cultures. <i>Journal of Visualized Experiments</i> , <b>2008</b> ,	1.6	7
58	Reaggregate thymus cultures. <i>Journal of Visualized Experiments</i> , <b>2008</b> ,	1.6	10
57	Bringing the thymus to the bench. <i>Journal of Immunology</i> , <b>2008</b> , 181, 7435-6	5.3	5
56	Sequential phases in the development of Aire-expressing medullary thymic epithelial cells involve distinct cellular input. <i>European Journal of Immunology</i> , <b>2008</b> , 38, 942-7	6.1	69
55	EphrinB1-EphB signaling regulates thymocyte-epithelium interactions involved in functional T cell development. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 2596-605	6.1	44
54	Chemokine receptor expression defines heterogeneity in the earliest thymic migrants. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 2090-6	6.1	33
53	Redefining epithelial progenitor potential in the developing thymus. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 2411-8	6.1	74
52	The role of lymphoid tissue inducer cells in splenic white pulp development. <i>European Journal of Immunology</i> , <b>2007</b> , 37, 3240-5	6.1	44
51	Generating intrathymic microenvironments to establish T-cell tolerance. <i>Nature Reviews Immunology</i> , <b>2007</b> , 7, 954-63	36.5	152
50	CD248/Endosialin is dynamically expressed on a subset of stromal cells during lymphoid tissue development, splenic remodeling and repair. <i>FEBS Letters</i> , <b>2007</b> , 581, 3550-6	3.8	41
49	Role of CD30 in B/T segregation in the spleen. <i>Journal of Immunology</i> , <b>2007</b> , 179, 7535-43	5.3	31
48	Function of CD4+CD3- cells in relation to B- and T-zone stroma in spleen. <i>Blood</i> , <b>2007</b> , 109, 1602-10	2.2	76
47	PDGFRalpha-expressing mesenchyme regulates thymus growth and the availability of intrathymic niches. <i>Blood</i> , <b>2007</b> , 109, 954-60	2.2	72
46	Lymphotoxin a-dependent and -independent signals regulate stromal organizer cell homeostasis during lymph node organogenesis. <i>Blood</i> , <b>2007</b> , 110, 1950-9	2.2	52
45	RANK signals from CD4(+)3(-) inducer cells regulate development of Aire-expressing epithelial cells in the thymic medulla. <i>Journal of Experimental Medicine</i> , <b>2007</b> , 204, 1267-72	16.6	378
44	Investigating central tolerance with reaggregate thymus organ cultures. <i>Methods in Molecular Biology</i> , <b>2007</b> , 380, 185-96	1.4	10



43	Fetal thymus organ culture. <i>Cold Spring Harbor Protocols</i> , <b>2007</b> , 2007, pdb.prot4808	1.2	27
42	Overexpression of ICAT highlights a role for catenin-mediated canonical Wnt signalling in early T cell development. <i>European Journal of Immunology</i> , <b>2006</b> , 36, 2376-83	6.1	41
41	Neonatal and adult CD4+ CD3- cells share similar gene expression profile, and neonatal cells up-regulate OX40 ligand in response to TL1A (TNFSF15). <i>Journal of Immunology</i> , <b>2006</b> , 177, 3074-81	5.3	71
40	Clonal analysis reveals a common progenitor for thymic cortical and medullary epithelium. <i>Nature</i> , <b>2006</b> , 441, 988-91	50.4	251
39	Thymus colonization: a shared responsibility. <i>Blood</i> , <b>2006</b> , 108, 2497-2497	2.2	1
38	Establishment and functioning of intrathymic microenvironments. <i>Immunological Reviews</i> , <b>2006</b> , 209, 10-27	11.3	88
37	The thymus and T-cell commitment: the right niche for Notch?. <i>Nature Reviews Immunology</i> , <b>2006</b> , 6, 551-5	36.5	41
36	Development of functional thymic epithelial cells occurs independently of lymphostromal interactions. <i>Mechanisms of Development</i> , <b>2005</b> , 122, 1294-9	1.7	32
35	T/B lineage choice occurs prior to intrathymic Notch signaling. <i>Blood</i> , <b>2005</b> , 106, 886-92	2.2	67
34	Phenotypic characterization of CD3-7+ cells in developing human intestine and an analysis of their ability to differentiate into T cells. <i>Journal of Immunology</i> , <b>2005</b> , 174, 5414-22	5.3	29
33	OX40 ligand and CD30 ligand are expressed on adult but not neonatal CD4+CD3- inducer cells: evidence that IL-7 signals regulate CD30 ligand but not OX40 ligand expression. <i>Journal of Immunology</i> , <b>2005</b> , 174, 6686-91	5.3	72
32	Expression of the Ian family of putative GTPases during T cell development and description of an Ian with three sets of GTP/GDP-binding motifs. <i>International Immunology</i> , <b>2005</b> , 17, 1257-68	4.9	26
31	A stroma-derived defect in NF-kappaB2-/- mice causes impaired lymph node development and lymphocyte recruitment. <i>Journal of Immunology</i> , <b>2004</b> , 173, 2271-9	5.3	43
30	Cutting edge: a chemical genetic system for the analysis of kinases regulating T cell development. <i>Journal of Immunology</i> , <b>2003</b> , 171, 519-23	5.3	20
29	Modeling TCR signaling complex formation in positive selection. <i>Journal of Immunology</i> , <b>2003</b> , 171, 2825-31	5.3	24
28	Entry into the thymic microenvironment triggers Notch activation in the earliest migrant T cell progenitors. <i>Journal of Immunology</i> , <b>2003</b> , 170, 1299-303	5.3	50
27	Progression through key stages of haemopoiesis is dependent on distinct threshold levels of c-Myb. <i>EMBO Journal</i> , <b>2003</b> , 22, 4478-88	13	213
26	Thymic epithelial cells provide WNT signals to developing thymocytes. <i>European Journal of Immunology</i> , <b>2003</b> , 33, 1949-56	6.1	71

25	Con A activates an Akt/PKB dependent survival mechanism to modulate TCR induced cell death in double positive thymocytes. <i>Molecular Immunology</i> , <b>2003</b> , 39, 1013-23	4.3	29
24	Microenvironmental regulation of Notch signalling in T cell development. <i>Seminars in Immunology</i> , <b>2003</b> , 15, 91-7	10.7	32
23	Differential requirement for mesenchyme in the proliferation and maturation of thymic epithelial progenitors. <i>Journal of Experimental Medicine</i> , <b>2003</b> , 198, 325-32	16.6	115
22	Induction of thymocyte positive selection does not convey immediate resistance to negative selection. <i>Immunology</i> , <b>2002</b> , 105, 163-70	7.8	5
21	One for all and all for one: thymic epithelial stem cells and regeneration. <i>Trends in Immunology</i> , <b>2002</b> , 23, 391-5	14.4	64
20	Notch ligand-bearing thymic epithelial cells initiate and sustain Notch signaling in thymocytes independently of T cell receptor signaling. <i>European Journal of Immunology</i> , <b>2001</b> , 31, 3349-54	6.1	67
19	Lymphostromal interactions in thymic development and function. <i>Nature Reviews Immunology</i> , <b>2001</b> , 1, 31-40	36.5	355
18	Protocols for high efficiency, stage-specific retroviral transduction of murine fetal thymocytes and thymic epithelial cells. <i>Journal of Immunological Methods</i> , <b>2001</b> , 253, 209-22	2.5	12
17	Studies on the role of IL-7 presentation by mesenchymal fibroblasts during early thymocyte development. <i>European Journal of Immunology</i> , <b>2000</b> , 30, 2125-9	6.1	33
16	RNA and protein expression of the murine autoimmune regulator gene (Aire) in normal, RelB-deficient and in NOD mouse. <i>European Journal of Immunology</i> , <b>2000</b> , 30, 1884-93	6.1	155
15	An essential role for the IL-7 receptor during intrathymic expansion of the positively selected neonatal T cell repertoire. <i>Journal of Immunology</i> , <b>2000</b> , 165, 2410-4	5.3	56
14	Microenvironmental regulation of T cell development in the thymus. <i>Seminars in Immunology</i> , <b>2000</b> , 12, 457-64	10.7	70
13	Positive selection of thymocytes: the long and winding road. <i>Trends in Immunology</i> , <b>1999</b> , 20, 463-8		62
12	A novel method of cell separation based on dual parameter immunomagnetic cell selection. <i>Journal of Immunological Methods</i> , <b>1999</b> , 223, 195-205	2.5	47
11	In vitro models of T cell development. <i>Seminars in Immunology</i> , <b>1999</b> , 11, 3-12	10.7	62
10	Use of explant technology in the study of in vitro immune responses. <i>Journal of Immunological Methods</i> , <b>1998</b> , 216, 155-63	2.5	9
9	Fibroblast dependency during early thymocyte development maps to the CD25+ CD44+ stage and involves interactions with fibroblast matrix molecules. <i>European Journal of Immunology</i> , <b>1997</b> , 27, 1200-6	6.1	67
8	Discrimination between maintenance- and differentiation-inducing signals during initial and intermediate stages of positive selection. <i>European Journal of Immunology</i> , <b>1997</b> , 27, 1838-42	6.1	33

7	Cellular interactions in thymocyte development. <i>Annual Review of Immunology</i> , <b>1996</b> , 14, 73-99	34.7	420
6	The role of the thymus during T-lymphocyte development in vitro. <i>Seminars in Immunology</i> , <b>1995</b> , 7, 177-83.7	16	
5	Positive selection by purified MHC class II+ thymic epithelial cells in vitro: costimulatory signals mediated by B7 are not involved. <i>Autoimmunity</i> , <b>1994</b> , 3, 265-71	19	
4	Fetal thymic organ cultures. <i>Current Opinion in Immunology</i> , <b>1994</b> , 6, 293-7	7.8	67
3	Analysis of cytokine gene expression in subpopulations of freshly isolated thymocytes and thymic stromal cells using semiquantitative polymerase chain reaction. <i>European Journal of Immunology</i> , <b>1993</b> , 23, 922-7	6.1	110
2	MHC class II-positive epithelium and mesenchyme cells are both required for T-cell development in the thymus. <i>Nature</i> , <b>1993</b> , 362, 70-3	50.4	306
1	Differential Nr4a1 and Nr4a3 expression discriminates tonic from activated TCR signalling events in vivo	4	