

Noriho Iida

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3792632/publications.pdf>

Version: 2024-02-01

30
papers

2,376
citations

623734

14
h-index

501196

28
g-index

30
all docs

30
docs citations

30
times ranked

4533
citing authors

#	ARTICLE	IF	CITATIONS
1	Commensal Bacteria Control Cancer Response to Therapy by Modulating the Tumor Microenvironment. <i>Science</i> , 2013, 342, 967-970.	12.6	1,715
2	Gut-derived <i>Enterococcus faecium</i> from ulcerative colitis patients promotes colitis in a genetically susceptible mouse host. <i>Genome Biology</i> , 2019, 20, 252.	8.8	78
3	Antitumor Effect after Radiofrequency Ablation of Murine Hepatoma Is Augmented by an Active Variant of CC Chemokine Ligand 3/Macrophage Inflammatory Protein-1 β . <i>Cancer Research</i> , 2010, 70, 6556-6565.	0.9	65
4	Association Between High-Avidity T-Cell Receptors, Induced by β -Fetoprotein-Derived Peptides, and Anti-Tumor Effects in Patients With Hepatocellular Carcinoma. <i>Gastroenterology</i> , 2017, 152, 1395-1406.e10.	1.3	61
5	Myeloid-derived suppressor cells correlate with patient outcomes in hepatic arterial infusion chemotherapy for hepatocellular carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 715-725.	4.2	58
6	Characteristics of Immune Response to Tumor-Associated Antigens and Immune Cell Profile in Patients With Hepatocellular Carcinoma. <i>Hepatology</i> , 2019, 69, 653-665.	7.3	56
7	Blood neutrophil to lymphocyte ratio as a predictor in patients with advanced hepatocellular carcinoma treated with hepatic arterial infusion chemotherapy. <i>Hepatology Research</i> , 2015, 45, 949-959.	3.4	40
8	Phase I trial of multidrug resistance-associated protein 3-derived peptide in patients with hepatocellular carcinoma. <i>Cancer Letters</i> , 2015, 369, 242-249.	7.2	37
9	Characteristics of Impaired Dendritic Cell Function in Patients With Hepatitis B Virus Infection. <i>Hepatology</i> , 2019, 70, 25-39.	7.3	26
10	Chronic liver disease enables gut <i>Enterococcus faecalis</i> colonization to promote liver carcinogenesis. <i>Nature Cancer</i> , 2021, 2, 1039-1054.	13.2	26
11	Overuse of antianaerobic drug is associated with poor postchemotherapy prognosis of patients with hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2019, 145, 2701-2711.	5.1	25
12	Serum Laminin β 2 Monomer as a Diagnostic and Predictive Biomarker for Hepatocellular Carcinoma. <i>Hepatology</i> , 2021, 74, 760-775.	7.3	21
13	Serum C16:1n7/C16:0 ratio as a diagnostic marker for non-alcoholic steatohepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1829-1835.	2.8	18
14	Next-generation prebiotic promotes selective growth of bifidobacteria, suppressing <i>Clostridioides difficile</i> . <i>Gut Microbes</i> , 2021, 13, 1973835.	9.8	18
15	Development of novel diagnostic system for pancreatic cancer, including early stages, measuring <i>mRNA</i> of whole blood cells. <i>Cancer Science</i> , 2019, 110, 1364-1388.	3.9	17
16	Safety and Long-Term Outcome of Intratumoral Injection of OK432-Stimulated Dendritic Cells for Hepatocellular Carcinomas After Radiofrequency Ablation. <i>Translational Oncology</i> , 2020, 13, 100777.	3.7	17
17	Fatty acid-driven modifications in T-cell profiles in non-alcoholic fatty liver disease patients. <i>Journal of Gastroenterology</i> , 2020, 55, 701-711.	5.1	16
18	Inactivation of Transcriptional Repressor Capicua Confers Sorafenib Resistance in Human Hepatocellular Carcinoma. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 269-285.	4.5	14

#	ARTICLE	IF	CITATIONS
19	BMP9-CD1 signaling promotes EpCAM-positive cancer stem cell properties in hepatocellular carcinoma. <i>Molecular Oncology</i> , 2021, 15, 2203-2218.	4.6	14
20	Safety and efficacy of sorafenib followed by regorafenib or lenvatinib in patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2021, 51, 190-200.	3.4	9
21	Peptide vaccine-treated, long-term surviving cancer patients harbor self-renewing tumor-specific CD8+ T cells. <i>Nature Communications</i> , 2022, 13, .	12.8	8
22	Immune response to human telomerase reverse transcriptase-derived helper T cell epitopes in hepatocellular carcinoma patients. <i>Liver International</i> , 2018, 38, 1635-1645.	3.9	7
23	Tumor lysis syndrome in a patient with metastatic melanoma treated with nivolumab. <i>Clinical Journal of Gastroenterology</i> , 2020, 13, 935-939.	0.8	7
24	Study Protocol for Pleiotropic Effects and Safety of Sodium-Glucose Cotransporter-2 Inhibitor Versus Sulfonylurea in Patients with Type-2 Diabetes and Nonalcoholic Fatty Liver Disease. <i>Diabetes Therapy</i> , 2020, 11, 549-560.	2.5	7
25	A novel Î±-fetoprotein-derived helper T-lymphocyte epitope with strong immunogenicity in patients with hepatocellular carcinoma. <i>Scientific Reports</i> , 2020, 10, 4021.	3.3	6
26	Three renal failure cases successfully treated with ombitasvir/paritaprevir/ritonavir for genotype 1b hepatitis C virus reinfection after liver transplantation. <i>Clinical Journal of Gastroenterology</i> , 2019, 12, 63-70.	0.8	4
27	Dysbiotic gut microbiota in pancreatic cancer patients form correlation networks with the oral microbiota and prognostic factors. <i>American Journal of Cancer Research</i> , 2021, 11, 3163-3175.	1.4	4
28	Discrimination of hand-foot skin reaction caused by tyrosine kinase inhibitors based on direct keratinocyte toxicity and vascular endothelial growth factor receptor-2 inhibition. <i>Biochemical Pharmacology</i> , 2022, 197, 114914.	4.4	1
29	Oral Corticosteroids Impair Mucin Production and Alter the Posttransplantation Microbiota in the Gut. <i>Digestion</i> , 2022, 103, 269-286.	2.3	1
30	A case of traumatic diaphragmatic hernia that caused obstruction of middle hepatic vein. <i>Acta Hepatologica Japonica</i> , 2021, 62, 413-419.	0.1	0