

# Gilles Lemesle

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3792812/publications.pdf>

Version: 2024-02-01

148  
papers

4,433  
citations

117619

34  
h-index

123420

61  
g-index

150  
all docs

150  
docs citations

150  
times ranked

6107  
citing authors

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Economic evaluation of restrictive vs. liberal transfusion strategy following acute myocardial infarction (REALITY): trial-based cost-effectiveness and cost-utility analyses. European Heart Journal Quality of Care & Clinical Outcomes, 2023, 9, 194-202. | 4.0  | 4         |
| 2  | Utility and safety of coronary angiography in patients with acute infective endocarditis who required surgery. Journal of Thoracic and Cardiovascular Surgery, 2022, 164, 905-913.e19.   | 0.8  | 3         |
| 3  | Compared impact of diabetes on the risk of heart failure from acute myocardial infarction to chronic coronary artery disease. Diabetes and Metabolism, 2022, 48, 101265.   | 2.9  | 3         |
| 4  | Haemodynamic support during high-risk percutaneous coronary intervention. Archives of Cardiovascular Diseases, 2022, 115, 109-109.   | 1.6  | 0         |
| 5  | One-Year Major Cardiovascular Events After Restrictive Versus Liberal Blood Transfusion Strategy in Patients With Acute Myocardial Infarction and Anemia: The REALITY Randomized Trial. Circulation, 2022, 145, 486-488.                                     | 1.6  | 15        |
| 6  | Clinical significance of myocardial work parameters after acute myocardial infarction. European Heart Journal Open, 2022, 2, .   | 2.3  | 6         |
| 7  | On-Ticagrelor Platelet Reactivity and Clinical Outcome in Patients Undergoing Percutaneous Coronary Intervention for Acute Coronary Syndrome. Thrombosis and Haemostasis, 2021, 121, 923-930.  | 3.4  | 3         |
| 8  | Acute Coronary Syndrome in the Era of SARS-CoV-2 Infection: A Registry of the French Group of Acute Cardiac Care. CJC Open, 2021, 3, 311-317.  | 1.5  | 12        |
| 9  | Simple risk models to predict cardiovascular death in patients with stable coronary artery disease. European Heart Journal Quality of Care & Clinical Outcomes, 2021, 7, 287-294.  | 4.0  | 3         |
| 10 | Restrictive vs liberal red blood cell transfusion strategies in patients with acute myocardial infarction and anemia: Rationale and design of the REALITY trial. Clinical Cardiology, 2021, 44, 143-150.   | 1.8  | 8         |
| 11 | Effect of a Restrictive vs Liberal Blood Transfusion Strategy on Major Cardiovascular Events Among Patients With Acute Myocardial Infarction and Anemia. JAMA - Journal of the American Medical Association, 2021, 325, 552.                                 | 7.4  | 137       |
| 12 | IMPELLA® or Extracorporeal Membrane Oxygenation for Left Ventricular Dominant Refractory Cardiogenic Shock. Journal of Clinical Medicine, 2021, 10, 759.   | 2.4  | 12        |
| 13 | Myocardial Infarction incidence during national lockdown in two French provinces unevenly affected by COVID-19 outbreak: An observational study. Lancet Regional Health - Europe, The, 2021, 2, 100030.  | 5.6  | 18        |
| 14 | Feasibility and safety of transfemoral transcatheter aortic valve implantation performed with a percutaneous coronary intervention-like approach. Archives of Cardiovascular Diseases, 2021, 114, 537-549.   | 1.6  | 9         |
| 15 | Fatal Enterovirus-related Myocarditis in a Patient with Device's Syndrome Treated with Rituximab. Cardiac Failure Review, 2021, 7, e09.  | 3.0  | 4         |
| 16 | Multivessel PCI Guided by FFR or Angiography for Myocardial Infarction. New England Journal of Medicine, 2021, 385, 297-308.   | 27.0 | 172       |
| 17 | Very long-term outcomes of older adults with stable coronary artery disease (from the CORONOR) Tj ETQq1 1 0.784314 rgBT <sub>1</sub> /Overlook   | 0.7  | 1         |
| 18 | Percutaneous Myocardial Revascularization in Late-Presenting Patients With STEMI. Journal of the American College of Cardiology, 2021, 78, 1291-1305.  | 2.8  | 23        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | It's never too early to beat your low-density lipoprotein cholesterol. Archives of Cardiovascular Diseases, 2021, 114, 1-3.   | 1.6  | 1         |
| 20 | Prinzmetal's angina presenting as ventricular tachycardia and sudden cardiac death. Coronary Artery Disease, 2021, 32, 599-600.   | 0.7  | 2         |
| 21 | Management of antithrombotics in situations with a gap in evidence: A national French survey focusing on patients with coronary artery disease and atrial fibrillation. International Journal of Cardiology, 2021, , .  | 1.7  | 0         |
| 22 | An unusual left anterior descending artery myocardial bridging. Journal of Cardiovascular Computed Tomography, 2020, 14, e78-e79.   | 1.3  | 0         |
| 23 | Proposal for a standardized discharge letter after hospital stay for acute myocardial infarction. European Heart Journal: Acute Cardiovascular Care, 2020, 9, 788-801.  | 1.0  | 7         |
| 24 | Five-year outcomes following timely primary percutaneous intervention, late primary percutaneous intervention, or a pharmaco-invasive strategy in ST-segment elevation myocardial infarction: the FAST-MI programme. European Heart Journal, 2020, 41, 858-866. | 2.2  | 32        |
| 25 | Ticagrelor versus clopidogrel in elective percutaneous coronary intervention (ALPHEUS): a randomised, open-label, phase 3b trial. Lancet, The, 2020, 396, 1737-1744.  | 13.7 | 75        |
| 26 | Real-Life Incident Atrial Fibrillation in Outpatients with Coronary Artery Disease. Journal of Clinical Medicine, 2020, 9, 2367.  | 2.4  | 4         |
| 27 | Apolipoprotein Proteomic Profiling for the Prediction of Cardiovascular Death in Patients with Heart Failure. Proteomics - Clinical Applications, 2020, 14, 2000035.  | 1.6  | 2         |
| 28 | Hospital admissions for acute myocardial infarction before and after lockdown according to regional prevalence of COVID-19 and patient profile in France: a registry study. Lancet Public Health, The, 2020, 5, e536-e542.                                      | 10.0 | 169       |
| 29 | Secondary prevention and outcomes in outpatients with coronary artery disease, atrial fibrillation or heart failure: a focus on disease overlap. Open Heart, 2020, 7, e001165.  | 2.3  | 8         |
| 30 | Association between rs4149056 variant in SLCO1B1 and early discontinuation of statin after acute myocardial infarction. Pharmacogenomics, 2020, 21, 163-172.  | 1.3  | 3         |
| 31 | Ticagrelor Or Clopidogrel in severe or terminal chronic kidney patients Undergoing Percutaneous coronary intervention for acute coronary syndrome: The TROUPER trial. American Heart Journal, 2020, 225, 19-26.   | 2.7  | 14        |
| 32 | Optimal Timing of Intervention in NSTEMI-ACS Without Pre-Treatment. JACC: Cardiovascular Interventions, 2020, 13, 907-917.  | 2.9  | 31        |
| 33 | Gender differences in clinical characteristics, medical management, risk factor control, and long-term outcome of patients with stable coronary artery disease: from the CORONOR registry. Panminerva Medica, 2020, 61, 432-438.                                | 0.8  | 2         |
| 34 | Relative impact of bleedings over ischaemic events in patients with heart failure: insights from the CARDIONOR registry. ESC Heart Failure, 2020, 7, 3821-3829.   | 3.1  | 3         |
| 35 | Twenty-year trends in profile, management and outcomes of patients with ST-segment elevation myocardial infarction according to use of reperfusion therapy: Data from the FAST-MI program 1995-2015. American Heart Journal, 2019, 214, 97-106.                 | 2.7  | 20        |
| 36 | Letter by Bonello et al Regarding Article, "Early Versus Standard Care Invasive Examination and Treatment of Patients With Non-ST-Segment Elevation Acute Coronary Syndrome: VERDICT Randomized Controlled Trial". Circulation, 2019, 139, e959-e960.           | 1.6  | 0         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Etiology and Prognosis of Cardiogenic Shock in a Secondary Center without Surgical Back-Up. Cardiology Research and Practice, 2019, 2019, 1-7.  | 1.1 | 3         |
| 38 | Aspirin on Top of Anticoagulation in Patients With Concomitant Stable Coronary Artery Disease and Atrial Fibrillation. Circulation, 2019, 139, 617-619.   | 1.6 | 10        |
| 39 | Bivalirudin during percutaneous coronary intervention in acute coronary syndromes. Expert Opinion on Pharmacotherapy, 2019, 20, 295-304.  | 1.8 | 9         |
| 40 | Antithrombotic efficacy of bivalirudin compared to unfractionated heparin during percutaneous coronary intervention for acute coronary syndrome. Platelets, 2019, 30, 105-111.  | 2.3 | 3         |
| 41 | Temporal trends in clinical characteristics and management according to sex in patients with cardiogenic shock after acute myocardial infarction: The FAST-MI programme. Archives of Cardiovascular Diseases, 2018, 111, 555-563.   | 1.6 | 22        |
| 42 | Early versus delayed invasive strategy for intermediate- and high-risk acute coronary syndromes managed without P2Y <sub>12</sub> receptor inhibitor pretreatment: Design and rationale of the EARLY randomized trial. Clinical Cardiology, 2018, 41, 5-12.                     | 1.8 | 6         |
| 43 | Association of Diabetic Status and Glycemic Control With Ischemic and Bleeding Outcomes in Patients With Stable Coronary Artery Disease: The 5-Year CORONOR Registry. Journal of the American Heart Association, 2018, 7, .   | 3.7 | 10        |
| 44 | A consensus statement on lipid management after acute coronary syndrome. European Heart Journal: Acute Cardiovascular Care, 2018, 7, 532-543.   | 1.0 | 27        |
| 45 | Reaching low-density lipoprotein cholesterol treatment targets in stable coronary artery disease: Determinants and prognostic impact. Archives of Cardiovascular Diseases, 2018, 111, 634-643.  | 1.6 | 8         |
| 46 | First Hospitalization for Heart Failure in Outpatients With Stable Coronary Artery Disease: Determinants, Role of Incident Myocardial Infarction, and Prognosis. Journal of Cardiac Failure, 2018, 24, 815-822.   | 1.7 | 24        |
| 47 | Meta-Analysis of Potent P2Y <sub>12</sub> -ADP Receptor Antagonist Therapy Compared to Clopidogrel Therapy in Acute Coronary Syndrome Patients with Chronic Kidney Disease. Thrombosis and Haemostasis, 2018, 118, 1839-1846.   | 3.4 | 15        |
| 48 | Incidence and determinants of cerebrovascular events in outpatients with stable coronary artery disease. European Stroke Journal, 2018, 3, 272-280.   | 5.5 | 7         |
| 49 | Arterial Pulsatility and Circulating von Willebrand Factor in Patients on Mechanical Circulatory Support. Journal of the American College of Cardiology, 2018, 71, 2106-2118.   | 2.8 | 86        |
| 50 | Elective Coronary Revascularization Procedures in Patients With Stable Coronary Artery Disease. JACC: Cardiovascular Interventions, 2018, 11, 868-875.  | 2.9 | 7         |
| 51 | Accuracy of cardiac magnetic resonance imaging to rule out significant coronary artery disease in patients with systolic heart failure of unknown aetiology: Single-centre experience and comprehensive meta-analysis. Archives of Cardiovascular Diseases, 2018, 111, 686-701. | 1.6 | 5         |
| 52 | Expression and Implication of Clusterin in Left Ventricular Remodeling After Myocardial Infarction. Circulation: Heart Failure, 2018, 11, e004838.  | 3.9 | 21        |
| 53 | Mechanical Support in Cardiogenic Shock Complicating Acute Coronary Syndrome: Ready for Prime Time?. Current Vascular Pharmacology, 2018, 16, 418-426.  | 1.7 | 4         |
| 54 | Prognostic impact of non-compliance with guidelines-recommended times to reperfusion therapy in ST-elevation myocardial infarction. The FAST-MI 2010 registry. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 26-33.   | 1.0 | 17        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Angiotensin II receptor blockers versus angiotensin-converting enzyme inhibitors in patients with stable coronary artery disease: Prevalence, correlates, and prognostic impact (from the CORONOR) Tj ETQq1 1 0.784314 rgBT /Overlock   | 2.8  | 35        |
| 56 | Incident Myocardial Infarction and Very Late Stent Thrombosis in Outpatients With Stable Coronary Artery Disease. Journal of the American College of Cardiology, 2017, 69, 2149-2156.   | 2.8  | 35        |
| 57 | Diabetic patients with acute coronary syndromes in contemporary European registries: characteristics and outcomes. European Heart Journal - Cardiovascular Pharmacotherapy, 2017, 3, 198-213.   | 3.0  | 18        |
| 58 | LONG-TERM OUTCOME WITH ORAL ANTICOAGULANTS WITH OR WITHOUT DUAL ANTIPLATELET THERAPY AFTER AMI: THE FAST-MI 2010 REGISTRY. Journal of the American College of Cardiology, 2017, 69, 207.  | 2.8  | 0         |
| 59 | Long-Term Clinical Outcomes According to Previous Manifestations of Atherosclerotic Disease (from) Tj ETQq1 1 0.784314 rgBT /Overlock   | 1.6  | 4         |
| 60 | Acute Myocardial Infarction. Circulation, 2017, 136, 1908-1919.   | 1.6  | 352       |
| 61 | Vitamin K antagonists with or without long-term antiplatelet therapy in outpatients with stable coronary artery disease and atrial fibrillation: Association with ischemic and bleeding events. Clinical Cardiology, 2017, 40, 932-939. | 1.8  | 43        |
| 62 | Effect of left ventricular systolic dysfunction on secondary medical prevention and clinical outcome in stable coronary artery disease patients. Archives of Cardiovascular Diseases, 2017, 110, 35-41.                                 | 1.6  | 4         |
| 63 | Research and Therapeutic Nihilisms in Chronic Kidney Disease. JACC: Cardiovascular Interventions, 2017, 10, 2343-2344.  | 2.9  | 4         |
| 64 | Platelet reactivity in patients receiving a maintenance dose of P2Y12-ADP receptor antagonists undergoing elective percutaneous coronary intervention. International Journal of Cardiology, 2016, 216, 190-193.                         | 1.7  | 6         |
| 65 | Catheter tip erosion due to Rotablator burr: An unusual complication. Cardiovascular Revascularization Medicine, 2016, 17, 344-345.   | 0.8  | 0         |
| 66 | Clopidogrel Use as Single Antiplatelet Therapy in Outpatients with Stable Coronary Artery Disease: Prevalence, Correlates and Association with Prognosis (from the CORONOR Study). Cardiology, 2016, 134, 11-18.                        | 1.4  | 8         |
| 67 | Timing of Coronary Invasive Strategy in Non-ST-Segment Elevation Acute Coronary Syndromes and Clinical Outcomes. JACC: Cardiovascular Interventions, 2016, 9, 2267-2276.  | 2.9  | 65        |
| 68 | Von Willebrand Factor Multimers during Transcatheter Aortic-Valve Replacement. New England Journal of Medicine, 2016, 375, 335-344.   | 27.0 | 128       |
| 69 | A systematic review and meta-regression of temporal trends in the excess mortality associated with diabetes mellitus after myocardial infarction. International Journal of Cardiology, 2016, 217, 109-121.                              | 1.7  | 37        |
| 70 | Effect of aspirin in addition to oral anticoagulants in stable coronary artery disease outpatients with an indication for anticoagulation. Panminerva Medica, 2016, 58, 271-285.  | 0.8  | 7         |
| 71 | Practice Patterns for Outpatients With Stable Coronary Artery Disease: A Case Vignette-based Survey Among French Cardiologists. EBioMedicine, 2015, 2, 1662-1668.   | 6.1  | 5         |
| 72 | Stent length as a potential indicator to select patients who may benefit from long-term dual antiplatelet therapy. Interventional Cardiology, 2015, 7, 419-426.   | 0.0  | 0         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 73 | Multimarker Proteomic Profiling for the Prediction of Cardiovascular Mortality in Patients with Chronic Heart Failure. PLoS ONE, 2015, 10, e0119265.   | 2.5  | 15        |
| 74 | Secondary medical prevention and clinical outcome in coronary artery disease patients with a history of non-coronary vascular intervention: A report from the CORONOR investigators. European Journal of Preventive Cardiology, 2015, 22, 864-871.                 | 1.8  | 7         |
| 75 | Copeptin in acute coronary syndromes and heart failure management: State of the art and future directions. Archives of Cardiovascular Diseases, 2015, 108, 398-407.  | 1.6  | 25        |
| 76 | Prevalence and correlates of non-optimal secondary medical prevention in patients with stable coronary artery disease. Archives of Cardiovascular Diseases, 2015, 108, 340-346.  | 1.6  | 7         |
| 77 | Dual antiplatelet therapy in patients with a long coronary artery lesion over 30mm: Determinants and impact on prognosis. Archives of Cardiovascular Diseases, 2015, 108, 235-243.   | 1.6  | 6         |
| 78 | Ticagrelor increases endothelial progenitor cell level compared to clopidogrel in acute coronary syndromes: A prospective randomized study. International Journal of Cardiology, 2015, 187, 502-507.   | 1.7  | 37        |
| 79 | High on-treatment platelet reactivity with ticagrelor versus prasugrel: a systematic review and meta-analysis. Journal of Thrombosis and Haemostasis, 2015, 13, 931-942.   | 3.8  | 52        |
| 80 | Dual antiplatelet therapy and non-cardiovascular mortality. Lancet, The, 2015, 385, 756-757.   | 13.7 | 3         |
| 81 | Prognostic impact of Å-blocker use in patients with stable coronary artery disease. Heart, 2014, 100, 1757-1761.   | 2.9  | 29        |
| 82 | Biodegradable polymer Biolimus-eluting stent (Nobori&reg;) for the treatment of coronary artery lesions: review of concept and clinical results. Medical Devices: Evidence and Research, 2014, 7, 35.  | 0.8  | 9         |
| 83 | Circulating Long Noncoding RNA, LIPCAR, Predicts Survival in Patients With Heart Failure. Circulation Research, 2014, 114, 1569-1575.  | 4.5  | 542       |
| 84 | Incidence, Source, Determinants, and Prognostic Impact of Major Bleeding in Outpatients With Stable Coronary Artery Disease. Journal of the American College of Cardiology, 2014, 64, 1430-1436.   | 2.8  | 91        |
| 85 | Poor agreement between light transmission aggregometry, Verify Now P2Y12 and vasodilator-stimulated phosphoprotein for clopidogrel low-response assessment: A potential explanation of negative results of recent randomized trials. Platelets, 2014, 25, 499-505. | 2.3  | 25        |
| 86 | Dual antiplatelet therapy in patients with stable coronary artery disease in modern practice: Prevalence, correlates, and impact on prognosis (from the Suivi d'une cohorte de patients) Tj ETQq0 0 0 rgBT / Overlock 10 Tf 50 21.                                 | 1.7  | 3         |
| 87 | A giant right coronary artery related to a small fistula to the coronary sinus. Cardiovascular Revascularization Medicine, 2014, 15, 121-124.  | 0.8  | 0         |
| 88 | Impact of initial clinical presentation on clopidogrel low response. Archives of Cardiovascular Diseases, 2013, 106, 593-600.  | 1.6  | 1         |
| 89 | Long-term prognostic value of preprocedural adiponectin levels in patients undergoing percutaneous coronary intervention. International Journal of Cardiology, 2013, 168, 4921-4924.   | 1.7  | 3         |
| 90 | Incidence and predictors of coronary stent thrombosis: Evidence from an international collaborative meta-analysis including 30 studies, 221,066 patients, and 4276 thromboses. International Journal of Cardiology, 2013, 167, 575-584.                            | 1.7  | 160       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Biolimus-eluting stent with biodegradable polymer (Nobori®): an overview of recent clinical results, SORT OUT V and COMPARE II trials. Expert Review of Cardiovascular Therapy, 2013, 11, 1293-1296.                                    | 1.5 | 4         |
| 92  | Serum MMP-8: A Novel Indicator of Left Ventricular Remodeling and Cardiac Outcome in Patients after Acute Myocardial Infarction. PLoS ONE, 2013, 8, e71280.   | 2.5 | 39        |
| 93  | Incidence and predictors of coronary stent thrombosis: Evidence from an international collaborative meta-analysis including 30 studies, 221,066 patients, and 4276 thromboses. International Journal of Cardiology, 2013, 167, 575-584. | 1.7 | 87        |
| 94  | Use of Invasive Strategy in Non-“ST-Segment Elevation Myocardial Infarction Is a Major Determinant of Improved Long-Term Survival. JACC: Cardiovascular Interventions, 2012, 5, 893-902.  | 2.9 | 71        |
| 95  | Transcatheter Aortic Valve Implantation Using the Left Carotid Access: Feasibility and Early Clinical Outcomes. Annals of Thoracic Surgery, 2012, 93, 1489-1494.  | 1.3 | 84        |
| 96  | Incidence and predictors of microvascular dysfunction assessed by the index of microcirculatory resistance following primary PCI for ST-elevation myocardial infarction. International Journal of Cardiology, 2011, 146, 465-467.       | 1.7 | 7         |
| 97  | The Presence of Apoptotic Bone Marrow Cells Impairs the Efficacy of Cardiac Cell Therapy. Cell Transplantation, 2011, 20, 1087-1097.  | 2.5 | 8         |
| 98  | Rate of Nuisance Bleedings and Impact on Compliance to Prasugrel in Acute Coronary Syndromes. American Journal of Cardiology, 2011, 108, 1710-1713.   | 1.6 | 34        |
| 99  | Platelet reactivity in diabetic patients subjected to acute exercise stress test. Cardiovascular Revascularization Medicine, 2011, 12, 20-24.   | 0.8 | 3         |
| 100 | Genotypic and Phenotypic Assessment of Platelet Function and Response to P2Y12 Antagonists. Current Cardiology Reports, 2011, 13, 439-450.  | 2.9 | 2         |
| 101 | Duration of Dual Antiplatelet Therapy After Percutaneous Coronary Intervention with Drug-Eluting Stent Implantation: A Review of the Current Guidelines and Literature. Hospital Practice (1995), 2011, 39, 32-40.                      | 1.0 | 11        |
| 102 | Response to Letters Regarding Article, “Does Black Ethnicity Influence the Development of Stent Thrombosis in the Drug-Eluting Stent Era?”. Circulation, 2011, 123, .   | 1.6 | 0         |
| 103 | Relation between clopidogrel discontinuation and early cardiovascular events after percutaneous coronary intervention with drug-eluting stents. EuroIntervention, 2011, 6, 1053-1059.   | 3.2 | 14        |
| 104 | Impact of intravascular ultrasound guidance in patients with acute myocardial infarction undergoing percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2010, 75, 86-92.                              | 1.7 | 27        |
| 105 | Does Black Ethnicity Influence the Development of Stent Thrombosis in the Drug-Eluting Stent Era?. Circulation, 2010, 122, 1085-1090.   | 1.6 | 46        |
| 106 | Dosing Strategies for Antiplatelet Therapy in Percutaneous Coronary Intervention. Hospital Practice (1995), 2010, 38, 50-58.  | 1.0 | 2         |
| 107 | Aortic valve implantation with the CoreValve ReValving System via left carotid artery access: First case report. Journal of Thoracic and Cardiovascular Surgery, 2010, 140, 928-929.  | 0.8 | 85        |
| 108 | Long-Term Prognostic Value of Preprocedural C-Reactive Protein After Drug-Eluting Stent Implantation. American Journal of Cardiology, 2010, 105, 826-832.   | 1.6 | 27        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Clinical Profile, Treatment Assignment and Clinical Outcome of Patients With Severe Aortic Stenosis Not Eligible to Participate in a Clinical Trial of Percutaneous Aortic Valve Replacement. American Journal of Cardiology, 2010, 105, 857-861.      | 1.6 | 6         |
| 110 | Prophylactic use of intra-aortic balloon pump for high-risk percutaneous coronary intervention: will the Impella LP 2.5 device show superiority in a clinical randomized study?. Cardiovascular Revascularization Medicine, 2010, 11, 91-97.           | 0.8 | 13        |
| 111 | Impact of thrombus aspiration use and direct stenting on final myocardial blush score in patients presenting with ST-elevation myocardial infarction. Cardiovascular Revascularization Medicine, 2010, 11, 149-154.                                    | 0.8 | 4         |
| 112 | Should we screen for masked hypertension in patient with vascular disease?. Vascular Health and Risk Management, 2010, 6, 333.   | 2.3 | 4         |
| 113 | Decline in platelet count in patients treated by percutaneous coronary intervention: definition, incidence, prognostic importance, and predictive factors. European Heart Journal, 2010, 31, 1079-1087.  | 2.2 | 43        |
| 114 | Drug-Eluting Stents: Issues of Late Stent Thrombosis. Cardiology Clinics, 2010, 28, 97-105.  | 2.2 | 24        |
| 115 | Thrombus aspiration for the treatment of definite stent thrombosis. Archives of Cardiovascular Diseases, 2010, 103, 33-38.   | 1.6 | 3         |
| 116 | Hybrid revascularization, comprising coronary artery bypass graft with exclusive arterial conduits followed by early drug-eluting stent implantation, in multivessel coronary artery disease. Archives of Cardiovascular Diseases, 2010, 103, 502-511. | 1.6 | 27        |
| 117 | Relationship between platelet reactivity inhibition and non-CABG related major bleeding in patients undergoing percutaneous coronary intervention. Thrombosis Research, 2010, 126, e147-e149.  | 1.7 | 37        |
| 118 | Perioperative outcomes in reoperative cardiac surgery guided by cardiac multidetector computed tomographic angiography. American Heart Journal, 2010, 159, 301-306.  | 2.7 | 30        |
| 119 | Unusual evolution of an aneurysm of the proximal left anterior descending coronary artery 15 years after a Simpson atherectomy. Archives of Cardiovascular Diseases, 2010, 103, 421-423.   | 1.6 | 0         |
| 120 | Personalized antiplatelet therapy for coronary artery disease patients: is this the future?. Expert Review of Cardiovascular Therapy, 2009, 7, 1525-1532.  | 1.5 | 1         |
| 121 | Outcome Differences With the Use of Drug-Eluting Stents for the Treatment of In-Stent Restenosis of Bare-Metal Stents Versus Drug-Eluting Stents. American Journal of Cardiology, 2009, 103, 491-495.  | 1.6 | 90        |
| 122 | Comparison of Outcomes of Drug-Eluting Stents Versus Bare-Metal Stents in Nonstent Proximal Left Anterior Descending Coronary Arteries. American Journal of Cardiology, 2009, 103, 496-500.  | 1.6 | 6         |
| 123 | Racial Disparities in Outcomes Following Percutaneous Coronary Intervention With Drug-Eluting Stents. American Journal of Cardiology, 2009, 103, 653-658.  | 1.6 | 36        |
| 124 | Prognostic Significance of Small Troponin I Rise After a Successful Elective Percutaneous Coronary Intervention of a Native Artery. American Journal of Cardiology, 2009, 103, 639-645.  | 1.6 | 36        |
| 125 | Incidence, Predictors, and Outcome of New, Subsequent Lesions Treated With Percutaneous Coronary Intervention in Patients Presenting With Myocardial Infarction. American Journal of Cardiology, 2009, 103, 1189-1195.                                 | 1.6 | 17        |
| 126 | Prognostic Value of Hemoglobin A1C Levels in Patients With Diabetes Mellitus Undergoing Percutaneous Coronary Intervention With Stent Implantation. American Journal of Cardiology, 2009, 104, 41-45.  | 1.6 | 51        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | Value of Blood Transfusion in Patients With a Blood Hematocrit of 24% to 30% After Percutaneous Coronary Intervention. American Journal of Cardiology, 2009, 104, 1069-1073.   | 1.6 | 11        |
| 128 | Effect of Drug-Eluting Stents on Frequency of Repeat Revascularization in Patients With Unstable Angina Pectoris or Non-ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2009, 104, 1654-1659.  | 1.6 | 15        |
| 129 | Preprocedural high-sensitivity C-reactive protein predicts death or myocardial infarction but not target vessel revascularization or stent thrombosis after percutaneous coronary intervention. Cardiovascular Revascularization Medicine, 2009, 10, 144-150.        | 0.8 | 21        |
| 130 | Prognostic value of the syntax score in patients undergoing coronary artery bypass grafting for three-vessel coronary artery disease. Catheterization and Cardiovascular Interventions, 2009, 73, 612-617.   | 1.7 | 52        |
| 131 | Paclitaxel-eluting balloon: From bench to bed. Catheterization and Cardiovascular Interventions, 2009, 73, 643-652.  | 1.7 | 58        |
| 132 | Prognosis of patients suffering an acute coronary syndrome while already under chronic clopidogrel therapy. Catheterization and Cardiovascular Interventions, 2009, 73, 866-870.   | 1.7 | 6         |
| 133 | Impact of bivalirudin on in-hospital bleeding and six-month outcomes in octogenarians undergoing percutaneous coronary intervention. Catheterization and Cardiovascular Interventions, 2009, 74, 428-435.  | 1.7 | 19        |
| 134 | Impact of Bivalirudin Use on Outcomes in Nonagenarians Undergoing Percutaneous Coronary Intervention. Journal of Interventional Cardiology, 2009, 22, 61-67.   | 1.2 | 10        |
| 135 | Clinical Manifestation and Prognosis of Early versus Late Stent Thrombosis of Drug-Eluting Stents. Journal of Interventional Cardiology, 2009, 22, 228-233.  | 1.2 | 10        |
| 136 | Impact of high loading and maintenance dose of clopidogrel within the first 15 days after percutaneous coronary intervention on patient outcome. American Heart Journal, 2009, 157, 375-382.   | 2.7 | 45        |
| 137 | Prognostic value of procedure-related myocardial infarction according to the universal definition of myocardial infarction in saphenous vein graft interventions. American Heart Journal, 2009, 157, 894-898.  | 2.7 | 12        |
| 138 | The clinical significance of hematocrit values before and after percutaneous coronary intervention. American Heart Journal, 2009, 158, 1024-1030.  | 2.7 | 22        |
| 139 | Intravascular ultrasound-guided percutaneous coronary interventions in contemporary practice. Archives of Cardiovascular Diseases, 2009, 102, 143-151.   | 1.6 | 12        |
| 140 | Clinical presentation and outcome of patients hospitalized for symptomatic in-stent restenosis treated by percutaneous coronary intervention: Comparison between drug-eluting stents and bare-metal stents. Archives of Cardiovascular Diseases, 2009, 102, 209-217. | 1.6 | 24        |
| 141 | Very late stent thrombosis after bare-metal stent implantation: case reports and review of the literature. Journal of Invasive Cardiology, 2009, 21, E27-32.   | 0.4 | 6         |
| 142 | Impact of thrombus aspiration use for the treatment of stent thrombosis on early patient outcomes. Journal of Invasive Cardiology, 2009, 21, 210-4.  | 0.4 | 10        |
| 143 | High incidence of recurrent in stent thrombosis after successful treatment of a first in stent thrombosis. Catheterization and Cardiovascular Interventions, 2008, 72, 470-478.  | 1.7 | 25        |
| 144 | Vascular Brachytherapy for Patients with Drug-Eluting Stent Restenosis. Journal of Interventional Cardiology, 2008, 21, 528-534.   | 1.2 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 145 | Comparison of Safety, Efficacy, and Outcome of Successful Versus Unsuccessful Percutaneous Coronary Intervention in â€œTrueâ€•Chronic Total Occlusions. American Journal of Cardiology, 2008, 102, 1175-1181. | 1.6 | 64        |
| 146 | Impact of a 600-mg Loading Dose of Clopidogrel on 30-Day Outcome in Unselected Patients Undergoing Percutaneous Coronary Intervention. American Journal of Cardiology, 2008, 102, 1318-1322.                  | 1.6 | 17        |
| 147 | Impact of â€œNuisanceâ€•Bleeding on Clopidogrel Compliance in Patients Undergoing Intracoronary Drug-Eluting Stent Implantation. American Journal of Cardiology, 2008, 102, 1614-1617.                        | 1.6 | 121       |
| 148 | Stent thrombosis in 2008: Definition, predictors, prognosis and treatment. Archives of Cardiovascular Diseases, 2008, 101, 769-777.   | 1.6 | 49        |