

Tatsuya Minami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3793331/publications.pdf>

Version: 2024-02-01

30
papers

1,178
citations

623734

14
h-index

454955

30
g-index

30
all docs

30
docs citations

30
times ranked

2204
citing authors

#	ARTICLE	IF	CITATIONS
1	Sarcopenia, intramuscular fat deposition, and visceral adiposity independently predict the outcomes of hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015, 63, 131-140.	3.7	538
2	The impact of direct-acting antivirals on early tumor recurrence after radiofrequency ablation in hepatitis C-related hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016, 65, 1272-1273.	3.7	79
3	Impact of direct-acting antivirals on early recurrence of HCV-related HCC: Comparison with interferon-based therapy. <i>Journal of Hepatology</i> , 2019, 70, 78-86.	3.7	71
4	Sustained virologic response to direct-acting antiviral therapy in patients with chronic hepatitis C and hepatocellular carcinoma: A systematic review and meta-analysis. <i>Journal of Hepatology</i> , 2019, 71, 473-485.	3.7	62
5	Hepatocellular carcinoma recurrence after direct-acting antiviral therapy: an individual patient data meta-analysis. <i>Gut</i> , 2022, 71, 593-604.	12.1	62
6	DNA Methylation Regulates Placental Lactogen I Gene Expression. <i>Endocrinology</i> , 2001, 142, 3389-3396.	2.8	61
7	Altered serum acylcarnitine profile is associated with the status of nonalcoholic fatty liver disease (NAFLD) and NAFLD-related hepatocellular carcinoma. <i>Scientific Reports</i> , 2019, 9, 10663.	3.3	57
8	Hepatic FATP5 expression is associated with histological progression and loss of hepatic fat in NAFLD patients. <i>Journal of Gastroenterology</i> , 2020, 55, 227-243.	5.1	29
9	Hepatic IRS1 and β -catenin expression is associated with histological progression and overt diabetes emergence in NAFLD patients. <i>Journal of Gastroenterology</i> , 2018, 53, 1261-1275.	5.1	25
10	Frequency of and Predictive Factors for Vascular Invasion after Radiofrequency Ablation for Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e111662.	2.5	24
11	Meta-analysis: mortality and serious adverse events of peginterferon plus ribavirin therapy for chronic hepatitis C. <i>Journal of Gastroenterology</i> , 2013, 48, 254-268.	5.1	21
12	Liver stiffness measurements in chronic hepatitis C: Treatment evaluation and risk assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 921-928.	2.8	18
13	Serum Alpha-Fetoprotein Has High Specificity for the Early Detection of Hepatocellular Carcinoma After Hepatitis C Virus Eradication in Patients. <i>Medicine (United States)</i> , 2015, 94, e901.	1.0	16
14	Impact of Obesity and Heavy Alcohol Consumption on Hepatocellular Carcinoma Development after HCV Eradication with Antivirals. <i>Liver Cancer</i> , 2021, 10, 309-319.	7.7	16
15	Comparison of improved prognosis between hepatitis B- and hepatitis C-related hepatocellular carcinoma. <i>Hepatology Research</i> , 2015, 45, E99-E107.	3.4	15
16	Impact of serum ferritin level on hepatocarcinogenesis in chronic hepatitis C patients. <i>Hepatology Research</i> , 2016, 46, 259-268.	3.4	13
17	Post-treatment cell-free DNA as a predictive biomarker in molecular-targeted therapy of hepatocellular carcinoma. <i>Journal of Gastroenterology</i> , 2021, 56, 456-469.	5.1	11
18	Slight elevation of high-sensitivity C-reactive protein to predict recurrence and survival in patients with early stage hepatitis C-related hepatocellular carcinoma. <i>Hepatology Research</i> , 2015, 45, 645-655.	3.4	10

#	ARTICLE	IF	CITATIONS
19	Spontaneous clearance of serum hepatitis C virus RNA during the clinical course of hepatocellular carcinoma in patients with chronic hepatitis C. <i>Hepatology Research</i> , 2014, 44, E32-7.	3.4	8
20	A Novel Non-invasive Method for Predicting Liver Fibrosis by Quantifying the Hepatic Vein Waveform. <i>Ultrasound in Medicine and Biology</i> , 2019, 45, 2363-2371.	1.5	6
21	Improved liver function in patients with cirrhosis due to chronic hepatitis C virus who achieve sustained virologic response is not accompanied by increased liver volume. <i>PLoS ONE</i> , 2020, 15, e0231836.	2.5	6
22	Limited efficacy of atezolizumab and bevacizumab for hepatocellular carcinoma previously treated with tyrosine kinase inhibitor. <i>Liver International</i> , 2021, 41, 2233-2234.	3.9	6
23	Current status of primary liver cancer and decompensated cirrhosis in Japan: launch of a nationwide registry for advanced liver diseases (REAL). <i>Journal of Gastroenterology</i> , 2022, 57, 587-597.	5.1	5
24	Serum levels of ferritin do not affect the prognosis of patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>PLoS ONE</i> , 2018, 13, e0200943.	2.5	4
25	Ischemic complications after percutaneous radiofrequency ablation of liver tumors: Liver volume loss and recovery. <i>Hepatology Research</i> , 2019, 49, 453-461.	3.4	4
26	Improved prognosis of hepatitis C-related hepatocellular carcinoma in the era of direct-acting antivirals. <i>Hepatology Communications</i> , 2022, 6, 2496-2512.	4.3	4
27	Radiofrequency Ablation of Liver Tumors in Patients on Antithrombotic Therapy: A Case-Control Analysis of over 10,000 Treatments. <i>Journal of Vascular and Interventional Radiology</i> , 2021, 32, 869-877.	0.5	3
28	Infectious complications related to radiofrequency ablation of liver tumors: The role of antibiotics. <i>PLoS ONE</i> , 2021, 16, e0259641.	2.5	2
29	Chronological change in alpha-fetoprotein levels in hepatocellular carcinoma after eradication of hepatitis C virus. <i>Liver International</i> , 2020, 40, 2305-2306.	3.9	1
30	Risk stratification of hepatocellular carcinoma after hepatitis C virus eradication in patients with compensated advanced chronic liver disease in Japan. <i>Journal of Hepatology</i> , 2022, , .	3.7	1