## Luis Henrique Souza Guimares

## List of Publications by Year in Descending Order

 $\textbf{Source:} \ https://exaly.com/author-pdf/3794507/luis-henrique-souza-guimaraes-publications-by-year.pdf$ 

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61 16 872 26 h-index g-index citations papers 66 2.8 989 4.2 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
61	Immobilization of the Tannase From CAS21: Screening the Best Derivative for the Treatment of Tannery Effluent Using a Packed Bed Reactor. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2021</b> , 9, 754061	5.8	
60	Production of Egalactosidase by Trichoderma sp. through solid-state fermentation targeting the recovery of galactooligosaccharides from whey cheese. <i>Journal of Applied Microbiology</i> , <b>2021</b> , 130, 865-	8 <del>1</del> 7	7
59	Expression of F-actin and Eubulin genes in free mycelia and robust biofilms of the filamentous fungus Aspergillus niger. <i>Brazilian Journal of Microbiology</i> , <b>2021</b> , 52, 2357-2362	2.2	1
58	Stabilization and application of spray-dried tannase from CAS21 in the presence of different carriers. <i>3 Biotech</i> , <b>2020</b> , 10, 177	2.8	5
57	A novel Trichoderma reesei mutant RP698 with enhanced cellulase production. <i>Brazilian Journal of Microbiology</i> , <b>2020</b> , 51, 537-545	2.2	8
56	Assessment of the Bioactive Potential of Cheese Whey Protein Hydrolysates Using Immobilized Alcalase. <i>Food and Bioprocess Technology</i> , <b>2020</b> , 13, 2120-2130	5.1	5
55	Production of short-chain fructooligosaccharides (scFOS) using extracellular ED-fructofuranosidase produced by Aspergillus thermomutatus. <i>Journal of Food Biochemistry</i> , <b>2019</b> , 43, e12937	3.3	4
54	Purification and characterization of an alkalistable phytase produced by Rhizopus microsporus var. microsporus in submerged fermentation. <i>Process Biochemistry</i> , <b>2019</b> , 81, 70-76	4.8	8
53	Extracellular Tannase from : Influence of the Culture Conditions on Biofilm Formation, Enzyme Production, and Application. <i>Journal of Microbiology and Biotechnology</i> , <b>2019</b> , 29, 1749-1759	3.3	10
52	Different strategies to kill the host presented by Metarhizium anisopliae and Beauveria bassiana. <i>Canadian Journal of Microbiology</i> , <b>2018</b> , 64, 191-200	3.2	5
51	Characterization of an extracellular Ed-fructofuranosidase produced by Aspergillus niveus during solid-state fermentation (SSF) of cassava husk. <i>Journal of Food Biochemistry</i> , <b>2018</b> , 42, e12443	3.3	12
50	Production and characterization of a thermostable antifungal chitinase secreted by the filamentous fungus under submerged fermentation. <i>3 Biotech</i> , <b>2018</b> , 8, 369	2.8	10
49	Characterization of CAS-21 tannase with potential for propyl gallate synthesis and treatment of tannery effluent from leather industry. <i>3 Biotech</i> , <b>2018</b> , 8, 270	2.8	8
48	Aspergillus Biotechnology: An Overview on the Production of Hydrolases and Secondary Metabolites. <i>Current Biotechnology</i> , <b>2017</b> , 6,	0.6	1
47	Characterization of a Thermotolerant Phytase Produced by Rhizopus microsporus var. microsporus Biofilm on an Inert Support Using Sugarcane Bagasse as Carbon Source. <i>Applied Biochemistry and Biotechnology</i> , <b>2016</b> , 179, 610-24	3.2	8
46	Secretome Analysis of Metarhizium anisopliae Under Submerged Conditions Using Bombyx mori Chrysalis to Induce Expression of Virulence-Related Proteins. <i>Current Microbiology</i> , <b>2016</b> , 72, 220-227	2.4	2
45	Production and Partial Characterization of an Extracellular Phytase Produced by & lt;i>Muscodor</i> sp. under Submerged Fermentation. <i>Advances in Microbiology</i> , <b>2016</b> , 06, 23-	32 <sup>.6</sup>	10

## (2013-2016)

44	Production and chemical characterization of pigments in filamentous fungi. <i>Microbiology (United Kingdom)</i> , <b>2016</b> , 162, 12-22	2.9	41	
43	Production and Characterization of an Extracellular Ed-Fructofuranosidase from Fusarium Graminearum During Solid-State Fermentation Using Wheat Bran as a Carbon Source. <i>Journal of Food Biochemistry</i> , <b>2016</b> , 40, 655-663	3.3	11	
42	Characterization of a thermo-tolerant mycelial Fructofuranosidase from Aspergillus phoenicis under submerged fermentation using wheat bran as carbon source. <i>Biocatalysis and Agricultural Biotechnology</i> , <b>2015</b> , 4, 362-369	4.2	17	
41	Immobilization of Fusarium graminearum Ed-fructofuranosidase using alternative cellulosic supports: Stabilization and production of fructooligosaccharides. <i>Food Science and Biotechnology</i> , <b>2015</b> , 24, 1429-1435	3	5	
40	Optimization of culture conditions for tannase production by Aspergillus sp. gm4 in solid state fermentation. <i>Acta Scientiarum - Biological Sciences</i> , <b>2015</b> , 37, 23	0.3	6	
39	Characterization of a multi-tolerant tannin acyl hydrolase II from Aspergillus carbonarius produced under solid-state fermentation. <i>Electronic Journal of Biotechnology</i> , <b>2015</b> , 18, 464-470	3.1	10	
38	Buffalo Cheese Whey Proteins, Identification of a 24 kDa Protein and Characterization of Their Hydrolysates: In Vitro Gastrointestinal Digestion. <i>PLoS ONE</i> , <b>2015</b> , 10, e0139550	3.7	11	
37	A high-throughput method for GMO multi-detection using a microfluidic dynamic array. <i>Analytical and Bioanalytical Chemistry</i> , <b>2014</b> , 406, 1397-410	4.4	21	
36	Characterization of the co-purified invertase and Eglucosidase of a multifunctional extract from Aspergillus terreus. <i>World Journal of Microbiology and Biotechnology</i> , <b>2014</b> , 30, 1501-10	4.4	13	
35	Phytase production by Rhizopus microsporus var. microsporus biofilm: characterization of enzymatic activity after spray drying in presence of carbohydrates and nonconventional adjuvants. <i>Journal of Microbiology and Biotechnology</i> , <b>2014</b> , 24, 177-87	3.3	8	
34	The Optimization of <i>Aspergillus</i> sp. GM4 Tannase Production under Submerged Fermentation. <i>Advances in Microbiology</i> , <b>2014</b> , 04, 143-150	0.6	6	
33	Purification and biochemical characterization of glucose-cellobiose-tolerant cellulases from Scytalidium thermophilum. <i>Folia Microbiologica</i> , <b>2013</b> , 58, 561-8	2.8	11	
32	Extracellular Efructofuranosidase from Fusarium graminearum: stability of the spray-dried enzyme in the presence of different carbohydrates. <i>Journal of Microencapsulation</i> , <b>2013</b> , 30, 624-31	3.4	4	
31	Co-immobilization of fungal endo-xylanase and 🏿 -arabinofuranosidase in glyoxyl agarose for improved hydrolysis of arabinoxylan. <i>Journal of Biochemistry</i> , <b>2013</b> , 154, 275-80	3.1	11	
30	Characterization of a tannase from Emericella nidulans immobilized on ionic and covalent supports for propyl gallate synthesis. <i>Biotechnology Letters</i> , <b>2013</b> , 35, 591-8	3	11	
29	Characterization of a glucose- and solvent-tolerant extracellular tannase from Aspergillus phoenicis. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2013</b> , 85-86, 126-133		19	
28	Optimization of Eglucosidase, Exylosidase and xylanase production by Colletotrichum graminicola under solid-state fermentation and application in raw sugarcane trash saccharification. <i>International Journal of Molecular Sciences</i> , <b>2013</b> , 14, 2875-902	6.3	56	
27	Production of Invertases by Anamorphic (<i>Aspergillus nidulans</i>) and Teleomorphic (<i>Emericela nidulans</i>) Fungi under Submerged Fermentation Using Rye Flour as Carbon Source. <i>Advances in Microbiology</i> , <b>2013</b> , 03, 421-429	0.6	10	

26	Thermostable invertases from Paecylomyces variotii produced under submerged and solid-state fermentation using agroindustrial residues. <i>World Journal of Microbiology and Biotechnology</i> , <b>2012</b> , 28, 463-72	4.4	25
25	Carbohydrates from Biomass: Sources and Transformation by Microbial Enzymes 2012,		5
24	Production of a xylose-stimulated Eglucosidase and a cellulase-free thermostable xylanase by the thermophilic fungus Humicola brevis var. thermoidea under solid state fermentation. <i>World Journal of Microbiology and Biotechnology</i> , <b>2012</b> , 28, 2689-701	4.4	29
23	Characterization of a thermostable extracellular tannase produced under submerged fermentation by Aspergillus ochraceus. <i>Electronic Journal of Biotechnology</i> , <b>2012</b> , 15,	3.1	3
22	Optimization of the Chitinase Production by Different <i>Metarhizium anisopliae</i> Strains under Solid-State Fermentation with Silkworm Chrysalis as Substrate Using CCRD. <i>Advances in Microbiology</i> , <b>2012</b> , 02, 268-276	0.6	11
21	Thermostable saccharogenic amylase produced under submerged fermentation by filamentous fungus Penicillium purpurogenum. <i>Brazilian Journal of Microbiology</i> , <b>2011</b> , 42, 1136-1140	2.2	3
20	Extracellular tannase from Emericella nidulans showing hypertolerance to temperature and organic solvents. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2011</b> , 71, 29-35		27
19	Biochemical properties of an extracellular trehalase from Malbranchea pulchella var. Sulfurea. Journal of Microbiology, <b>2011</b> , 49, 809-15	3	8
18	Biochemical properties of an extracellular ED-fructofuranosidase II produced by Aspergillus phoenicis under Solid-Sate Fermentation using soy bran as substrate. <i>Electronic Journal of Biotechnology</i> , <b>2011</b> , 14,	3.1	2
17	Thermostable saccharogenic amylase produced under submerged fermentation by filamentous fungus Penicillium purpurogenum. <i>Brazilian Journal of Microbiology</i> , <b>2011</b> , 42, 1136-40	2.2	
16	A novel silver-activated extracellular Ed-fructofuranosidase from Aspergillus phoenicis. <i>Journal of Molecular Catalysis B: Enzymatic</i> , <b>2010</b> , 67, 10-15		14
15	Production of thermostable invertases by Aspergillus caespitosus under submerged or solid state fermentation using agroindustrial residues as carbon source. <i>Brazilian Journal of Microbiology</i> , <b>2009</b> , 40, 612-622	2.2	41
14	Effect of glycosylation on the biochemical properties of beta-xylosidases from Aspergillus versicolor. <i>Journal of Microbiology</i> , <b>2009</b> , 47, 270-6	3	20
13	Production of Fructofuranosidases by Aspergillus niveus using agroindustrial residues as carbon sources: Characterization of an intracellular enzyme accumulated in the presence of glucose. <i>Process Biochemistry</i> , <b>2009</b> , 44, 237-241	4.8	47
12	Production of thermostable invertases by Aspergillus caespitosus under submerged or solid state fermentation using agroindustrial residues as carbon source. <i>Brazilian Journal of Microbiology</i> , <b>2009</b> , 40, 612-22	2.2	12
11	Mycelial glucoamylases produced by the thermophilic fungus Scytalidium thermophilum strains 15.1 and 15.8: purification and biochemical characterization. <i>Brazilian Journal of Microbiology</i> , <b>2008</b> , 39, 344-352	2.2	6
10	Purification and biochemical characterization of thermostable alkaline phosphatases produced by Rhizopus microsporus var. rhizopodiformis. <i>Folia Microbiologica</i> , <b>2008</b> , 53, 509-16	2.8	8
9	Evidence of thermostable amylolytic activity from Rhizopus microsporus var. rhizopodiformis using wheat bran and corncob as alternative carbon source. <i>Bioprocess and Biosystems Engineering</i> , <b>2008</b> , 31, 329-34	3.7	17

## LIST OF PUBLICATIONS

8	Production and characterization of a thermostable extracellular Ed-fructofuranosidase produced by Aspergillus ochraceus with agroindustrial residues as carbon sources. <i>Enzyme and Microbial Technology</i> , <b>2007</b> , 42, 52-57	3.8	66	
7	Purification and biochemical characterization of a mycelial alkaline phosphatase without DNAase activity produced by Aspergillus caespitosus. <i>Folia Microbiologica</i> , <b>2007</b> , 52, 231-6	2.8	5	
6	Acid and alkaline phosphatase activities of a fraction isolated from Parawixia bistriata spider venom. <i>Toxicon</i> , <b>2006</b> , 47, 854-8	2.8	16	
5	Screening of filamentous fungi for production of enzymes of biotechnological interest. <i>Brazilian Journal of Microbiology</i> , <b>2006</b> , 37, 474-480	2.2	64	
4	Characterization and properties of acid phosphatases with phytase activity produced by Aspergillus caespitosus. <i>Biotechnology and Applied Biochemistry</i> , <b>2004</b> , 40, 201-7	2.8	23	
3	Extracellular alkaline phosphatase from the filamentous fungus Aspergillus caespitosus: purification and biochemical characterization. <i>Folia Microbiologica</i> , <b>2003</b> , 48, 627-32	2.8	11	
2	Effect of carbon source on alkaline phosphatase production and excretion in Aspergillus caespitosus. <i>Journal of Basic Microbiology</i> , <b>2003</b> , 43, 210-7	2.7	11	
1	Thermostable conidial and mycelial alkaline phosphatases from the thermophilic fungus Scytalidium thermophilum. <i>Journal of Industrial Microbiology and Biotechnology</i> , <b>2001</b> , 27, 265-70	4.2	22	