
## Tiina Sairanen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3795638/publications.pdf Version: 2024-02-01



TIINA SAIDANEN

#	Article	IF	CITATIONS
1	Outcomes and longâ€ŧerm mortality after basilar artery occlusion—A cohort with up to 20 years' followâ€up. European Journal of Neurology, 2021, 28, 816-822.	3.3	11
2	Comatose With Basilar Artery Occlusion: Still Odds of Favorable Outcome With Recanalization Therapy. Frontiers in Neurology, 2021, 12, 665317.	2.4	7
3	Is the weekend effect true in acute stroke patients at tertiary stroke center?. Journal of the Neurological Sciences, 2021, 427, 117557.	0.6	2
4	Trigeminal neuralgia in multiple sclerosis: Prevalence and association with demyelination. Acta Neurologica Scandinavica, 2020, 142, 139-144.	2.1	24
5	Thrombolysis and adjunct anticoagulation in patients with acute basilar artery occlusion. European Journal of Neurology, 2019, 26, 128-135.	3.3	11
6	Quality of life and depression 3 months after intracerebral hemorrhage. Brain and Behavior, 2019, 9, e01270.	2.2	19
7	Should we thrombolyse prior to endovascular treatment in acute stroke?. Clinical Neurology and Neurosurgery, 2019, 177, 117-122.	1.4	3
8	Association of multiple sclerosis and sudden sensorineural hearing loss. Multiple Sclerosis Journal - Experimental, Translational and Clinical, 2016, 2, 205521731665215.	1.0	28
9	Recanalization treatments in basilar artery occlusion—Systematic analysis. European Stroke Journal, 2016, 1, 41-50.	5.5	38
10	Symptomatic postâ€ŧhrombolytic intracerebral hemorrhage is not related to the cause of stroke. European Journal of Neurology, 2016, 23, 1700-1704.	3.3	3
11	Cerebral white matter lesions and postâ€ŧhrombolytic remote parenchymal hemorrhage. Annals of Neurology, 2016, 80, 593-599.	5.3	16
12	Postâ€ŧhrombolytic blood pressure and symptomatic intracerebral hemorrhage. European Journal of Neurology, 2016, 23, 1757-1762.	3.3	24
13	Recognition of posterior circulation stroke. Acta Neurologica Scandinavica, 2015, 131, 389-393.	2.1	7
14	Cerebral Computed Tomography-Graded White Matter Lesions Are Associated With Worse Outcome After Thrombolysis in Patients With Stroke. Stroke, 2015, 46, 1554-1560.	2.0	34
15	Time window for recanalization in basilar artery occlusion. Neurology, 2015, 85, 1806-1815.	1.1	87
16	Cerebral amyloid angiopathy related hemorrhage after stroke thrombolysis: Case report and literature review. Neuropathology, 2015, 35, 70-74.	1.2	11
17	Extent of Secondary Intraventricular Hemorrhage is an Independent Predictor of Outcomes in Intracerebral Hemorrhage: Data from the Helsinki ICH Study. International Journal of Stroke, 2015, 10, 576-581.	5.9	32
18	White Matter Lesions Double the Risk of Post-Thrombolytic Intracerebral Hemorrhage. Stroke, 2015, 46, 2149-2155.	2.0	45

TIINA SAIRANEN

#	Article	lF	CITATIONS
19	Symptomatic intracranial haemorrhage after thrombolysis with adjuvant anticoagulation in basilar artery occlusion. European Journal of Neurology, 2015, 22, 493-499.	3.3	8
20	Higher neutrophil counts before thrombolysis for cerebral ischemia predict worse outcomes. Neurology, 2015, 85, 1408-1416.	1.1	165
21	Reply. Annals of Neurology, 2014, 75, 457-458.	5.3	Ο
22	Lost potential of kidney and liver donors amongst deceased intracerebral hemorrhage patients. European Journal of Neurology, 2014, 21, 153-159.	3.3	9
23	Intravenous Thrombolysis of Basilar Artery Occlusion. Stroke, 2014, 45, 1733-1738.	2.0	47
24	Higher baseline international normalized ratio value correlates with higher mortality in intracerebral hemorrhage during warfarin use. European Journal of Neurology, 2014, 21, 616-622.	3.3	30
25	Reply. Annals of Neurology, 2014, 75, 161-162.	5.3	2
26	The CAVE Score for Predicting Late Seizures After Intracerebral Hemorrhage. Stroke, 2014, 45, 1971-1976.	2.0	152
27	Critical care of basilar artery occlusion. , 2014, , 194-205.		Ο
28	Intravenous Thrombolysis for Acute Ischemic Stroke Patients Presenting with Mild Symptoms. International Journal of Stroke, 2013, 8, 293-299.	5.9	28
29	Thrombolysis of basilar artery occlusion: Impact of baseline ischemia and time. Annals of Neurology, 2013, 73, 688-694.	5.3	130
30	Association of Prestroke Statin Use and Lipid Levels With Outcome of Intracerebral Hemorrhage. Stroke, 2013, 44, 2330-2332.	2.0	50
31	Abstract WMP24: Thrombolysis within 48 hours after Basilar Artery Occlusion. Stroke, 2013, 44, .	2.0	Ο
32	Medical treatment of carotid endarterectomy patients requires attention. Neurological Research, 2012, 34, 595-600.	1.3	1
33	Current treatment of basilar artery occlusion. Annals of the New York Academy of Sciences, 2012, 1268, 35-44.	3.8	22
34	Finnish telestroke: An overview. European Research in Telemedicine, 2012, 1, 115-117.	0.5	2
35	Decreasing the Delay to Carotid Endarterectomy in Symptomatic Patients with Carotid Stenosis – Outcome of an Intervention. European Journal of Vascular and Endovascular Surgery, 2012, 44, 261-266.	1.5	13
36	SMASH-U. Stroke, 2012, 43, 2592-2597.	2.0	252

TIINA SAIRANEN

#	Article	IF	CITATIONS
37	Symptomatic intracranial hemorrhage after stroke thrombolysis: The SEDAN Score. Annals of Neurology, 2012, 71, 634-641.	5.3	233
38	Intravenous thrombolysis in ischemic stroke patients with isolated homonymous hemianopia. Acta Neurologica Scandinavica, 2012, 126, e17-e19.	2.1	4
39	Post-Thrombolytic Hyperglycemia and 3-Month Outcome in Acute Ischemic Stroke. Cerebrovascular Diseases, 2011, 31, 83-92.	1.7	44
40	Patient outcomes from symptomatic intracerebral hemorrhage after stroke thrombolysis. Neurology, 2011, 77, 341-348.	1.1	167
41	Structure of Delay in Carotid Surgery – An Observational Study. European Journal of Vascular and Endovascular Surgery, 2011, 42, 273-279.	1.5	26
42	Intravenous Thrombolysis of Basilar Artery Occlusion. Stroke, 2011, 42, 2175-2179.	2.0	91
43	Characteristics and Outcome of Ischemic Stroke Patients Who Are Free of Symptoms at 24 Hours following Thrombolysis. Cerebrovascular Diseases, 2011, 31, 37-42.	1.7	13
44	Churg-Strauss Syndrome as an Unusual Aetiology of Stroke with Haemorrhagic Transformation in a Patient with No Cardiovascular Risk Factors. Case Reports in Neurology, 2011, 3, 32-38.	0.7	13
45	Two years of Finnish Telestroke. Neurology, 2011, 76, 1145-1152.	1.1	114
46	Progressive Stroke-Like Symptoms in a Patient with Sporadic Creutzfeldt-Jakob Disease. Case Reports in Neurology, 2010, 2, 12-18.	0.7	15
47	Ultraearly Thrombolysis in Acute Ischemic Stroke Is Associated With Better Outcome and Lower Mortality. Stroke, 2010, 41, 712-716.	2.0	58
48	Off-Label Thrombolysis Is Not Associated With Poor Outcome in Patients With Stroke. Stroke, 2010, 41, 1450-1458.	2.0	195
49	Carotid artery stenting compared with endarterectomy in patients with symptomatic carotid stenosis (International Carotid Stenting Study): an interim analysis of a randomised controlled trial. Lancet, The, 2010, 375, 985-997.	13.7	1,135
50	Neuronal caspase-3 and PARP-1 correlate differentially with apoptosis and necrosis in ischemic human stroke. Acta Neuropathologica, 2009, 118, 541-552.	7.7	91
51	Endothelial Apoptosis Does Not Determine Symptom Status in Carotid Artery Disease. Cerebrovascular Diseases, 2007, 23, 27-34.	1.7	5
52	Apoptosis dominant in the periinfarct area of human ischaemic stroke—a possible target of antiapoptotic treatments. Brain, 2006, 129, 189-199.	7.6	102
53	Evolution of Cerebral Tumor Necrosis Factor-α Production During Human Ischemic Stroke. Stroke, 2001, 32, 1750-1758.	2.0	176
54	THE FUTURE OF STROKE TREATMENT. Neurologic Clinics, 2000, 18, 495-510.	1.8	23

#	Article	IF	Citations
55	Cyclooxygenaseâ€⊋ is induced globally in infarcted human brain. Annals of Neurology, 1998, 43, 738-747.	5.3	170

TIINA SAIRANEN