

# Kyoung-Jae Won

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3796247/kyoung-jae-won-publications-by-citations.pdf>  
**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82 papers	4,486 citations	34 h-index	66 g-index
96 ext. papers	5,706 ext. citations	12.8 avg, IF	5.38 L-index

#	Paper	IF	Citations
82	Akt-dependent metabolic reprogramming regulates tumor cell histone acetylation. <i>Cell Metabolism</i> , <b>2014</b> , 20, 306-319	24.6	340
81	AMPK-SKP2-CARM1 signalling cascade in transcriptional regulation of autophagy. <i>Nature</i> , <b>2016</b> , 534, 553-7	50.4	249
80	EBF2 determines and maintains brown adipocyte identity. <i>Cell Metabolism</i> , <b>2013</b> , 17, 562-74	24.6	244
79	Epigenetic regulation of the DLK1-MEG3 microRNA cluster in human type 2 diabetic islets. <i>Cell Metabolism</i> , <b>2014</b> , 19, 135-45	24.6	241
78	Prdm16 is required for the maintenance of brown adipocyte identity and function in adult mice. <i>Cell Metabolism</i> , <b>2014</b> , 19, 593-604	24.6	229
77	Single-Cell Transcriptomics of the Human Endocrine Pancreas. <i>Diabetes</i> , <b>2016</b> , 65, 3028-38	0.9	223
76	Dynamic chromatin remodeling mediated by polycomb proteins orchestrates pancreatic differentiation of human embryonic stem cells. <i>Cell Stem Cell</i> , <b>2013</b> , 12, 224-37	18	179
75	Deacetylase-independent function of HDAC3 in transcription and metabolism requires nuclear receptor corepressor. <i>Molecular Cell</i> , <b>2013</b> , 52, 769-82	17.6	168
74	Histone deacetylase 3 coordinates commensal-bacteria-dependent intestinal homeostasis. <i>Nature</i> , <b>2013</b> , 504, 153-7	50.4	154
73	Distinct macrophage populations direct inflammatory versus physiological changes in adipose tissue. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E5096-E5105	11.5	150
72	Ebf2 is a selective marker of brown and beige adipogenic precursor cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 14466-71	11.5	135
71	Nuclear receptor co-repressors are required for the histone-deacetylase activity of HDAC3 in vivo. <i>Nature Structural and Molecular Biology</i> , <b>2013</b> , 20, 182-7	17.6	131
70	An iPSC line from human pancreatic ductal adenocarcinoma undergoes early to invasive stages of pancreatic cancer progression. <i>Cell Reports</i> , <b>2013</b> , 3, 2088-99	10.6	125
69	Genomic redistribution of GR monomers and dimers mediates transcriptional response to exogenous glucocorticoid in vivo. <i>Genome Research</i> , <b>2015</b> , 25, 836-44	9.7	113
68	Rev-erb $\alpha$ dynamically modulates chromatin looping to control circadian gene transcription. <i>Science</i> , <b>2018</b> , 359, 1274-1277	33.3	102
67	Genetic Variation Determines PPAR $\alpha$ Function and Anti-diabetic Drug Response In Vivo. <i>Cell</i> , <b>2015</b> , 162, 33-44	56.2	90
66	HEART DEVELOPMENT. Integration of Bmp and Wnt signaling by Hopx specifies commitment of cardiomyoblasts. <i>Science</i> , <b>2015</b> , 348, aaa6071	33.3	89

65	Histone deacetylase 3 prepares brown adipose tissue for acute thermogenic challenge. <i>Nature</i> , <b>2017</b> , 546, 544-548	50.4	88
64	Genome-wide prediction of transcription factor binding sites using an integrated model. <i>Genome Biology</i> , <b>2010</b> , 11, R7	18.3	87
63	PRDM16 binds MED1 and controls chromatin architecture to determine a brown fat transcriptional program. <i>Genes and Development</i> , <b>2015</b> , 29, 298-307	12.6	86
62	Prediction of regulatory elements in mammalian genomes using chromatin signatures. <i>BMC Bioinformatics</i> , <b>2008</b> , 9, 547	3.6	75
61	A PRDM16-Driven Metabolic Signal from Adipocytes Regulates Precursor Cell Fate. <i>Cell Metabolism</i> , <b>2019</b> , 30, 174-189.e5	24.6	73
60	Anti-diabetic rosiglitazone remodels the adipocyte transcriptome by redistributing transcription to PPAR $\beta$ -driven enhancers. <i>Genes and Development</i> , <b>2014</b> , 28, 1018-28	12.6	73
59	EBF2 promotes the recruitment of beige adipocytes in white adipose tissue. <i>Molecular Metabolism</i> , <b>2016</b> , 5, 57-65	8.8	59
58	RBPJ, the major transcriptional effector of Notch signaling, remains associated with chromatin throughout mitosis, suggesting a role in mitotic bookmarking. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004204	6	53
57	LIM domain-binding 1 maintains the terminally differentiated state of pancreatic $\beta$ cells. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 215-229	15.9	43
56	Targeting ACLY sensitizes castration-resistant prostate cancer cells to AR antagonism by impinging on an ACLY-AMPK-AR feedback mechanism. <i>Oncotarget</i> , <b>2016</b> , 7, 43713-43730	3.3	40
55	PKC $\epsilon$ ILSD1-NF- $\kappa$ B-Signaling Cascade Is Crucial for Epigenetic Control of the Inflammatory Response. <i>Molecular Cell</i> , <b>2018</b> , 69, 398-411.e6	17.6	39
54	EBF2 transcriptionally regulates brown adipogenesis via the histone reader DPF3 and the BAF chromatin remodeling complex. <i>Genes and Development</i> , <b>2017</b> , 31, 660-673	12.6	38
53	Epigenetic regulation of intestinal stem cells by Tet1-mediated DNA hydroxymethylation. <i>Genes and Development</i> , <b>2016</b> , 30, 2433-2442	12.6	37
52	Comparative annotation of functional regions in the human genome using epigenomic data. <i>Nucleic Acids Research</i> , <b>2013</b> , 41, 4423-32	20.1	37
51	PRDM16 represses the type I interferon response in adipocytes to promote mitochondrial and thermogenic programming. <i>EMBO Journal</i> , <b>2017</b> , 36, 1528-1542	13	35
50	An evolutionary method for learning HMM structure: prediction of protein secondary structure. <i>BMC Bioinformatics</i> , <b>2007</b> , 8, 357	3.6	35
49	Histone H4 acetylation and the epigenetic reader Brd4 are critical regulators of pluripotency in embryonic stem cells. <i>BMC Genomics</i> , <b>2016</b> , 17, 95	4.5	34
48	EBNA2 Drives Formation of New Chromosome Binding Sites and Target Genes for B-Cell Master Regulatory Transcription Factors RBP-j $\mu$ and EBF1. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005339	7.6	34

47	Training HMM structure with genetic algorithm for biological sequence analysis. <i>Bioinformatics</i> , <b>2004</b> , 20, 3613-9	7.2	33
46	Prenatal Choline Supplementation Diminishes Early-Life Iron Deficiency-Induced Reprogramming of Molecular Networks Associated with Behavioral Abnormalities in the Adult Rat Hippocampus. <i>Journal of Nutrition</i> , <b>2016</b> , 146, 484-93	4.1	32
45	ATF4 licenses C/EBP $\beta$ activity in human mesenchymal stem cells primed for adipogenesis. <i>ELife</i> , <b>2015</b> , 4, e06821	8.9	31
44	Targeting PPAR $\gamma$ in the epigenome rescues genetic metabolic defects in mice. <i>Journal of Clinical Investigation</i> , <b>2017</b> , 127, 1451-1462	15.9	31
43	The CSB chromatin remodeler and CTCF architectural protein cooperate in response to oxidative stress. <i>Nucleic Acids Research</i> , <b>2016</b> , 44, 2125-35	20.1	28
42	Adhesion regulates MAP kinase/ternary complex factor exchange to control a proliferative transcriptional switch. <i>Current Biology</i> , <b>2012</b> , 22, 2017-26	6.3	28
41	Single cell transcriptomic profiling of mouse pancreatic progenitors. <i>Physiological Genomics</i> , <b>2017</b> , 49, 105-114	3.6	26
40	The sequence-specific transcription factor c-Jun targets Cockayne syndrome protein B to regulate transcription and chromatin structure. <i>PLoS Genetics</i> , <b>2014</b> , 10, e1004284	6	25
39	The Nuclear Receptor Rev-erb $\beta$ Regulates Adipose Tissue-specific FGF21 Signaling. <i>Journal of Biological Chemistry</i> , <b>2016</b> , 291, 10867-75	5.4	23
38	5-hydroxymethylcytosine represses the activity of enhancers in embryonic stem cells: a new epigenetic signature for gene regulation. <i>BMC Genomics</i> , <b>2014</b> , 15, 670	4.5	23
37	SHARP: hyperfast and accurate processing of single-cell RNA-seq data via ensemble random projection. <i>Genome Research</i> , <b>2020</b> , 30, 205-213	9.7	21
36	A Critical Role for Estrogen-Related Receptor Signaling in Cardiac Maturation. <i>Circulation Research</i> , <b>2020</b> , 126, 1685-1702	15.7	18
35	Defiant: (DMRs: easy, fast, identification and ANnotation) identifies differentially Methylated regions from iron-deficient rat hippocampus. <i>BMC Bioinformatics</i> , <b>2018</b> , 19, 31	3.6	17
34	DNA hypermethylation induced by Epstein-Barr virus in the development of Epstein-Barr virus-associated gastric carcinoma. <i>Archives of Pharmacal Research</i> , <b>2017</b> , 40, 894-905	6.1	14
33	MondoA drives muscle lipid accumulation and insulin resistance. <i>JCI Insight</i> , <b>2019</b> , 5,	9.9	14
32	An integrated approach to identifying cis-regulatory modules in the human genome. <i>PLoS ONE</i> , <b>2009</b> , 4, e5501	3.7	14
31	Transcriptomic Profiling and H3K27me3 Distribution Reveal Both Demethylase-Dependent and Independent Regulation of Developmental Gene Transcription in Cell Differentiation. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135276	3.7	13
30	CellBIC: bimodality-based top-down clustering of single-cell RNA sequencing data reveals hierarchical structure of the cell type. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, e124	20.1	11

29	Modeling promoter grammars with evolving hidden Markov models. <i>Bioinformatics</i> , <b>2008</b> , 24, 1669-75	7.2	11
28	Transcriptomic Analysis Reveals Novel Mechanisms Mediating Islet Dysfunction in the Intrauterine Growth-Restricted Rat. <i>Endocrinology</i> , <b>2018</b> , 159, 1035-1049	4.8	10
27	Genomic architecture of Shh-dependent cochlear morphogenesis. <i>Development (Cambridge)</i> , <b>2019</b> , 146,	6.6	10
26	Zfp423 binds autoregulatory sites in p19 cell culture model. <i>PLoS ONE</i> , <b>2013</b> , 8, e66514	3.7	10
25	Pontin arginine methylation by CARM1 is crucial for epigenetic regulation of autophagy. <i>Nature Communications</i> , <b>2020</b> , 11, 6297	17.4	10
24	Evolving the structure of hidden Markov models. <i>IEEE Transactions on Evolutionary Computation</i> , <b>2006</b> , 10, 39-49	15.6	9
23	Cell competition in intratumoral and tumor microenvironment interactions. <i>EMBO Journal</i> , <b>2021</b> , 40, e107271	13	9
22	Proteogenomics analysis reveals specific genomic orientations of distal regulatory regions composed by non-canonical histone variants. <i>Epigenetics and Chromatin</i> , <b>2015</b> , 8, 13	5.8	8
21	Global identification of transcriptional regulators of pluripotency and differentiation in embryonic stem cells. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, 8199-209	20.1	8
20	TENET: gene network reconstruction using transfer entropy reveals key regulatory factors from single cell transcriptomic data. <i>Nucleic Acids Research</i> , <b>2021</b> , 49, e1	20.1	8
19	A stationary wavelet entropy-based clustering approach accurately predicts gene expression. <i>Journal of Computational Biology</i> , <b>2015</b> , 22, 236-49	1.7	7
18	Targeted inhibition of cooperative mutation- and therapy-induced AKT activation in AML effectively enhances response to chemotherapy. <i>Leukemia</i> , <b>2021</b> , 35, 2030-2042	10.7	7
17	Threshold-Dependent Cooperativity of Pdx1 and Oc1 in Pancreatic Progenitors Establishes Competency for Endocrine Differentiation and ECell Function. <i>Cell Reports</i> , <b>2016</b> , 15, 2637-2650	10.6	7
16	A wavelet-based method to exploit epigenomic language in the regulatory region. <i>Bioinformatics</i> , <b>2014</b> , 30, 908-14	7.2	6
15	Mapping Cellular Coordinates through Advances in Spatial Transcriptomics Technology. <i>Molecules and Cells</i> , <b>2020</b> , 43, 591-599	3.5	6
14	A wavelet approach to detect enriched regions and explore epigenomic landscapes. <i>Journal of Computational Biology</i> , <b>2014</b> , 21, 846-54	1.7	4
13	Human Transcriptome and Chromatin Modifications: An ENCODE Perspective. <i>Genomics and Informatics</i> , <b>2013</b> , 11, 60-7	1.9	4
12	Shared nucleotide flanks confer transcriptional competency to bZip core motifs. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, 8371-8384	20.1	4

11	Single Cell RNA-Sequencing for the Study of Atherosclerosis. <i>Journal of Lipid and Atherosclerosis</i> , <b>2019</b> , 8, 152-161	3	3
10	VeTra: a tool for trajectory inference based on RNA velocity. <i>Bioinformatics</i> , <b>2021</b> ,	7.2	3
9	An iPSC Line from Human Pancreatic Ductal Adenocarcinoma Undergoes Early to Invasive Stages of Pancreatic Cancer Progression. <i>Cell Reports</i> , <b>2013</b> , 4, 403	10.6	2
8	Nonparametric Tests for Differential Histone Enrichment with ChIP-Seq Data. <i>Cancer Informatics</i> , <b>2015</b> , 14, 11-22	2.4	2
7	Evolving fisher kernels for biological sequence classification. <i>Evolutionary Computation</i> , <b>2013</b> , 21, 83-105	4.3	2
6	SHARP: Single-cell RNA-seq Hyper-fast and Accurate Processing via Ensemble Random Projection		2
5	VeTra: a tool for trajectory inference based on RNA velocity		1
4	Decreased KATP channel activity contributes to the low glucose threshold for insulin secretion of rat neonatal islets		1
3	Postnatal activation of hypoxia pathway disrupts E-cadherin functional maturation		1
2	Flower lose, a cell fitness marker, predicts COVID-19 prognosis. <i>EMBO Molecular Medicine</i> , <b>2021</b> , 13, e137114	11.4	0
1	Aberrant qNSC activity mediates decreased active neurogenesis in the Shank3 deficient Autism development. <i>Molecular Psychiatry</i> , <b>2022</b> , 27, 2637-2637	15.1	