Liang Wang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3797139/publications.pdf

Version: 2024-02-01

713013 623188 61 588 14 21 citations h-index g-index papers 61 61 61 392 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Effects and mechanism of ultrasonic irradiation on solidification microstructure and mechanical properties of binary TiAl alloys. Ultrasonics Sonochemistry, 2017, 38, 120-133.	3.8	55
2	Microstructure, Mechanical Properties, and Crack Propagation Behavior in High-Nb TiAl Alloys by Directional Solidification. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2018, 49, 4555-4564.	1.1	39
3	Nanometer-scale gradient atomic packing structure surrounding soft spots in metallic glasses. Npj Computational Materials, 2018, 4, .	3.5	37
4	Effect of hydrogen on hot deformation behaviors of TiAl alloys. International Journal of Hydrogen Energy, 2010, 35, 13322-13328.	3.8	35
5	Mechanical Properties and Thermal Shock Resistance of HVOF Sprayed NiCrAlY Coatings Without and With Nano Ceria. Journal of Thermal Spray Technology, 2012, 21, 818-824.	1.6	26
6	Microstructure and mechanical properties of NbZrTi and NbHfZrTi alloys. Rare Metals, 2019, 38, 840-847.	3.6	22
7	Evaporation behavior of aluminum during the cold crucible induction skull melting of titanium aluminum alloys. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2000, 31, 837-844.	1.0	21
8	Effect of peritectic reaction on dendrite coarsening in directionally solidified Sn–36Âat.%Ni alloy. Journal of Materials Science, 2012, 47, 6108-6117.	1.7	20
9	Well-aligned in situ composites in directionally solidified Fe–Ni peritectic system. Applied Physics Letters, 2006, 89, 231918.	1.5	19
10	Faceted–nonfaceted growth transition and 3-D morphological evolution of primary Al ₆ Mn microcrystals in directionally solidified Al–3 at.% Mn alloy. Journal of Materials Research, 2014, 29, 1256-1263.	1.2	18
11	Deoxidation of Ti–Al intermetallics via hydrogen treatment. International Journal of Hydrogen Energy, 2010, 35, 9214-9217.	3.8	17
12	Design of (Nb, Mo)40Ti30Ni30 alloy membranes for combined enhancement of hydrogen permeability and embrittlement resistance. Scientific Reports, 2017, 7, 209.	1.6	17
13	Effects of Nb on Microstructure and Mechanical Properties of Ti42Al2.6C Alloys. Advanced Engineering Materials, 2018, 20, 1701112.	1.6	17
14	Hydrogen induced softening and hardening for hot workability of (TiBÂ+ÂTiC)/Ti-6Al-4V composites. International Journal of Hydrogen Energy, 2017, 42, 3380-3388.	3.8	16
15	Composition-dependent phase substitution in directionally solidified Sn-22at.%Ni peritectic alloy. Journal of Materials Science, 2016, 51, 1512-1521.	1.7	14
16	The critical pressure and impeding pressure of Al evaporation during induction skull melting processing of TiAl. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2002, 33, 3249-3253.	1.1	12
17	A lateral remelting phenomenon of the primary phase below the temperature of peritectic reaction in directionally solidified Cu–Ge alloys. Journal of Materials Research, 2013, 28, 3261-3269.	1.2	11
18	Numerical Research on Magnetic Field, Temperature Field and Flow Field During Melting and Directionally Solidifying TiAl Alloys by Electromagnetic Cold Crucible. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2017, 48, 3345-3358.	1.0	11

#	Article	IF	Citations
19	Prediction of the solidification path of Al-4.37Cu-27.02Mg ternary eutectic alloy with a unified microsegregation model coupled with Thermo-Calc. International Journal of Materials Research, 2013, 104, 244-254.	0.1	10
20	Primary dendrite distribution in directionally solidified Sn–36 at.% Ni peritectic alloy. Journal of Materials Research, 2013, 28, 740-746.	1.2	10
21	Microstructural evolution of Al-Cu-Li alloys with different Li contents by coupling of near-rapid solidification and two-stage homogenization treatment. China Foundry, 2020, 17, 190-197.	0.5	10
22	Local melting/solidification during peritectic solidification in a steep temperature gradient: analysis of a directionally solidified Al–25at%Ni. Applied Physics A: Materials Science and Processing, 2014, 116, 1821-1831.	1.1	9
23	Optimization of Processing Parameters for WC-11Co Cemented Carbide Doped with Nano-Crystalline CeO2. Journal of Materials Engineering and Performance, 2013, 22, 112-117.	1.2	8
24	Controllable 3D morphology and growth mechanism of quasicrystalline phase in directionally solidified Al–Mn–Be alloy. Journal of Materials Research, 2014, 29, 2547-2555.	1.2	8
25	On migration of primary/peritectic interface during interrupted directional solidification of Sn-Ni peritectic alloy. Scientific Reports, 2016, 6, 24512.	1.6	8
26	Impact of laser scanning speed on microstructure and mechanical properties of Inconel 718 alloys by selective laser melting. China Foundry, 2021, 18, 170-179.	0.5	8
27	Improvement of Microstructure and Mechanical Properties of Nearâ€Eutectic Al–Mg ₂ Si Alloys by Eu Addition. Advanced Engineering Materials, 2021, 23, 2001447.	1.6	7
28	Influence of initial solid–liquid interface morphology on further microstructure evolution during directional solidification. Applied Physics A: Materials Science and Processing, 2013, 110, 443-451.	1.1	6
29	Creep Behavior of Highâ€Nb TiAl Alloy at 800–900 °C by Directional Solidification. Advanced Engineering Materials, 2018, 20, 1700734.	1.6	6
30	A Comparative Study on Microstructure and Mechanical Properties of Tiâ€43/46Al–5Nb–0.1B Alloys Modified by Mo. Advanced Engineering Materials, 2020, 22, 1901075.	1.6	6
31	Two-phase separated growth and peritectic reaction during directional solidification of Cu–Ge peritectic alloys. Journal of Materials Research, 2013, 28, 1372-1377.	1.2	5
32	Effect of heat treatment on microstructure and mechanical properties of cast and directionally solidified high-Nb contained TiAl-based alloys. Journal of Materials Research, 2015, 30, 3331-3342.	1.2	5
33	On oscillatory microstructure during cellular growth of directionally solidified Sn–36at.%Ni peritectic alloy. Scientific Reports, 2016, 6, 24315.	1.6	5
34	Effect of hydrogen on interfacial reaction between Ti-6Al-4V alloy melt and graphite mold. Journal of Materials Research and Technology, 2020, 9, 6933-6939.	2.6	5
35	A simple model for lamellar peritectic coupled growth with peritectic reaction. Science in China Series G: Physics, Mechanics and Astronomy, 2007, 50, 442-450.	0.2	4
36	In doping effect on optical properties in Zn:In:Fe:LiNbO ₃ crystals. Crystal Research and Technology, 2009, 44, 754-758.	0.6	4

#	Article	IF	Citations
37	Characterization of hydrogen-induced structural changes in Zr-based bulk metallic glasses using positron annihilation spectroscopy. Journal of Materials Research, 2012, 27, 2587-2592.	1.2	4
38	Isothermal Peritectic Coupled Growth in Directionally Solidified Cu-20ÂwtÂpct Sn Alloy. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2012, 43, 4219-4223.	1.1	4
39	Directional Solidification of Ti6Al4V Ingots with an Electromagnetic Cold Crucible by Adjusting the Meniscus. ISIJ International, 2012, 52, 1296-1300.	0.6	4
40	Study on in situ Al-Si functionally graded materials produced by traveling magnetic field. Science and Engineering of Composite Materials, 2012, 19, 209-214.	0.6	4
41	Detachment of secondary dendrite arm in a directionally solidified Sn-Ni peritectic alloy under deceleration growth condition. Scientific Reports, 2016, 6, 27682.	1.6	4
42	Effect of a Traveling Magnetic Field on Micropore Formation in Al-Cu Alloys. Metals, 2018, 8, 448.	1.0	4
43	Microstructures and mechanical properties of Ti–44Al–5Nb–3Cr–1.5Zr–xMo–yB alloys. Journal of Materials Research, 2020, 35, 2756-2764.	1.2	4
44	Molding of temperature field for the induction skull melting process of Ti-47Ni-9Nb. Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science, 2001, 32, 2895-2902.	1.1	3
45	Effect of peritectic reaction on the migration of secondary dendrite arms in the presence of tertiary dendrites: analysis of a directionally solidified Sn–36Âat.%Ni peritectic alloy. Journal of Materials Science, 2013, 48, 2608-2617.	1.7	3
46	Secondary dendrite arm migration caused by temperature gradient zone melting in the directionally solidified Sn–40 at.% Mn peritectic alloy. Journal of Materials Research, 2013, 28, 1196-1202.	1.2	3
47	Effect of growth rate on microstructures and microhardness in directionally solidified Ti–47Al–1.0W–0.5Si alloy. Journal of Materials Research, 2016, 31, 618-626.	1.2	3
48	Effects of hydrogen on the interfacial reaction between Ti 6Al 4V alloy melt and Al2O3 ceramic shell. International Journal of Hydrogen Energy, 2018, 43, 5225-5230.	3.8	3
49	Influence of laser parameters on segregation of Nb during selective laser melting of Inconel 718. China Foundry, 2021, 18, 379-388.	0.5	3
50	Evolution of Microstructure and Mechanical Properties in Al–Zn–Mg–Cu Alloy by Electric Pulse Aging Treatment. Transactions of the Indian Institute of Metals, 2021, 74, 2835-2842.	0.7	3
51	Microstructure and Mechanical Properties of Bioâ€Inspired Ti/Al/Alâ€C _f Multilayered Composites. Advanced Engineering Materials, 2019, 21, 1800722.	1.6	2
52	Prediction Mechanical Strength of Sand Mold Samples Fabricated by Three-Dimensional Printing. Materials Transactions, 2020, 61, 1620-1628.	0.4	2
53	Evaporation loss of components during induction skull melting of Ti—13Al—29Nb—2·5Mo. International Journal of Cast Metals Research, 2003, 16, 466-472.	0.5	1
54	Hydrogenation behavior of Ti–44Al–6Nb alloy and its effect on the microstructure and hot deformability. Journal of Materials Research, 2017, 32, 1304-1315.	1.2	1

#	Article	IF	CITATIONS
55	Efficient Melt Stirring Induced by the Coupled Effects of Alternating Magnetic Field and Configuration of Cold Crucible. Metallurgical and Materials Transactions B: Process Metallurgy and Materials Processing Science, 2018, 49, 28-33.	1.0	1
56	Investigation and Improvement of Pushing Dislocation in Ceramsite Sand Three-Dimensional Printing. 3D Printing and Additive Manufacturing, 2023, 10, 289-297.	1.4	1
57	Tensile properties of an aluminum matrix composite reinforced by SnO2-coated Al18B4O33 whisker. Journal Wuhan University of Technology, Materials Science Edition, 2011, 26, 1166-1170.	0.4	0
58	INVESTIGATIONS ON DEFECT STRUCTURE AND LIGHT-INDUCED SCATTERING OF Mg:Ho:LiNbO3 WITH VARIOUS Mg2+ CONCENTRATION. Modern Physics Letters B, 2012, 26, 1250127.	1.0	0
59	Microstructures and properties of Nb–Si-based alloys with B addition. Rare Metals, 2019, , 1.	3.6	O
60	Microstructural Optimization of Feâ€Rich Intermetallic in Al–12 wt% Si–2 wt% Fe alloys by Adding Travelling Magnetic Fields. Advanced Engineering Materials, 2020, 22, 2000561.	1.6	0
61	Microstructure Evolution and Toughening Mechanism of a Nb-18Si-5HfC Eutectic Alloy Created by Selective Laser Melting. Materials, 2022, 15, 1190.	1.3	O