

Linda Denehy

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3797143/linda-denehy-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169
papers

7,638
citations

40
h-index

84
g-index

184
ext. papers

9,809
ext. citations

3.7
avg, IF

5.88
L-index

#	Paper	IF	Citations
169	Improving long-term outcomes after discharge from intensive care unit: report from a stakeholders conference. <i>Critical Care Medicine</i> , 2012 , 40, 502-9	1.4	1172
168	Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, e825-e873	1.4	1140
167	Validity of the Microsoft Kinect for assessment of postural control. <i>Gait and Posture</i> , 2012 , 36, 372-7	2.6	464
166	Expert consensus and recommendations on safety criteria for active mobilization of mechanically ventilated critically ill adults. <i>Critical Care</i> , 2014 , 18, 658	10.8	255
165	Exercise rehabilitation for patients with critical illness: a randomized controlled trial with 12 months of follow-up. <i>Critical Care</i> , 2013 , 17, R156	10.8	231
164	Ultrasonography in the intensive care setting can be used to detect changes in the quality and quantity of muscle and is related to muscle strength and function. <i>Journal of Critical Care</i> , 2015 , 30, 1154-e9-14 ¹⁸⁵	4.1	185
163	Early mobilization and recovery in mechanically ventilated patients in the ICU: a bi-national, multi-centre, prospective cohort study. <i>Critical Care</i> , 2015 , 19, 81	10.8	176
162	Functional and postoperative outcomes after preoperative exercise training in patients with lung cancer: a systematic review and meta-analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2016 , 23, 486-97	1.8	114
161	Executive Summary: Clinical Practice Guidelines for the Prevention and Management of Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption in Adult Patients in the ICU. <i>Critical Care Medicine</i> , 2018 , 46, 1532-1548	1.4	109
160	Preoperative physiotherapy for the prevention of respiratory complications after upper abdominal surgery: pragmatic, double blinded, multicentre randomised controlled trial. <i>BMJ, The</i> , 2018 , 360, j5916	5.9	107
159	A Binational Multicenter Pilot Feasibility Randomized Controlled Trial of Early Goal-Directed Mobilization in the ICU. <i>Critical Care Medicine</i> , 2016 , 44, 1145-52	1.4	104
158	A physical function test for use in the intensive care unit: validity, responsiveness, and predictive utility of the physical function ICU test (scored). <i>Physical Therapy</i> , 2013 , 93, 1636-45	3.3	103
157	Low physical activity levels and functional decline in individuals with lung cancer. <i>Lung Cancer</i> , 2014 , 83, 292-9	5.9	99
156	Psychosocial outcomes in informal caregivers of the critically ill: a systematic review. <i>Critical Care Medicine</i> , 2015 , 43, 1112-20	1.4	94
155	The quantity of early upright mobilisation performed following upper abdominal surgery is low: an observational study. <i>Australian Journal of Physiotherapy</i> , 2007 , 53, 47-52		91
154	Assessment of impairment and activity limitations in the critically ill: a systematic review of measurement instruments and their clinimetric properties. <i>Intensive Care Medicine</i> , 2015 , 41, 744-62	14.5	85
153	Factors influencing physical activity and rehabilitation in survivors of critical illness: a systematic review of quantitative and qualitative studies. <i>Intensive Care Medicine</i> , 2017 , 43, 531-542	14.5	82

152	Functional outcomes in ICU – what should we be using? An observational study. <i>Critical Care</i> , 2015 , 19, 127	10.8	75
151	Does physiotherapy reduce the incidence of postoperative pulmonary complications following pulmonary resection via open thoracotomy? A preliminary randomised single-blind clinical trial. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 37, 1158-66	3	70
150	Criteria to determine readiness for hospital discharge following colorectal surgery: an international consensus using the Delphi technique. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 416-23	3.1	70
149	Safety and feasibility of an exercise prescription approach to rehabilitation across the continuum of care for survivors of critical illness. <i>Physical Therapy</i> , 2012 , 92, 1524-35	3.3	69
148	Duration of anaesthesia, type of surgery, respiratory co-morbidity, predicted VO ₂ max and smoking predict postoperative pulmonary complications after upper abdominal surgery: an observational study. <i>Australian Journal of Physiotherapy</i> , 2009 , 55, 191-8		69
147	Minimal important difference of the 6-minute walk distance in lung cancer. <i>Chronic Respiratory Disease</i> , 2015 , 12, 146-54	3	66
146	Interobserver Reliability of Quantitative Muscle Sonographic Analysis in the Critically Ill Population. <i>Journal of Ultrasound in Medicine</i> , 2015 , 34, 1191-200	2.9	65
145	Rehabilitation and exercise prescription in Australian intensive care units. <i>Physiotherapy</i> , 2008 , 94, 220-229		65
144	Intensive care unit mobility practices in Australia and New Zealand: a point prevalence study. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2013 , 15, 260-5	2.8	65
143	A randomised trial of domiciliary, ambulatory oxygen in patients with COPD and dyspnoea but without resting hypoxaemia. <i>Thorax</i> , 2011 , 66, 32-7	7.3	62
142	Does removal of deep breathing exercises from a physiotherapy program including pre-operative education and early mobilisation after cardiac surgery alter patient outcomes?. <i>Australian Journal of Physiotherapy</i> , 2003 , 49, 165-73		62
141	Advances in cardiorespiratory physiotherapy and their clinical impact. <i>Expert Review of Respiratory Medicine</i> , 2018 , 12, 203-215	3.8	58
140	Electrical muscle stimulation in the intensive care setting: a systematic review. <i>Critical Care Medicine</i> , 2013 , 41, 2406-18	1.4	58
139	Head-down tilt and manual hyperinflation enhance sputum clearance in patients who are intubated and ventilated. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 9-14		58
138	The ICU Mobility Scale Has Construct and Predictive Validity and Is Responsive. A Multicenter Observational Study. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 887-93	4.7	58
137	Assessing physical function and activity for survivors of a critical illness: a review of instruments. <i>Australian Critical Care</i> , 2011 , 24, 155-66	2.9	55
136	Understanding factors influencing physical activity and exercise in lung cancer: a systematic review. <i>Supportive Care in Cancer</i> , 2017 , 25, 983-999	3.9	48
135	Time to readiness for discharge is a valid and reliable measure of short-term recovery after colorectal surgery. <i>World Journal of Surgery</i> , 2013 , 37, 2927-34	3.3	48

134	Ten reasons why ICU patients should be mobilized early. <i>Intensive Care Medicine</i> , 2017 , 43, 86-90	14.5	48
133	Health-related quality of life in Australian survivors of critical illness. <i>Critical Care Medicine</i> , 2011 , 39, 1896-905	1.4	48
132	Construct validity and minimal important difference of 6-minute walk distance in survivors of acute respiratory failure. <i>Chest</i> , 2015 , 147, 1316-1326	5.3	46
131	Functional electrical stimulation with cycling in the critically ill: a pilot case-matched control study. <i>Journal of Critical Care</i> , 2014 , 29, 695.e1-7	4	45
130	The physiotherapy management of patients undergoing thoracic surgery: a survey of current practice in Australia and New Zealand. <i>Physiotherapy Research International</i> , 2007 , 12, 59-71	1.8	43
129	A new two-tier strength assessment approach to the diagnosis of weakness in intensive care: an observational study. <i>Critical Care</i> , 2015 , 19, 52	10.8	40
128	Development of a physical function outcome measure (PFIT) and a pilot exercise training protocol for use in intensive care. <i>Critical Care and Resuscitation: Journal of the Australasian Academy of Critical Care Medicine</i> , 2009 , 11, 110-5	2.8	39
127	Exercise Interventions in Critical Illness Survivors: Understanding Inclusion and Stratification Criteria. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2015 , 191, 1464-7	10.2	38
126	Risk Factors for Sternal Complications After Cardiac Operations: A Systematic Review. <i>Annals of Thoracic Surgery</i> , 2016 , 102, 2109-2117	2.7	38
125	Postural control and fear of falling assessment in people with chronic obstructive pulmonary disease: a systematic review of instruments, international classification of functioning, disability and health linkage, and measurement properties. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013 , 94, 1784-1799.e7	2.8	37
124	Physiotherapy in Critical Care in Australia. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012 , 23, 19-25	1	37
123	Safety and feasibility of an exercise intervention for patients following lung resection: a pilot randomized controlled trial. <i>Integrative Cancer Therapies</i> , 2013 , 12, 213-24	3	36
122	A randomized controlled trial comparing periodic mask CPAP with physiotherapy after abdominal surgery. <i>Physiotherapy Research International</i> , 2001 , 6, 236-50	1.8	36
121	Prospective observation of physical activity in critically ill patients who were intubated for more than 48 hours. <i>Journal of Critical Care</i> , 2015 , 30, 658-63	4	35
120	Exercise rehabilitation following hospital discharge in survivors of critical illness: an integrative review. <i>Critical Care</i> , 2012 , 16, 226	10.8	35
119	Proximal and distal gastro-oesophageal reflux in chronic obstructive pulmonary disease and bronchiectasis. <i>Respirology</i> , 2014 , 19, 211-217	3.6	34
118	A postoperative shoulder exercise program improves function and decreases pain following open thoracotomy: a randomised trial. <i>Journal of Physiotherapy</i> , 2010 , 56, 245-52	2.9	34
117	The physical function intensive care test: implementation in survivors of critical illness. <i>Physical Therapy</i> , 2014 , 94, 1499-507	3.3	33

116	Functional capacity, physical activity and muscle strength assessment of individuals with non-small cell lung cancer: a systematic review of instruments and their measurement properties. <i>BMC Cancer</i> , 2013 , 13, 135	4.8	33
115	Physiotherapy in the intensive care unit. <i>Physical Therapy Reviews</i> , 2006 , 11, 49-56	0.7	32
114	Exhaled Breath Condensate Pepsin: Potential Noninvasive Test for Gastroesophageal Reflux in COPD and Bronchiectasis. <i>Respiratory Care</i> , 2015 , 60, 244-50	2.1	30
113	Strategies for post ICU rehabilitation. <i>Current Opinion in Critical Care</i> , 2012 , 18, 503-8	3.5	29
112	What factors affect implementation of early rehabilitation into intensive care unit practice? A qualitative study with clinicians. <i>Journal of Critical Care</i> , 2017 , 38, 137-143	4	27
111	Barriers to Translation of Physical Activity into the Lung Cancer Model of Care. A Qualitative Study of Clinicians' Perspectives. <i>Annals of the American Thoracic Society</i> , 2016 , 13, 2215-2222	4.7	27
110	Falls by individuals with chronic obstructive pulmonary disease: a preliminary 12-month prospective cohort study. <i>Respirology</i> , 2015 , 20, 1096-101	3.6	26
109	Measurement of functional activity in chronic obstructive pulmonary disease: the grocery shelving task. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008 , 28, 402-9	3.6	26
108	Multidisciplinary home-based rehabilitation in inoperable lung cancer: a randomised controlled trial. <i>Thorax</i> , 2019 , 74, 787-796	7.3	25
107	Outcome measures report different aspects of patient function three months following critical care. <i>Intensive Care Medicine</i> , 2014 , 40, 1862-9	14.5	25
106	Early rehabilitation in critical care (eRiCC): functional electrical stimulation with cycling protocol for a randomised controlled trial. <i>BMJ Open</i> , 2012 , 2,	3	25
105	Does physiotherapy reduce the incidence of postoperative complications in patients following pulmonary resection via thoracotomy? a protocol for a randomised controlled trial. <i>Journal of Cardiothoracic Surgery</i> , 2008 , 3, 48	1.6	25
104	Usual Care Physiotherapy During Acute Hospitalization in Subjects Admitted to the ICU: An Observational Cohort Study. <i>Respiratory Care</i> , 2015 , 60, 1476-85	2.1	24
103	Interpreting and Implementing the 2018 Pain, Agitation/Sedation, Delirium, Immobility, and Sleep Disruption Clinical Practice Guideline. <i>Critical Care Medicine</i> , 2018 , 46, 1464-1470	1.4	24
102	Physical activity measured using global positioning system tracking in non-small cell lung cancer: an observational study. <i>Integrative Cancer Therapies</i> , 2014 , 13, 482-92	3	24
101	Physical Rehabilitation Core Outcomes In Critical illness (PRACTICE): protocol for development of a core outcome set. <i>Trials</i> , 2018 , 19, 294	2.8	22
100	Fear of falling in people with chronic obstructive pulmonary disease. <i>Respiratory Medicine</i> , 2015 , 109, 483-9	4.6	21
99	Living actively in the face of impending death: constantly adjusting to bodily decline at the end-of-life. <i>BMJ Supportive and Palliative Care</i> , 2017 , 7, 179-188	2.2	20

98	Measurement of physical activity levels in the Intensive Care Unit and functional outcomes: An observational study. <i>Journal of Critical Care</i> , 2017 , 40, 189-196	4	20
97	Quantifying physical activity levels of survivors of intensive care: a prospective observational study. <i>Physical Therapy</i> , 2012 , 92, 1507-17	3.3	20
96	Evaluation of Exercise Rehabilitation for Survivors of Intensive Care: Protocol for a Single Blind Randomised Controlled Trial. <i>Open Critical Care Medicine Journal</i> , 2008 , 1, 39-47		20
95	Reaching consensus on the physiotherapeutic management of patients following upper abdominal surgery: a pragmatic approach to interpret equivocal evidence. <i>BMC Medical Informatics and Decision Making</i> , 2012 , 12, 5	3.6	19
94	Balance and Falls in Acute Exacerbation of Chronic Obstructive Pulmonary Disease: A Prospective Study. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2017 , 14, 518-525	2	19
93	The self-reported Physical Activity Scale for the Elderly (PASE) is a valid and clinically applicable measure in lung cancer. <i>Supportive Care in Cancer</i> , 2015 , 23, 3211-8	3.9	18
92	Pelvic floor muscle training for bowel dysfunction following colorectal cancer surgery: A systematic review. <i>Neurourology and Urodynamics</i> , 2015 , 34, 703-12	2.3	18
91	Benefits of home-based multidisciplinary exercise and supportive care in inoperable non-small cell lung cancer - protocol for a phase II randomised controlled trial. <i>BMC Cancer</i> , 2017 , 17, 663	4.8	18
90	Long-term recovery following critical illness in an Australian cohort. <i>Journal of Intensive Care</i> , 2018 , 6, 8	7	18
89	Which field walking test should be used to assess functional exercise capacity in lung cancer? An observational study. <i>BMC Pulmonary Medicine</i> , 2015 , 15, 89	3.5	18
88	Upper limb exercise prescription following cardiac surgery via median sternotomy: a web survey. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2014 , 34, 390-5	3.6	18
87	CAPACITY: A physical activity self-management program for patients undergoing surgery for lung cancer, a phase I feasibility study. <i>Lung Cancer</i> , 2018 , 124, 102-109	5.9	17
86	Comparison of pedometer and activity diary for measurement of physical activity in chronic obstructive pulmonary disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2009 , 29, 57-61	3.6	17
85	Efficacy of Prehabilitation Including Exercise on Postoperative Outcomes Following Abdominal Cancer Surgery: A Systematic Review and Meta-Analysis. <i>Frontiers in Surgery</i> , 2021 , 8, 628848	2.3	17
84	Physiotherapy education and training prior to upper abdominal surgery is memorable and has high treatment fidelity: a nested mixed-methods randomised-controlled study. <i>Physiotherapy</i> , 2018 , 104, 194-202	3	16
83	A pragmatic, phase III, multisite, double-blind, placebo-controlled, parallel-arm, dose increment randomised trial of regular, low-dose extended-release morphine for chronic breathlessness: Breathlessness, Exertion And Morphine Sulfate (BEAMS) study protocol. <i>BMJ Open</i> , 2017 , 7, e018100	3	16
82	Home-based rehabilitation in inoperable non-small cell lung cancer-the patient experience. <i>Supportive Care in Cancer</i> , 2020 , 28, 99-112	3.9	15
81	An assessment of early tracheostomy after anterior cervical stabilization in patients with acute cervical spine trauma. <i>Journal of Trauma</i> , 2008 , 64, 749-53		14

80	Socioeconomic Position and Health Outcomes Following Critical Illness: A Systematic Review. <i>Critical Care Medicine</i> , 2019 , 47, e512-e521	1.4	14
79	Standard restrictive sternal precautions and modified sternal precautions had similar effects in people after cardiac surgery via median sternotomy (SMARTTrial): a randomised trial. <i>Journal of Physiotherapy</i> , 2018 , 64, 97-106	2.9	13
78	The LIPPSMAck POP (Lung Infection Prevention Post Surgery - Major Abdominal - with Pre-Operative Physiotherapy) trial: study protocol for a multi-centre randomised controlled trial. <i>Trials</i> , 2015 , 16, 573	2.8	13
77	Early mobilization practice in a single Brazilian intensive care unit. <i>Journal of Critical Care</i> , 2015 , 30, 896-900	2.4	13
76	Implications for post critical illness trial design: sub-phenotyping trajectories of functional recovery among sepsis survivors. <i>Critical Care</i> , 2020 , 24, 577	10.8	13
75	A pilot thoracic exercise programme reduces early (0-8 weeks) sternal pain following open heart surgery. <i>International Journal of Therapy and Rehabilitation</i> , 2014 , 21, 110-117	0.4	12
74	Prognostic validation of the body mass index, airflow obstruction, dyspnea, and exercise capacity (BODE) index in inoperable non-small-cell lung cancer. <i>Journal of Thoracic Oncology</i> , 2013 , 8, 1545-50	8.9	12
73	Commencing Out-of-Bed Rehabilitation in Critical Care-What Influences Clinical Decision-Making?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 261-269.e2	2.8	12
72	The Sternal Management Accelerated Recovery Trial (S.M.A.R.T) - standard restrictive versus an intervention of modified sternal precautions following cardiac surgery via median sternotomy: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 290	2.8	11
71	Preoperative physiotherapy is cost-effective for preventing pulmonary complications after major abdominal surgery: a health economic analysis of a multicentre randomised trial. <i>Journal of Physiotherapy</i> , 2020 , 66, 180-187	2.9	11
70	Improving the delivery of physical activity services in lung cancer: A qualitative representation of the patient's perspective. <i>European Journal of Cancer Care</i> , 2019 , 28, e12946	2.4	10
69	Health-Related Quality of Life in Australasian Survivors of H1N1 Influenza Undergoing Mechanical Ventilation. A Multicenter Cohort Study. <i>Annals of the American Thoracic Society</i> , 2015 , 12, 895-903	4.7	9
68	The Effect of Pelvic Floor Muscle Interventions on Pelvic Floor Dysfunction After Gynecological Cancer Treatment: A Systematic Review. <i>Physical Therapy</i> , 2020 , 100, 1357-1371	3.3	9
67	Upright positive expiratory pressure therapy and exercise: effects on gastroesophageal reflux in COPD and bronchiectasis. <i>Respiratory Care</i> , 2012 , 57, 1460-7	2.1	9
66	Physiotherapy in critical care in australia. <i>Cardiopulmonary Physical Therapy Journal</i> , 2012 , 23, 19-25	1	9
65	Ultrasound Evaluation of Quadriceps Muscle Dysfunction in Respiratory Disease. <i>Cardiopulmonary Physical Therapy Journal</i> , 2019 , 30, 15-23	1	9
64	Physical Activity Levels Are Low in Inoperable Lung Cancer: Exploratory Analyses from a Randomised Controlled Trial. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	8
63	Gastro-oesophageal reflux in noncystic fibrosis bronchiectasis. <i>Pulmonary Medicine</i> , 2011 , 2011, 395020	5.3	8

62	Preoperative Cardiopulmonary Exercise Test Associated with Postoperative Outcomes in Patients Undergoing Cancer Surgery: A Systematic Review and Meta-Analyses. <i>Annals of Surgical Oncology</i> , 2021 , 28, 7120-7146	3.1	8
61	How is physical activity measured in lung cancer? A systematic review of outcome measures and their psychometric properties. <i>Respirology</i> , 2017 , 22, 263-277	3.6	7
60	Evidence, education and multi-disciplinary integration are needed to embed exercise into lung cancer clinical care: A qualitative study involving physiotherapists. <i>Physiotherapy Theory and Practice</i> , 2018 , 34, 852-860	1.5	7
59	The efficacy of minitracheostomy for the management of sputum retention: a systematic review. <i>Physiotherapy</i> , 2013 , 99, 271-7	3	7
58	Can an accelerometer-based monitor be used to accurately assess physical activity in a population of survivors of critical illness?. <i>Global Journal of Health Science</i> , 2012 , 4, 98-107	1.3	7
57	Functional electrical stimulation in-bed cycle ergometry in mechanically ventilated patients: a multicentre randomised controlled trial. <i>Thorax</i> , 2021 , 76, 656-663	7.3	7
56	Prehabilitation Prior to Major Cancer Surgery: Training for Surgery to Optimize Physiologic Reserve to Reduce Postoperative Complications. <i>Current Anesthesiology Reports</i> , 2018 , 8, 375-385	1	7
55	Survey of neurodevelopmental allied health teams in Australian and New Zealand neonatal nurseries: Staff profile and standardised neurobehavioural/neurological assessment. <i>Journal of Paediatrics and Child Health</i> , 2017 , 53, 578-584	1.3	6
54	Attitudes and Perceptions to Prehabilitation in Lung Cancer. <i>Integrative Cancer Therapies</i> , 2020 , 19, 1534735420924466	4.7	6
53	Pelvic floor symptoms, physical, and psychological outcomes of patients following surgery for colorectal cancer. <i>Physiotherapy Theory and Practice</i> , 2018 , 34, 442-452	1.5	6
52	Short Physical Performance Battery Can Be Utilized to Evaluate Physical Function in Patients After Cardiac Surgery. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018 , 29, 88-96	1	6
51	Is ultrasound a reliable and precise measure of sternal micromotion in acute patients after cardiac surgery?. <i>International Journal of Therapy and Rehabilitation</i> , 2017 , 24, 62-70	0.4	6
50	Acute effects of hyperoxia on resting pattern of ventilation and dyspnoea in COPD. <i>Respirology</i> , 2009 , 14, 545-50	3.6	6
49	Implementability of healthcare interventions: an overview of reviews and development of a conceptual framework.. <i>Implementation Science</i> , 2022 , 17, 10	8.4	6
48	People With Hematological Malignancies Treated With Bone Marrow Transplantation Have Improved Function, Quality of Life, and Fatigue Following Exercise Intervention: A Systematic Review and Meta-Analysis. <i>Physical Therapy</i> , 2021 , 101,	3.3	6
47	Patient acceptance of prehabilitation for major surgery: an exploratory survey. <i>Supportive Care in Cancer</i> , 2021 , 29, 779-785	3.9	6
46	Individualized in-hospital exercise training program for people undergoing hematopoietic stem cell transplantation: a feasibility study. <i>Disability and Rehabilitation</i> , 2021 , 43, 386-392	2.4	6
45	The Cost of Bottling It Up: Emotion Suppression as a Mediator in the Relationship Between Anger and Depression Among Men with Prostate Cancer. <i>Cancer Management and Research</i> , 2020 , 12, 1039-1046	2.6	5

44	Organisation and resource management in the intensive care unit: A critical review. <i>International Journal of Therapy and Rehabilitation</i> , 2015 , 22, 187-196	0.4	5
43	Physiotherapist administered, non-invasive ventilation to reduce postoperative pulmonary complications in high-risk patients following elective upper abdominal surgery; a before-and-after cohort implementation study. <i>Physiotherapy</i> , 2020 , 106, 77-86	3	5
42	The Functional Difficulties Questionnaire: A New Tool for Assessing Physical Function of the Thoracic Region in a Cardiac Surgery Population. <i>Cardiopulmonary Physical Therapy Journal</i> , 2018 , 29, 110-123	1	5
41	Motion at the Sternal Edges During Upper Limb and Trunk Tasks In-Vivo as Measured by Real-Time Ultrasound Following Cardiac Surgery: A Three-Month Prospective, Observational Study. <i>Heart Lung and Circulation</i> , 2019 , 28, 1283-1291	1.8	4
40	The Australian Pelvic Floor Questionnaire is a valid measure of pelvic floor symptoms in patients following surgery for colorectal cancer. <i>Neurourology and Urodynamics</i> , 2017 , 36, 1395-1402	2.3	4
39	The conceptualisation of health-related quality of life in decision-making by intensive care physicians: A qualitative inquiry. <i>Australian Critical Care</i> , 2017 , 30, 152-159	2.9	4
38	Physical activity for people with lung cancer. <i>Australian Journal of General Practice</i> , 2020 , 49, 175-181	1.5	4
37	The fear and risk of community falls in patients following an intensive care admission: An exploratory cohort study. <i>Australian Critical Care</i> , 2020 , 33, 144-150	2.9	4
36	Evidence on technology-driven preoperative exercise interventions: are we there yet?. <i>British Journal of Anaesthesia</i> , 2020 , 125, 646-649	5.4	4
35	A 12-Week Multi-Modal Exercise Program: Feasibility of Combined Exercise and Simplified 8-Style Tai Chi Following Lung Cancer Surgery. <i>Integrative Cancer Therapies</i> , 2020 , 19, 1534735420952887	3	4
34	Symptoms of Posttraumatic Stress Disorder and Associated Risk Factors in Patients With Lung Cancer: A Longitudinal Observational Study. <i>Integrative Cancer Therapies</i> , 2018 , 17, 1195-1203	3	4
33	Non-Invasive Positive airway Pressure thERapy to Reduce Postoperative Lung complications following Upper abdominal Surgery (NIPPER PLUS): protocol for a single-centre, pilot, randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e023139	3	3
32	Searching for the Responder, Unpacking the Physical Rehabilitation Needs of Critically Ill Adults: A REVIEW. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2020 , 40, 359-369	3.6	3
31	Geriatric Rehabilitation Inpatients Roam at Home! A Matched Cohort Study of Objectively Measured Physical Activity and Sedentary Behavior in Home-Based and Hospital-Based Settings. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 2432-2439.e1	5.9	3
30	Falls prevalence and risk factors in people with chronic obstructive pulmonary disease: A systematic review. <i>Respiratory Medicine</i> , 2021 , 176, 106284	4.6	3
29	Physiological stress responses in infants at 29-32 weeks postmenstrual age during clustered nursing cares and standardised neurobehavioural assessments. <i>BMJ Paediatrics Open</i> , 2017 , 1, e000025	2.4	2
28	Surviving COVID-19: a familiar road to recovery?. <i>Lancet Respiratory Medicine</i> , 2021 , 9, 1211-1213	35.1	2
27	Probably better than any medication we can give you! General practitioners' views on exercise and nutrition in cancer. <i>Australian Journal of General Practice</i> , 2020 , 49, 513-518	1.5	2

26	Implementing a telehealth prehabilitation education session for patients preparing for major cancer surgery. <i>BMC Health Services Research</i> , 2021 , 21, 443	2.9	2
25	An allied health rehabilitation program for patients following surgery for abdomino-pelvic cancer: a feasibility and pilot clinical study. <i>Supportive Care in Cancer</i> , 2020 , 28, 1335-1350	3.9	2
24	Clinical education alone is sufficient to increase resistance training exercise prescription. <i>PLoS ONE</i> , 2019 , 14, e0212168	3.7	1
23	How Can Clinicians Use Outcome Measures in Routine Care? Knowledge Translation Strategies. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2015 , 3, 268-279	0.7	1
22	Response to physical rehabilitation and recovery trajectories following critical illness: individual participant data meta-analysis protocol. <i>BMJ Open</i> , 2020 , 10, e035613	3	1
21	Physical Activity Behavior After a Diagnosis of Lung Cancer Differs Between Countries: An Observational Cohort Study. <i>Integrative Cancer Therapies</i> , 2018 , 17, 493-502	3	1
20	447. <i>Critical Care Medicine</i> , 2013 , 41, A108	1.4	1
19	Impact of an allied health prehabilitation service for haematologic patients receiving high-dose chemotherapy in a large cancer centre. <i>Supportive Care in Cancer</i> , 2021 , 1	3.9	1
18	Evaluating Physical Functioning in Survivors of Critical Illness: Development of a New Continuum Measure for Acute Care. <i>Critical Care Medicine</i> , 2020 , 48, 1427-1435	1.4	1
17	ASO Visual Abstract: Preoperative Cardiopulmonary Exercise Test Associated with Postoperative Outcomes for Patients Undergoing Cancer Surgery-A Systematic Review and Meta-Analyses. <i>Annals of Surgical Oncology</i> , 2021 , 28, 502	3.1	1
16	Psychometric evaluation of the shortened version of the Functional Difficulties Questionnaire to assess thoracic physical function. <i>Clinical Rehabilitation</i> , 2020 , 34, 132-140	3.3	1
15	Validity and Utility Testing of a Criteria-led Discharge Checklist to Determine Post-operative Recovery after Abdominal Surgery: an International Multicentre Prospective Cohort Trial. <i>World Journal of Surgery</i> , 2021 , 45, 719-729	3.3	1
14	Prehabilitation with preoperative exercise and education for patients undergoing major abdominal cancer surgery: protocol for a multicentre randomised controlled TRIAL (PRIORITY TRIAL).. <i>BMC Cancer</i> , 2022 , 22, 443	4.8	1
13	Cost-effectiveness analysis of home-based rehabilitation compared to usual care for people with inoperable lung cancer. <i>European Journal of Cancer Care</i> , 2021 , 30, e13501	2.4	0
12	The minimal clinically important difference in the treadmill six-minute walk test in active women with breast cancer during and after oncological treatments.. <i>Disability and Rehabilitation</i> , 2022 , 1-8	2.4	0
11	Respiratory Prehabilitation for the Prevention of Postoperative Pulmonary Complications after Major Surgery. <i>Current Anesthesiology Reports</i> , 2022 , 12, 44-58	1	0
10	Intensive preoperative rehabilitation improves functional capacity and postoperative hospital length of stay in elderly patients with lung cancer [commentary]. <i>Journal of Physiotherapy</i> , 2017 , 63, 184 ^{2.9}		
9	ICU rehabilitation235-251		

8	Reply to Cusumano et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2010 , 38, 817-818	3
7	Reply to Agostini et al.. <i>European Journal of Cardio-thoracic Surgery</i> , 2011 , 39, 612-613	3
6	The cost-efficiency of incentive spirometry after abdominal surgery. <i>ANZ Journal of Surgery</i> , 1994 , 64, 637-9	1
5	Feasibility of establishing a rehabilitation programme in a Vietnamese intensive care unit. <i>PLoS ONE</i> , 2021 , 16, e0247406	3.7
4	Pelvic floor outcomes in patients who have undergone general rehabilitation following surgery for colorectal cancer: A pilot study. <i>Physiotherapy Theory and Practice</i> , 2019 , 35, 206-218	1.5
3	Location and Patterns of Persistent Pain Following Cardiac Surgery. <i>Heart Lung and Circulation</i> , 2021 , 30, 1232-1243	1.8
2	Prehabilitation and Rehabilitation in Older Adults with Cancer and Frailty 2022 , 155-176	
1	Improving physical function of patients following intensive care unit admission (EMPRESS): protocol of a randomised controlled feasibility trial.. <i>BMJ Open</i> , 2022 , 12, e055285	3