Rona Moss-Morris

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3797372/rona-moss-morris-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

207	10,349	54	97
papers	citations	h-index	g-index
231	12,127 ext. citations	4.8	6.44
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
207	A Novel Digital Self-management Intervention for Symptoms of Fatigue, Pain, and Urgency in Inflammatory Bowel Disease: Describing the Process of Development <i>JMIR Formative Research</i> , 2022 , 6, e33001	2.5	O
206	Defining routine fatigue care in Multiple Sclerosis in the United Kingdom: What treatments are offered and who gets them?. <i>Multiple Sclerosis Journal - Experimental, Translational and Clinical</i> , 2022 , 8, 20552173211072274	2	
205	Acceptance and Commitment Therapy for women living with Vulvodynia: A single-case experimental design study of a treatment delivered online. <i>Journal of Contextual Behavioral Science</i> , 2022, 23, 15-30	4.4	2
204	Disparities in access to mobile devices and e-health literacy among breast cancer survivors. <i>Supportive Care in Cancer</i> , 2022 , 30, 117-126	3.9	1
203	Non-drug therapies for the management of chronic constipation in adults: the CapaCiTY research programme including three RCTs. <i>Programme Grants for Applied Research</i> , 2021 , 9, 1-134	1.5	O
202	Inflammatory bowel disease nursesRviews on taking on a new role to support an online self-management programme for symptoms of fatigue, pain and urgency: a qualitative study to maximise intervention acceptance. <i>Gastrointestinal Nursing</i> , 2021 , 19, 28-35	0.2	1
201	Clinician and patient experiences when providing and receiving information and support for managing chemotherapy-induced peripheral neuropathy: A qualitative multiple methods study. <i>European Journal of Cancer Care</i> , 2021 , e13517	2.4	1
200	Clinical efficacy of COMPASS, a digital cognitive-behavioural therapy programme for treating anxiety and depression in patients with long-term physical health conditions: a protocol for randomised controlled trial. <i>BMJ Open</i> , 2021 , 11, e053971	3	
199	Atrial fibrillation, quality of life and distress: a cluster analysis of cognitive and behavioural responses. <i>Quality of Life Research</i> , 2021 , 1	3.7	O
198	Emotional response to testing positive for human papillomavirus at cervical cancer screening: a mixed method systematic review with meta-analysis. <i>Health Psychology Review</i> , 2021 , 15, 395-429	7.1	14
197	A systematic review of behavioural and exercise interventions for the prevention and management of chemotherapy-induced peripheral neuropathy symptoms. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	8
196	British Society of Gastroenterology guidelines on the management of irritable bowel syndrome. <i>Gut</i> , 2021 , 70, 1214-1240	19.2	31
195	Distinct Illness Representation Profiles Are Associated With Anxiety in Women Testing Positive for Human Papillomavirus. <i>Annals of Behavioral Medicine</i> , 2021 ,	4.5	3
194	Which exercise and behavioural interventions show most promise for treating fatigue in multiple sclerosis? A network meta-analysis. <i>Multiple Sclerosis Journal</i> , 2021 , 27, 1657-1678	5	7
193	The acceptability of primary care or community-based behavioural interventions for persistent physical symptoms: Qualitative systematic review. <i>British Journal of Health Psychology</i> , 2021 , 26, 1069-1	1894	O
192	Pain management in inflammatory bowel disease: feasibility of an online therapist-supported CBT-based self-management intervention. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 95	1.9	1
191	Developing an Online Program for Self-Management of Fatigue, Pain, and Urgency in Inflammatory Bowel Disease: PatientsRNeeds and Wants. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	2

(2020-2021)

190	Psychosocial factors associated with pain and sexual function in women with Vulvodynia: A systematic review. <i>European Journal of Pain</i> , 2021 , 25, 39-50	3.7	11
189	Feasibility Trial of Cognitive Behavioral Therapy for Fatigue in Hemodialysis (BReF Intervention). Journal of Pain and Symptom Management, 2021 , 61, 1234-1246.e5	4.8	2
188	Development of a self-management intervention to improve tamoxifen adherence in breast cancer survivors using an Intervention Mapping framework. <i>Supportive Care in Cancer</i> , 2021 , 29, 3329-3338	3.9	0
187	TherapistsRperceptions of barriers and facilitators to uptake and engagement with therapy in long-term conditions. <i>British Journal of Health Psychology</i> , 2021 , 26, 307-324	8.3	2
186	Which behavioural and exercise interventions targeting fatigue show the most promise in multiple sclerosis? A systematic review with narrative synthesis and meta-analysis. <i>Behaviour Research and Therapy</i> , 2021 , 137, 103464	5.2	19
185	M.I.C.E-Mental Health Intervention for Children with Epilepsy: a randomised controlled, multi-centre clinical trial evaluating the clinical and cost-effectiveness of MATCH-ADTC in addition to usual care alone for children and young people with common mental	2.8	2
184	A pilot feasibility study of an unguided, internet-delivered cognitive behavioral therapy program for irritable bowel syndrome. <i>Neurogastroenterology and Motility</i> , 2021 , 33, e14108	4	1
183	Cost effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome: the ACTIB randomised trial. <i>BMC Gastroenterology</i> , 2021 , 21, 276	3	O
182	Protocol for a randomised controlled feasibility study of psychologically informed vestibular rehabilitation for people with persistent dizziness: INVEST trial. <i>Pilot and Feasibility Studies</i> , 2021 , 7, 15	6 ^{1.9}	1
181	The role of psychological flexibility, perceived injustice and body image in Vulvodynia: A longitudinal study. <i>European Journal of Pain</i> , 2021 ,	3.7	1
180	Supported online self-management versus care as usual for symptoms of fatigue, pain and urgency/incontinence in adults with inflammatory bowel disease (IBD-BOOST): study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 516	2.8	1
179	A network analysis of selected psychosocial factors in Vulvodynia and its subtypes. <i>Pain Medicine</i> , 2021 ,	2.8	1
178	PRINCE Secondary: transdiagnostic cognitive behaviour therapy for persistent physical symptoms. <i>Psychological Medicine</i> , 2021 , 1-2	6.9	
177	Long COVID and Post-infective Fatigue Syndrome: A Review. <i>Open Forum Infectious Diseases</i> , 2021 , 8, ofab440	1	22
176	Experiences of training and delivery of Physical therapy informed by Acceptance and Commitment Therapy (PACT): a longitudinal qualitative study. <i>Physiotherapy</i> , 2021 , 112, 41-48	3	1
175	"A greatest hits compilation of mental health support": A qualitative study of health professionalsR perceptions of modular CBT in pediatric epilepsy services. <i>Epilepsy and Behavior</i> , 2021 , 123, 108249	3.2	
174	Attentional Processing and Interpretative Bias in Functional Neurological Disorder. <i>Psychosomatic Medicine</i> , 2020 , 82, 586-592	3.7	2
173	Examining Adherence to Medication in Patients With Atrial Fibrillation: The Role of Medication Beliefs, Attitudes, and Depression. <i>Journal of Cardiovascular Nursing</i> , 2020 , 35, 337-346	2.1	2

172	How and for whom does supportive adjustment to multiple sclerosis cognitive-behavioural therapy work? A mediated moderation analysis. <i>Behaviour Research and Therapy</i> , 2020 , 128, 103594	5.2	О
171	Vestibular deficits and psychological factors correlating to dizziness handicap and symptom severity. <i>Journal of Psychosomatic Research</i> , 2020 , 132, 109969	4.1	13
170	Optimising Evidence-Based Psychological Treatment for the Mental Health Needs of Children with Epilepsy: Principles and Methods. <i>Clinical Child and Family Psychology Review</i> , 2020 , 23, 284-295	6.9	8
169	PatientsRExperiences of Telephone-Based and Web-Based Cognitive Behavioral Therapy for Irritable Bowel Syndrome: Longitudinal Qualitative Study. <i>Journal of Medical Internet Research</i> , 2020 , 22, e18691	7.6	7
168	Behavioural modification interventions for medically unexplained symptoms in primary care: systematic reviews and economic evaluation. <i>Health Technology Assessment</i> , 2020 , 24, 1-490	4.4	11
167	Developing a better biopsychosocial understanding of pain in inflammatory bowel disease: a cross-sectional study. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 335-344	2.2	8
166	A prospective study of fatigue trajectories among in-centre haemodialysis patients. <i>British Journal of Health Psychology</i> , 2020 , 25, 61-88	8.3	7
165	BMC family practice integrated GP care for patients with persistent physical symptoms: feasibility cluster randomised trial. <i>BMC Family Practice</i> , 2020 , 21, 207	2.6	1
164	Engagement of Stakeholders in the Design, Evaluation, and Implementation of Complex Interventions 2020 , 349-360		3
163	From Engulfment to Enrichment: Associations Between Illness Representations, Self-Concept, and Psychological Adjustment in Mayer-Rokitansky-Kater-Hauser Syndrome. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2020 , 33, 639-648	2	2
162	The Role of Prediagnosis Audiovestibular Dysfunction Versus Distress, Illness-Related Cognitions, and Behaviors in Predicted Ongoing Dizziness Handicap. <i>Psychosomatic Medicine</i> , 2020 , 82, 787-795	3.7	2
161	Comorbid depression in medical diseases. <i>Nature Reviews Disease Primers</i> , 2020 , 6, 69	51.1	62
160	Physical Therapy Informed by Acceptance and Commitment Therapy (PACT) Versus Usual Care Physical Therapy for Adults With Chronic Low Back Pain: A Randomized Controlled Trial. <i>Journal of Pain</i> , 2020 , 21, 71-81	5.2	25
159	Persistent physical symptoms reduction intervention: a system change and evaluation in secondary care (PRINCE secondary) - a CBT-based transdiagnostic approach: study protocol for a randomised controlled trial. <i>BMC Psychiatry</i> , 2019 , 19, 307	4.2	8
158	Cognitive behavioural therapy for irritable bowel syndrome: 24-month follow-up of participants in the ACTIB randomised trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 863-872	18.8	28
157	RtB about willpower in the end. YouRe got to keep goingRa qualitative study exploring the experience of pain in inflammatory bowel disease. <i>British Journal of Pain</i> , 2019 , 13, 201-213	2.1	7
156	Assessing telephone-delivered cognitive-behavioural therapy (CBT) and web-delivered CBT versus treatment as usual in irritable bowel syndrome (ACTIB): a multicentre randomised trial. <i>Gut</i> , 2019 , 68, 1613-1623	19.2	93
155	Assessing feasibility of routine identification tools for mental health disorder in neurology clinics. <i>Archives of Disease in Childhood</i> , 2019 , 104, 1161-1166	2.2	9

(2018-2019)

154	Barriers to reporting non-motor symptoms to health-care providers in people with Parkinson R. <i>Parkinsonism and Related Disorders</i> , 2019 , 64, 220-225	3.6	14	
153	Multiple challenges for people after transitioning to secondary progressive multiple sclerosis: a qualitative study. <i>BMJ Open</i> , 2019 , 9, e026421	3	16	
152	Subacute fatigue in primary care - two sides of the story. <i>British Journal of Health Psychology</i> , 2019 , 24, 419-442	8.3	1	
151	Fatigue in Prevalent Haemodialysis Patients Predicts All-cause Mortality and Kidney Transplantation. <i>Annals of Behavioral Medicine</i> , 2019 , 53, 501-514	4.5	13	
150	Therapist telephone-delivered CBT and web-based CBT compared with treatment as usual in refractory irritable bowel syndrome: the ACTIB three-arm RCT. <i>Health Technology Assessment</i> , 2019 , 23, 1-154	4.4	13	
149	Treating Illness Distress in Chronic Illness. <i>European Psychologist</i> , 2019 , 24, 26-37	4.4	9	
148	Nonadherence to tamoxifen in breast cancer survivors: A 12 month longitudinal analysis. <i>Health Psychology</i> , 2019 , 38, 888-899	5	55	
147	Persistent physical symptoms reduction intervention: a system change and evaluation (PRINCE)-integrated GP care for persistent physical symptoms: protocol for a feasibility and cluster randomised waiting list, controlled trial. <i>BMJ Open</i> , 2019 , 9, e025513	3	4	
146	Adolescent and parent factors related to fatigue in paediatric multiple sclerosis and chronic fatigue syndrome: A comparative study. <i>European Journal of Paediatric Neurology</i> , 2019 , 23, 70-80	3.8	4	
145	Key mechanisms of cognitive behavioural therapy in irritable bowel syndrome: The importance of gastrointestinal related cognitions, behaviours and general anxiety. <i>Journal of Psychosomatic Research</i> , 2019 , 118, 73-82	4.1	13	
144	Cognitive and Behavioral Differences Between Subtypes in Refractory Irritable Bowel Syndrome. <i>Behavior Therapy</i> , 2019 , 50, 594-607	4.8	3	
143	Identifying barriers to help-seeking for non-motor symptoms in people with Parkinsonß disease. <i>Journal of Health Psychology</i> , 2019 , 24, 561-571	3.1	7	
142	A case-control study of psychosocial factors and their relationship to impairment and functionality in multiple sclerosis. <i>Journal of Health Psychology</i> , 2019 , 24, 1023-1032	3.1	3	
141	Desperately seeking a cure: Treatment seeking and appraisal in irritable bowel syndrome. <i>British Journal of Health Psychology</i> , 2018 , 23, 561-579	8.3	8	
140	The International Collaborative on Fatigue Following Infection (COFFI). <i>Fatigue: Biomedicine, Health and Behavior</i> , 2018 , 6, 106-121	2.3	11	
139	Positive and negative affect mediate the bidirectional relationship between emotional processing and symptom severity and impact in irritable bowel syndrome. <i>Journal of Psychosomatic Research</i> , 2018 , 105, 1-13	4.1	10	
138	Rtß when your not doing too much you feel tired A qualitative exploration of fatigue in end-stage kidney disease. British Journal of Health Psychology, 2018, 23, 311-333	8.3	13	
137	Randomised controlled trial of a self-guided online fatigue intervention in multiple sclerosis. Journal of Neurology, Neurosurgery and Psychiatry, 2018, 89, 970-976	5.5	34	

136	Screening for psychological distress using the Patient Health Questionnaire Anxiety and Depression Scale (PHQ-ADS): Initial validation of structural validity in dialysis patients. <i>General Hospital Psychiatry</i> , 2018 , 50, 15-19	5.6	28
135	Cross-Cultural Study of Information Processing Biases in Chronic Fatigue Syndrome: Comparison of Dutch and UK Chronic Fatigue Patients. <i>International Journal of Behavioral Medicine</i> , 2018 , 25, 49-54	2.6	4
134	RtR like a frog leaping about in your chestRIllness and treatment perceptions in persistent atrial fibrillation. <i>British Journal of Health Psychology</i> , 2018 , 23, 3-21	8.3	5
133	An illness-specific version of the Revised Illness Perception Questionnaire in patients with atrial fibrillation (AF IPQ-R): Unpacking beliefs about treatment control, personal control and symptom triggers. <i>Psychology and Health</i> , 2018 , 33, 499-517	2.9	7
132	Cognitive-behavioural therapy (CBT) for renal fatigue (BReF): a feasibility randomised-controlled trial of CBT for the management of fatigue in haemodialysis (HD) patients. <i>BMJ Open</i> , 2018 , 8, e020842	3	8
131	Fatigue interventions in long term, physical health conditions: A scoping review of systematic reviews. <i>PLoS ONE</i> , 2018 , 13, e0203367	3.7	15
130	PatientsRperspectives on GP interactions after cognitive behavioural therapy for refractory IBS: a qualitative study in UK primary and secondary care. <i>British Journal of General Practice</i> , 2018 , 68, e654-e6	562	5
129	Examining the efficacy of social-psychological interventions for the management of fatigue in end-stage kidney disease (ESKD): a systematic review with meta-analysis. <i>Health Psychology Review</i> , 2017 , 11, 197-216	7.1	15
128	Tracking daily fatigue fluctuations in multiple sclerosis: ecological momentary assessment provides unique insights. <i>Journal of Behavioral Medicine</i> , 2017 , 40, 772-783	3.6	38
127	Biopsychosocial risk factors of persistent fatigue after acute infection: A systematic review to inform interventions. <i>Journal of Psychosomatic Research</i> , 2017 , 99, 120-129	4.1	12
126	The journey between brain and gut: A systematic review of psychological mechanisms of treatment effect in irritable bowel syndrome. <i>British Journal of Health Psychology</i> , 2017 , 22, 701-736	8.3	29
125	Adjustment modes in the trajectory of progressive multiple sclerosis: a qualitative study and conceptual model. <i>Psychology and Health</i> , 2017 , 32, 343-360	2.9	11
124	Operationalising cognitive fatigability in multiple sclerosis: A Gordian knot that can be cut?. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1682-1696	5	16
123	Factors related to the experience of menopausal symptoms in women prescribed tamoxifen. Journal of Psychosomatic Obstetrics and Gynaecology, 2017, 38, 226-235	3.6	31
122	Measuring illness representations in breast cancer survivors (BCS) prescribed tamoxifen: Modification and validation of the Revised Illness Perceptions Questionnaire (IPQ-BCS). <i>Psychology and Health</i> , 2017 , 32, 439-458	2.9	13
121	Tailored online cognitive behavioural therapy with or without therapist support calls to target psychological distress in adults receiving haemodialysis: A feasibility randomised controlled trial. <i>Journal of Psychosomatic Research</i> , 2017 , 102, 61-70	4.1	62
120	More than just side-effects: The role of clinical and psychosocial factors in non-adherence to tamoxifen. <i>British Journal of Health Psychology</i> , 2017 , 22, 998-1018	8.3	15
119	iACT-CEL: A Feasibility Trial of a Face-to-Face and Internet-Based Acceptance and Commitment Therapy Intervention for Chronic Pain in Singapore. <i>Pain Research and Treatment</i> , 2017 , 2017, 6916915	1.9	5

118	Barriers and facilitators of adjuvant hormone therapy adherence and persistence in women with breast cancer: a systematic review. <i>Patient Preference and Adherence</i> , 2017 , 11, 305-322	2.4	63
117	The role of psychological factors in fatigue among end-stage kidney disease patients: a critical review. <i>CKJ: Clinical Kidney Journal</i> , 2017 , 10, 79-88	4.5	26
116	Psychological Treatment Needs for Chronic Pain in Singapore and the Relevance of the Psychological Flexibility Model. <i>Pain Medicine</i> , 2017 , 18, 1679-1694	2.8	4
115	Understanding tamoxifen adherence in women with breast cancer: A qualitative study. <i>British Journal of Health Psychology</i> , 2017 , 22, 978-997	8.3	63
114	The role of high expectations of self and social desirability in emotional processing in individuals with irritable bowel syndrome: A qualitative study. <i>British Journal of Health Psychology</i> , 2017 , 22, 737-76	5 <mark>2</mark> .3	11
113	Using mixed methods case-series evaluation in the development of a guided self-management hybrid CBT and ACT intervention for multiple sclerosis pain. <i>Disability and Rehabilitation</i> , 2017 , 39, 1785	5-1 7 98	7
112	Cancer-Related Fatigue in Post-Treatment Cancer Survivors: Theory-Based Development of a Web-Based Intervention. <i>JMIR Cancer</i> , 2017 , 3, e8	3.2	7
111	The Chalder Fatigue Questionnaire is a valid and reliable measure of perceived fatigue severity in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2016 , 22, 677-84	5	21
110	Psychological Treatments for Chronic Pain in East and Southeast Asia: A Systematic Review. <i>International Journal of Behavioral Medicine</i> , 2016 , 23, 473-84	2.6	7
109	Improving Distress in Dialysis (iDiD): A tailored CBT self-management treatment for patients undergoing dialysis. <i>Journal of Renal Care</i> , 2016 , 42, 223-238	1.6	59
108	Protocol for a pilot randomised controlled trial of an online intervention for post-treatment cancer survivors with persistent fatigue. <i>BMJ Open</i> , 2016 , 6, e011485	3	5
107	Healthcare professionalsRperceptions of psychological treatment for chronic pain in Singapore: challenges, barriers, and the way forward. <i>Disability and Rehabilitation</i> , 2016 , 38, 1643-51	2.4	4
106	ParentsRexpressed emotion and mood, rather than their physical disability are associated with adolescent adjustment: a longitudinal study of families with a parent with multiple sclerosis. <i>Clinical Rehabilitation</i> , 2016 , 30, 303-11	3.3	9
105	A New Zealand pilot randomized controlled trial of a web-based interactive self-management programme (MSInvigor8) with and without email support for the treatment of multiple sclerosis fatigue. <i>Clinical Rehabilitation</i> , 2016 , 30, 454-62	3.3	33
104	Psychosocial and Clinical Correlates of Fatigue in Haemodialysis Patients: the Importance of Patients Rllness Cognitions and Behaviours. <i>International Journal of Behavioral Medicine</i> , 2016 , 23, 271-2	28t ⁶	30
103	Development and Feasibility of an Evidence-Based Patient Education Program for Managing Fatigue in Multiple Sclerosis: The "Fatigue Management in MS" Program (FatiMa). <i>International Journal of MS Care</i> , 2016 , 18, 129-37	2.3	12
102	Can We Identify the Active Ingredients of Behaviour Change Interventions for Coronary Heart Disease Patients? A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016 , 11, e0153271	3.7	77
101	Potential treatment mechanisms in a mindfulness-based intervention for people with progressive multiple sclerosis. <i>British Journal of Health Psychology</i> , 2016 , 21, 859-880	8.3	47

100	Attentional and interpretive bias towards illness-related information in chronic fatigue syndrome: A systematic review. <i>British Journal of Health Psychology</i> , 2016 , 21, 741-763	8.3	23
99	Understanding fatigue in paediatric multiple sclerosis: a systematic review of clinical and psychosocial factors. <i>Developmental Medicine and Child Neurology</i> , 2016 , 58, 229-39	3.3	27
98	"It feels like wearing a giant sandbag." Adolescent and parent perceptions of fatigue in paediatric multiple sclerosis. <i>European Journal of Paediatric Neurology</i> , 2016 , 20, 938-945	3.8	14
97	Physiotherapy informed by Acceptance and Commitment Therapy (PACT): protocol for a randomised controlled trial of PACT versus usual physiotherapy care for adults with chronic low back pain. <i>BMJ Open</i> , 2016 , 6, e011548	3	15
96	Improving distress in dialysis (iDiD): a feasibility two-arm parallel randomised controlled trial of an online cognitive behavioural therapy intervention with and without therapist-led telephone support for psychological distress in patients undergoing haemodialysis. <i>BMJ Open</i> , 2016 , 6, e011286	3	68
95	Measuring fatigue in haemodialysis patients: The factor structure of the Chalder Fatigue Questionnaire (CFQ). <i>Journal of Psychosomatic Research</i> , 2016 , 84, 81-83	4.1	18
94	Cost-utility and biological underpinnings of Mindfulness-Based Stress Reduction (MBSR) versus a psychoeducational programme (FibroQoL) for fibromyalgia: a 12-month randomised controlled trial (EUDAIMON study). <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 81	4.7	25
93	Maximizing potential impact of experimental research into cognitive processes in health psychology: A systematic approach to material development. <i>British Journal of Health Psychology</i> , 2016 , 21, 764-780	8.3	9
92	Previous pregnancy loss has an adverse impact on distress and behaviour in subsequent pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 1757-64	3.7	34
91	Do patients? illness beliefs predict depression measures at six months in primary care; a longitudinal study. <i>Journal of Affective Disorders</i> , 2015 , 174, 665-71	6.6	10
90	Rt feels like someone is hammering my feetRunderstanding pain and its management from the perspective of people with multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2015 , 21, 466-76	5	7
89	The most popular terms for medically unexplained symptoms: the views of CFS patients. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 420-426	4.1	30
88	A new measure of multimorbid illness and treatment representations: the example of diabetes and depression. <i>Journal of Affective Disorders</i> , 2015 , 174, 192-200	6.6	6
87	Towards a better understanding of MS pain: a systematic review of potentially modifiable psychosocial factors. <i>Journal of Psychosomatic Research</i> , 2015 , 78, 12-24	4.1	32
86	Mixed Experiences and Perceptions of Psychological Treatment for Chronic Pain in Singapore: Skepticism, Ambivalence, Satisfaction, and Potential. <i>Pain Medicine</i> , 2015 , 16, 1290-300	2.8	7
85	Beyond a physical symptom: the importance of psychosocial factors in multiple sclerosis pain. <i>European Journal of Neurology</i> , 2015 , 22, 1443-52	6	9
84	NICE guidance on menopause: cognitive behavioural therapy is an effective non-hormonal intervention for managing vasomotor symptoms. <i>BMJ, The</i> , 2015 , 351, h6434	5.9	6
83	"Lovely Pie in the Sky Plans": A Qualitative Study of CliniciansRPerspectives on Guidelines for Managing Low Back Pain in Primary Care in England. <i>Spine</i> , 2015 , 40, 1842-50	3.3	39

(2013-2015)

82	PatientsRtreatment beliefs in low back pain: development and validation of a questionnaire in primary care. <i>Pain</i> , 2015 , 156, 1489-1500	8	23
81	Circadian cortisol and fatigue severity in relapsing-remitting multiple sclerosis. Psychoneuroendocrinology, 2015, 56, 120-31	5	29
80	Distress improves after mindfulness training for progressive MS: A pilot randomised trial. <i>Multiple Sclerosis Journal</i> , 2015 , 21, 1184-94	5	94
79	Assessing Cognitive behavioural Therapy in Irritable Bowel (ACTIB): protocol for a randomised controlled trial of clinical-effectiveness and cost-effectiveness of therapist delivered cognitive behavioural therapy and web-based self-management in irritable bowel syndrome in adults. <i>BMJ</i>	3	21
78	Optimizing engagement with Internet-based health behaviour change interventions: comparison of self-assessment with and without tailored feedback using a mixed methods approach. <i>British Journal of Health Psychology</i> , 2014 , 19, 839-55	8.3	86
77	Fatigue in advanced kidney disease. <i>Kidney International</i> , 2014 , 86, 497-505	9.9	97
76	Attention processes in chronic fatigue syndrome: attentional bias for health-related threat and the role of attentional control. <i>Behaviour Research and Therapy</i> , 2014 , 52, 9-16	5.2	31
75	Development and initial validation of the Perceptions of Parental Illness Questionnaire. <i>Journal of Health Psychology</i> , 2014 , 19, 931-42	3.1	4
74	Competences required for the delivery of high and low-intensity cognitive behavioural interventions for chronic fatigue, chronic fatigue syndrome/ME and irritable bowel syndrome. <i>Behavioural and Cognitive Psychotherapy</i> , 2014 , 42, 760-4	2.1	6
73	Second-trimester maternal distress increases the risk of small for gestational age. <i>Psychological Medicine</i> , 2014 , 44, 2799-810	6.9	42
72	Management of irritable bowel syndrome in primary care: the results of an exploratory randomised controlled trial of mebeverine, methylcellulose, placebo and a self-management website. <i>BMC Gastroenterology</i> , 2013 , 13, 68	3	42
71	Chronic fatigue syndrome. <i>Handbook of Clinical Neurology / Edited By P J Vinken and G W Bruyn</i> , 2013 , 110, 303-14	3	39
70	Change and processes of change within interventions to promote adjustment to multiple sclerosis: learning from patient experiences. <i>Psychology and Health</i> , 2013 , 28, 973-92	2.9	16
69	Changes in illness-related cognitions rather than distress mediate improvements in irritable bowel syndrome (IBS) symptoms and disability following a brief cognitive behavioural therapy intervention. <i>Behaviour Research and Therapy</i> , 2013 , 51, 690-5	5.2	103
68	Unstimulated cortisol secretory activity in everyday life and its relationship with fatigue and chronic fatigue syndrome: a systematic review and subset meta-analysis. <i>Psychoneuroendocrinology</i> , 2013 , 38, 2405-22	5	62
67	The chicken and egg thingRcognitive representations and self-management of multimorbidity in people with diabetes and depression. <i>Psychology and Health</i> , 2013 , 28, 103-19	2.9	29
66	Written emotional disclosure for women with ovarian cancer and their partners: randomised controlled trial. <i>Psycho-Oncology</i> , 2013 , 22, 2262-9	3.9	20
65	Identifying patientsRbeliefs about treatments for chronic low back pain in primary care: a focus group study. <i>British Journal of General Practice</i> , 2013 , 63, e490-8	1.6	54

64	Dispositional emotion coping styles and physiological responses to expressive writing. <i>British Journal of Health Psychology</i> , 2013 , 18, 574-92	8.3	7
63	A randomized controlled trial of cognitive behavioral therapy (CBT) for adjusting to multiple sclerosis (the saMS trial): does CBT work and for whom does it work?. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 251-62	6.5	52
62	Exploring patients Rviews of a cognitive behavioral therapy-based website for the self-management of irritable bowel syndrome symptoms. <i>Journal of Medical Internet Research</i> , 2013 , 15, e190	7.6	72
61	Illness representations in patients with multimorbid long-term conditions: qualitative study. <i>Psychology and Health</i> , 2012 , 27, 1211-26	2.9	58
60	A pilot randomised controlled trial of an Internet-based cognitive behavioural therapy self-management programme (MS Invigor8) for multiple sclerosis fatigue. <i>Behaviour Research and Therapy</i> , 2012 , 50, 415-21	5.2	125
59	When a minor head injury results in enduring symptoms: a prospective investigation of risk factors for postconcussional syndrome after mild traumatic brain injury. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2012 , 83, 217-23	5.5	246
58	Which cognitions and behaviours mediate the positive effect of cognitive behavioural therapy on fatigue in patients with multiple sclerosis?. <i>Psychological Medicine</i> , 2012 , 42, 205-13	6.9	82
57	External eating, impulsivity and attentional bias to food cues. <i>Appetite</i> , 2011 , 56, 424-7	4.5	112
56	Illness perceptions and glycaemic control in diabetes: a systematic review with meta-analysis. <i>Diabetic Medicine</i> , 2011 , 28, 1300-10	3.5	100
55	Cognitive behavioral therapy and graded exercise for chronic fatigue syndrome: A meta-analysis <i>Clinical Psychology: Science and Practice</i> , 2011 , 18, 311-324	3.7	124
54	Are patient beliefs important in determining adherence to treatment and outcome for depression? Development of the beliefs about depression questionnaire. <i>Journal of Affective Disorders</i> , 2011 , 133, 29-41	6.6	22
53	How do adolescents adjust to their parentß multiple sclerosis? An interview study. <i>British Journal of Health Psychology</i> , 2011 , 16, 430-44	8.3	29
52	The pathway from glandular fever to chronic fatigue syndrome: can the cognitive behavioural model provide the map?. <i>Psychological Medicine</i> , 2011 , 41, 1099-107	6.9	57
51	Experiences of adjusting to early stage Multiple Sclerosis. <i>Journal of Health Psychology</i> , 2011 , 16, 478-8	83.1	55
50	A prospective cohort study investigating associations between hyperemesis gravidarum and cognitive, behavioural and emotional well-being in pregnancy. <i>PLoS ONE</i> , 2011 , 6, e27678	3.7	101
49	A randomized controlled trial of a cognitive behavioural therapy-based self-management intervention for irritable bowel syndrome in primary care. <i>Psychological Medicine</i> , 2010 , 40, 85-94	6.9	141
48	Pragmatic rehabilitation for chronic fatigue syndrome. <i>BMJ, The</i> , 2010 , 340, c1799	5.9	2
47	Psychosocial adjustment in children and adolescents with a parent with multiple sclerosis: a systematic review. <i>Clinical Rehabilitation</i> , 2010 , 24, 789-801	3.3	49

(2007-2010)

46	The central role of cognitive processes in the perpetuation of chronic fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 489-94	4.1	77
45	Cognitive and behavioural correlates of different domains of psychological adjustment in early-stage multiple sclerosis. <i>Journal of Psychosomatic Research</i> , 2010 , 69, 353-61	4.1	36
44	Cognitive-behavioral therapy: what benefits can it offer people with multiple sclerosis?. <i>Expert Review of Neurotherapeutics</i> , 2010 , 10, 1383-90	4.3	96
43	Illness perceptions: impact on self-management and control in asthma. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2010 , 10, 194-9	3.3	84
42	Relationship between loneliness and proangiogenic cytokines in newly diagnosed tumors of colon and rectum. <i>Psychosomatic Medicine</i> , 2010 , 72, 912-6	3.7	35
41	Cognitive behavioural therapy and psycho-education for chronic fatigue syndrome in young people: reflections from the familiesRperspective. <i>British Journal of Health Psychology</i> , 2010 , 15, 167-83	8.3	21
40	The CouplesRllness Communication Scale (CICS): development and evaluation of a brief measure assessing illness-related couple communication. <i>British Journal of Health Psychology</i> , 2010 , 15, 543-59	8.3	25
39	Risk factors for small-for-gestational-age infants by customised birthweight centiles: data from an international prospective cohort study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2010 , 117, 1599-607	3.7	100
38	Spontaneous preterm birth and small for gestational age infants in women who stop smoking early in pregnancy: prospective cohort study. <i>BMJ, The</i> , 2009 , 338, b1081	5.9	182
37	Experiences of partners of people in the early stages of multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2009 , 15, 876-84	5	44
36	Protocol for the saMS trial (supportive adjustment for multiple sclerosis): a randomized controlled trial comparing cognitive behavioral therapy to supportive listening for adjustment to multiple sclerosis. <i>BMC Neurology</i> , 2009 , 9, 45	3.1	24
35	A review of psychological correlates of adjustment in patients with multiple sclerosis. <i>Clinical Psychology Review</i> , 2009 , 29, 141-53	10.8	210
34	Social support and cancer progression: a systematic review. <i>Journal of Psychosomatic Research</i> , 2009 , 67, 403-15	4.1	158
33	Attentional bias towards health-threat information in chronic fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 2008 , 65, 47-50	4.1	30
32	Welcome to EHPS/DHP Bath 2008: A note from the Editors. <i>Psychology and Health</i> , 2008 , 23, 1-2	2.9	2
31	A randomized controlled trial of cognitive behavior therapy for multiple sclerosis fatigue. <i>Psychosomatic Medicine</i> , 2008 , 70, 205-13	3.7	183
30	Psychological distress and its correlates in ovarian cancer: a systematic review. <i>Psycho-Oncology</i> , 2008 , 17, 1061-72	3.9	66
29	The cognitive behavioural model of irritable bowel syndrome: a prospective investigation of patients with gastroenteritis. <i>Gut</i> , 2007 , 56, 1066-71	19.2	103

28	PatientsRperceptions of their pain condition across a multidisciplinary pain management program: do they change and if so does it matter?. <i>Clinical Journal of Pain</i> , 2007 , 23, 558-64	3.5	58
27	Coping with emotions and abuse history in women with chronic pelvic pain. <i>Journal of Psychosomatic Research</i> , 2006 , 60, 109-12	4.1	32
26	Fatigue and social impairment in multiple sclerosis: the role of patientsRcognitive and behavioral responses to their symptoms. <i>Journal of Psychosomatic Research</i> , 2006 , 61, 587-93	4.1	127
25	To "lump" or to "split" the functional somatic syndromes: can infectious and emotional risk factors differentiate between the onset of chronic fatigue syndrome and irritable bowel syndrome?. <i>Psychosomatic Medicine</i> , 2006 , 68, 463-9	3.7	97
24	Modern health worries in medical students. <i>Journal of Psychosomatic Research</i> , 2005 , 58, 453-7	4.1	46
23	Worries about modernity predict symptom complaints after environmental pesticide spraying. <i>Psychosomatic Medicine</i> , 2005 , 67, 778-82	3.7	94
22	What do patients expect from their first visit to a pain clinic?. Clinical Journal of Pain, 2005, 21, 297-301	3.5	38
21	Symptom perceptions, illness beliefs and coping in chronic fatigue syndrome. <i>Journal of Mental Health</i> , 2005 , 14, 223-235	2.7	36
20	The Behavioural Responses to Illness Questionnaire (BRIQ): a new predictive measure of medically unexplained symptoms following acute infection. <i>Psychological Medicine</i> , 2005 , 35, 583-93	6.9	60
19	A randomized controlled graded exercise trial for chronic fatigue syndrome: outcomes and mechanisms of change. <i>Journal of Health Psychology</i> , 2005 , 10, 245-59	3.1	165
18	The relationship of negative affect and perceived sensitivity to symptom reporting following vaccination. <i>British Journal of Health Psychology</i> , 2004 , 9, 101-11	8.3	50
17	Experimental evidence for interpretive but not attention biases towards somatic information in patients with chronic fatigue syndrome. <i>British Journal of Health Psychology</i> , 2003 , 8, 195-208	8.3	38
16	The role of illness severity and illness representations in adjusting to multiple sclerosis. <i>Journal of Psychosomatic Research</i> , 2003 , 54, 503-11; discussion 513-4	4.1	166
15	Illness perceptions and levels of disability in patients with chronic fatigue syndrome and rheumatoid arthritis. <i>Journal of Psychosomatic Research</i> , 2003 , 55, 305-8	4.1	90
14	The use of reliever medication in asthma: the role of negative mood and symptom reports. <i>Journal of Asthma</i> , 2003 , 40, 357-65	1.9	55
13	The Revised Illness Perception Questionnaire (IPQ-R). Psychology and Health, 2002, 17, 1-16	2.9	1860
12	Redefining medical studentsRdisease to reduce morbidity. <i>Medical Education</i> , 2001 , 35, 724-8	3.7	24
11	Thoroughly modern worries: the relationship of worries about modernity to reported symptoms, health and medical care utilization. <i>Journal of Psychosomatic Research</i> , 2001 , 51, 395-401	4.1	142

LIST OF PUBLICATIONS

10 Epstein**B**arr virus infection **2001**, 705-707

9	Discriminating between chronic fatigue syndrome and depression: a cognitive analysis. <i>Psychological Medicine</i> , 2001 , 31, 469-79	6.9	7 ²
8	Link between psychiatric dysfunction and dizziness. <i>Lancet, The</i> , 1999 , 353, 515-6	40	17
7	The effect of illness experience and demographic factors on childrenß illness representations. <i>Psychology and Health</i> , 1999 , 14, 117-129	2.9	28
6	Cognitive distortions of somatic experiences: revision and validation of a measure. <i>Journal of Psychosomatic Research</i> , 1997 , 43, 293-306	4.1	24
5	Functioning in chronic fatigue syndrome: Do illness perceptions play a regulatory role?. <i>British Journal of Health Psychology</i> , 1996 , 1, 15-25	8.3	155
4	The illness perception questionnaire: A new method for assessing the cognitive representation of illness. <i>Psychology and Health</i> , 1996 , 11, 431-445	2.9	970
3	Understanding Children ß Concepts of Health and Illness:. <i>Physical and Occupational Therapy in Pediatrics</i> , 1995 , 14, 95-108	2.1	5
2	The impact of catastrophic beliefs on functioning in chronic fatigue syndrome. <i>Journal of Psychosomatic Research</i> , 1995 , 39, 31-7	4.1	105
1	Efficacy of therapist-delivered transdiagnostic CBT for patients with persistent physical symptoms in secondary care: a randomised controlled trial. <i>Psychological Medicine</i> ,1-11	6.9	2