Elizabeth C George

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3797868/publications.pdf

Version: 2024-02-01

34 papers

3,028 citations

471509 17 h-index 33 g-index

35 all docs 35 docs citations

35 times ranked

2906 citing authors

#	Article	IF	CITATIONS
1	Mortality after Fluid Bolus in African Children with Severe Infection. New England Journal of Medicine, 2011, 364, 2483-2495.	27.0	1,871
2	Exploring mechanisms of excess mortality with early fluid resuscitation: insightsfrom the FEAST trial. BMC Medicine, 2013, 11, 68.	5 . 5	211
3	Ritonavir-boosted darunavir combined with raltegravir or tenofovir–emtricitabine in antiretroviral-naive adults infected with HIV-1: 96 week results from the NEAT001/ANRS143 randomised non-inferiority trial. Lancet, The, 2014, 384, 1942-1951.	13.7	158
4	Pregnancy and Infant Outcomes among HIV-Infected Women Taking Long-Term ART with and without Tenofovir in the DART Trial. PLoS Medicine, 2012, 9, e1001217.	8.4	116
5	Anaemia and blood transfusion in African children presenting to hospital with severe febrile illness. BMC Medicine, 2015, 13, 21.	5.5	81
6	Immediate Transfusion in African Children with Uncomplicated Severe Anemia. New England Journal of Medicine, 2019, 381, 407-419.	27.0	64
7	Predicting mortality in sick African children: the FEAST Paediatric Emergency Triage (PET) Score. BMC Medicine, 2015, 13, 174.	5.5	62
8	Tuberculosis outcomes and drug susceptibility in individuals exposed to isoniazid preventive therapy in a high HIV prevalence setting. Aids, 2010, 24, 1051-1055.	2.2	55
9	Transfusion Volume for Children with Severe Anemia in Africa. New England Journal of Medicine, 2019, 381, 420-431.	27.0	49
10	Transfusion and Treatment of severe anaemia in African children (TRACT): a study protocol for a randomised controlled trial. Trials, 2015 , 16 , 593 .	1.6	42
11	High Frequency of Blackwater Fever Among Children Presenting to Hospital With Severe Febrile Illnesses in Eastern Uganda. Clinical Infectious Diseases, 2017, 64, 939-946.	5 . 8	40
12	Low haemoglobin predicts early mortality among adults starting antiretroviral therapy in an HIV care programme in South Africa: a cohort study. BMC Public Health, 2010, 10, 433.	2.9	32
13	Lactate clearance as a prognostic marker of mortality in severely ill febrile children in East Africa. BMC Medicine, 2018, 16, 37.	5.5	28
14	WHO guidelines on fluid resuscitation in children: missing the FEAST data. BMJ, The, 2014, 348, f7003-f7003.	6.0	25
15	Antiretroviral resistance at virological failure in the NEAT 001/ANRS 143 trial: raltegravir plus darunavir/ritonavir or tenofovir/emtricitabine plus darunavir/ritonavir as first-line ART. Journal of Antimicrobial Chemotherapy, 2016, 71, 1056-1062.	3.0	22
16	Improving statistical power in severe malaria genetic association studies by augmenting phenotypic precision. ELife, 2021, 10, .	6.0	22
17	Co-trimoxazole or multivitamin multimineral supplement for post-discharge outcomes after severe anaemia in African children: a randomised controlled trial. The Lancet Global Health, 2019, 7, e1435-e1447.	6.3	21
18	Implications for paediatric shock management in resource-limited settings: a perspective from the FEAST trial. Critical Care, 2018, 22, 119.	5.8	17

#	Article	IF	CITATIONS
19	Gastroenteritis aggressive versus slow treatment for rehydration (GASTRO): a phase II rehydration trial for severe dehydration: WHO plan C versus slow rehydration. BMC Medicine, 2019, 17, 122.	5.5	17
20	Transfusion management of severe anaemia in African children: a consensus algorithm. British Journal of Haematology, 2021, 193, 1247-1259.	2.5	15
21	Haematological quality and age of donor blood issued for paediatric transfusion to four hospitals in subâ€Saharan Africa. Vox Sanguinis, 2019, 114, 340-348.	1.5	13
22	Pointâ€ofâ€care haemoglobin testing in African hospitals: a neglected essential diagnostic test. British Journal of Haematology, 2021, 193, 894-901.	2.5	12
23	Incidence and predictors of hospital readmission in children presenting with severe anaemia in Uganda and Malawi: a secondary analysis of TRACT trial data. BMC Public Health, 2021, 21, 1480.	2.9	9
24	Sickle cell anaemia and severe Plasmodium falciparum malaria: a secondary analysis of the Transfusion and Treatment of African Children Trial (TRACT). The Lancet Child and Adolescent Health, 2022, 6, 606-613.	5.6	9
25	Whole blood versus red cell concentrates for children with severe anaemia: a secondary analysis of the Transfusion and Treatment of African Children (TRACT) trial. The Lancet Global Health, 2022, 10, e360-e368.	6.3	7
26	Brief Report. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 70, 104-108.	2.1	6
27	Mortality risk over time after early fluid resuscitation in African children. Critical Care, 2019, 23, 377.	5. 8	6
28	Patient-Reported Outcomes in First-Line Antiretroviral Therapy: Results From NEAT001/ANRS143 Trial Comparing Darunavir/Ritonavir in Combination With Tenofovir/Emtricitabine or Raltegravir. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 519-526.	2.1	5
29	Gastroenteritis Rehydration Of children with Severe Acute Malnutrition (GASTROSAM): A Phase II Randomised Controlled trial: Trial Protocol. Wellcome Open Research, 2021, 6, 160.	1.8	4
30	A predictive algorithm for identifying children with sickle cell anemia among children admitted to hospital with severe anemia in Africa. American Journal of Hematology, 2022, 97, 527-536.	4.1	4
31	Good-quality research: a vital step in improving outcomes in paediatric intensive care units in lowand middle-income countries. Paediatrics and International Child Health, 2017, 37, 79-81.	1.0	2
32	Gastroenteritis Aggressive Versus Slow Treatment For Rehydration (GASTRO). A pilot rehydration study for severe dehydration: WHO plan C versus slower rehydration. Wellcome Open Research, 2017, 2, 62.	1.8	2
33	Authors' reply to Southall. BMJ, The, 2014, 348, g1619-g1619.	6.0	1
34	Pharmacokinetics and pharmacodynamics of azithromycin in severe malaria bacterial co-infection in African children (TABS-PKPD): a protocol for a Phase II randomised controlled trial. Wellcome Open Research, 0, 6, 161.	1.8	0