

# Elizabeth C George

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3797868/publications.pdf>

Version: 2024-02-01

34  
papers

3,028  
citations

471509

17  
h-index

395702

33  
g-index

35  
all docs

35  
docs citations

35  
times ranked

2906  
citing authors

#	ARTICLE	IF	CITATIONS
1	A predictive algorithm for identifying children with sickle cell anemia among children admitted to hospital with severe anemia in Africa. <i>American Journal of Hematology</i> , 2022, 97, 527-536.	4.1	4
2	Whole blood versus red cell concentrates for children with severe anaemia: a secondary analysis of the Transfusion and Treatment of African Children (TRACT) trial. <i>The Lancet Global Health</i> , 2022, 10, e360-e368.	6.3	7
3	Sickle cell anaemia and severe Plasmodium falciparum malaria: a secondary analysis of the Transfusion and Treatment of African Children Trial (TRACT). <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 606-613.	5.6	9
4	Point-of-care haemoglobin testing in African hospitals: a neglected essential diagnostic test. <i>British Journal of Haematology</i> , 2021, 193, 894-901.	2.5	12
5	Transfusion management of severe anaemia in African children: a consensus algorithm. <i>British Journal of Haematology</i> , 2021, 193, 1247-1259.	2.5	15
6	Gastroenteritis Rehydration Of children with Severe Acute Malnutrition (GASTROSAM): A Phase II Randomised Controlled trial: Trial Protocol. <i>Wellcome Open Research</i> , 2021, 6, 160.	1.8	4
7	Improving statistical power in severe malaria genetic association studies by augmenting phenotypic precision. <i>ELife</i> , 2021, 10, .	6.0	22
8	Incidence and predictors of hospital readmission in children presenting with severe anaemia in Uganda and Malawi: a secondary analysis of TRACT trial data. <i>BMC Public Health</i> , 2021, 21, 1480.	2.9	9
9	Transfusion Volume for Children with Severe Anemia in Africa. <i>New England Journal of Medicine</i> , 2019, 381, 420-431.	27.0	49
10	Immediate Transfusion in African Children with Uncomplicated Severe Anemia. <i>New England Journal of Medicine</i> , 2019, 381, 407-419.	27.0	64
11	Gastroenteritis aggressive versus slow treatment for rehydration (GASTRO): a phase II rehydration trial for severe dehydration: WHO plan C versus slow rehydration. <i>BMC Medicine</i> , 2019, 17, 122.	5.5	17
12	Co-trimoxazole or multivitamin multimineral supplement for post-discharge outcomes after severe anaemia in African children: a randomised controlled trial. <i>The Lancet Global Health</i> , 2019, 7, e1435-e1447.	6.3	21
13	Haematological quality and age of donor blood issued for paediatric transfusion to four hospitals in sub-Saharan Africa. <i>Vox Sanguinis</i> , 2019, 114, 340-348.	1.5	13
14	Mortality risk over time after early fluid resuscitation in African children. <i>Critical Care</i> , 2019, 23, 377.	5.8	6
15	Implications for paediatric shock management in resource-limited settings: a perspective from the FEAST trial. <i>Critical Care</i> , 2018, 22, 119.	5.8	17
16	Patient-Reported Outcomes in First-Line Antiretroviral Therapy: Results From NEAT001/ANRS143 Trial Comparing Darunavir/Ritonavir in Combination With Tenofovir/Emtricitabine or Raltegravir. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 79, 519-526.	2.1	5
17	Lactate clearance as a prognostic marker of mortality in severely ill febrile children in East Africa. <i>BMC Medicine</i> , 2018, 16, 37.	5.5	28
18	Good-quality research: a vital step in improving outcomes in paediatric intensive care units in low- and middle-income countries. <i>Paediatrics and International Child Health</i> , 2017, 37, 79-81.	1.0	2

#	ARTICLE	IF	CITATIONS
19	High Frequency of Blackwater Fever Among Children Presenting to Hospital With Severe Febrile Illnesses in Eastern Uganda. <i>Clinical Infectious Diseases</i> , 2017, 64, 939-946.	5.8	40
20	Gastroenteritis Aggressive Versus Slow Treatment For Rehydration (GASTRO). A pilot rehydration study for severe dehydration: WHO plan C versus slower rehydration. <i>Wellcome Open Research</i> , 2017, 2, 62.	1.8	2
21	Antiretroviral resistance at virological failure in the NEAT 001/ANRS 143 trial: raltegravir plus darunavir/ritonavir or tenofovir/emtricitabine plus darunavir/ritonavir as first-line ART. <i>Journal of Antimicrobial Chemotherapy</i> , 2016, 71, 1056-1062.	3.0	22
22	Brief Report. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015, 70, 104-108.	2.1	6
23	Transfusion and Treatment of severe anaemia in African children (TRACT): a study protocol for a randomised controlled trial. <i>Trials</i> , 2015, 16, 593.	1.6	42
24	Anaemia and blood transfusion in African children presenting to hospital with severe febrile illness. <i>BMC Medicine</i> , 2015, 13, 21.	5.5	81
25	Predicting mortality in sick African children: the FEAST Paediatric Emergency Triage (PET) Score. <i>BMC Medicine</i> , 2015, 13, 174.	5.5	62
26	WHO guidelines on fluid resuscitation in children: missing the FEAST data. <i>BMJ, The</i> , 2014, 348, f7003-f7003.	6.0	25
27	Ritonavir-boosted darunavir combined with raltegravir or tenofovir+emtricitabine in antiretroviral-naïve adults infected with HIV-1: 96 week results from the NEAT001/ANRS143 randomised non-inferiority trial. <i>Lancet, The</i> , 2014, 384, 1942-1951.	13.7	158
28	Authors' reply to Southall. <i>BMJ, The</i> , 2014, 348, g1619-g1619.	6.0	1
29	Exploring mechanisms of excess mortality with early fluid resuscitation: insights from the FEAST trial. <i>BMC Medicine</i> , 2013, 11, 68.	5.5	211
30	Pregnancy and Infant Outcomes among HIV-Infected Women Taking Long-Term ART with and without Tenofovir in the DART Trial. <i>PLoS Medicine</i> , 2012, 9, e1001217.	8.4	116
31	Mortality after Fluid Bolus in African Children with Severe Infection. <i>New England Journal of Medicine</i> , 2011, 364, 2483-2495.	27.0	1,871
32	Tuberculosis outcomes and drug susceptibility in individuals exposed to isoniazid preventive therapy in a high HIV prevalence setting. <i>Aids</i> , 2010, 24, 1051-1055.	2.2	55
33	Low haemoglobin predicts early mortality among adults starting antiretroviral therapy in an HIV care programme in South Africa: a cohort study. <i>BMC Public Health</i> , 2010, 10, 433.	2.9	32
34	Pharmacokinetics and pharmacodynamics of azithromycin in severe malaria bacterial co-infection in African children (TABS-PKPD): a protocol for a Phase II randomised controlled trial. <i>Wellcome Open Research</i> , 0, 6, 161.	1.8	0