

Kanhaiya Lal Poddar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3797879/kanhaiya-lal-poddar-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

42
papers

1,094
citations

15
h-index

32
g-index

125
ext. papers

1,274
ext. citations

3.3
avg, IF

3
L-index

#	Paper	IF	Citations
42	Triple versus dual antiplatelet therapy in patients with acute ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Circulation</i> , 2009 , 119, 3207-14	16.7	363
41	Prevalence and outcomes of unoperated patients with severe symptomatic mitral regurgitation and heart failure: comprehensive analysis to determine the potential role of MitraClip for this unmet need. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 185-6	15.1	166
40	Percutaneous left atrial appendage occlusion for stroke prophylaxis in nonvalvular atrial fibrillation: a systematic review and analysis of observational studies. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 296-304	5	65
39	Outcomes in Patients With Transcatheter Aortic Valve Replacement and Left Main Stenting: The TAVR-LM Registry. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 951-960	15.1	63
38	Meta-analysis of multivessel coronary artery revascularization versus culprit-only revascularization in patients with ST-segment elevation myocardial infarction and multivessel disease. <i>American Journal of Cardiology</i> , 2011 , 107, 1300-10	3	53
37	Predicting vascular complications during transfemoral transcatheter aortic valve replacement using computed tomography: a novel area-based index. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 84, 844-51	2.7	36
36	Impact of severe mitral regurgitation on postoperative outcomes after noncardiac surgery. <i>American Journal of Medicine</i> , 2013 , 126, 529-35	2.4	30
35	'Smoker's paradox' in young patients with acute myocardial infarction. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2012 , 39, 630-5	3	29
34	Percutaneous Intervention for Myocardial Infarction After Noncardiac Surgery: Patient Characteristics and Outcomes. <i>Journal of the American College of Cardiology</i> , 2016 , 68, 329-38	15.1	27
33	Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents. <i>American Heart Journal</i> , 2010 , 159, 684-690.e1	4.9	25
32	Use of prasugrel vs clopidogrel and outcomes in patients with acute coronary syndrome undergoing percutaneous coronary intervention in contemporary clinical practice: Results from the PROMETHEUS study. <i>American Heart Journal</i> , 2017 , 188, 73-81	4.9	20
31	Impact of low-dose aspirin on coronary artery spasm as assessed by intracoronary acetylcholine provocation test in Korean patients. <i>Journal of Cardiology</i> , 2012 , 60, 187-91	3	20
30	Transcatheter aortic valve replacement: experience with the transapical approach, alternate access sites, and concomitant cardiac repairs. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 1417-22	1.5	18
29	Single center TAVR experience with a focus on the prevention and management of catastrophic complications. <i>Catheterization and Cardiovascular Interventions</i> , 2014 , 84, 834-42	2.7	17
28	Standard versus high loading doses of clopidogrel in Asian ST-segment elevation myocardial infarction patients undergoing percutaneous coronary intervention: insights from the Korea Acute Myocardial Infarction Registry. <i>American Heart Journal</i> , 2011 , 161, 373-382.e1-3	4.9	15
27	Unrestricted use of 2 new-generation drug-eluting stents in patients with acute myocardial infarction: a propensity score-matched analysis. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 936-45	5	14
26	Clinical characteristics and mid-term outcomes of acute myocardial infarction patients with prior cerebrovascular disease in an Asian population: Lessons from the Korea Acute Myocardial Infarction Registry. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 581-6	3	12

25	Impact of hypertension on coronary artery spasm as assessed with intracoronary acetylcholine provocation test. <i>Journal of Human Hypertension</i> , 2010 , 24, 77-85	2.6	12
24	Use of prasugrel vs clopidogrel and outcomes in patients with and without diabetes mellitus presenting with acute coronary syndrome undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2019 , 275, 31-35	3.2	10
23	A novel technique for retrieval of a drug-eluting stent after catheter break and stent loss. <i>Korean Circulation Journal</i> , 2010 , 40, 405-9	2.2	9
22	Lack of clinical benefit of improved angiographic results with sirolimus-eluting stents compared with paclitaxel and zotarolimus-eluting stents in patients with acute myocardial infarction undergoing percutaneous coronary intervention. <i>Circulation Journal</i> , 2009 , 73, 2229-35	2.9	9
21	Association between aortic calcification and stable obstructive coronary artery disease. <i>International Journal of Cardiology</i> , 2011 , 153, 192-5	3.2	8
20	Predictive value of renal resistive index in percutaneous renal interventions for atherosclerotic renal artery stenosis. <i>Journal of Invasive Cardiology</i> , 2012 , 24, 504-9	0.7	8
19	Risk of cerebrovascular events in patients with patent foramen ovale and intracardiac devices. <i>JACC: Cardiovascular Interventions</i> , 2014 , 7, 1221-6	5	7
18	Renin-Angiotensin System Antagonists in Patients Without Left Ventricular Dysfunction After Percutaneous Intervention for ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2015 , 116, 508-14	3	6
17	Low molecular weight heparin versus unfractionated heparin in patients with acute non-ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention with drug-eluting stents. <i>Journal of Cardiology</i> , 2012 , 59, 22-9	3	6
16	Peripheral arterial disease is associated with coronary artery spasm as assessed by an intracoronary acetylcholine provocation test. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2009 , 36, e78-82	3	6
15	Multivessel versus single vessel spasm, as assessed by the intracoronary acetylcholine provocation test, in Korean patients. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2011 , 38, 819-23	3	5
14	Two-Decade Trends in the Prevalence of Atherosclerotic Risk Factors, Coronary Plaque Morphology, and Outcomes in Adults Aged ≥55 Years Undergoing Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2016 , 118, 939-43	3	4
13	Meta-Analysis of Usefulness of Anticoagulation After Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017 , 120, 1612-1617	3	4
12	Comparison of acute elastic recoil between the SAPIEN-XT and SAPIEN valves in transfemoral-transcatheter aortic valve replacement. <i>Catheterization and Cardiovascular Interventions</i> , 2015 , 85, 490-6	2.7	4
11	Impact of heterogeneous overlapping drug-eluting stents on the arterial responses of rabbit iliac arteries: a comparison with overlapping bare metal stents. <i>Korean Circulation Journal</i> , 2012 , 42, 397-405	2.2	4
10	Relationship of mitral valve annulus plane and circumflex-right coronary artery plane: Implications for Transcatheter Mitral Valve Implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2017 , 89, 932-943	2.7	2
9	Fractional flow reserve guided percutaneous coronary intervention results in reduced ischemic myocardium and improved outcomes. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 692-700	2.7	2
8	CLINICAL AND ANGIOGRAPHIC CHARACTERISTICS OF CORONARY ENDOTHELIAL DYSFUNCTION SEVERITY IN PATIENTS WITH MYOCARDIAL BRIDGE AS ASSESSED BY ACETYLCHOLINE PROVOCATION TEST. <i>Journal of the American College of Cardiology</i> , 2011 , 57, E1513	15.1	2

7	AS-77: Impact of Chronic Obstructive Pulmonary Disease on the Clinical Characteristics and Outcomes in Propensity-Matched Patients with Acute Myocardial Infarction. <i>American Journal of Cardiology</i> , 2009 , 103, 36B-37B	3	2
6	Resource utilization for transfemoral transcatheter aortic valve replacement: An international comparison. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 145-51	2.7	2
5	Frequency and factors associated with inappropriate for intervention cardiac catheterization laboratory activation. <i>Cardiovascular Revascularization Medicine</i> , 2016 , 17, 219-24	1.6	1
4	Use of prasugrel and clinical outcomes in African-American patients treated with percutaneous coronary intervention for acute coronary syndromes. <i>Catheterization and Cardiovascular Interventions</i> , 2019 , 94, 53-60	2.7	1
3	Response to the letter regarding the article Do East Asians have different hypercoagulable states compared with Western population? <i>American Heart Journal</i> , 2011 , 162, e21-e22	4.9	
2	Response to the letter regarding the article Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents <i>American Heart Journal</i> , 2010 , 160, e15-e16	4.9	
1	Response to letter regarding the article Low-molecular-weight heparin versus unfractionated heparin in acute ST-segment elevation myocardial infarction patients undergoing primary percutaneous coronary intervention with drug-eluting stents <i>American Heart Journal</i> , 2010 , 160, e27	4.9	