

# Rebecca J Guy

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3798388/rebecca-j-guy-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

302  
papers

5,662  
citations

35  
h-index

61  
g-index

326  
ext. papers

6,797  
ext. citations

4.7  
avg, IF

5.46  
L-index

| #   | Paper   | IF   | Citations |
|-----|---|------|-----------|
| 302 | The impact of removing financial incentives and/or audit and feedback on chlamydia testing in general practice: A cluster randomised controlled trial (ACCEPT-able).. <i>PLoS Medicine</i> , <b>2022</b> , 19, e1003858   | 11.6 | 0         |
| 301 | Impact of Testing Strategies to Combat a Major Syphilis Outbreak Among Australian Aboriginal and Torres Strait Islander Peoples: A Mathematical Modeling Study.. <i>Open Forum Infectious Diseases</i> , <b>2022</b> , 9, ofac119                                     | 1    |           |
| 300 | The response to COVID-19 among drug retail outlets in Indonesia: A cross-sectional survey of knowledge, attitudes, and practices.. <i>The Lancet Regional Health - Western Pacific</i> , <b>2022</b> , 22, 100420   | 5    |           |
| 299 | Preferences for HIV Testing Services and HIV Self-Testing Distribution Among Migrant Gay, Bisexual, and Other Men Who Have Sex With Men in Australia.. <i>Frontiers in Medicine</i> , <b>2022</b> , 9, 839479   | 4.9  | 1         |
| 298 | Scaling up sexually transmissible infections point-of-care testing in remote Aboriginal and Torres Strait Islander communities: healthcare workers' perceptions of the barriers and facilitators. <i>Implementation Science Communications</i> , <b>2021</b> , 2, 127 | 2.2  | 1         |
| 297 | Sustaining success: a qualitative study of gay and bisexual men's experiences and perceptions of HIV self-testing in a randomized controlled trial. <i>BMC Public Health</i> , <b>2021</b> , 21, 2048   | 4.1  | 0         |
| 296 | Modelling response strategies for controlling gonorrhoea outbreaks in men who have sex with men in Australia. <i>PLoS Computational Biology</i> , <b>2021</b> , 17, e1009385  | 5    |           |
| 295 | A HIV diagnosis and treatment cascade for Aboriginal and Torres Strait Islander peoples of Australia. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , <b>2021</b> , 1-8  | 2.2  |           |
| 294 | and prevalence and associated factors among women presenting to a pregnancy termination and contraception clinic, 2009-2019. <i>Sexually Transmitted Infections</i> , <b>2021</b> ,   | 2.8  | 1         |
| 293 | Increased targeted HIV testing and reduced undiagnosed HIV infections among gay and bisexual men. <i>HIV Medicine</i> , <b>2021</b> , 22, 605-616   | 2.7  | 1         |
| 292 | A systematic review and meta-analysis of effectiveness of decision aids for vaccination decision-making. <i>Vaccine</i> , <b>2021</b> , 39, 3655-3665   | 4.1  | 3         |
| 291 | Adherence to daily HIV pre-exposure prophylaxis in a large-scale implementation study in New South Wales, Australia. <i>Aids</i> , <b>2021</b> , 35, 1987-1996  | 3.5  | 1         |
| 290 | A decentralised point-of-care testing model to address inequities in the COVID-19 response. <i>Lancet Infectious Diseases</i> , <b>2021</b> , 21, e183-e190   | 25.5 | 18        |
| 289 | Adverse pregnancy and neonatal outcomes associated with systematic review and meta-analysis. <i>Sexually Transmitted Infections</i> , <b>2021</b> , 97, 104-111   | 2.8  | 11        |
| 288 | A chlamydia education and training program for general practice nurses: reporting the effect on chlamydia testing uptake. <i>Australian Journal of Primary Health</i> , <b>2021</b> , 27, 36-42   | 1.4  |           |
| 287 | The Incidence of Hepatitis C Among Gay, Bisexual, and Other Men Who Have Sex With Men in Australia, 2009-2019. <i>Clinical Infectious Diseases</i> , <b>2021</b> ,  | 11.6 | 0         |
| 286 | A New Method for Estimating the Incidence of Infectious Diseases. <i>American Journal of Epidemiology</i> , <b>2021</b> , 190, 1386-1395  | 3.8  | 4         |

|     |  |      |    |
|-----|--|------|----|
| 285 | Effect on genital warts in Australian female and heterosexual male individuals after introduction of the national human papillomavirus gender-neutral vaccination programme: an analysis of national sentinel surveillance data from 2004-18. <i>Lancet Infectious Diseases, The</i> , <b>2021</b> , 21, 1747-1756 | 25.5 | 7  |
| 284 | Renal impairment in a large-scale HIV preexposure prophylaxis implementation cohort. <i>Aids</i> , <b>2021</b> , 35, 2319-2326   | 3.5  | 1  |
| 283 | High Levels of Prevention-Effective Adherence to HIV PrEP: An Analysis of Substudy Data From the EPIC-NSW Trial. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2021</b> , 87, 1040-1047   | 3.1  | 6  |
| 282 | Point-of-care testing and treatment of sexually transmitted and genital infections during pregnancy in Papua New Guinea (WANTAIM trial): protocol for an economic evaluation alongside a cluster-randomised trial. <i>BMJ Open</i> , <b>2021</b> , 11, e046308   | 3    |    |
| 281 | Long-term protection from HIV infection with oral HIV pre-exposure prophylaxis in gay and bisexual men: findings from the expanded and extended EPIC-NSW prospective implementation study. <i>Lancet HIV,the</i> , <b>2021</b> , 8, e486-e494  | 7.8  | 9  |
| 280 | Self-collection for HPV-based cervical screening: a qualitative evidence meta-synthesis. <i>BMC Public Health</i> , <b>2021</b> , 21, 1503   | 4.1  | 6  |
| 279 | Prevalence and determinants of inappropriate antibiotic dispensing at private drug retail outlets in urban and rural areas of Indonesia: a mixed methods study. <i>BMJ Global Health</i> , <b>2021</b> , 6,  | 6.6  | 5  |
| 278 | The longer-term effects of access to HIV self-tests on HIV testing frequency in high-risk gay and bisexual men: follow-up data from a randomised controlled trial. <i>The Lancet Regional Health - Western Pacific</i> , <b>2021</b> , 14, 100214  | 5    | 0  |
| 277 | Australia could miss the WHO hepatitis C virus elimination targets due to declining treatment uptake and ongoing burden of advanced liver disease complications. <i>PLoS ONE</i> , <b>2021</b> , 16, e0257369  | 3.7  | 0  |
| 276 | Improvements in transition times through the HIV cascade of care among gay and bisexual men with a new HIV diagnosis in New South Wales and Victoria, Australia (2012-19): a longitudinal cohort study. <i>Lancet HIV,the</i> , <b>2021</b> , 8, e623-e632   | 7.8  | 0  |
| 275 | Genital warts trends in Australian and overseas-born people in Australia: A cross-sectional trend analysis to measure progress towards control and elimination. <i>The Lancet Regional Health - Western Pacific</i> , <b>2021</b> , 16, 100251   | 5    | 0  |
| 274 | Changes in HIV preexposure prophylaxis prescribing in Australian clinical services following COVID-19 restrictions. <i>Aids</i> , <b>2021</b> , 35, 155-157  | 3.5  | 1  |
| 273 | Real-world monitoring progress towards the elimination of hepatitis C virus in Australia using sentinel surveillance of primary care clinics; an ecological study of hepatitis C virus antibody tests from 2009 to 2019.. <i>Epidemiology and Infection</i> , <b>2021</b> , 150, e7                                | 4.3  | 1  |
| 272 | Uptake and acceptability of assisted and unassisted HIV self-testing among men who purchase sex in brothels in Indonesia: a pilot intervention study. <i>BMC Public Health</i> , <b>2020</b> , 20, 730   | 4.1  | 9  |
| 271 | Gaps in the HIV diagnosis and care cascade for migrants in Australia, 2013-2017: A cross-sectional study. <i>PLoS Medicine</i> , <b>2020</b> , 17, e1003044  | 11.6 | 9  |
| 270 | HIV Preexposure Prophylaxis Cascades to Assess Implementation in Australia: Results From Repeated, National Behavioral Surveillance of Gay and Bisexual Men, 2014-2018. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2020</b> , 83, e16-e22  | 3.1  | 16 |
| 269 | The impact of universal access to direct-acting antiviral therapy on the hepatitis C cascade of care among individuals attending primary and community health services. <i>PLoS ONE</i> , <b>2020</b> , 15, e0235445   | 3.7  | 6  |
| 268 | Defining Elimination of Genital Warts-A Modified Delphi Study. <i>Vaccines</i> , <b>2020</b> , 8,  | 5.3  | 1  |

|     |  |      |    |
|-----|--|------|----|
| 267 | The Association between the Australian Alcopops Tax and National Chlamydia Rates among Young People-an Interrupted Time Series Analysis. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,  | 4.6  | 1  |
| 266 | Trends in late and advanced HIV diagnoses among migrants in Australia; implications for progress on Fast-Track targets: A retrospective observational study. <i>Medicine (United States)</i> , <b>2020</b> , 99, e19289  | 1.8  | 4  |
| 265 | Adherence to Antiretroviral Regimens in Australia: A Nationwide Cohort Study. <i>AIDS Patient Care and STDs</i> , <b>2020</b> , 34, 81-91  | 5.8  | 3  |
| 264 | Comorbidity Medications Are Dispensed to More People Receiving Antiretroviral Therapy for HIV Compared with the General Population in Australia. <i>AIDS Research and Human Retroviruses</i> , <b>2020</b> , 36, 291-296   | 1.6  | 0  |
| 263 | Sexual practices of female sex workers in Melbourne, Australia: an anonymous cross-sectional questionnaire study in 2017-18. <i>Sexual Health</i> , <b>2020</b> , 17, 53-60  | 2    | 12 |
| 262 | Privacy-Preserving Record Linkage of Deidentified Records Within a Public Health Surveillance System: Evaluation Study. <i>Journal of Medical Internet Research</i> , <b>2020</b> , 22, e16757   | 7.6  | 12 |
| 261 | Qualitative Evidence Synthesis on Self-Collection for Human Papillomavirus-Based Cervical Screening: Protocol for Systematic Review. <i>JMIR Research Protocols</i> , <b>2020</b> , 9, e21093  | 2    | 1  |
| 260 | Comparison of Trends in Rates of Sexually Transmitted Infections Before vs After Initiation of HIV Preexposure Prophylaxis Among Men Who Have Sex With Men. <i>JAMA Network Open</i> , <b>2020</b> , 3, e2030806   | 10.4 | 15 |
| 259 | Monitoring human papillomavirus prevalence among young Australian women undergoing routine chlamydia screening. <i>Vaccine</i> , <b>2020</b> , 38, 1186-1193   | 4.1  | 2  |
| 258 | Two Distinct Gonorrhea Trends and Risk Factors Among Women in Australia. <i>Sexually Transmitted Diseases</i> , <b>2020</b> , 47, 34-40  | 2.4  | 1  |
| 257 | The Preferred Qualities of Human Immunodeficiency Virus Testing and Self-Testing Among Men Who Have Sex With Men: A Discrete Choice Experiment. <i>Value in Health</i> , <b>2020</b> , 23, 870-879   | 3.3  | 7  |
| 256 | Sustained, Low Prevalence of Undiagnosed HIV Among Gay and Bisexual Men in Sydney, Australia Coincident With Increased Testing and Pre-exposure Prophylaxis Use: Results From Repeated, Bio-Behavioral Studies 2014-2018. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2020</b> , 85, e14-17 | 3.1  |    |
| 255 | Evaluation of Commercially Available Viral Transport Medium (VTM) for SARS-CoV-2 Inactivation and Use in Point-of-Care (POC) Testing. <i>Viruses</i> , <b>2020</b> , 12,   | 6.2  | 15 |
| 254 | Young Aboriginal people's sexual health risk reduction strategies: a qualitative study in remote Australia. <i>Sexual Health</i> , <b>2020</b> , 17, 303-310   | 2    | 5  |
| 253 | Establishment of a sentinel surveillance network for sexually transmissible infections and blood borne viruses in Aboriginal primary care services across Australia: the ATLAS project. <i>BMC Health Services Research</i> , <b>2020</b> , 20, 769  | 2.9  | 3  |
| 252 | Supplemental testing is required to maintain control following a transition from Pap smear to HPV DNA testing for cervical screening: a mathematical modelling study. <i>Sexually Transmitted Infections</i> , <b>2020</b> , 96, 76-78   | 2.8  | 1  |
| 251 | Population-level diagnosis and care cascade for chlamydia in Australia. <i>Sexually Transmitted Infections</i> , <b>2020</b> , 96, 131-136   | 2.8  | 5  |
| 250 | Young Aboriginal people's engagement with STI testing in the Northern Territory, Australia. <i>BMC Public Health</i> , <b>2020</b> , 20, 459   | 4.1  | 4  |

|     |  |      |    |
|-----|--|------|----|
| 249 | Gaps in the HIV diagnosis and care cascade for migrants in Australia, 2013-2017: A cross-sectional study <b>2020</b> , 17, e1003044  |      |    |
| 248 | Gaps in the HIV diagnosis and care cascade for migrants in Australia, 2013-2017: A cross-sectional study <b>2020</b> , 17, e1003044  |      |    |
| 247 | Gaps in the HIV diagnosis and care cascade for migrants in Australia, 2013-2017: A cross-sectional study <b>2020</b> , 17, e1003044  |      |    |
| 246 | Gaps in the HIV diagnosis and care cascade for migrants in Australia, 2013-2017: A cross-sectional study <b>2020</b> , 17, e1003044  |      |    |
| 245 | Gaps in the HIV diagnosis and care cascade for migrants in Australia, 2013-2017: A cross-sectional study <b>2020</b> , 17, e1003044  |      |    |
| 244 | Sexually transmissible infections among transgender men and women attending Australian sexual health clinics. <i>Medical Journal of Australia</i> , <b>2019</b> , 211, 406-411   | 4    | 10 |
| 243 | Incomplete recording of Indigenous identification status under-estimates the prevalence of Indigenous population attending Australian general practices: a cross sectional study. <i>BMC Health Services Research</i> , <b>2019</b> , 19, 567  | 2.9  | 1  |
| 242 | "Self-testing sounds more private, rather than going to the clinic and everybody will find out": Facilitators and barriers regarding HIV testing among men who purchase sex in Bali, Indonesia. <i>PLoS ONE</i> , <b>2019</b> , 14, e0214987   | 3.7  | 15 |
| 241 | Evaluation of the ResistancePlus GC (beta) assay: a commercial diagnostic test for the direct detection of ciprofloxacin susceptibility or resistance in Neisseria gonorrhoeae. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2019</b> , 74, 1820-1824                               | 5.1  | 18 |
| 240 | Pathways to a cancer-free future: A protocol for modelled evaluations to maximize the future impact of interventions on cervical cancer in Australia. <i>Gynecologic Oncology</i> , <b>2019</b> , 152, 465-471   | 4.9  | 12 |
| 239 | Trends in diagnosis of pelvic inflammatory disease in an Australian sexual health clinic, 2002-16: before and after clinical audit feedback. <i>Sexual Health</i> , <b>2019</b> , 16, 247-253  | 2    | 2  |
| 238 | Is differential access to prevention distorting HIV epidemiology in Australia?. <i>Lancet HIV</i> , <b>2019</b> , 6, e492  | 7.8  | 1  |
| 237 | Strategies to improve control of sexually transmissible infections in remote Australian Aboriginal communities: a stepped-wedge, cluster-randomised trial. <i>The Lancet Global Health</i> , <b>2019</b> , 7, e1553-e1563  | 13.6 | 6  |
| 236 | Point-of-care testing and treatment of sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: Study protocol for a cluster randomized crossover trial (the WANTAIM Trial, Papua New Guinea). <i>Wellcome Open Research</i> , <b>2019</b> , 4, 53 | 4.8  | 4  |
| 235 | Pathology Laboratory Surveillance in the Australian Collaboration for Coordinated Enhanced Sentinel Surveillance of Sexually Transmitted Infections and Blood-Borne Viruses: Protocol for a Cohort Study. <i>JMIR Research Protocols</i> , <b>2019</b> , 8, e13625                       | 2    | 2  |
| 234 | Early initiation of antiretroviral therapy for people newly diagnosed with HIV infection in Australia: trends and predictors, 2004-2015. <i>Medical Journal of Australia</i> , <b>2019</b> , 210, 269-275  | 4    | 7  |
| 233 | Risk of Ectopic Pregnancy and Tubal Infertility Following Gonorrhoea and Chlamydia Infections. <i>Clinical Infectious Diseases</i> , <b>2019</b> , 69, 1621-1623   | 11.6 | 21 |
| 232 | Qualitative perspectives on the sustainability of sexual health continuous quality improvement in clinics serving remote Aboriginal communities in Australia. <i>BMJ Open</i> , <b>2019</b> , 9, e026679   | 3    | 3  |

|     |  |      |    |
|-----|--|------|----|
| 231 | Gonorrhoea gone wild: rising incidence of gonorrhoea and associated risk factors among gay and bisexual men attending Australian sexual health clinics. <i>Sexual Health</i> , <b>2019</b> , 16, 457-463                                       | 2    | 12 |
| 230 | Rapid HIV testing increases testing frequency among gay and bisexual men: a controlled before-after study. <i>Sexual Health</i> , <b>2019</b> , 16, 172-179  | 2    | 1  |
| 229 | A diagnostic evaluation of a molecular assay used for testing and treating anorectal chlamydia and gonorrhoea infections at the point-of-care in Papua New Guinea. <i>Clinical Microbiology and Infection</i> , <b>2019</b> , 25, 623-627      | 9.5  | 10 |
| 228 | HIV treatment regimens and adherence to national guidelines in Australia: an analysis of dispensing data from the Australian pharmaceutical benefits scheme. <i>BMC Public Health</i> , <b>2019</b> , 19, 13                                   | 4.1  | 6  |
| 227 | Predictors of Daily Adherence to HIV Pre-exposure Prophylaxis in Gay/Bisexual Men in the PRELUDE Demonstration Project. <i>AIDS and Behavior</i> , <b>2019</b> , 23, 1287-1296   | 4.3  | 8  |
| 226 | High Adherence to HIV Pre-exposure Prophylaxis and No HIV Seroconversions Despite High Levels of Risk Behaviour and STIs: The Australian Demonstration Study PrELUDE. <i>AIDS and Behavior</i> , <b>2019</b> , 23, 1780-1789                   | 4.3  | 22 |
| 225 | Australia on track to achieve WHO HCV elimination targets following rapid initial DAA treatment uptake: A modelling study. <i>Journal of Viral Hepatitis</i> , <b>2019</b> , 26, 83-92   | 3.4  | 44 |
| 224 | The 2016 HIV diagnosis and care cascade in New South Wales, Australia: meeting the UNAIDS 90-90-90 targets. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25109  | 5.4  | 21 |
| 223 | Undiagnosed HIV infections among gay and bisexual men increasingly contribute to new infections in Australia. <i>Journal of the International AIDS Society</i> , <b>2018</b> , 21, e25104  | 5.4  | 17 |
| 222 | A reliable and easy to transport quality control method for chlamydia and gonorrhoea molecular point of care testing. <i>Pathology</i> , <b>2018</b> , 50, 317-321   | 1.6  | 4  |
| 221 | Chlamydia trachomatis and the risk of spontaneous preterm birth, babies who are born small for gestational age, and stillbirth: a population-based cohort study. <i>Lancet Infectious Diseases</i> , <b>2018</b> , 18, 452-460                 | 25.5 | 31 |
| 220 | Rising Chlamydia and Gonorrhoea Incidence and Associated Risk Factors Among Female Sex Workers in Australia: A Retrospective Cohort Study. <i>Sexually Transmitted Diseases</i> , <b>2018</b> , 45, 199-206                                    | 2.4  | 20 |
| 219 | Impact of replacing cytology with human papillomavirus testing for cervical cancer screening on the prevalence of : a modelling study. <i>Sexually Transmitted Infections</i> , <b>2018</b> , 94, 216-221                                      | 2.8  | 3  |
| 218 | Expanded HIV pre-exposure prophylaxis (PrEP) implementation in communities in New South Wales, Australia (EPIC-NSW): design of an open label, single arm implementation trial. <i>BMC Public Health</i> , <b>2018</b> , 18, 210                | 4.1  | 35 |
| 217 | Perspectives of primary health care staff on the implementation of a sexual health quality improvement program: a qualitative study in remote aboriginal communities in Australia. <i>BMC Health Services Research</i> , <b>2018</b> , 18, 230 | 2.9  | 5  |
| 216 | Rates of pelvic inflammatory disease and ectopic pregnancy in Australia, 2009-2014: ecological analysis of hospital data. <i>Sexually Transmitted Infections</i> , <b>2018</b> , 94, 534-541   | 2.8  | 13 |
| 215 | Risk of Pelvic Inflammatory Disease in Relation to Chlamydia and Gonorrhoea Testing, Repeat Testing, and Positivity: A Population-Based Cohort Study. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 66, 437-443                          | 11.6 | 48 |
| 214 | Rt Opened My EyesRexamining the impact of a multifaceted chlamydia testing intervention on general practitioners using Normalization Process Theory. <i>Family Practice</i> , <b>2018</b> , 35, 626-632  | 1.9  | 4  |

|     |   |      |     |
|-----|---|------|-----|
| 213 | Understanding the Targeting and Uptake of HIV Testing Among Gay and Bisexual Men Attending Sexual Health Clinics. <i>AIDS and Behavior</i> , <b>2018</b> , 22, 513-521  | 4.3  | 1   |
| 212 | Reply to Kenyon. <i>Clinical Infectious Diseases</i> , <b>2018</b> , 66, 812-813  | 11.6 |     |
| 211 | Comparing Australian gay and bisexual men with undiagnosed and recently diagnosed HIV infection to those in the National HIV Registry. <i>Sexual Health</i> , <b>2018</b> , 15, 276-281   | 2    | 1   |
| 210 | Molecular test for chlamydia and gonorrhoea used at point of care in remote primary healthcare settings: a diagnostic test evaluation. <i>Sexually Transmitted Infections</i> , <b>2018</b> , 94, 340-345   | 2.8  | 29  |
| 209 | Priorities for preventing a concentrated HIV epidemic among Aboriginal and Torres Strait Islander Australians. <i>Medical Journal of Australia</i> , <b>2018</b> , 209, 56  | 4    | 1   |
| 208 | HIV incidence in Indigenous and non-Indigenous populations in Australia: a population-level observational study. <i>Lancet HIV,the</i> , <b>2018</b> , 5, e506-e514   | 7.8  | 4   |
| 207 | National characteristics and trends in antiretroviral treatment in Australia can be accurately estimated using a large clinical cohort. <i>Journal of Clinical Epidemiology</i> , <b>2018</b> , 100, 82-91  | 5.7  | 6   |
| 206 | Meeting Sexual Partners Through Internet Sites and Smartphone Apps in Australia: National Representative Study. <i>Journal of Medical Internet Research</i> , <b>2018</b> , 20, e10683  | 7.6  | 18  |
| 205 | Monitoring the Control of Sexually Transmissible Infections and Blood-Borne Viruses: Protocol for the Australian Collaboration for Coordinated Enhanced Sentinel Surveillance (ACCESS). <i>JMIR Research Protocols</i> , <b>2018</b> , 7, e11028  | 2    | 27  |
| 204 | Assessing the Impacts of Integrated Decision Support Software on Sexual Orientation Recording, Comprehensive Sexual Health Testing, and Detection of Infections Among Gay and Bisexual Men Attending General Practice: Observational Study. <i>JMIR Medical Informatics</i> , <b>2018</b> , 6, e10808   | 3.6  |     |
| 203 | People Born in Non-Main English Speaking Countries Are Less Likely to Start HIV Treatment Early in Australia: A National Cohort Analysis, 2014-15. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2018</b> , 77, e31-e34  | 3.1  | 8   |
| 202 | Changing pattern of sexually transmissible infections and HIV diagnosed in public sexual health services compared with other locations in New South Wales, 2010-14. <i>Sexual Health</i> , <b>2018</b> , 15, 366-369  | 2    | 5   |
| 201 | Performance of clinical screening algorithms comprising point-of-care HPV-DNA testing using self-collected vaginal specimens, and visual inspection of the cervix with acetic acid, for the detection of underlying high-grade squamous intraepithelial lesions in Papua New Guinea. <i>Papillomavirus Research (Amsterdam, Netherlands)</i> , <b>2018</b> , 6, 70-76 | 4.6  | 19  |
| 200 | Population-level effectiveness of rapid, targeted, high-coverage roll-out of HIV pre-exposure prophylaxis in men who have sex with men: the EPIC-NSW prospective cohort study. <i>Lancet HIV,the</i> , <b>2018</b> , 5, e629-e637   | 7.8  | 171 |
| 199 | Trends in human immunodeficiency virus diagnoses among men who have sex with men in North America, Western Europe, and Australia, 2000-2014. <i>Annals of Epidemiology</i> , <b>2018</b> , 28, 874-880  | 6.4  | 15  |
| 198 | Aging of the HIV Population in Australia: A Modeling Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2018</b> , 79, e115-e116   | 3.1  | 4   |
| 197 | Adverse pregnancy and neonatal outcomes associated with a systematic review and meta-analysis protocol. <i>BMJ Open</i> , <b>2018</b> , 8, e024175  | 3    | 16  |
| 196 | Molecular point-of-care testing for chlamydia and gonorrhoea in Indigenous Australians attending remote primary health services (TTANGO): a cluster-randomised, controlled, crossover trial. <i>Lancet Infectious Diseases, The</i> , <b>2018</b> , 18, 1117-1126   | 25.5 | 17  |

|     |  |      |    |
|-----|--|------|----|
| 195 | See it everywhere: young Australians unintended exposure to sexual content online. <i>Sexual Health</i> , <b>2018</b> , 15, 335-341  | 2    | 4  |
| 194 | Population effectiveness of opportunistic chlamydia testing in primary care in Australia: a cluster-randomised controlled trial. <i>Lancet, The</i> , <b>2018</b> , 392, 1413-1422   | 4.0  | 33 |
| 193 | Characteristics of pelvic inflammatory disease where no sexually transmitted infection is identified: a cross-sectional analysis of routinely collected sexual health clinic data. <i>Sexually Transmitted Infections</i> , <b>2017</b> , 93, 68-70                              | 2.8  | 7  |
| 192 | Wide variation in sexually transmitted infection testing and counselling at Aboriginal primary health care centres in Australia: analysis of longitudinal continuous quality improvement data. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 148                            | 4    | 10 |
| 191 | Effect of availability of HIV self-testing on HIV testing frequency in gay and bisexual men at high risk of infection (FORTH): a waiting-list randomised controlled trial. <i>Lancet HIV, the</i> , <b>2017</b> , 4, e241-e250   | 7.8  | 89 |
| 190 | Increasing syphilis rates among men who have sex with men and screening to detect asymptomatic infection. <i>Sexual Health</i> , <b>2017</b> , 14, 301-303   | 2    | 1  |
| 189 | Increased Syphilis Testing of Men Who Have Sex With Men: Greater Detection of Asymptomatic Early Syphilis and Relative Reduction in Secondary Syphilis. <i>Clinical Infectious Diseases</i> , <b>2017</b> , 65, 389-395  | 11.6 | 47 |
| 188 | Multi-centre field evaluation of the performance of the Trinity Biotech Uni-Gold HIV 1/2 rapid test as a first-line screening assay for gay and bisexual men compared with 4th generation laboratory immunoassays. <i>Journal of Clinical Virology</i> , <b>2017</b> , 86, 46-51 | 14.5 | 6  |
| 187 | Human papillomavirus vaccination and genital warts in young Indigenous Australians: national sentinel surveillance data. <i>Medical Journal of Australia</i> , <b>2017</b> , 206, 204-209  | 4    | 25 |
| 186 | UriSwab: an effective transport medium for nucleic acid detection of Chlamydia trachomatis, Mycoplasma genitalium and Neisseria gonorrhoeae. <i>Sexual Health</i> , <b>2017</b> , 14, 502-506  | 2    | 2  |
| 185 | Estimating the number of people who inject drugs in Australia. <i>BMC Public Health</i> , <b>2017</b> , 17, 757  | 4.1  | 25 |
| 184 | Trends in chlamydia and gonorrhoea testing and positivity in Western Australian Aboriginal and non-Aboriginal women 2001-2013: a population-based cohort study. <i>Sexual Health</i> , <b>2017</b> , 14, 574-580   | 2    | 5  |
| 183 | HIV testing self-efficacy is associated with higher HIV testing frequency and perceived likelihood to self-test among gay and bisexual men. <i>Sexual Health</i> , <b>2017</b> , 14, 170-178   | 2    | 10 |
| 182 | Performance and operational characteristics of point-of-care tests for the diagnosis of urogenital gonococcal infections. <i>Sexually Transmitted Infections</i> , <b>2017</b> , 93, S16-S21   | 2.8  | 29 |
| 181 | A cross-sectional study of HIV and STIs among male sex workers attending Australian sexual health clinics. <i>Sexually Transmitted Infections</i> , <b>2017</b> , 93, 299-302  | 2.8  | 10 |
| 180 | Biological and Behavioral Factors Associated With Positive Chlamydia Retests. <i>Sexually Transmitted Diseases</i> , <b>2017</b> , 44, 417-422   | 2.4  | 5  |
| 179 | Hepatitis C testing and re-testing among people attending sexual health services in Australia, and hepatitis C incidence among people with human immunodeficiency virus: analysis of national sentinel surveillance data. <i>BMC Infectious Diseases</i> , <b>2017</b> , 17, 740 | 4    | 3  |
| 178 | Molecular Antimicrobial Resistance Surveillance for Neisseria gonorrhoeae, Northern Territory, Australia. <i>Emerging Infectious Diseases</i> , <b>2017</b> , 23, 1478-1485  | 10.2 | 16 |



|     |  |      |    |
|-----|--|------|----|
| 177 | Patient, staffing and health centre factors associated with annual testing for sexually transmissible infections in remote primary health centres. <i>Sexual Health</i> , <b>2017</b> , 14, 274-281  | 2    | 4  |
| 176 | Changes in the rates of <i>Neisseria gonorrhoeae</i> antimicrobial resistance are primarily driven by dynamic fluctuations in common gonococcal genotypes. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2017</b> , 72, 705-711  | 5.1  | 6  |
| 175 | Real-time PCR detection of <i>Neisseria gonorrhoeae</i> susceptibility to penicillin. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2016</b> , 71, 3090-3095   | 5.1  | 8  |
| 174 | A nurse-led intervention improved blood-borne virus testing and vaccination in Victorian prisons. <i>Australian and New Zealand Journal of Public Health</i> , <b>2016</b> , 40, 592-594   | 2.3  | 8  |
| 173 | A longitudinal cohort study of HIV Re-treatment as prevention in gay, bisexual and other men who have sex with men: the Treatment with Antiretrovirals and their Impact on Positive And Negative men (TAIPAN) study protocol. <i>BMC Infectious Diseases</i> , <b>2016</b> , 16, 752 | 4    | 7  |
| 172 | Population attributable fraction of pelvic inflammatory disease associated with chlamydia and gonorrhoea: a cross-sectional analysis of Australian sexual health clinic data. <i>Sexually Transmitted Infections</i> , <b>2016</b> , 92, 525-531                                     | 2.8  | 6  |
| 171 | Does Living Outside of a Major City Impact on the Timeliness of Chlamydia Treatment? A Multicenter Cross-Sectional Analysis. <i>Sexually Transmitted Diseases</i> , <b>2016</b> , 43, 506-12   | 2.4  | 8  |
| 170 | <i>Treponema pallidum</i> Strain Types and Association with Macrolide Resistance in Sydney, Australia: New TP0548 Gene Types Identified. <i>Journal of Clinical Microbiology</i> , <b>2016</b> , 54, 2172-4  | 9.7  | 26 |
| 169 | Reactive arthritis at the Sydney Sexual Health Centre 1992-2012: declining despite increasing chlamydia diagnoses. <i>International Journal of STD and AIDS</i> , <b>2016</b> , 27, 882-9  | 1.4  | 9  |
| 168 | Metaanalysis of the Performance of a Combined <i>Treponemal</i> and <i>Nontreponemal</i> Rapid Diagnostic Test for Syphilis and Yaws. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 63, 627-633  | 11.6 | 30 |
| 167 | A real-time PCR assay for direct characterization of the <i>Neisseria gonorrhoeae</i> GyrA 91 locus associated with ciprofloxacin susceptibility. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2016</b> , 71, 353-6   | 5.1  | 22 |
| 166 | Text message reminders do not improve hepatitis B vaccination rates in an Australian sexual health setting. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2016</b> , 23, e88-92   | 8.6  | 9  |
| 165 | A preliminary evaluation of a new GeneXpert (Gx) molecular point-of-care test for the detection of <i>Trichomonas vaginalis</i> . <i>Sexually Transmitted Infections</i> , <b>2016</b> , 92, 350-2   | 2.8  | 12 |
| 164 | Can preventive care activities in general practice be sustained when financial incentives and external audit plus feedback are removed? ACCEPt-able: a cluster randomised controlled trial protocol. <i>Implementation Science</i> , <b>2016</b> , 11, 122                           | 8.4  | 4  |
| 163 | Evaluation of Chlamydia Partner Notification Practices and Use of the "Let Them Know" Website by Family Planning Clinicians in Australia: Cross-Sectional Study. <i>Journal of Medical Internet Research</i> , <b>2016</b> , 18, e173  | 7.6  | 6  |
| 162 | The impact of a chlamydia education program on practice nurse's knowledge and attitudes in relation to chlamydia testing: a cross-sectional survey. <i>Sexual Health</i> , <b>2016</b> , 13, 73-80   | 2    | 2  |
| 161 | High chlamydia and gonorrhoea repeat positivity in remote Aboriginal communities 2009-2011: longitudinal analysis of testing for re-infection at 3 months suggests the need for more frequent screening. <i>Sexual Health</i> , <b>2016</b> , 13, 568-574                            | 2    | 7  |
| 160 | Low HIV testing rates among people with a sexually transmissible infection diagnosis in remote Aboriginal communities. <i>Medical Journal of Australia</i> , <b>2016</b> , 205, 168-71   | 4    | 5  |

|     |  |      |    |
|-----|--|------|----|
| 159 | Socio-demographic and structural barriers to being tested for chlamydia in general practice. <i>Medical Journal of Australia</i> , <b>2016</b> , 204, 112.e1-5   | 4    | 11 |
| 158 | A novel point-of-care testing strategy for sexually transmitted infections among pregnant women in high-burden settings: results of a feasibility study in Papua New Guinea. <i>BMC Infectious Diseases</i> , <b>2016</b> , 16, 250                                  | 4    | 38 |
| 157 | Previous and future use of HIV self-testing: a survey of Australian gay and bisexual men. <i>Sexual Health</i> , <b>2016</b> , 13, 55-62   | 2    | 15 |
| 156 | Is sexual content in new media linked to sexual risk behaviour in young people? A systematic review and meta-analysis. <i>Sexual Health</i> , <b>2016</b> , 13, 501-515  | 2    | 26 |
| 155 | Community and clinic-based screening for curable sexually transmissible infections in a high prevalence setting in Australia: a retrospective longitudinal analysis of clinical service data from 2006 to 2009. <i>Sexual Health</i> , <b>2016</b> , 13, 140-7       | 2    | 5  |
| 154 | Field Evaluation of Xpert HPV Point-of-Care Test for Detection of Human Papillomavirus Infection by Use of Self-Collected Vaginal and Clinician-Collected Cervical Specimens. <i>Journal of Clinical Microbiology</i> , <b>2016</b> , 54, 1734-1737                  | 9.7  | 49 |
| 153 | The Molecular Epidemiology and Antimicrobial Resistance of Neisseria gonorrhoeae in Australia: A Nationwide Cross-Sectional Study, 2012. <i>Clinical Infectious Diseases</i> , <b>2016</b> , 63, 1591-1598   | 11.6 | 25 |
| 152 | Further evidence to support the individualised treatment of gonorrhoea with ciprofloxacin. <i>Lancet Infectious Diseases</i> , <b>2016</b> , 16, 1005-1006   | 25.5 | 16 |
| 151 | Dual Intervention to Increase Chlamydia Retesting: A Randomized Controlled Trial in Three Populations. <i>American Journal of Preventive Medicine</i> , <b>2015</b> , 49, 1-11   | 6.1  | 19 |
| 150 | A web-based personally controlled health management system increases sexually transmitted infection screening rates in young people: a randomized controlled trial. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2015</b> , 22, 805-14 | 8.6  | 14 |
| 149 | Is it time to rethink syphilis control?. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 60, 325-6   | 11.6 | 4  |
| 148 | An evaluation of a novel dual treponemal/nontreponemal point-of-care test for syphilis as a tool to distinguish active from past treated infection. <i>Clinical Infectious Diseases</i> , <b>2015</b> , 61, 184-91   | 11.6 | 32 |
| 147 | A new approach to estimating trends in chlamydia incidence. <i>Sexually Transmitted Infections</i> , <b>2015</b> , 91, 513-9   | 2.8  | 10 |
| 146 | Practice nurse chlamydia testing in Australian general practice: a qualitative study of benefits, barriers and facilitators. <i>BMC Family Practice</i> , <b>2015</b> , 16, 36   | 2.6  | 10 |
| 145 | Do Australian general practitioners believe practice nurses can take a role in chlamydia testing? A qualitative study of attitudes and opinions. <i>BMC Infectious Diseases</i> , <b>2015</b> , 15, 31   | 4    | 6  |
| 144 | Coinfection with Chlamydia trachomatis, Neisseria gonorrhoeae and Trichomonas vaginalis: a cross-sectional analysis of positivity and risk factors in remote Australian Aboriginal communities. <i>Sexually Transmitted Infections</i> , <b>2015</b> , 91, 201-6     | 2.8  | 30 |
| 143 | Effect of testing experience and profession on provider acceptability of rapid HIV testing after implementation in public sexual health clinics in Sydney. <i>HIV Medicine</i> , <b>2015</b> , 16, 280-7   | 2.7  | 5  |
| 142 | Direct real-time PCR-based detection of Neisseria gonorrhoeae 23S rRNA mutations associated with azithromycin resistance. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2015</b> , 70, 3244-9  | 5.1  | 21 |

|     |  |     |    |
|-----|--|-----|----|
| 141 | Increasing hepatitis A immunity in men who have sex with men in Sydney, 1996-2012. <i>Vaccine</i> , <b>2015</b> , 33, 4745-7   | 4.1 | 6  |
| 140 | Using computer-assisted survey instruments instead of paper and pencil increased completeness of self-administered sexual behavior questionnaires. <i>Journal of Clinical Epidemiology</i> , <b>2015</b> , 68, 94-101  | 5.7 | 11 |
| 139 | Chlamydia and gonorrhoea point-of-care testing in Australia: where should it be used?. <i>Sexual Health</i> , <b>2015</b> , 12, 51-8   | 2   | 3  |
| 138 | Hepatitis B screening and vaccination: how does a Sexual Health service measure up?. <i>Sexual Health</i> , <b>2015</b> , 12, 458-9  | 2   | 3  |
| 137 | A field evaluation of a new molecular-based point-of-care test for chlamydia and gonorrhoea in remote Aboriginal health services in Australia. <i>Sexual Health</i> , <b>2015</b> , 12, 27-33  | 2   | 23 |
| 136 | Attendance patterns and chlamydia and gonorrhoea testing among young people in Aboriginal primary health centres in New South Wales, Australia. <i>Sexual Health</i> , <b>2015</b> , 12, 445-52  | 2   | 4  |
| 135 | Treatment and outcomes of polymerase chain reaction-confirmed early syphilis. <i>Sexual Health</i> , <b>2015</b> , 12, 506-11  | 2   | 2  |
| 134 | Barriers and facilitators of sexually transmissible infection testing in remote Australian Aboriginal communities: results from the Sexually Transmitted Infections in Remote Communities, Improved and Enhanced Primary Health Care (STRIVE) Study. <i>Sexual Health</i> , <b>2015</b> , 12, 4-12 | 2   | 16 |
| 133 | Reasons for delays in treatment of bacterial sexually transmissible infections in remote Aboriginal communities in Australia: a qualitative study of healthcentre staff. <i>Sexual Health</i> , <b>2015</b> , 12, 341-7  | 2   | 9  |
| 132 | Syphilis: a fresh look at an old foe. <i>Sexual Health</i> , <b>2015</b> , 12, 93-5  | 2   | 0  |
| 131 | Barriers to HIV testing and characteristics associated with never testing among gay and bisexual men attending sexual health clinics in Sydney. <i>Journal of the International AIDS Society</i> , <b>2015</b> , 18, 20221   | 5.4 | 41 |
| 130 | Rationale and design of FORTH: a randomised controlled trial assessing the effectiveness of HIV self-testing in increasing HIV testing frequency among gay and bisexual men. <i>BMC Infectious Diseases</i> , <b>2015</b> , 15, 561  | 4   | 9  |
| 129 | A sexual health quality improvement program (SHIMMER) triples chlamydia and gonorrhoea testing rates among young people attending Aboriginal primary health care services in Australia. <i>BMC Infectious Diseases</i> , <b>2015</b> , 15, 370   | 4   | 12 |
| 128 | Incidence and predictors of annual chlamydia testing among 15-29 year olds attending Aboriginal primary health care services in New South Wales, Australia. <i>BMC Health Services Research</i> , <b>2015</b> , 15, 437  | 2.9 | 1  |
| 127 | P08.31 Screening for chlamydia concurrently with a routine pap test in primary care: could cervical screening changes impact on chlamydia testing?. <i>Sexually Transmitted Infections</i> , <b>2015</b> , 91, A144.1-A144   | 2.8 | 1  |
| 126 | Implementation and Operational Research: Convenient HIV Testing Service Models Are Attracting Previously Untested Gay and Bisexual Men: A Cross-sectional Study. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2015</b> , 69, e147-55   | 3.1 | 17 |
| 125 | Potential public health benefits of HIV testing occurring at home in Australia. <i>Medical Journal of Australia</i> , <b>2015</b> , 202, 529-31  | 4   | 10 |
| 124 | Exploring the Benefits of Molecular Testing for Gonorrhoea Antibiotic Resistance Surveillance in Remote Settings. <i>PLoS ONE</i> , <b>2015</b> , 10, e0133202   | 3.7 | 9  |

|     |   |      |     |
|-----|---|------|-----|
| 123 | Multitarget PCR Assay for Direct Detection of Penicillinase-Producing <i>Neisseria gonorrhoeae</i> for Enhanced Surveillance of Gonococcal Antimicrobial Resistance. <i>Journal of Clinical Microbiology</i> , <b>2015</b> , 53, 2706-8                         | 9.7  | 7   |
| 122 | Public health implications of molecular point-of-care testing for chlamydia and gonorrhoea in remote primary care services in Australia: a qualitative study. <i>BMJ Open</i> , <b>2015</b> , 5, e006922  | 3    | 11  |
| 121 | Recording the sexual orientation of male patients attending general practice. <i>Family Practice</i> , <b>2015</b> , 32, 35-40  | 1.9  | 10  |
| 120 | Incidence of curable sexually transmissible infections among adolescents and young adults in remote Australian Aboriginal communities: analysis of longitudinal clinical service data. <i>Sexually Transmitted Infections</i> , <b>2015</b> , 91, 135-41        | 2.8  | 24  |
| 119 | Rapid HIV Testing Is Highly Acceptable and Preferred among High-Risk Gay And Bisexual Men after Implementation in Sydney Sexual Health Clinics. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123814  | 3.7  | 21  |
| 118 | "I Do Feel Like a Scientist at Times": A Qualitative Study of the Acceptability of Molecular Point-Of-Care Testing for Chlamydia and Gonorrhoea to Primary Care Professionals in a Remote High STI Burden Setting. <i>PLoS ONE</i> , <b>2015</b> , 10, e0145993 | 3.7  | 28  |
| 117 | Increased testing for <i>Neisseria gonorrhoeae</i> with duplex nucleic acid amplification tests in Australia: implications for surveillance. <i>Sexual Health</i> , <b>2015</b> , 12, 48-50   | 2    | 15  |
| 116 | Reasons why gay and other bisexually active men attend different community testing services in Sydney; a cross-sectional survey. <i>Sexual Health</i> , <b>2015</b> , 12, 465-6   | 2    | 1   |
| 115 | Azithromycin versus doxycycline for the treatment of genital chlamydia infection: a meta-analysis of randomized controlled trials. <i>Clinical Infectious Diseases</i> , <b>2014</b> , 59, 193-205  | 11.6 | 102 |
| 114 | Effects of HIV antiretroviral therapy on sexual and injecting risk-taking behavior: a systematic review and meta-analysis. <i>Clinical Infectious Diseases</i> , <b>2014</b> , 59, 1483-94  | 11.6 | 28  |
| 113 | Analysis of laboratory testing results collected in an enhanced chlamydia surveillance system in Australia, 2008-2010. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 325   | 4    | 18  |
| 112 | Chlamydia among Australian Aboriginal and/or Torres Strait Islander people attending sexual health services, general practices and Aboriginal community controlled health services. <i>BMC Health Services Research</i> , <b>2014</b> , 14, 285                 | 2.9  | 10  |
| 111 | Molecular approaches to enhance surveillance of gonococcal antimicrobial resistance. <i>Nature Reviews Microbiology</i> , <b>2014</b> , 12, 223-9   | 22.2 | 79  |
| 110 | Rationale and design of REACT: a randomised controlled trial assessing the effectiveness of home-collection to increase chlamydia retesting and detect repeat positive tests. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 223                            | 4    | 9   |
| 109 | Could point-of-care testing be effective for reducing the prevalence of trichomoniasis in remote Aboriginal communities?. <i>Sexual Health</i> , <b>2014</b> , 11, 370-4  | 2    |     |
| 108 | Reattendance and chlamydia retesting rates at 12 months among young people attending Australian general practice clinics 2007-10: a longitudinal study. <i>Sexual Health</i> , <b>2014</b> , 11, 366-9  | 2    | 3   |
| 107 | A novel time-limited pop-up HIV testing service for gay men in Sydney, Australia, attracts high-risk men. <i>Sexual Health</i> , <b>2014</b> , 11, 345-50   | 2    | 9   |
| 106 | A laboratory-based evaluation of four rapid point-of-care tests for syphilis. <i>PLoS ONE</i> , <b>2014</b> , 9, e91504   | 3.7  | 25  |

|     |  |     |     |
|-----|--|-----|-----|
| 105 | Multi-centre evaluation of the Determine HIV Combo assay when used for point of care testing in a high risk clinic-based population. <i>PLoS ONE</i> , <b>2014</b> , 9, e94062   | 3.7 | 35  |
| 104 | Point-of-care testing for chlamydia and gonorrhoea: implications for clinical practice. <i>PLoS ONE</i> , <b>2014</b> , 9, e100518   | 3.7 | 19  |
| 103 | High chlamydia positivity rates in Indigenous people attending Australian sexual health services. <i>Medical Journal of Australia</i> , <b>2014</b> , 200, 595-8   | 4   | 7   |
| 102 | Chlamydia prevalence in young attenders of rural and regional primary care services in Australia: a cross-sectional survey. <i>Medical Journal of Australia</i> , <b>2014</b> , 200, 170-5   | 4   | 25  |
| 101 | Improving chlamydia knowledge should lead to increased chlamydia testing among Australian general practitioners: a cross-sectional study of chlamydia testing uptake in general practice. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 584   | 4   | 10  |
| 100 | Comprehensive testing for, and diagnosis of, sexually transmissible infections among Australian gay and bisexual men: findings from repeated, cross-sectional behavioural surveillance, 2003-2012. <i>Sexually Transmitted Infections</i> , <b>2014</b> , 90, 208-15                               | 2.8 | 23  |
| 99  | Azithromycin-resistant syphilis-causing strains in Sydney, Australia: prevalence and risk factors. <i>Journal of Clinical Microbiology</i> , <b>2014</b> , 52, 2776-81   | 9.7 | 25  |
| 98  | The acceptability of different HIV testing approaches: cross-sectional study among GMSM in Australia. <i>Sexually Transmitted Infections</i> , <b>2014</b> , 90, 592-5   | 2.8 | 16  |
| 97  | It is more efficient to type: innovative self-registration and appointment self-arrival system improves the patient reception process. <i>Sexually Transmitted Diseases</i> , <b>2014</b> , 41, 392-4  | 2.4 | 3   |
| 96  | Chlamydia screening strategies and outcomes in educational settings: a systematic review. <i>Sexually Transmitted Diseases</i> , <b>2014</b> , 41, 180-7   | 2.4 | 11  |
| 95  | Trichomonas vaginalis as a cause of perinatal morbidity: a systematic review and meta-analysis. <i>Sexually Transmitted Diseases</i> , <b>2014</b> , 41, 369-76  | 2.4 | 138 |
| 94  | High-throughput informative single nucleotide polymorphism-based typing of Neisseria gonorrhoeae using the Sequenom MassARRAY iPLEX platform. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2014</b> , 69, 1526-32   | 5.1 | 47  |
| 93  | Hospitalisations for pelvic inflammatory disease temporally related to a diagnosis of Chlamydia or gonorrhoea: a retrospective cohort study. <i>PLoS ONE</i> , <b>2014</b> , 9, e94361   | 3.7 | 20  |
| 92  | Decline in in-patient treatments of genital warts among young Australians following the national HPV vaccination program. <i>BMC Infectious Diseases</i> , <b>2013</b> , 13, 140   | 4   | 62  |
| 91  | Home-based chlamydia and gonorrhoea screening: a systematic review of strategies and outcomes. <i>BMC Public Health</i> , <b>2013</b> , 13, 189  | 4.1 | 29  |
| 90  | A randomised trial of point-of-care tests for chlamydia and gonorrhoea infections in remote Aboriginal communities: Test, Treat AND GO- the "TTANGO" trial protocol. <i>BMC Infectious Diseases</i> , <b>2013</b> , 13, 485  | 4   | 33  |
| 89  | STI in remote communities: improved and enhanced primary health care (STRIVE) study protocol: a cluster randomised controlled trial comparing usual practice STI care to enhanced care in remote primary health care services in Australia. <i>BMC Infectious Diseases</i> , <b>2013</b> , 13, 425 | 4   | 22  |
| 88  | Chronic hepatitis B prevalence among Aboriginal and Torres Strait Islander Australians since universal vaccination: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , <b>2013</b> , 13, 403  | 4   | 35  |

|    |  |     |     |
|----|--|-----|-----|
| 87 | Gay and bisexual men's views on rapid self-testing for HIV. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 2093-9  | 4.3 | 66  |
| 86 | Which gay men would increase their frequency of HIV testing with home self-testing?. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 2084-92  | 4.3 | 59  |
| 85 | The chlamydia knowledge, awareness and testing practices of Australian general practitioners and practice nurses: survey findings from the Australian chlamydia control effectiveness pilot (ACCEPT). <i>BMC Family Practice</i> , <b>2013</b> , 14, 169 | 2.6 | 12  |
| 84 | Outreach for chlamydia and gonorrhoea screening: a systematic review of strategies and outcomes. <i>BMC Public Health</i> , <b>2013</b> , 13, 1040   | 4.1 | 26  |
| 83 | Point-of-care tests for the diagnosis of <i>Neisseria gonorrhoeae</i> infection: a systematic review of operational and performance characteristics. <i>Sexually Transmitted Infections</i> , <b>2013</b> , 89, 320-6                                    | 2.8 | 26  |
| 82 | High rates of late HIV diagnosis among people who inject drugs compared to men who have sex with men and heterosexual men and women in Australia. <i>AIDS and Behavior</i> , <b>2013</b> , 17, 235-41  | 4.3 | 7   |
| 81 | Antiretroviral treatment interruption and loss to follow-up in two HIV cohorts in Australia and Asia: implications for prevention strategy. <i>AIDS Patient Care and STDs</i> , <b>2013</b> , 27, 681-91   | 5.8 | 18  |
| 80 | Advances in sampling and screening for chlamydia. <i>Future Microbiology</i> , <b>2013</b> , 8, 367-86   | 2.9 | 23  |
| 79 | Genital warts in young Australians five years into national human papillomavirus vaccination programme: national surveillance data. <i>BMJ, The</i> , <b>2013</b> , 346, f2032   | 5.9 | 293 |
| 78 | New Xpress sexually transmissible infection screening clinic improves patient journey and clinic capacity at a large sexual health clinic. <i>Sexually Transmitted Diseases</i> , <b>2013</b> , 40, 75-80  | 2.4 | 26  |
| 77 | SMS reminders improve re-screening in women and heterosexual men with chlamydia infection at Sydney Sexual Health Centre: a before-and-after study. <i>Sexually Transmitted Infections</i> , <b>2013</b> , 89, 11-5                                      | 2.8 | 78  |
| 76 | Increasing access by priority populations to Australian sexual health clinics. <i>Sexually Transmitted Diseases</i> , <b>2013</b> , 40, 819-21   | 2.4 | 6   |
| 75 | Near elimination of genital warts in Australia predicted with extension of human papillomavirus vaccination to males. <i>Sexually Transmitted Diseases</i> , <b>2013</b> , 40, 833-5   | 2.4 | 34  |
| 74 | Chlamydia <i>trachomatis</i> re-infections in a population-based cohort of women. <i>Sexually Transmitted Infections</i> , <b>2013</b> , 89, 45-50   | 2.8 | 22  |
| 73 | Chlamydia screening in pregnancy in Australia: integration of national guidelines into clinical practice and policy. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , <b>2013</b> , 53, 338-46                                  | 1.7 | 4   |
| 72 | Analytical evaluation of GeneXpert CT/NG, the first genetic point-of-care assay for simultaneous detection of <i>Neisseria gonorrhoeae</i> and <i>Chlamydia trachomatis</i> . <i>Journal of Clinical Microbiology</i> , <b>2013</b> , 51, 1945-7         | 9.7 | 55  |
| 71 | Including syphilis testing as part of standard HIV management checks and improved syphilis screening in primary care. <i>Sexually Transmitted Diseases</i> , <b>2013</b> , 40, 338-40  | 2.4 | 11  |
| 70 | Direct urine polymerase chain reaction for chlamydia and gonorrhoea: a simple means of bringing high-throughput rapid testing to remote settings?. <i>Sexual Health</i> , <b>2013</b> , 10, 299-304  | 2   | 1   |

|    |  |     |     |
|----|--|-----|-----|
| 69 | Community event-based outreach screening for syphilis and other sexually transmissible infections among gay men in Sydney, Australia. <i>Sexual Health</i> , <b>2013</b> , 10, 357-62                        | 2   | 3   |
| 68 | Are Australian sexual health clinics attracting priority populations?. <i>Sexual Health</i> , <b>2013</b> , 10, 456-9  | 2   | 7   |
| 67 | Over 150 potentially low-value health care practices: an Australian study. <i>Medical Journal of Australia</i> , <b>2013</b> , 198, 83-4   | 4   |     |
| 66 | Opt-out and opt-in testing increases syphilis screening of HIV-positive men who have sex with men in Australia. <i>PLoS ONE</i> , <b>2013</b> , 8, e71436  | 3.7 | 19  |
| 65 | Automated, computer generated reminders and increased detection of gonorrhoea, chlamydia and syphilis in men who have sex with men. <i>PLoS ONE</i> , <b>2013</b> , 8, e61972                                | 3.7 | 43  |
| 64 | Chlamydia testing and retesting patterns at family planning clinics in Australia. <i>Sexual Health</i> , <b>2013</b> , 10, 74-81   | 2   | 7   |
| 63 | The potential impact of new generation molecular point-of-care tests on gonorrhoea and chlamydia in a setting of high endemic prevalence. <i>Sexual Health</i> , <b>2013</b> , 10, 348-56                    | 2   | 25  |
| 62 | Developments in research for STI prevention in Peru. <i>Lancet, The</i> , <b>2012</b> , 379, 1081-2  | 40  |     |
| 61 | How effective are short message service reminders at increasing clinic attendance? A meta-analysis and systematic review. <i>Health Services Research</i> , <b>2012</b> , 47, 614-32                         | 3.4 | 207 |
| 60 | The prevalence of Chlamydia trachomatis infection in Australia: a systematic review and meta-analysis. <i>BMC Infectious Diseases</i> , <b>2012</b> , 12, 113  | 4   | 62  |
| 59 | A longitudinal evaluation of Treponema pallidum PCR testing in early syphilis. <i>BMC Infectious Diseases</i> , <b>2012</b> , 12, 353  | 4   | 46  |
| 58 | Frequent occurrence of undiagnosed pelvic inflammatory disease in remote communities of central Australia. <i>Medical Journal of Australia</i> , <b>2012</b> , 197, 647-51                                   | 4   | 7   |
| 57 | The difference in self-reported and biological measured HIV prevalence: implications for HIV prevention. <i>AIDS and Behavior</i> , <b>2012</b> , 16, 1454-63  | 4.3 | 17  |
| 56 | Missed opportunities—low levels of chlamydia retesting at Australian general practices, 2008-2009. <i>Sexually Transmitted Infections</i> , <b>2012</b> , 88, 330-4  | 2.8 | 17  |
| 55 | Unprotected fellatio between female sex workers and their clients in Sydney, Australia. <i>Sexually Transmitted Infections</i> , <b>2012</b> , 88, 581-4   | 2.8 | 14  |
| 54 | Understanding trends in genital Chlamydia trachomatis can benefit from enhanced surveillance: findings from Australia. <i>Sexually Transmitted Infections</i> , <b>2012</b> , 88, 552-7                      | 2.8 | 25  |
| 53 | Improving adherence to guidelines for the diagnosis and management of pelvic inflammatory disease: a systematic review. <i>Infectious Diseases in Obstetrics and Gynecology</i> , <b>2012</b> , 2012, 325108 | 2.4 | 4   |
| 52 | Interventions to increase rescreening for repeat chlamydial infection. <i>Sexually Transmitted Diseases</i> , <b>2012</b> , 39, 136-46   | 2.4 | 22  |

|    |   |      |     |
|----|---|------|-----|
| 51 | Stop the drama Downunder: a social marketing campaign increases HIV/sexually transmitted infection knowledge and testing in Australian gay men. <i>Sexually Transmitted Diseases</i> , <b>2012</b> , 39, 651-8                              | 2.4  | 50  |
| 50 | High annual syphilis testing rates among gay men in Australia, but insufficient retesting. <i>Sexually Transmitted Diseases</i> , <b>2012</b> , 39, 268-75  | 2.4  | 5   |
| 49 | High rates of undiagnosed HIV infections in a community sample of gay men in Melbourne, Australia. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2012</b> , 59, 94-9   | 3.1  | 36  |
| 48 | The impact of sexually transmissible infection programs in remote Aboriginal communities in Australia: a systematic review. <i>Sexual Health</i> , <b>2012</b> , 9, 205-12  | 2    | 46  |
| 47 | The efficacy of clinic-based interventions aimed at increasing screening for bacterial sexually transmitted infections among men who have sex with men: a systematic review. <i>Sexually Transmitted Diseases</i> , <b>2012</b> , 39, 382-7 | 2.4  | 38  |
| 46 | Epidemiology of chlamydia and gonorrhoea among Indigenous and non-Indigenous Australians, 2000-2009. <i>Medical Journal of Australia</i> , <b>2012</b> , 197, 642-6   | 4    | 27  |
| 45 | Correlates of Chlamydia trachomatis infection in a primary care sentinel surveillance network. <i>Sexual Health</i> , <b>2012</b> , 9, 247-53   | 2    | 13  |
| 44 | Promotion and uptake of a new online partner notification and retesting reminder service for gay men. <i>Sexual Health</i> , <b>2012</b> , 9, 360-7   | 2    | 13  |
| 43 | Increasing chlamydia diagnoses but little change in hospitalisations for ectopic pregnancy and infertility among women in New South Wales from 2001 to 2008. <i>Sexual Health</i> , <b>2012</b> , 9, 355-9                                  | 2    | 3   |
| 42 | Chlamydia prevention indicators for Australia: review of the evidence from New South Wales. <i>Sexual Health</i> , <b>2012</b> , 9, 399-406   | 2    | 4   |
| 41 | Quadrivalent human papillomavirus vaccination and trends in genital warts in Australia: analysis of national sentinel surveillance data. <i>Lancet Infectious Diseases</i> , <b>2011</b> , 11, 39-44  | 25.5 | 285 |
| 40 | Assessment of herd immunity from human papillomavirus vaccination [AuthorsReply]. <i>Lancet Infectious Diseases</i> , <b>2011</b> , 11, 896-897   | 25.5 | 1   |
| 39 | Epidemiology of syphilis in Australia: moving toward elimination of infectious syphilis from remote Aboriginal and Torres Strait Islander communities?. <i>Medical Journal of Australia</i> , <b>2011</b> , 194, 525-9                      | 4    | 17  |
| 38 | Re-testing for chlamydia at sexual health services in Australia, 2004-08. <i>Sexual Health</i> , <b>2011</b> , 8, 242-7   | 2    | 23  |
| 37 | Australian general practitioner chlamydia testing rates among young people. <i>Medical Journal of Australia</i> , <b>2011</b> , 194, 249-52   | 4    | 76  |
| 36 | Australian gay men who have taken nonoccupational postexposure prophylaxis for HIV are in need of effective HIV prevention methods. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2011</b> , 58, 424-8                 | 3.1  | 34  |
| 35 | Chemoprophylaxis is likely to be acceptable and could mitigate syphilis epidemics among populations of gay men. <i>Sexually Transmitted Diseases</i> , <b>2011</b> , 38, 573-9  | 2.4  | 24  |
| 34 | Risk factors for HIV seroconversion in men who have sex with men in Victoria, Australia: results from a sentinel surveillance system. <i>Sexual Health</i> , <b>2011</b> , 8, 319-29  | 2    | 35  |



|    |   |      |     |
|----|---|------|-----|
| 33 | Efficacy of interventions to increase the uptake of chlamydia screening in primary care: a systematic review. <i>BMC Infectious Diseases</i> , <b>2011</b> , 11, 211  | 4    | 45  |
| 32 | Using population attributable risk to choose HIV prevention strategies in men who have sex with men. <i>BMC Public Health</i> , <b>2011</b> , 11, 247   | 4.1  | 12  |
| 31 | Is azithromycin adequate treatment for asymptomatic rectal chlamydia?. <i>International Journal of STD and AIDS</i> , <b>2011</b> , 22, 478-80  | 1.4  | 33  |
| 30 | Population attributable risk for chlamydia infection in a cohort of young international travellers (backpackers) and residents in Australia. <i>BMJ Open</i> , <b>2011</b> , 1, e000004   | 3    | 6   |
| 29 | Developing and validating a risk scoring tool for chlamydia infection among sexual health clinic attendees in Australia: a simple algorithm to identify those at high risk of chlamydia infection. <i>BMJ Open</i> , <b>2011</b> , 1, e000005 | 3    | 23  |
| 28 | Short message service reminder intervention doubles sexually transmitted infection/HIV re-testing rates among men who have sex with men. <i>Sexually Transmitted Infections</i> , <b>2011</b> , 87, 229-31                                    | 2.8  | 104 |
| 27 | Voluntary counselling and testing sites as a source of sentinel information on HIV prevalence in a concentrated epidemic: a pilot project from Indonesia. <i>International Journal of STD and AIDS</i> , <b>2011</b> , 22, 505-11             | 1.4  | 4   |
| 26 | HIV seroconversions among male non-occupational post-exposure prophylaxis service users: a data linkage study. <i>Sexual Health</i> , <b>2011</b> , 8, 179-83   | 2    | 15  |
| 25 | Impact evaluation of a youth sexually transmissible infection awareness campaign using routinely collected data sources. <i>Sexual Health</i> , <b>2011</b> , 8, 234-41   | 2    | 13  |
| 24 | The intersection between HIV and syphilis in men who have sex with men: some fresh perspectives. <i>HIV Therapy</i> , <b>2010</b> , 4, 661-673  |      | 12  |
| 23 | Establishing a linked sentinel surveillance system for blood-borne viruses and sexually transmissible infections: methods, system attributes and early findings. <i>Sexual Health</i> , <b>2010</b> , 7, 425-33                               | 2    | 28  |
| 22 | Chlamydia at an inner metropolitan sexual health service in Sydney, NSW: Australian Collaboration for Chlamydia Enhanced Sentinel Surveillance (ACCESS) Project. <i>Sexual Health</i> , <b>2010</b> , 7, 478-83                               | 2    | 2   |
| 21 | A new national Chlamydia Sentinel Surveillance System in Australia: evaluation of the first stage of implementation. <i>Communicable Diseases Intelligence Quarterly Report</i> , <b>2010</b> , 34, 319-28                                    |      | 23  |
| 20 | Delayed diagnosis of HIV infection in Victoria 1994 to 2006. <i>Sexual Health</i> , <b>2009</b> , 6, 117-22   | 2    | 16  |
| 19 | No increase in HIV or sexually transmissible infection testing following a social marketing campaign among men who have sex with men. <i>Journal of Epidemiology and Community Health</i> , <b>2009</b> , 63, 391-6                           | 5.1  | 26  |
| 18 | Accuracy of serological assays for detection of recent infection with HIV and estimation of population incidence: a systematic review. <i>Lancet Infectious Diseases</i> , <b>2009</b> , 9, 747-59  | 25.5 | 104 |
| 17 | The impact of immigration on the burden of HIV infection in Victoria, Australia. <i>Sexual Health</i> , <b>2009</b> , 6, 123-8  | 2    | 6   |
| 16 | The rise of infectious syphilis in Victoria and the impact of enhanced clinical testing. <i>Australian and New Zealand Journal of Public Health</i> , <b>2008</b> , 32, 38-42   | 2.3  | 9   |

|    |  |     |    |
|----|--|-----|----|
| 15 | Characteristics of HIV diagnoses in Australia, 1993-2006. <i>Sexual Health</i> , <b>2008</b> , 5, 91-6   | 2   | 34 |
| 14 | HIV diagnoses in Australia: diverging epidemics within a low-prevalence country. <i>Medical Journal of Australia</i> , <b>2007</b> , 187, 437-40   | 4   | 59 |
| 13 | Cambodian-born individuals diagnosed with HIV in Victoria: epidemiological findings and health service implications. <i>Sexual Health</i> , <b>2007</b> , 4, 209   | 2   | 3  |
| 12 | A new surveillance system for monitoring HIV infection in Victoria, Australia. <i>Sexual Health</i> , <b>2007</b> , 4, 195-9   |     | 11 |
| 11 | The prevalence and risk behaviours associated with the transmission of blood-borne viruses among ethnic-Vietnamese injecting drug users. <i>Australian and New Zealand Journal of Public Health</i> , <b>2006</b> , 30, 519-25   | 2.3 | 15 |
| 10 | Improving HIV surveillance in Victoria: the role of the "detuned" enzyme immunoassay. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , <b>2005</b> , 38, 495-9  | 3.1 | 9  |
| 9  | Estimating influenza vaccine effectiveness in an outbreak when anti-viral medications were used as a control measure. <i>Australian and New Zealand Journal of Public Health</i> , <b>2005</b> , 29, 540-3   | 2.3 |    |
| 8  | Sustained increase in infectious syphilis notifications in Victoria. <i>Medical Journal of Australia</i> , <b>2005</b> , 183, 218  | 4   | 20 |
| 7  | Influenza outbreaks in aged-care facilities: staff vaccination and the emerging use of antiviral therapy. <i>Medical Journal of Australia</i> , <b>2004</b> , 180, 640-2   | 4   | 14 |
| 6  | Rising HIV infection in Victoria: an analysis of surveillance data. <i>Australian and New Zealand Journal of Public Health</i> , <b>2004</b> , 28, 217-9   | 2.3 | 5  |
| 5  | Mumps and rubella: a year of enhanced surveillance and laboratory testing. <i>Epidemiology and Infection</i> , <b>2004</b> , 132, 391-8  | 4.3 | 24 |
| 4  | Rising HIV infection in Victoria: an analysis of surveillance data. <i>Australian and New Zealand Journal of Public Health</i> , <b>2004</b> , 28, 217-219   | 2.3 | 3  |
| 3  | The mumps outbreak that wasn't. <i>Australian and New Zealand Journal of Public Health</i> , <b>2002</b> , 26, 180-1   | 2.3 | 1  |
| 2  | Point-of-care testing and treatment of sexually transmitted infections to improve birth outcomes in high-burden, low-income settings: Study protocol for a cluster randomized crossover trial (the WANTAIM Trial, Papua New Guinea). <i>Wellcome Open Research</i> , <b>4</b> , 53 | 4.8 | 6  |
| 1  | Privacy-Preserving Record Linkage of Deidentified Records Within a Public Health Surveillance System: Evaluation Study (Preprint)  |     | 1  |