

Susan Jaglal

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3798707/susan-jaglal-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

243
papers

7,093
citations

49
h-index

72
g-index

254
ext. papers

8,186
ext. citations

3.7
avg, IF

5.74
L-index

#	Paper	IF	Citations
243	Multicenter validation of a risk index for mortality, intensive care unit stay, and overall hospital length of stay after cardiac surgery. Steering Committee of the Provincial Adult Cardiac Care Network of Ontario. <i>Circulation</i> , 1995 , 91, 677-84	16.7	273
242	Comparisons of Interventions for Preventing Falls in Older Adults: A Systematic Review and Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2017 , 318, 1687-1699	27.4	259
241	Practitioner and organizational barriers to evidence-based practice of physical therapists for people with stroke. <i>Physical Therapy</i> , 2007 , 87, 1284-303	3.3	219
240	The effect of hospital type and surgical delay on mortality after surgery for hip fracture. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2005 , 87, 361-6		185
239	Population trends in BMD testing, treatment, and hip and wrist fracture rates: are the hip fracture projections wrong?. <i>Journal of Bone and Mineral Research</i> , 2005 , 20, 898-905	6.3	159
238	Which patients are most likely to benefit from total joint arthroplasty?. <i>Arthritis and Rheumatism</i> , 2013 , 65, 1243-52		137
237	Evaluation of decision rules for referring women for bone densitometry by dual-energy x-ray absorptiometry. <i>JAMA - Journal of the American Medical Association</i> , 2001 , 286, 57-63	27.4	134
236	Past and recent physical activity and risk of hip fracture. <i>American Journal of Epidemiology</i> , 1993 , 138, 107-18	3.8	130
235	Should calcaneal fractures be treated surgically? A meta-analysis. <i>Clinical Orthopaedics and Related Research</i> , 2000 , 217-27	2.2	128
234	Using the systems framework for postural control to analyze the components of balance evaluated in standardized balance measures: a scoping review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 122-132.e29	2.8	123
233	A population-based study of reoperations after back surgery. <i>Spine</i> , 1997 , 22, 2265-70; discussion 2271	3.3	98
232	Balance assessment practices and use of standardized balance measures among Ontario physical therapists. <i>Physical Therapy</i> , 2011 , 91, 1583-91	3.3	94
231	Chronic disease and falls in community-dwelling Canadians over 65 years old: a population-based study exploring associations with number and pattern of chronic conditions. <i>BMC Geriatrics</i> , 2014 , 14, 22	4.1	90
230	Provider volume and other predictors of outcome after total knee arthroplasty: a population study in Ontario. <i>Canadian Journal of Surgery</i> , 2003 , 46, 15-22	2	86
229	Information needs in the management of osteoporosis in family practice: an illustration of the failure of the current guideline implementation process. <i>Osteoporosis International</i> , 2003 , 14, 672-6	5.3	83
228	Health care utilization in non-traumatic and traumatic spinal cord injury: a population-based study. <i>Spinal Cord</i> , 2010 , 48, 45-50	2.7	82
227	Waiting for coronary artery bypass surgery: population-based study of 8517 consecutive patients in Ontario, Canada. The Steering Committee of the Adult Cardiac Care Network of Ontario. <i>Lancet, The</i> , 1995 , 346, 1605-9	4.0	82

226	The impact of a simple fracture clinic intervention in improving the diagnosis and treatment of osteoporosis in fragility fracture patients. <i>Osteoporosis International</i> , 2003 , 14, 171-8	5.3	81
225	Health system factors associated with rehospitalizations after traumatic spinal cord injury: a population-based study. <i>Spinal Cord</i> , 2009 , 47, 604-9	2.7	78
224	Reliability, validity, and responsiveness of the lower extremity measure for patients with a hip fracture. <i>Journal of Bone and Joint Surgery - Series A</i> , 2000 , 82-A, 955-62	5.6	76
223	Does the apolipoprotein epsilon 4 allele predispose varsity athletes to concussion? A prospective cohort study. <i>Clinical Journal of Sport Medicine</i> , 2008 , 18, 322-8	3.2	74
222	The validity of decision rules for selecting women with primary osteoporosis for bone mineral density testing. <i>Osteoporosis International</i> , 2004 , 15, 361-6	5.3	74
221	Factors influencing participation in cardiac rehabilitation programmes after referral and initial attendance: qualitative systematic review and meta-synthesis. <i>Clinical Rehabilitation</i> , 2013 , 27, 948-59	3.3	73
220	Characteristics of adults with incident traumatic spinal cord injury in Ontario, Canada. <i>Spinal Cord</i> , 2010 , 48, 39-44	2.7	73
219	A qualitative systematic review of influences on attendance at cardiac rehabilitation programs after referral. <i>American Heart Journal</i> , 2012 , 164, 835-45.e2	4.9	72
218	Risk factors for harm in cognitively impaired seniors who live alone: a prospective study. <i>Journal of the American Geriatrics Society</i> , 2004 , 52, 1435-41	5.6	69
217	Factors associated with prognosis of lateral epicondylitis after 8 weeks of physical therapy. <i>Archives of Physical Medicine and Rehabilitation</i> , 2004 , 85, 308-18	2.8	67
216	Predictors of early failure of fixation in the treatment of displaced subcapital hip fractures. <i>Journal of Orthopaedic Trauma</i> , 1998 , 12, 230-4	3.1	67
215	Validation of the simple calculated osteoporosis risk estimation (SCORE) for patient selection for bone densitometry. <i>Osteoporosis International</i> , 1999 , 10, 85-90	5.3	66
214	Illness perceptions among cardiac patients: relation to depressive symptomatology and sex. <i>Journal of Psychosomatic Research</i> , 2005 , 59, 153-60	4.1	64
213	Direct costs of adult traumatic spinal cord injury in Ontario. <i>Spinal Cord</i> , 2013 , 51, 64-9	2.7	63
212	Hospitalizations and emergency department visits for TBI in Ontario. <i>Canadian Journal of Neurological Sciences</i> , 2010 , 37, 783-90	1	60
211	Perceived facilitators and barriers to self-management in individuals with traumatic spinal cord injury: a qualitative descriptive study. <i>BMC Neurology</i> , 2014 , 14, 48	3.1	58
210	Factors influencing referral to cardiac rehabilitation and secondary prevention programs: a systematic review. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 692-700	3.9	58
209	A prospective comparison of cardiac rehabilitation enrollment following automatic vs usual referral. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 239-45	2.2	57

208	Secondary health conditions and spinal cord injury: an uphill battle in the journey of care. <i>Disability and Rehabilitation</i> , 2013 , 35, 894-906	2.4	56
207	Montreal Accord on Patient-Reported Outcomes (PROs) use series - Paper 3: patient-reported outcomes can facilitate shared decision-making and guide self-management. <i>Journal of Clinical Epidemiology</i> , 2017 , 89, 125-135	5.7	55
206	Developmental coordination disorder: exploration of a cerebellar hypothesis. <i>Human Movement Science</i> , 2007 , 26, 491-509	2.4	55
205	Increasing access to chronic disease self-management programs in rural and remote communities using telehealth. <i>Telemedicine Journal and E-Health</i> , 2013 , 19, 467-73	5.9	54
204	Disability and satisfaction after rotator cuff decompression or repair: a sex and gender analysis. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 66	2.8	54
203	How are family physicians managing osteoporosis? Qualitative study of their experiences and educational needs. <i>Canadian Family Physician</i> , 2003 , 49, 462-8	0.9	54
202	Using psychological theory to inform methods to optimize the implementation of a hand hygiene intervention. <i>Implementation Science</i> , 2012 , 7, 77	8.4	51
201	Population-based Canadian hip fracture rates with international comparisons. <i>Osteoporosis International</i> , 2010 , 21, 1317-22	5.3	51
200	Recommendations for a core outcome set for measuring standing balance in adult populations: a consensus-based approach. <i>PLoS ONE</i> , 2015 , 10, e0120568	3.7	51
199	Determinants of research use in clinical decision making among physical therapists providing services post-stroke: a cross-sectional study. <i>Implementation Science</i> , 2010 , 5, 77	8.4	50
198	Factors associated with a second hip fracture: a systematic review. <i>Clinical Rehabilitation</i> , 2008 , 22, 272-82	9.3	50
197	Access to osteoporosis treatment is critically linked to access to dual-energy x-ray absorptiometry testing. <i>Medical Care</i> , 2007 , 45, 896-901	3.1	50
196	Evaluating the effectiveness of community-based dementia care networks: the Dementia Care Networks' Study. <i>Gerontologist, The</i> , 2005 , 45, 456-64	5	50
195	The role of reflection in implementing learning from continuing education into practice. <i>Journal of Continuing Education in the Health Professions</i> , 2007 , 27, 143-8	2.1	49
194	Lifetime occupational physical activity and risk of hip fracture in women. <i>Annals of Epidemiology</i> , 1995 , 5, 321-4	6.4	47
193	Measuring Balance and Mobility after Traumatic Brain Injury: Validation of the Community Balance and Mobility Scale (CB&M). <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011 , 63, 199-208	0.8	46
192	Evaluation of patient-centered rehabilitation model targeting older persons with a hip fracture, including those with cognitive impairment. <i>BMC Geriatrics</i> , 2013 , 13, 136	4.1	45
191	Factors influencing information seeking by physical therapists providing stroke management. <i>Physical Therapy</i> , 2009 , 89, 1039-50	3.3	45

190	Reducing fall risk by improving balance control: development, evaluation and knowledge-translation of new approaches. <i>Journal of Safety Research</i> , 2011 , 42, 473-85	4	44
189	Clinical balance assessment: perceptions of commonly-used standardized measures and current practices among physiotherapists in Ontario, Canada. <i>Implementation Science</i> , 2013 , 8, 33	8.4	43
188	Physician utilization among adults with traumatic spinal cord injury in Ontario: a population-based study. <i>Spinal Cord</i> , 2009 , 47, 470-6	2.7	43
187	Mobilizations of the asymptomatic cervical spine can reduce signs of shoulder dysfunction in adults. <i>Manual Therapy</i> , 2009 , 14, 369-74		41
186	Educational needs of patients undergoing total joint arthroplasty. <i>Physiotherapy Canada</i> <i>Physiotherapie Canada</i> , 2010 , 62, 206-14	0.8	39
185	Changes in gait variability during different challenges to mobility in patients with traumatic brain injury. <i>Gait and Posture</i> , 2007 , 25, 70-7	2.6	39
184	Incorporating the International Classification of Functioning, Disability, and Health (ICF) into an electronic health record to create indicators of function: proof of concept using the SF-12. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2004 , 11, 514-22	8.6	39
183	Physical therapists' perceptions and use of standardized assessments of walking ability post-stroke. <i>Journal of Rehabilitation Medicine</i> , 2011 , 43, 543-9	3.4	38
182	Minimal error in self-report of having had DXA, but self-report of its results was poor. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 1306-11	5.7	38
181	Risk factors for medication nonadherence in older adults with cognitive impairment who live alone. <i>International Journal of Geriatric Psychiatry</i> , 2012 , 27, 1275-82	3.9	37
180	Creation and validation of the evidence-based practice confidence scale for health care professionals. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 794-800	2.5	37
179	Recommendations for preventing fracture in long-term care. <i>Cmaj</i> , 2015 , 187, 1135-1144	3.5	36
178	The Ontario Osteoporosis Strategy: implementation of a population-based osteoporosis action plan in Canada. <i>Osteoporosis International</i> , 2010 , 21, 903-8	5.3	36
177	Trends in HRT and anti-osteoporosis medication prescribing in a European population after the WHI study. <i>Osteoporosis International</i> , 2008 , 19, 1047-54	5.3	36
176	Impact of a centralized osteoporosis coordinator on post-fracture osteoporosis management: a cluster randomized trial. <i>Osteoporosis International</i> , 2012 , 23, 87-95	5.3	35
175	Rehospitalization After Traumatic Brain Injury: A Population-Based Study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, S19-25	2.8	34
174	Is the emergency department an appropriate substitute for primary care for persons with traumatic spinal cord injury?. <i>Spinal Cord</i> , 2013 , 51, 202-8	2.7	34
173	Physical therapists' experiences updating the clinical management of walking rehabilitation after stroke: a qualitative study. <i>Physical Therapy</i> , 2009 , 89, 556-68	3.3	34

172	Perspectives of health care professionals on the facilitators and barriers to the implementation of a stroke rehabilitation guidelines cluster randomized controlled trial. <i>BMC Health Services Research</i> , 2017 , 17, 440	2.9	33
171	Understanding why people do or do not engage in activities following total joint replacement: a longitudinal qualitative study. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 860-7	6.2	33
170	Impact of psychological characteristics in self-management in individuals with traumatic spinal cord injury. <i>Spinal Cord</i> , 2016 , 54, 29-33	2.7	32
169	Analysis of factors affecting demand for rehabilitation services in Ontario, Canada: a health-policy perspective. <i>Disability and Rehabilitation</i> , 2008 , 30, 1837-47	2.4	32
168	Trends in hip fracture rates in Canada: an age-period-cohort analysis. <i>Journal of Bone and Mineral Research</i> , 2013 , 28, 1283-9	6.3	31
167	Assessing the consequences of delisting publicly funded community-based physical therapy on self-reported health in Ontario, Canada: a prospective cohort study. <i>International Journal of Rehabilitation Research</i> , 2006 , 29, 303-7	1.8	31
166	Mortality effects of timing alternatives for hip fracture surgery. <i>Cmaj</i> , 2018 , 190, E923-E932	3.5	30
165	Referral to and discharge from cardiac rehabilitation: key informant views on continuity of care. <i>Journal of Evaluation in Clinical Practice</i> , 2006 , 12, 155-63	2.5	29
164	A qualitative study of the consequences of knee symptoms: 'It's like you're an athlete and you go to a couch potato'. <i>BMJ Open</i> , 2014 , 4, e006006	3	28
163	Inpatient rehabilitation outcomes in patients with malignant spinal cord compression compared to other non-traumatic spinal cord injury: A population based study. <i>Journal of Spinal Cord Medicine</i> , 2015 , 38, 754-64	1.9	27
162	Evaluation of an innovative tele-education intervention in chronic pain management for primary care clinicians practicing in underserved areas. <i>Journal of Telemedicine and Telecare</i> , 2019 , 25, 484-492	6.8	27
161	Development of a Chronic Care Model for Neurological Conditions (CCM-NC). <i>BMC Health Services Research</i> , 2014 , 14, 409	2.9	27
160	"In this together": Social identification predicts health outcomes (via self-efficacy) in a chronic disease self-management program. <i>Social Science and Medicine</i> , 2018 , 208, 172-179	5.1	26
159	Osteoporosis quality indicators using healthcare utilization data. <i>Osteoporosis International</i> , 2011 , 22, 1335-42	5.3	26
158	Overcoming barriers to osteoporosis care in vulnerable elderly patients with hip fractures. <i>Journal of Orthopaedic Trauma</i> , 2009 , 23, 454-9	3.1	26
157	Subcapital hip fractures: the Garden classification should be replaced, not collapsed. <i>Canadian Journal of Surgery</i> , 2002 , 45, 411-4	2	26
156	Post-acute pathways among hip fracture patients: a system-level analysis. <i>BMC Health Services Research</i> , 2016 , 16, 275	2.9	26
155	Patient perceptions of provider barriers to post-fracture secondary prevention. <i>Osteoporosis International</i> , 2014 , 25, 2581-9	5.3	25

154	Views of people with traumatic spinal cord injury about the components of self-management programs and program delivery: a Canadian pilot study. <i>BMC Neurology</i> , 2014 , 14, 209	3.1	25
153	Social networks and secondary health conditions: the critical secondary team for individuals with spinal cord injury. <i>Journal of Spinal Cord Medicine</i> , 2012 , 35, 330-42	1.9	25
152	Level of disability, multi-morbidity and breast cancer screening: does severity matter?. <i>Preventive Medicine</i> , 2014 , 67, 193-8	4.3	24
151	Reliability and validity of the evidence-based practice confidence (EPIC) scale. <i>Journal of Continuing Education in the Health Professions</i> , 2013 , 33, 33-40	2.1	24
150	A demonstration project of a multi-component educational intervention to improve integrated post-fracture osteoporosis care in five rural communities in Ontario, Canada. <i>Osteoporosis International</i> , 2009 , 20, 265-74	5.3	24
149	Meaning of self-management from the perspective of individuals with traumatic spinal cord injury, their caregivers, and acute care and rehabilitation managers: an opportunity for improved care delivery. <i>BMC Neurology</i> , 2016 , 16, 11	3.1	24
148	Identification of recruitment and retention strategies for rehabilitation professionals in Ontario, Canada: results from expert panels. <i>BMC Health Services Research</i> , 2008 , 8, 249	2.9	23
147	Psychometric properties of the "Osteoporosis and You" questionnaire: osteoporosis knowledge deficits among older community-dwelling women. <i>Osteoporosis International</i> , 2007 , 18, 981-9	5.3	23
146	Facilitated interprofessional implementation of a physical rehabilitation guideline for stroke in inpatient settings: process evaluation of a cluster randomized trial. <i>Implementation Science</i> , 2017 , 12, 100	8.4	22
145	From continuing education to personal digital assistants: what do physical therapists need to support evidence-based practice in stroke management?. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 786-93	2.5	22
144	Cross-sectional analysis of baseline differences of candidates for rotator cuff surgery: a sex and gender perspective. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 26	2.8	22
143	Geographical variations in hip fracture risk for women: strong effects hidden in standardised ratios. <i>Osteoporosis International</i> , 2009 , 20, 371-7	5.3	22
142	Comparative trends in incident fracture rates for all long-term care and community-dwelling seniors in Ontario, Canada, 2002-2012. <i>Osteoporosis International</i> , 2016 , 27, 887-897	5.3	21
141	Discharge destination following hip fracture: comparative effectiveness and cost analyses. <i>Archives of Osteoporosis</i> , 2017 , 12, 87	2.9	20
140	Robot-assisted upper extremity rehabilitation for cervical spinal cord injuries: a systematic scoping review. <i>Disability and Rehabilitation: Assistive Technology</i> , 2018 , 13, 704-715	1.8	19
139	Application of the Andersen's health care utilization framework to secondary complications of spinal cord injury: a scoping review. <i>Disability and Rehabilitation</i> , 2012 , 34, 531-41	2.4	19
138	Screening for cervical cancer in women with disability and multimorbidity: a retrospective cohort study in Ontario, Canada. <i>CMAJ Open</i> , 2014 , 2, E240-7	2.5	18
137	Impact of a chronic disease self-management program on health care utilization in rural communities: a retrospective cohort study using linked administrative data. <i>BMC Health Services Research</i> , 2014 , 14, 198	2.9	18

136	Rehabilitation services after total joint replacement in Ontario, Canada: can 'prehabilitation' programs mediate an increasing demand?. <i>International Journal of Rehabilitation Research</i> , 2007 , 30, 297-303	1.8	18
135	Clinical assessment of reactive postural control among physiotherapists in Ontario, Canada. <i>Gait and Posture</i> , 2013 , 38, 1026-31	2.6	17
134	Systems analysis of community and health services for acquired brain injury in Ontario, Canada. <i>Brain Injury</i> , 2014 , 28, 1042-51	2.1	17
133	"We're all looking for solutions": a qualitative study of the management of knee symptoms. <i>Arthritis Care and Research</i> , 2014 , 66, 1033-40	4.7	17
132	An inpatient rehabilitation model of care targeting patients with cognitive impairment. <i>BMC Geriatrics</i> , 2012 , 12, 21	4.1	17
131	A clinical decision rule to enhance targeted bone mineral density testing in healthy mid-life women. <i>Osteoporosis International</i> , 2012 , 23, 1931-8	5.3	17
130	Correlates of forearm bone mineral density in young Norwegian women: the Nord-Trøndelag Health Study. <i>American Journal of Epidemiology</i> , 2002 , 156, 418-27	3.8	17
129	Constructing an episode of care from acute hospitalization records for studying effects of timing of hip fracture surgery. <i>Journal of Orthopaedic Research</i> , 2016 , 34, 197-204	3.8	17
128	Re-building relationships after a spinal cord injury: experiences of family caregivers and care recipients. <i>BMC Neurology</i> , 2019 , 19, 117	3.1	16
127	Where is the patient in models of patient-centred care: a grounded theory study of total joint replacement patients. <i>BMC Health Services Research</i> , 2013 , 13, 531	2.9	16
126	A secondary meta-synthesis of qualitative studies of gender and access to cardiac rehabilitation. <i>Journal of Advanced Nursing</i> , 2015 , 71, 1758-73	3.1	16
125	Spanning boundaries into remote communities: an exploration of experiences with telehealth chronic disease self-management programs in rural northern ontario, Canada. <i>Telemedicine Journal and E-Health</i> , 2013 , 19, 904-9	5.9	16
124	Frequency of and variation in low-value care in primary care: a retrospective cohort study. <i>CMAJ Open</i> , 2017 , 5, E45-E51	2.5	15
123	Perceived messages about bone health after a fracture are not consistent across healthcare providers. <i>Rheumatology International</i> , 2015 , 35, 97-103	3.6	15
122	Impact of quality improvement strategies on the quality of life and well-being of individuals with spinal cord injury: a systematic review protocol. <i>Systematic Reviews</i> , 2013 , 2, 14	3	15
121	Improvements in osteoporosis testing and care are found following the wide scale implementation of the Ontario Fracture Clinic Screening Program: An interrupted time series analysis. <i>Medicine (United States)</i> , 2017 , 96, e9012	1.8	15
120	Developing quality of care indicators for patients with traumatic and non-traumatic spinal cord injury (SCI): A feasibility study using administrative health data. <i>Journal of Spinal Cord Medicine</i> , 2015 , 38, 765-76	1.9	15
119	Development of an integrated-care delivery model for post-fracture care in Ontario, Canada. <i>Osteoporosis International</i> , 2006 , 17, 1337-45	5.3	15

118	Computer use associated with poor long-term prognosis of conservatively managed lateral epicondylalgia. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2004 , 34, 770-80	4.2	15
117	Low Osteoporosis Treatment Initiation Rate in Women after Distal Forearm or Proximal Humerus Fracture: A Healthcare Database Nested Cohort Study. <i>PLoS ONE</i> , 2015 , 10, e0143842	3.7	15
116	Participatory Design of an Online Self-Management Tool for Users With Spinal Cord Injury: Qualitative Study. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2018 , 5, e6	3.2	15
115	Factors that influence the risk of falling after spinal cord injury: a qualitative photo-elicitation study with individuals that use a wheelchair as their primary means of mobility. <i>BMJ Open</i> , 2020 , 10, e034279	3	14
114	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors: A database study. <i>Medicine (United States)</i> , 2017 , 96, e6683	1.8	13
113	Comparing Recruitment and Retention Strategies for Rehabilitation Professionals among Hospital and Home Care Employers. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2012 , 64, 31-41	0.8	13
112	Identification of Those at Greatest Risk of Harm Among Cognitively Impaired People Who Live Alone. <i>Aging, Neuropsychology, and Cognition</i> , 2001 , 8, 182-191	2.1	13
111	Defining the Pathway to Definitive Care and Surgical Decompression after Traumatic Spinal Cord Injury: Results of a Canadian Population-Based Cohort Study. <i>Journal of Neurotrauma</i> , 2016 , 33, 963-71	5.4	13
110	Qualitative Study Exploring the Meaning of Knee Symptoms to Adults Ages 35-65 Years. <i>Arthritis Care and Research</i> , 2016 , 68, 341-7	4.7	13
109	Qualitative study exploring the factors influencing physical therapy management of early knee osteoarthritis in Canada. <i>BMJ Open</i> , 2018 , 8, e023457	3	13
108	Predictors of Discharge Destination From Acute Care in Patients With Traumatic Brain Injury: A Systematic Review. <i>Journal of Head Trauma Rehabilitation</i> , 2019 , 34, 52-64	3	12
107	The multiligament quality of life questionnaire: development and evaluation of test-retest reliability and validity in patients with multiligament knee injuries. <i>American Journal of Sports Medicine</i> , 2014 , 42, 2906-16	6.8	12
106	Understanding approaches to balance assessment in physical therapy practice for elderly inpatients of a rehabilitation hospital. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2014 , 66, 6-14	0.8	12
105	Efficacy of falls prevention interventions: protocol for a systematic review and network meta-analysis. <i>Systematic Reviews</i> , 2013 , 2, 38	3	12
104	Technology, design and dementia: an exploratory survey of developers. <i>Disability and Rehabilitation: Assistive Technology</i> , 2017 , 12, 573-584	1.8	11
103	Cognitive and Motor Recovery and Predictors of Long-Term Outcome in Patients With Traumatic Brain Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2019 , 100, 1274-1282	2.8	11
102	Strategies used by an osteoporosis patient group to navigate for bone health care after a fracture. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2014 , 134, 229-35	3.6	11
101	MENOPOST--calcium and vitamin D supplementation in postmenopausal osteoporosis treatment: a descriptive cohort study. <i>Osteoporosis International</i> , 2013 , 24, 559-66	5.3	11

100	Impact of a change in physician reimbursement on bone mineral density testing in Ontario, Canada: a population-based study. <i>CMAJ Open</i> , 2014 , 2, E45-50	2.5	11
99	The process of decision-making in home-care case management: implications for the introduction of universal assessment and information technology. <i>Health and Social Care in the Community</i> , 2009 , 17, 371-8	2.6	11
98	Primary care physicians' perceptions about and confidence in deciding which patients to refer for total joint arthroplasty of the hip and knee. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 451-7	6.2	11
97	Development of a Theory-Based Intervention to Increase Clinical Measurement of Reactive Balance in Adults at Risk of Falls. <i>Journal of Neurologic Physical Therapy</i> , 2016 , 40, 100-6	4.1	11
96	Epidemiology and Impact of Spinal Cord Injury in the Elderly: Results of a Fifteen-Year Population-Based Cohort Study. <i>Journal of Neurotrauma</i> , 2020 , 37, 1740-1751	5.4	11
95	Time to surgery after hip fracture across Canada by timing of admission. <i>Osteoporosis International</i> , 2018 , 29, 653-663	5.3	11
94	Fracture risk assessment after BMD examination: whose job is it, anyway?. <i>Osteoporosis International</i> , 2014 , 25, 1445-53	5.3	10
93	The FIM as a measure of change in function after discharge from inpatient rehabilitation: a Canadian perspective. <i>Disability and Rehabilitation</i> , 2011 , 33, 579-88	2.4	10
92	Predictors of locating women six to eight years after contact: internet resources at recruitment may help to improve response rates in longitudinal research. <i>BMC Medical Research Methodology</i> , 2007 , 7, 22	4.7	10
91	Validation of Algorithm to Identify Persons with Non-traumatic Spinal Cord Dysfunction in Canada Using Administrative Health Data. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2017 , 23, 333-342	1.5	10
90	Characteristics of Non-traumatic Spinal Cord Dysfunction in Canada Using Administrative Health Data. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2017 , 23, 343-352	1.5	10
89	Self-management interventions to improve skin care for pressure ulcer prevention in people with spinal cord injuries: a systematic review protocol. <i>Systematic Reviews</i> , 2016 , 5, 150	3	10
88	Comparative effectiveness of exercise interventions for preventing falls in older adults: A secondary analysis of a systematic review with network meta-analysis. <i>Experimental Gerontology</i> , 2021 , 143, 111151	4.5	10
87	Self-management interventions for skin care in people with a spinal cord injury: part 2-a systematic review of use of theory and quality of intervention reporting. <i>Spinal Cord</i> , 2018 , 56, 837-846	2.7	9
86	Development of a multidisciplinary osteoporosis telehealth program. <i>Telemedicine Journal and E-Health</i> , 2008 , 14, 473-8	5.9	9
85	Falling hip fracture rates. <i>Journal of Bone and Mineral Research</i> , 2007 , 22, 1098; author reply 1099	6.3	9
84	Capturing the psychosocial impacts of falls from the perspectives of wheelchair users with spinal cord injury through photo-elicitation. <i>Disability and Rehabilitation</i> , 2021 , 43, 2680-2689	2.4	9
83	How Do Physical Therapists Approach Management of People With Early Knee Osteoarthritis? A Qualitative Study. <i>Physical Therapy</i> , 2020 , 100, 295-306	3.3	9

82	Feasibility of administrative data for studying complications after hip fracture surgery. <i>BMJ Open</i> , 2017 , 7, e015368	3	8
81	Exploring Canadian surgeons' decisions about postoperative weight bearing for their hip fracture patients. <i>Journal of Evaluation in Clinical Practice</i> , 2018 , 24, 42-47	2.5	8
80	Measuring patient perceptions about osteoporosis pharmacotherapy. <i>BMC Research Notes</i> , 2009 , 2, 133	2.3	8
79	Components of coordinated care: A new instrument to assess caregivers' and care recipients' experiences with networks of dementia care. <i>Dementia</i> , 2006 , 5, 51-66	3	8
78	Perspectives of wheelchair users with spinal cord injury on fall circumstances and fall prevention: A mixed methods approach using photovoice. <i>PLoS ONE</i> , 2020 , 15, e0238116	3.7	8
77	Quality improvement strategies to prevent falls in older adults: a systematic review and network meta-analysis. <i>Age and Ageing</i> , 2019 , 48, 337-346	3	7
76	Impact of a chronic disease self-management program on healthcare utilization in eastern Ontario, Canada. <i>Preventive Medicine Reports</i> , 2015 , 2, 586-90	2.6	7
75	Quality of fracture risk assessment in post-fracture care in Ontario, Canada. <i>Osteoporosis International</i> , 2013 , 24, 899-905	5.3	7
74	Self-report measures of well-being predict incident harm due to self-neglect in cognitively impaired seniors who live alone. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 425-30	4.3	7
73	Rehabilitation services following total joint replacement: a qualitative analysis of key processes and structures to decrease length of stay and increase surgical volumes in Ontario, Canada. <i>Journal of Evaluation in Clinical Practice</i> , 2010 , 16, 724-30	2.5	7
72	A comparison of cervical cancer screening rates among women with traumatic spinal cord injury and the general population. <i>Journal of Women's Health</i> , 2010 , 19, 57-63	3	7
71	Trends, Challenges, and Opportunities Regarding Research in Non-traumatic Spinal Cord Dysfunction. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2017 , 23, 313-323	1.5	7
70	Creation of an Algorithm to Identify Non-traumatic Spinal Cord Dysfunction Patients in Canada Using Administrative Health Data. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2017 , 23, 324-332	1.5	7
69	Facilitators and barriers to supporting individuals with spinal cord injury in the community: experiences of family caregivers and care recipients. <i>Disability and Rehabilitation</i> , 2020 , 42, 1844-1854	2.4	7
68	A theory-based multi-component intervention to increase reactive balance measurement by physiotherapists in three rehabilitation hospitals: an uncontrolled single group study. <i>BMC Health Services Research</i> , 2018 , 18, 724	2.9	7
67	Fracture prevalence and treatment with bone-sparing agents: are there urban-rural differences? A population based study in Ontario, Canada. <i>Journal of Rheumatology</i> , 2005 , 32, 550-8	4.1	7
66	The financial burden of prescription drugs for neurological conditions in Canada: Results from the National Population Health Study of Neurological Conditions. <i>Health Policy</i> , 2017 , 121, 389-396	3.2	6
65	Scoping review of potential quality indicators for hip fracture patient care. <i>BMJ Open</i> , 2017 , 7, e014769	3	6

64	Using the theoretical domains framework to guide the development of a self-management program for individuals with spinal cord injury: Results from a national stakeholder advisory group. <i>Journal of Spinal Cord Medicine</i> , 2017 , 40, 687-695	1.9	6
63	Low-trauma fractures and bone mineral density testing in adults with and without intellectual and developmental disabilities: a population study. <i>Osteoporosis International</i> , 2017 , 28, 727-732	5.3	6
62	Vitamin D supplementation in a healthy, middle-aged population: actual practices based on data from a French comprehensive regional health-care database. <i>European Journal of Clinical Nutrition</i> , 2013 , 67, 1133-7	5.2	6
61	Moving balance and mobility evidence in to action: a primer in knowledge translation. <i>Gait and Posture</i> , 2011 , 33, 527-31	2.6	6
60	Has reimbursement of bone mineral density testing and anti-osteoporotic treatments improved management of osteoporosis in France?. <i>Bone</i> , 2010 , 47, 790-4	4.7	6
59	Uses of the National Rehabilitation Reporting System: perspectives of geriatric rehabilitation clinicians. <i>Canadian Journal of Occupational Therapy</i> , 2009 , 76, 294-8	1.4	6
58	Perceptions of the process of care among caregivers and care recipients in dementia care networks. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2007 , 22, 103-11	2.5	6
57	A Scoping Review of Self-Management Interventions Following Spinal Cord Injury. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2020 , 26, 36-63	1.5	6
56	Visual Analytic Tools and Techniques in Population Health and Health Services Research: Protocol for a Scoping Review. <i>JMIR Research Protocols</i> , 2019 , 8, e14019	2	6
55	Using the Exploratory Sequential Design for Complex Intervention Development: Example of the Development of a Self-Management Program for Spinal Cord Injury. <i>Journal of Mixed Methods Research</i> , 2021 , 15, 37-60	3.3	6
54	Self-management interventions for skin care in people with a spinal cord injury: part 1-a systematic review of intervention content and effectiveness. <i>Spinal Cord</i> , 2018 , 56, 823-836	2.7	6
53	Online peer support interventions for chronic conditions: a scoping review protocol. <i>BMJ Open</i> , 2017 , 7, e017999	3	5
52	Describing the current state of post-rehabilitation health system surveillance in Ontario - an invited review. <i>Journal of Spinal Cord Medicine</i> , 2019 , 42, 21-33	1.9	5
51	Implementing Caregiver Support Programs in a Regional Stroke System. <i>Stroke</i> , 2019 , 50, 3585-3591	6.7	5
50	Quality indicators for hip fracture patients: a scoping review protocol. <i>BMJ Open</i> , 2014 , 4, e006543	3	5
49	Web-Based Health Coaching for Spinal Cord Injury: Results From a Mixed Methods Feasibility Evaluation. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2020 , 7, e16351	3.2	5
48	Visual Analytic Tools and Techniques in Population Health and Health Services Research: Scoping Review. <i>Journal of Medical Internet Research</i> , 2020 , 22, e17892	7.6	5
47	Understanding Referral Patterns for Bone Mineral Density Testing among Family Physicians: A Qualitative Descriptive Study. <i>Journal of Osteoporosis</i> , 2016 , 2016, 2937426	2.8	5

46	Patient education as a strategy for provider education and engagement: a case study using myJointReplacement.ca. <i>Healthcare Quarterly</i> , 2008 , 11, 84-90		5
45	Five-year refracture rates of a province-wide fracture liaison service. <i>Osteoporosis International</i> , 2019 , 30, 1671-1677	5.3	4
44	Ontario Brain Injury Association Peer Support Program: a mixed methods protocol for a pilot randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e023367	3	4
43	Evaluation of Automated Fracture Risk Assessment Based on the Canadian Association of Radiologists and Osteoporosis Canada Assessment Tool. <i>Journal of Clinical Densitometry</i> , 2016 , 19, 332-335	3.5	4
42	Key informants' perspectives on implementing caregiver programs in an organized system of stroke care. <i>Disability and Rehabilitation</i> , 2021 , 43, 1145-1152	2.4	4
41	Preventing Fractures in Long-Term Care: Translating Recommendations to Clinical Practice. <i>Journal of the American Medical Directors Association</i> , 2021 , 22, 36-42	5.9	4
40	Temporal trends and geographic variations in surgical treatment of femoral neck fractures. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 43, 475-9	9.4	3
39	Commonalities and differences in the implementation of models of care for arthritis: key informant interviews from Canada. <i>BMC Health Services Research</i> , 2016 , 16, 415	2.9	3
38	Frailty in the context of rehabilitation interventions for adults: protocol for a scoping review. <i>BMJ Open</i> , 2019 , 9, e024838	3	3
37	Current state of fall prevention and management policies and procedures in Canadian spinal cord injury rehabilitation. <i>BMC Health Services Research</i> , 2020 , 20, 299	2.9	3
36	A Qualitative study assessing organisational readiness to implement caregiver support programmes in Ontario, Canada. <i>BMJ Open</i> , 2020 , 10, e035559	3	2
35	Predictors of Exceeding Target Inpatient Rehabilitation Length of Stay After Hip Fracture. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2020 , 99, 630-635	2.6	2
34	The impact of fragility fractures on work and characteristics associated with time to return to work. <i>Osteoporosis International</i> , 2017 , 28, 349-358	5.3	2
33	Identifying Required Skills to Enhance Family Caregiver Competency in Caring for Individuals With Spinal Cord Injury Living in the Community. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2019 , 25, 290-302	1.5	2
32	Interactive Visualization Applications in Population Health and Health Services Research: Systematic Scoping Review.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e27534	7.6	2
31	Changes in Opioid Prescribing Behaviors among Family Physicians Who Participated in a Weekly Tele-Mentoring Program. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	2
30	Variation in surgical demand and time to hip fracture repair: a Canadian database study. <i>BMC Health Services Research</i> , 2020 , 20, 935	2.9	2
29	Cholesterol testing among men and women with disability: the role of morbidity. <i>Clinical Epidemiology</i> , 2016 , 8, 313-21	5.9	2

28	Impact of vitamin D supplementation on health-care use in a 25-hydroxyvitamin D-tested population in France: a population-based descriptive cohort study. <i>Public Health Nutrition</i> , 2015 , 18, 554-61	3.3	1
27	Knowledge, Attitudes, and Practice of In-Patient Physiotherapists in Ontario Regarding Patients Who Are Super-Morbidly Obese. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2018 , 70, 102-112	0.8	1
26	Health and Community-Based Services for Individuals with Neurological Conditions. <i>Canadian Journal of Neurological Sciences</i> , 2017 , 44, 670-675	1	1
25	Reply to Dr. Bland: despite error in formula, EPIC scale still precise. <i>Journal of Continuing Education in the Health Professions</i> , 2013 , 33, 283	2.1	1
24	Can administrative claim file review be used to gather physical therapy, occupational therapy, and psychology payment data and functional independence measure scores? Implications for rehabilitation providers in the private health sector. <i>Physiotherapy Canada Physiotherapie Canada</i> , 2011 , 63, 324-33	0.8	1
23	Prediction of Use of Emergency Community Services by Cognitively Impaired Seniors who Live Alone: Preliminary Findings of a Prospective Study 833-841		1
22	Conception and development of Self-Management indicators to advance the quality of spinal cord injury rehabilitation: SCI-High Project. <i>Journal of Spinal Cord Medicine</i> , 2021 , 44, S94-S117	1.9	1
21	Occupational and Physical Therapy Activities and Level of Effort in Patients With Traumatic Brain Injury: Association With Functional Outcomes. <i>PM and R</i> , 2020 , 12, 339-348	2.2	1
20	Web-Based Peer Support Interventions for Adults Living With Chronic Conditions: Scoping Review. <i>JMIR Rehabilitation and Assistive Technologies</i> , 2021 , 8, e14321	3.2	1
19	Acceptability and Feasibility of an Evidence-Based Requisition for Bone Mineral Density Testing in Clinical Practice. <i>Journal of Osteoporosis</i> , 2016 , 2016, 6967232	2.8	1
18	The development of Partners for Health's integrated community pathway for postmyocardial infarction patients. <i>Canadian Journal of Cardiology</i> , 2003 , 19, 231-5	3.8	1
17	Content of inpatient rehabilitation for patients with traumatic brain injury: A comparison of Canadian and American facilities. <i>Brain Injury</i> , 2019 , 33, 1503-1512	2.1	0
16	Comparison of Older Adults' and Occupational Therapists' Awareness of Functional Abilities at Discharge from Rehabilitation with Actual Performance in the Home. <i>Physical and Occupational Therapy in Geriatrics</i> , 2009 , 27, 229-244	1.1	0
15	Association of material deprivation with discharge location and length of stay after inpatient stroke rehabilitation in Ontario: a retrospective, population-based cohort study.. <i>CMAJ Open</i> , 2022 , 10, E50-E55	2.5	0
14	Identifying cases of spinal cord injury or disease in a primary care electronic medical record database. <i>Journal of Spinal Cord Medicine</i> , 2021 , 44, S28-S39	1.9	0
13	Linking Spinal Cord Injury Data Sets to Describe the Patient Journey Following Injury: A Protocol. <i>Topics in Spinal Cord Injury Rehabilitation</i> , 2020 , 26, 232-242	1.5	0
12	Therapists' perspectives on fall prevention in spinal cord injury rehabilitation: a qualitative study. <i>Disability and Rehabilitation</i> , 2021 , 1-10	2.4	0
11	Exploring knowledge translation practices in a global health program: case study on the establishment of the Pakistan National Maternal, Neonatal, and Child Health Program. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2021 , 29, 215-228	1.4	0

10	Using an integrated knowledge translation approach to inform a pilot feasibility randomized controlled trial on peer support for individuals with traumatic brain injury: A qualitative descriptive study. <i>PLoS ONE</i> , 2021 , 16, e0256650	3.7	○
9	Conceptualization of frailty in rehabilitation interventions with adults: a scoping review. <i>Disability and Rehabilitation</i> , 2021 , 1-37	2.4	○
8	Publicly funded home care service use in the first 2 years after spinal cord injury in Ontario, Canada. <i>Home Health Care Services Quarterly</i> , 2020 , 39, 95-106	1.9	
7	Characteristics and Outcomes of Patients in Rehabilitation with Hip Fracture: A Retrospective Chart Review. <i>Canadian Journal on Aging</i> , 2018 , 37, 270-280	1.6	
6	Reply to Dr Naunton's Letter. <i>Osteoporosis International</i> , 2004 , 15, 506	5.3	
5	Barriers and facilitators to establishing a national public health observatory. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2015 , 38, 403-9	4.1	
4	Perspectives of wheelchair users with spinal cord injury on fall circumstances and fall prevention: A mixed methods approach using photovoice 2020 , 15, e0238116		
3	Perspectives of wheelchair users with spinal cord injury on fall circumstances and fall prevention: A mixed methods approach using photovoice 2020 , 15, e0238116		
2	Perspectives of wheelchair users with spinal cord injury on fall circumstances and fall prevention: A mixed methods approach using photovoice 2020 , 15, e0238116		
1	Perspectives of wheelchair users with spinal cord injury on fall circumstances and fall prevention: A mixed methods approach using photovoice 2020 , 15, e0238116		