

Boris I Kurganov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3798746/publications.pdf>

Version: 2024-02-01

140
papers

3,580
citations

147566

31
h-index

189595

50
g-index

141
all docs

141
docs citations

141
times ranked

2750
citing authors

#	ARTICLE	IF	CITATIONS
1	Combined action of chemical chaperones on stability, aggregation and oligomeric state of muscle glycogen phosphorylase b. <i>International Journal of Biological Macromolecules</i> , 2022, 203, 406-416.	3.6	5
2	The mechanism of thermal aggregation of glutamate dehydrogenase. The effect of chemical chaperones. <i>Biochimie</i> , 2022, 195, 27-38.	1.3	3
3	Effect of Trehalose on Oligomeric State and Anti-Aggregation Activity of α -Crystallin. <i>Biochemistry (Moscow)</i> , 2022, 87, 121-130.	0.7	4
4	Relationship between the Structure and Chaperone Activity of Human α -Crystallin after Its Modification with Diabetes-Associated Oxidative Agents and Protective Role of Antioxidant Compounds. <i>Biochemistry (Moscow)</i> , 2022, 87, 91-105.	0.7	2
5	Effect of Betaine and Arginine on Interaction of α -Crystallin with Glycogen Phosphorylase b. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3816.	1.8	4
6	The biochemical association between R157H mutation in human α -crystallin and development of cardiomyopathy: Structural and functional analyses of the mutant protein. <i>Biochimie</i> , 2021, 190, 36-49.	1.3	7
7	Structural and functional studies of D109A human α -crystallin contributing to the development of cataract and cardiomyopathy diseases. <i>PLoS ONE</i> , 2021, 16, e0260306.	1.1	7
8	Structural and functional characterization of D109H and R69C mutant versions of human α -crystallin: The biochemical pathomechanism underlying cataract and myopathy development. <i>International Journal of Biological Macromolecules</i> , 2020, 146, 1142-1160.	3.6	23
9	Kinetic data analysis of chaperone-like activity of Wt, R69C and D109H α -crystallins. <i>Data in Brief</i> , 2020, 28, 104922.	0.5	5
10	Characterization of arginine preventive effect on heat-induced aggregation of insulin. <i>International Journal of Biological Macromolecules</i> , 2020, 145, 1039-1048.	3.6	16
11	Chaperone-Like Activity of HSPB5: The Effects of Quaternary Structure Dynamics and Crowding. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4940.	1.8	11
12	Effect of arginine on stability and aggregation of muscle glycogen phosphorylase b. <i>International Journal of Biological Macromolecules</i> , 2020, 165, 365-374.	3.6	12
13	Analysis of the data on titration of native and peroxynitrite modified α - and β -crystallins by Cu^{2+} -ions. <i>Data in Brief</i> , 2020, 30, 105492.	0.5	0
14	Effect of Arginine on Chaperone-Like Activity of HspB6 and Monomeric 14-3-3 η . <i>International Journal of Molecular Sciences</i> , 2020, 21, 2039.	1.8	14
15	The congenital cataract-causing mutations P20R and A171T are associated with important changes in the amyloidogenic feature, structure and chaperone-like activity of human β -crystallin. <i>Biopolymers</i> , 2020, 111, e23350.	1.2	12
16	Kinetic regime of Ca^{2+} and Mg^{2+} -induced aggregation of phosphorylase kinase at 40 $^{\circ}\text{C}$. <i>International Journal of Biological Macromolecules</i> , 2019, 138, 181-187.	3.6	1
17	Comparative effects of trehalose and 2-hydroxypropyl- β -cyclodextrin on aggregation of UV-irradiated muscle glycogen phosphorylase b. <i>Biochimie</i> , 2019, 165, 196-205.	1.3	9
18	Oligomeric state of β -crystallin under crowded conditions. <i>Biochemical and Biophysical Research Communications</i> , 2019, 508, 1101-1105.	1.0	9

#	ARTICLE	IF	CITATIONS
19	Mechanism of aggregation of UV-irradiated glycogen phosphorylase b at a low temperature in the presence of crowders and trimethylamine N-oxide. <i>Biophysical Chemistry</i> , 2018, 232, 12-21.	1.5	10
20	Importance of the positively charged residue at position 54 to the chaperoning function, conformational stability and amyloidogenic nature of human I \pm A-crystallin. <i>Journal of Biochemistry</i> , 2018, 163, 187-199.	0.9	5
21	Kinetic regime of aggregation of UV-irradiated glyceraldehyde-3-phosphate dehydrogenase from rabbit skeletal muscle. <i>Biochemical and Biophysical Research Communications</i> , 2018, 495, 1182-1186.	1.0	6
22	Structural and functional alteration of human I \pm A-crystallin after exposure to full spectrum solar radiation and preventive role of lens antioxidants. <i>International Journal of Biological Macromolecules</i> , 2018, 118, 1120-1130.	3.6	3
23	Effect of ionic strength and arginine on aggregation of UV-irradiated muscle glycogen phosphorylase b. <i>International Journal of Biological Macromolecules</i> , 2018, 118, 1193-1202.	3.6	5
24	Ag0 Nanoparticles Synthesized in R-phycoerythrin: Change in Bioconjugate Properties upon Ripening of Nanoparticles. <i>Current Pharmaceutical Biotechnology</i> , 2018, 19, 422-427.	0.9	3
25	Anti-aggregation activity of small heat shock proteins under crowded conditions. <i>International Journal of Biological Macromolecules</i> , 2017, 100, 97-103.	3.6	17
26	The impact of different mutations at Arg54 on structure, chaperone-like activity and oligomerization state of human I \pm A-crystallin: The pathomechanism underlying congenital cataract-causing mutations R54L, R54P and R54C. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2017, 1865, 604-618.	1.1	25
27	What can we get from varying scan rate in protein differential scanning calorimetry?. <i>International Journal of Biological Macromolecules</i> , 2017, 99, 151-159.	3.6	5
28	Protein aggregation. <i>International Journal of Biological Macromolecules</i> , 2017, 100, 1-2.	3.6	1
29	A change in the aggregation pathway of bovine serum albumin in the presence of arginine and its derivatives. <i>Scientific Reports</i> , 2017, 7, 3984.	1.6	33
30	A change in the pathway of dithiothreitol-induced aggregation of bovine serum albumin in the presence of polyamines and arginine. <i>International Journal of Biological Macromolecules</i> , 2017, 104, 889-899.	3.6	10
31	Quantification of anti-aggregation activity of chaperones. <i>International Journal of Biological Macromolecules</i> , 2017, 100, 104-117.	3.6	30
32	A thermal after-effect of UV irradiation of muscle glycogen phosphorylase b. <i>PLoS ONE</i> , 2017, 12, e0189125.	1.1	11
33	Kinetics of Thermal Denaturation and Aggregation of Bovine Serum Albumin. <i>PLoS ONE</i> , 2016, 11, e0153495.	1.1	160
34	Kinetic regime of thermal aggregation of holo- and apoglycogen phosphorylases b. <i>International Journal of Biological Macromolecules</i> , 2016, 92, 1252-1257.	3.6	18
35	Appraisal of role of the polyanionic inducer length on amyloid formation by 412-residue 1N4R Tau protein: A comparative study. <i>Archives of Biochemistry and Biophysics</i> , 2016, 609, 1-19.	1.4	24
36	Dissociative mechanism for irreversible thermal denaturation of oligomeric proteins. <i>Biophysical Reviews</i> , 2016, 8, 397-407.	1.5	19

#	ARTICLE	IF	CITATIONS
37	Evaluation of structure, chaperone-like activity and protective ability of peroxynitrite modified human α -Crystallin subunits against copper-mediated ascorbic acid oxidation. International Journal of Biological Macromolecules, 2016, 87, 208-221.	3.6	27
38	Checking for reversibility of aggregation of UV-irradiated glycogen phosphorylase b under crowding conditions. International Journal of Biological Macromolecules, 2016, 86, 829-839.	3.6	9
39	Effect of Ca ²⁺ and Mg ²⁺ ions on oligomeric state and chaperone-like activity of α B-crystallin in crowded media. International Journal of Biological Macromolecules, 2015, 76, 86-93.	3.6	14
40	Kinetic regime of dithiothreitol-induced aggregation of bovine serum albumin. International Journal of Biological Macromolecules, 2015, 80, 130-138.	3.6	27
41	Effect of crowding on several stages of protein aggregation in test systems in the presence of α -crystallin. International Journal of Biological Macromolecules, 2015, 80, 358-365.	3.6	19
42	The Photovoltaic Effect of CdS Quantum Dots Synthesized in Inverse Micelles and R-Phycocerythrin Tunnel Cavities. Applied Biochemistry and Biotechnology, 2015, 176, 1141-1150.	1.4	5
43	Quantification of anti-aggregation activity of UV-irradiated α -crystallin. International Journal of Biological Macromolecules, 2015, 73, 84-91.	3.6	15
44	Selection of Test Systems for Estimation of Anti-aggregation Activity of Molecular Chaperones. Biochemistry and Analytical Biochemistry: Current Research, 2015, 04, .	0.4	15
45	Thermal denaturation and aggregation of apoform of glycogen phosphorylase <i>b</i> . Effect of crowding agents and chaperones. Biopolymers, 2014, 101, 504-516.	1.2	22
46	Relationship between the initial rate of protein aggregation and the lag period for amorphous aggregation. International Journal of Biological Macromolecules, 2014, 68, 144-150.	3.6	21
47	Dual effect of arginine on aggregation of phosphorylase kinase. International Journal of Biological Macromolecules, 2014, 68, 225-232.	3.6	17
48	New Physiological Function of Chaperones, Facilitating Reconstitution of Apoenzymes. Biochemistry and Analytical Biochemistry: Current Research, 2014, 3, .	0.4	0
49	Effect of gamma-ray irradiation on the size and properties of CdS quantum dots in reverse micelles. Radiation Physics and Chemistry, 2013, 92, 87-92.	1.4	23
50	Antiaggregation activity of chaperones and its quantification. Biochemistry (Moscow), 2013, 78, 1554-1566.	0.7	29
51	Effect of crowding and chaperones on self-association, aggregation and reconstitution of apophosphorylase b. International Journal of Biological Macromolecules, 2013, 60, 69-76.	3.6	21
52	Thermal Denaturation and Aggregation Assays in Analytical Biochemistry. Biochemistry and Analytical Biochemistry: Current Research, 2013, 02, .	0.4	7
53	The Functioning of Chaperones Possessing the Anti-Aggregation Activity in a Crowded Medium. Biochemistry and Analytical Biochemistry: Current Research, 2013, 02, .	0.4	11
54	Quantification of Anti-Aggregation Activity of Chaperones: A Test-System Based on Dithiothreitol-Induced Aggregation of Bovine Serum Albumin. PLoS ONE, 2013, 8, e74367.	1.1	31

#	ARTICLE	IF	CITATIONS
55	How to Quantify the Chaperone-Like (Anti-Aggregation) Activity?. <i>Biochemistry and Analytical Biochemistry: Current Research</i> , 2012, 02, .	0.4	5
56	Concentration dependence of chaperone-like activities of α -crystallin, β -crystallin and proline. <i>International Journal of Biological Macromolecules</i> , 2012, 50, 1341-1345.	3.6	16
57	Kinetics of aggregation of UV-irradiated glyceraldehyde-3-phosphate dehydrogenase from rabbit skeletal muscle. Effect of agents possessing chaperone-like activity. <i>Biophysical Chemistry</i> , 2012, 163-164, 11-20.	1.5	30
58	Differential Scanning Calorimetry Study on Thermal Denaturation of Human Carbonic Anhydrase II. <i>Journal of Chemical & Engineering Data</i> , 2011, 56, 1158-1162.	1.0	21
59	Mechanism of aggregation of UV-irradiated β -L-crystallin. <i>Experimental Eye Research</i> , 2011, 92, 76-86.	1.2	33
60	Does the Crowded Cell-like Environment Reduce the Chaperone-like Activity of α -Crystallin?. <i>Biochemistry</i> , 2011, 50, 10607-10623.	1.2	45
61	A Protein Aggregation Based Test for Screening of the Agents Affecting Thermostability of Proteins. <i>PLoS ONE</i> , 2011, 6, e22154.	1.1	14
62	Effect of CdS nanoparticles on the properties of a protein matrix. <i>Inorganic Materials</i> , 2011, 47, 830-836.	0.2	5
63	Mechanism of suppression of dithiothreitol-induced aggregation of bovine α -lactalbumin by α -crystallin. <i>Biophysical Chemistry</i> , 2010, 146, 108-117.	1.5	26
64	Comparative Analysis of the Effects of α -Crystallin and GroEL on the Kinetics of Thermal Aggregation of Rabbit Muscle Glyceraldehyde-3-Phosphate Dehydrogenase. <i>Protein Journal</i> , 2010, 29, 11-25.	0.7	18
65	Effect of 2-hydroxypropyl- β -cyclodextrin on thermal stability and aggregation of glycogen phosphorylase <i>b</i> from rabbit skeletal muscle. <i>Biopolymers</i> , 2010, 93, 986-993.	1.2	16
66	Effect of GroEL on Thermal Aggregation of Glycogen Phosphorylase <i>b</i> from Rabbit Skeletal Muscle. <i>Macromolecular Bioscience</i> , 2010, 10, 768-774.	2.1	12
67	Interaction of Hsp27 with Native Phosphorylase Kinase under Crowding Conditions. <i>Macromolecular Bioscience</i> , 2010, 10, 783-789.	2.1	24
68	Thermal stability and aggregation of creatine kinase from rabbit skeletal muscle.. <i>Biophysical Chemistry</i> , 2010, 148, 121-130.	1.5	21
69	Paradoxical Acceleration of Dithiothreitol-Induced Aggregation of Insulin in the Presence of a Chaperone. <i>International Journal of Molecular Sciences</i> , 2010, 11, 4556-4579.	1.8	30
70	Effect of 2-hydroxypropyl- β -cyclodextrin on thermal inactivation, denaturation and aggregation of glyceraldehyde-3-phosphate dehydrogenase from rabbit skeletal muscle. <i>International Journal of Biological Macromolecules</i> , 2010, 46, 487-492.	3.6	17
71	Thermal Denaturation and Aggregation of Myosin Subfragment 1 Isoforms with Different Essential Light Chains. <i>International Journal of Molecular Sciences</i> , 2010, 11, 4194-4226.	1.8	20
72	Mechanism of Suppression of Protein Aggregation by α -Crystallin. <i>International Journal of Molecular Sciences</i> , 2009, 10, 1314-1345.	1.8	52

#	ARTICLE	IF	CITATIONS
73	Study of kinetics of thermal aggregation of mitochondrial aspartate aminotransferase by dynamic light scattering: protective effect of α -crystallin. <i>European Biophysics Journal</i> , 2009, 38, 547-556.	1.2	19
74	Effect of proline on thermal inactivation, denaturation and aggregation of glycogen phosphorylase b from rabbit skeletal muscle. <i>Biophysical Chemistry</i> , 2009, 141, 66-74.	1.5	48
75	Effect of α -crystallin on thermostability of mitochondrial aspartate aminotransferase. <i>International Journal of Biological Macromolecules</i> , 2009, 44, 441-446.	3.6	8
76	Kinetics of thermal aggregation of glycogen phosphorylase b from rabbit skeletal muscle: Mechanism of protective action of α -crystallin. <i>Biopolymers</i> , 2008, 89, 124-134.	1.2	41
77	Mechanism of thermal aggregation of yeast alcohol dehydrogenase I. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2008, 1784, 1286-1293.	1.1	28
78	Cooperative self-association of phosphorylase kinase from rabbit skeletal muscle. <i>Biophysical Chemistry</i> , 2008, 133, 45-53.	1.5	13
79	Thermal inactivation, denaturation and aggregation of mitochondrial aspartate aminotransferase. <i>Biophysical Chemistry</i> , 2008, 135, 125-131.	1.5	15
80	Evidence for the formation of start aggregates as an initial stage of protein aggregation. <i>FEBS Letters</i> , 2007, 581, 4223-4227.	1.3	39
81	Effect of α -crystallin on thermal denaturation and aggregation of rabbit muscle glyceraldehyde-3-phosphate dehydrogenase. <i>Biophysical Chemistry</i> , 2007, 125, 521-531.	1.5	51
82	Effect of α -crystallin on thermal aggregation of glycogen phosphorylase b from rabbit skeletal muscle. <i>Biochemistry (Moscow)</i> , 2007, 72, 518-528.	0.7	22
83	Two-state irreversible thermal denaturation of <i>Euphorbia characias</i> latex amine oxidase. <i>Biophysical Chemistry</i> , 2007, 125, 254-259.	1.5	16
84	The study of amorphous aggregation of tobacco mosaic virus coat protein by dynamic light scattering. <i>Biophysical Chemistry</i> , 2007, 127, 9-18.	1.5	38
85	Mechanism of Thermal Aggregation of Rabbit Muscle Glyceraldehyde-3-phosphate Dehydrogenase. <i>Biochemistry</i> , 2006, 45, 13375-13384.	1.2	58
86	Low cetyltrimethylammonium bromide concentrations induce reversible amorphous aggregation of tobacco mosaic virus and its coat protein at room temperature. <i>International Journal of Biochemistry and Cell Biology</i> , 2006, 38, 533-543.	1.2	9
87	Change in kinetic regime of protein aggregation with temperature increase. Thermal aggregation of rabbit muscle creatine kinase. <i>Biochemistry (Moscow)</i> , 2006, 71, 325-331.	0.7	23
88	Theoretical model of interactions between ligand-binding sites in a dimeric protein and its application for the analysis of thiamine diphosphate binding to yeast transketolase. <i>Biophysical Chemistry</i> , 2006, 124, 106-114.	1.5	3
89	Effect of osmolytes on the interaction of flavin adenine dinucleotide with muscle glycogen phosphorylase b. <i>Biophysical Chemistry</i> , 2005, 113, 61-66.	1.5	18
90	Interaction of Polyaniions with Basic Proteins, 2. <i>Macromolecular Bioscience</i> , 2005, 5, 1184-1192.	2.1	46

#	ARTICLE	IF	CITATIONS
91	Influence of Osmolytes on Inactivation and Aggregation of Muscle Glycogen Phosphorylase b by Guanidine Hydrochloride. Stimulation of Protein Aggregation under Crowding Conditions. <i>Biochemistry (Moscow)</i> , 2005, 70, 1020-1026.	0.7	24
92	Mechanism of Chaperone-like Activity. Suppression of Thermal Aggregation of β^2 L-Crystallin by β^2 -Crystallin. <i>Biochemistry</i> , 2005, 44, 15480-15487.	1.2	69
93	Hsc70 and Hsp70 interact with phosphatidylserine on the surface of PC12 cells resulting in a decrease of viability. <i>FASEB Journal</i> , 2004, 18, 1636-1645.	0.2	137
94	Protein Folding, Misfolding, and Aggregation. Formation of Inclusion Bodies and Aggresomes. <i>Biochemistry (Moscow)</i> , 2004, 69, 971-984.	0.7	92
95	Antibacterial Proline-Rich Oligopeptides and Their Target Proteins. <i>Biochemistry (Moscow)</i> , 2004, 69, 1082-1091.	0.7	20
96	In memory of Boris Fedorovich Poglazov (1930-2001). <i>Biochemistry (Moscow)</i> , 2004, 69, 1175-1176.	0.7	0
97	Biochemical effects of molecular crowding. <i>Biochemistry (Moscow)</i> , 2004, 69, 1239-1251.	0.7	148
98	Effect of molecular crowding on self-association of phosphorylase kinase and its interaction with phosphorylase b and glycogen. <i>Journal of Molecular Recognition</i> , 2004, 17, 426-432.	1.1	26
99	Osmophobic Effect of Glycerol on Irreversible Thermal Denaturation of Rabbit Creatine Kinase. <i>Biophysical Journal</i> , 2004, 87, 2247-2254.	0.2	56
100	Aggregation of liposomes induced by the toxic peptides Alzheimer's A β s, human amylin and prion (106-126): facilitation by membrane-bound GM1 ganglioside. <i>Peptides</i> , 2004, 25, 217-232.	1.2	56
101	Copper chaperones, intracellular copper trafficking proteins. Function, structure, and mechanism of action. <i>Biochemistry (Moscow)</i> , 2003, 68, 827-837.	0.7	39
102	Kinetics of heat- and acidification-induced aggregation of firefly luciferase. <i>Biophysical Chemistry</i> , 2003, 106, 97-109.	1.5	67
103	A mechanism of macroscopic (amorphous) aggregation of the tobacco mosaic virus coat protein. <i>International Journal of Biochemistry and Cell Biology</i> , 2003, 35, 1452-1460.	1.2	20
104	Self-association of phosphorylase kinase from rabbit skeletal muscle in the presence of natural osmolyte, trimethylamine N-oxide. , 2002, , 70-76.		16
105	Kinetics of protein aggregation. Quantitative estimation of the chaperone-like activity in test-systems based on suppression of protein aggregation. <i>Biochemistry (Moscow)</i> , 2002, 67, 409-422.	0.7	107
106	Kinetics of thermal aggregation of tobacco mosaic virus coat protein. <i>Biochemistry (Moscow)</i> , 2002, 67, 525-533.	0.7	48
107	Pyridoxal 5'-phosphate as a catalytic and conformational cofactor of muscle glycogen phosphorylase B. <i>Biochemistry (Moscow)</i> , 2002, 67, 1089-1098.	0.7	23
108	Regulation of Muscle Glycogen Phosphorylase by Physiological Effectors. <i>Biotechnology and Genetic Engineering Reviews</i> , 2001, 18, 265-297.	2.4	13

#	ARTICLE	IF	CITATIONS
109	Combined kinetic mechanism describing activation and inhibition of muscle glycogen phosphorylase b by adenosine 5â€²-monophosphate. <i>Biophysical Chemistry</i> , 2001, 92, 89-102.	1.5	6
110	Criterion for Hill equation validity for description of biosensor calibration curves. <i>Analytica Chimica Acta</i> , 2001, 427, 11-19.	2.6	97
111	Studies on interaction of phosphorylase kinase from rabbit skeletal muscle with glycogen in the presence of ATP and ADP. <i>BBA - Proteins and Proteomics</i> , 2001, 1549, 188-196.	2.1	2
112	Analysis of negative cooperativity for glutamate dehydrogenase. <i>Biophysical Chemistry</i> , 2000, 87, 185-199.	1.5	9
113	Noncovalent Adducts of Poly(ethylene glycols) with Proteins. <i>Bioconjugate Chemistry</i> , 2000, 11, 22-29.	1.8	21
114	Dissociative Mechanism of Thermal Denaturation of Rabbit Skeletal Muscle Glycogen Phosphorylaseâ€¢. <i>Biochemistry</i> , 2000, 39, 13144-13152.	1.2	44
115	Irreversible thermal denaturation of lipase B from <i>Candida rugosa</i> . <i>Thermochimica Acta</i> , 1999, 325, 143-149.	1.2	14
116	Two-state irreversible thermal denaturation of muscle creatine kinase. <i>Biophysical Chemistry</i> , 1999, 79, 199-204.	1.5	43
117	A tentative mechanism of the ternary complex formation between phosphorylase kinase, glycogen phosphorylase and glycogen. <i>FEBS Letters</i> , 1999, 445, 173-176.	1.3	14
118	Irreversible thermal denaturation of uridine phosphorylase from <i>Escherichia coli</i> K-12. <i>Biophysical Chemistry</i> , 1998, 70, 247-257.	1.5	30
119	Protein Conjugates with Water-Soluble Poly(alkylene oxide)s Entrapped in Hydrated Reversed Micelles. <i>Bioconjugate Chemistry</i> , 1997, 8, 637-642.	1.8	2
120	Analysis of differential scanning calorimetry data for proteins Criteria of validity of one-step mechanism of irreversible protein denaturation. <i>Biophysical Chemistry</i> , 1997, 69, 125-135.	1.5	110
121	Origin of biochemical organization. <i>BioSystems</i> , 1997, 42, 103-110.	0.9	8
122	Continuous Enzymatic Assay for Phosphorylase Kinase in a Monocascade Enzyme System. <i>Analytical Biochemistry</i> , 1997, 244, 45-49.	1.1	0
123	Amperometric biosensors with a laminated distribution of enzymes in their coating. Steady-state kinetics. <i>Biosensors and Bioelectronics</i> , 1996, 11, 45-51.	5.3	8
124	Steady-state kinetics of cyclic conversions of substrate in amperometric bienzyme sensors. <i>Biosensors and Bioelectronics</i> , 1996, 11, 225-238.	5.3	27
125	Adducts of proteins and water-soluble poly(alkylene oxides). <i>Russian Chemical Reviews</i> , 1995, 64, 277-290.	2.5	3
126	The concept of biochemical organization. <i>Trends in Biochemical Sciences</i> , 1993, 18, 405-406.	3.7	7

#	ARTICLE	IF	CITATIONS
127	Control of the metabolic flux in a system with high enzyme concentrations and moiety-conserved cycles. The sum of the flux control coefficients can drop significantly below unity. FEBS Journal, 1992, 210, 147-153.	0.2	40
128	Supramolecular organization of tricarboxylic acid cycle enzymes. BioSystems, 1989, 22, 91-102.	0.9	52
129	Kinetics of soybean lipoxygenase reaction in hydrated reversed micelles. Biochimie, 1989, 71, 573-578.	1.3	19
130	The role of multienzyme complexes in integration of cellular metabolism. Journal of Theoretical Biology, 1986, 119, 445-455.	0.8	32
131	Supramolecular organization of glycolytic enzymes. Journal of Theoretical Biology, 1985, 116, 509-526.	0.8	65
132	Kinetic studies on reduction of cytochromes P-450 and b5 by dithionite. FEBS Journal, 1985, 150, 155-159.	0.2	23
133	A novel approach to study of action of water-insoluble inhibitors of enzymic reactions. Journal of Proteomics, 1985, 11, 177-184.	2.4	30
134	Adsorption of peripheral enzymes to membrane anchor proteins. Journal of Theoretical Biology, 1984, 111, 707-723.	0.8	15
135	Self-Association of Human Erythrocyte Phosphofructokinase. Kinetic Behaviour in Dependence on Enzyme Concentration and Mode of Association. FEBS Journal, 1976, 61, 181-190.	0.2	18
136	The theoretical analysis of kinetic behaviour of hysteric allosteric enzymes. I. The kinetic manifestations of slow conformational change of an oligomeric enzyme in the Monod, Wyman and Changeux model. Journal of Theoretical Biology, 1976, 60, 247-269.	0.8	45
137	The theoretical analysis of kinetic behaviour of hysteric allosteric enzymes III. Dissociating and associating enzyme systems in which the rate of installation of equilibrium between the oligomeric forms is comparable to that of enzymatic reaction. Journal of Theoretical Biology, 1976, 60, 287-299.	0.8	26
138	Association-dissociation behavior of erythrocyte phosphofructokinase and tumor pyruvate kinase. Advances in Enzyme Regulation, 1975, 13, 247-277.	2.9	17
139	Estimation of dissociation constant of enzyme-ligand complex from fluorometric data by difference method. FEBS Letters, 1972, 19, 308-310.	1.3	37
140	Self-Association of Phosphorylase Kinase under Molecular Crowding Conditions. , 0, , 83-92.		13