
## Moises Hamoy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3799333/publications.pdf Version: 2024-02-01



MOISES HAMOY

#	Article	IF	CITATIONS
1	Essential oil of citronella modulates electrophysiological responses in tambaqui Colossoma macropomum: A new anaesthetic for use in fish. Aquaculture, 2017, 479, 60-68.	1.7	45
2	Anticonvulsant properties of Euterpe oleracea in mice. Neurochemistry International, 2015, 90, 20-27.	1.9	39
3	Propofol and essential oil of Nepeta cataria induce anaesthesia and marked myorelaxation in tambaqui Colossoma macropomum: Implications on cardiorespiratory responses. Aquaculture, 2019, 500, 160-169.	1.7	31
4	Antidepressant and Antiaging Effects of AçaÃ-( <i>Euterpe oleracea</i> Mart.) in Mice. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-16.	1.9	28
5	Essential oil of Piper divaricatum induces a general anaesthesia-like state and loss of skeletal muscle tonus in juvenile tambaqui, Colossoma macropomum. Aquaculture, 2019, 510, 169-175.	1.7	23
6	Eugenol induces body immobilization yet evoking an increased neuronal excitability in fish during short-term baths. Aquatic Toxicology, 2021, 231, 105734.	1.9	22
7	Clove oil induces anaesthesia and blunts muscle contraction power in three Amazon fish species. Fish Physiology and Biochemistry, 2018, 44, 245-256.	0.9	21
8	Cunaniol-elicited seizures: Behavior characterization and electroencephalographic analyses. Toxicology and Applied Pharmacology, 2018, 360, 193-200.	1.3	19
9	Electrophysiological responses in Amazonian fish species Bryconops caudomaculatus (Osteichthyes:) Tj ETQq1 1 C: Toxicology and Pharmacology, 2020, 228, 108653.	0.784314 1.3	rgBT /Over 12
10	Menthol exposure induces reversible cardiac depression and reduces lipid peroxidation in the heart tissue of tambaqui Colossoma macropomum. Aquaculture, 2021, 541, 736847.	1.7	10
11	Dietary Euterpe oleracea Mart. attenuates seizures and damage to lipids in the brain of Colossoma macropomum. Fish Physiology and Biochemistry, 2021, 47, 1851-1864.	0.9	10
12	A Structure and Antioxidant Activity Study of Paracetamol and Salicylic Acid. Pharmacology & Pharmacy, 2014, 05, 1185-1191.	0.2	10
13	Central nervous system tumours profile at a referral center in the Brazilian Amazon region, 1997–2014. PLoS ONE, 2017, 12, e0174439.	1.1	9
14	Alteration of Testosterone Levels Changes Brain Wave Activity Patterns and Induces Aggressive Behavior in Rats. Frontiers in Endocrinology, 2019, 10, 654.	1.5	9
15	Behavioural, electrocorticographic, and electromyographic alterations induced by Nerium oleander ethanolic extract: Anticonvulsant therapeutics assessment. NeuroToxicology, 2020, 78, 21-28.	1.4	9
16	Aqueous Coriandrum sativum L. extract promotes neuroprotection against motor changes and oxidative damage in rat progeny after maternal exposure to methylmercury. Food and Chemical Toxicology, 2019, 133, 110755.	1.8	8
17	Increased Relative Delta Bandpower and Delta Indices Revealed by Continuous qEEG Monitoring in a Rat Model of Ischemia-Reperfusion. Frontiers in Neurology, 2021, 12, 645138.	1.1	8
18	Geraniol and citronellol as alternative and safe phytoconstituents to induce immobilization and facilitate handling of fish. Aquaculture, 2021, 537, 736517.	1.7	8

**MOISES HAMOY** 

0

#	Article	IF	CITATIONS
19	Electrocorticographic description of the effects of anticonvulsant drugs used to treat lidocaineâ€induced seizures. Brain and Behavior, 2021, 11, e01940.	1.0	7
20	Fatty Acid Amides Synthesized from Andiroba Oil (Carapa guianensis Aublet.) Exhibit Anticonvulsant Action with Modulation on GABA-A Receptor in Mice: A Putative Therapeutic Option. Pharmaceuticals, 2020, 13, 43.	1.7	6
21	Effects of Andiroba oil (Carapa guianensis) on wound healing in alloxan-diabetic rats. International Archive of Medicine, 0, 10, .	1.2	6
22	Extract of Euterpe oleracea Martius Stone Presents Anticonvulsive Activity via the GABAA Receptor. Frontiers in Cellular Neuroscience, 2022, 16, .	1.8	5
23	Presença de hidrocarbonetos policÃclicos aromáticos em produtos alimentÃcios e a sua relação com o método de cocção e a natureza do alimento. Brazilian Journal of Food Technology, 2017, 20, .	0.8	4
24	New nanocarried phenobarbital formulation: Maintains better control of pentylenetetrazole-Induced seizures. Biotechnology Reports (Amsterdam, Netherlands), 2020, 28, e00539.	2.1	4
25	Electrocorticographic patterns dominated by low-frequency waves in camphor-induced seizures. Scientific Reports, 2020, 10, 18222.	1.6	4
26	GABA and glutamate transporters: New events and function in the vertebrate retina Psychology and Neuroscience, 2013, 6, 145-150.	0.5	4
27	Integrated behavioural, neurological, muscular and cardiorespiratory response in tambaqui, Colossoma macropomum anaesthetized with menthol. Aquaculture, 2022, 560, 738553.	1.7	4
28	Antifungal Activity of Coumarin Mammeisin Isolated from Species of theKielmeyeraGenre (Family:) Tj ETQq0 0 0	rgBT /Ove 0.9	rlogk 10 Tf 50
29	Myorelaxation, respiratory depression and electrocardiographic changes caused by the administration of extract of aA§ai (Euterpe oleracea Mart.) stone in rats. Toxicology Reports, 2021, 8, 829-838.	1.6	3
30	Supraphysiological doses of vitamin D changes brainwave activity patterns in rats. Endocrine Connections, 2022, , .	0.8	2
31	Educação em saúde para pacientes diabéticos em vulnerabilidade socioeconômica no norte do Brasil. Research, Society and Development, 2021, 10, e10910111598.	0.0	1
32	Characterization of electrocorticographic, electromyographic and electrocardiographic recordings after the use of caffeine in Wistar rats. Einstein (Sao Paulo, Brazil), 2021, 19, eAO6417.	0.3	0
33	Doença de Parkinson secundária a COVID-19: uma revisão sistemática. Research, Society and Development, 2022, 11, e50711124397.	0.0	0

<sup>34</sup>Benzodiazepine partially reverses tonic-clonic seizures induced by thiocolchicoside. Brazilian Journal of Medical and Biological Research, 2022, 55, e11771.0.07