

# Brice Kauffmann

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3799768/brice-kauffmann-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145  
papers

4,069  
citations

37  
h-index

56  
g-index

160  
ext. papers

4,545  
ext. citations

8  
avg, IF

5.39  
L-index

#	Paper	IF	Citations
145	Isothermal crystallization of anhydrous milk fat in presence of free fatty acids and their esters: From nanostructure to textural properties. <i>Food Chemistry</i> , <b>2022</b> , 366, 130533	8.5	3
144	Stable pseudo[3]rotaxanes with strong positive binding cooperativity based on shape-persistent aromatic oligoamide macrocycles. <i>Chemical Communications</i> , <b>2021</b> , 57, 11645-11648	5.8	1
143	Interplay between a Foldamer Helix and a Macrocycle in a Foldarotaxane Architecture. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 8380-8384	16.4	2
142	Interplay between a Foldamer Helix and a Macrocycle in a Foldarotaxane Architecture. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 8461-8465	3.6	1
141	Linear and nonlinear optical properties of a quadrupolar carbo-benzene and its benzenic parent: The carbo-merization effect. <i>Dyes and Pigments</i> , <b>2021</b> , 188, 109133	4.6	2
140	Carbo-mer of Barrelene: A Rigid 3D-Carbon-Expanded Molecular Barrel. <i>Chemistry - A European Journal</i> , <b>2021</b> , 27, 9286-9291	4.8	1
139	Structures of Pathological and Functional Amyloids and Prions, a Solid-State NMR Perspective. <i>Frontiers in Molecular Neuroscience</i> , <b>2021</b> , 14, 670513	6.1	8
138	Bacteria associated with wood tissues of Esca-diseased grapevines: functional diversity and synergy with Fomitiporia mediterranea to degrade wood components. <i>Environmental Microbiology</i> , <b>2021</b> , 23, 6104-6121	5.2	7
137	Large-Amplitude Conformational Changes in Self-Assembled Multi-Stranded Aromatic Sheets. <i>Angewandte Chemie - International Edition</i> , <b>2021</b> , 60, 2574-2577	16.4	4
136	Structural and molecular basis of cross-seeding barriers in amyloids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	15
135	Umfangreiche Konformationsänderungen in selbstassemblierten mehrsträngigen aromatischen Faltblättern. <i>Angewandte Chemie</i> , <b>2021</b> , 133, 2605-2609	3.6	1
134	Light-mediated chiroptical switching of an achiral foldamer host in presence of a carbohydrate guest. <i>Chemical Communications</i> , <b>2021</b> , 57, 93-96	5.8	4
133	Slow kinetic evolution of nanohelices based on gemini surfactant self-assemblies with various enantiomeric excess; chiral segregation towards a racemic mixture. <i>Materials Chemistry Frontiers</i> , <b>2021</b> , 5, 3021-3028	7.8	4
132	Partial Prion Cross-Seeding between Fungal and Mammalian Amyloid Signaling Motifs. <i>MBio</i> , <b>2021</b> , 12,	7.8	2
131	New Photomagnetic Ionic Salts Based on [MoIV(CN)8]4- and [WIV(CN)8]4- Anions. <i>Magnetochemistry</i> , <b>2021</b> , 7, 97	3.1	3
130	Functionalized 1,8-Diazaptycenes as Monomers for Aromatic Oligoamide Foldamers. <i>ChemPlusChem</i> , <b>2021</b> , 86, 1162-1166	2.8	
129	Sensing a binding event through charge transport variations using an aromatic oligoamide capsule. <i>Chemical Science</i> , <b>2021</b> , 12, 3743-3750	9.4	6

128	Hybrid Sequences that Express both Aromatic Amide and Peptidic Folding Features. <i>ChemPlusChem</i> , <b>2020</b> , 85, 1580-1586	2.8	4
127	Mechanism of Reconstitution/Activation of the Soluble PQQ-Dependent Glucose Dehydrogenase from : A Comprehensive Study. <i>ACS Omega</i> , <b>2020</b> , 5, 2015-2026	3.9	2
126	Allosteric Recognition of Homomeric and Heteromeric Pairs of Monosaccharides by a Foldamer Capsule. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 5846-5854	3.6	11
125	Allosteric Recognition of Homomeric and Heteromeric Pairs of Monosaccharides by a Foldamer Capsule. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 5797-5805	16.4	24
124	Hyper-Rayleigh Scattering as a New Chiroptical Method: Uncovering the Nonlinear Optical Activity of Aromatic Oligoamide Foldamers. <i>Journal of the American Chemical Society</i> , <b>2020</b> , 142, 257-263	16.4	15
123	Structural dissection of amyloid aggregates of TDP-43 and its C-terminal fragments TDP-35 and TDP-16. <i>FEBS Journal</i> , <b>2020</b> , 287, 2449-2467	5.7	17
122	Identification of NLR-associated Amyloid Signaling Motifs in Bacterial Genomes. <i>Journal of Molecular Biology</i> , <b>2020</b> , 432, 6005-6027	6.5	7
121	Aromatic foldamers as scaffolds for metal second coordination sphere design. <i>Chemical Science</i> , <b>2020</b> , 11, 12178-12186	9.4	1
120	Emergence of low-symmetry foldamers from single monomers. <i>Nature Chemistry</i> , <b>2020</b> , 12, 1180-1186	17.6	18
119	Symmetry Decrease between Self-Assembled Circular TiO <sub>4</sub> N <sub>2</sub> -Based Helicates. <i>European Journal of Inorganic Chemistry</i> , <b>2020</b> , 2020, 3527-3531	2.3	1
118	Multiturn Hollow Helices: Synthesis and Folding of Long Aromatic Oligoamides. <i>Organic Letters</i> , <b>2020</b> , 22, 6938-6942	6.2	1
117	Absolute handedness control of oligoamide double helices by chiral oxazolyaniline induction. <i>Organic and Biomolecular Chemistry</i> , <b>2020</b> , 18, 6643-6650	3.9	4
116	Optically Active Perovskite CsPbBr Nanocrystals Helically Arranged on Inorganic Silica Nanohelices. <i>Nano Letters</i> , <b>2020</b> , 20, 8453-8460	11.5	26
115	Five-component, one-pot synthesis of an electroactive rotaxane comprising a bisferrocene macrocycle. <i>Beilstein Journal of Organic Chemistry</i> , <b>2020</b> , 16, 1564-1571	2.5	
114	Light-Controlled Conformational Switch of an Aromatic Oligoamide Foldamer. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 8147-8151	3.6	7
113	Expanding the carbo-Benzene Chemical Space for Electron-Accepting Ability: Trifluorotolyl/Tertibutyl Substitution Balance. <i>Helvetica Chimica Acta</i> , <b>2019</b> , 102, e1900049	2	2
112	Light-Controlled Conformational Switch of an Aromatic Oligoamide Foldamer. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 8063-8067	16.4	16
111	Molecular architecture of bacterial amyloids in biofilms. <i>FASEB Journal</i> , <b>2019</b> , 33, 12146-12163	0.9	27

110	Aromatic oligoamide foldamers as versatile scaffolds for induced circularly polarized luminescence at adjustable wavelengths. <i>Chemical Communications</i> , <b>2019</b> , 55, 9825-9828	5.8	11
109	Carbo-biphenyls and Carbo-terphenyls: Oligo(phenylene ethynylene) Ring Carbo-mers. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 5640-5644	16.4	6
108	Understanding the conformational analysis of gababutin based hybrid peptides. <i>Organic and Biomolecular Chemistry</i> , <b>2018</b> , 16, 1728-1735	3.9	4
107	Macrocyclic Hamilton-type receptors comprising a ferrocene pivot. <i>Supramolecular Chemistry</i> , <b>2018</b> , 30, 869-875	1.8	4
106	Postelongation Strategy for the Introduction of Guanidinium Units in the Main Chain of Helical Oligourea Foldamers. <i>Journal of Organic Chemistry</i> , <b>2018</b> , 83, 2530-2541	4.2	2
105	Carbo-biphenyls and Carbo-terphenyls: Oligo(phenylene ethynylene) Ring Carbo-mers. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 5742-5746	3.6	3
104	Selective Encapsulation of Disaccharide Xylobiose by an Aromatic Foldamer Helical Capsule. <i>Angewandte Chemie</i> , <b>2018</b> , 130, 13730-13734	3.6	15
103	Selective Encapsulation of Disaccharide Xylobiose by an Aromatic Foldamer Helical Capsule. <i>Angewandte Chemie - International Edition</i> , <b>2018</b> , 57, 13542-13546	16.4	34
102	Helicity adaptation within a quadruply stranded helicate by encapsulation. <i>Chemical Communications</i> , <b>2018</b> , 54, 13447-13450	5.8	17
101	3D and 2D supramolecular assemblies and thermotropic behaviour of a carbo-benzenic mesogen. <i>Chemical Communications</i> , <b>2017</b> , 53, 5902-5905	5.8	9
100	Synthetic water soluble di-/trivalent molecular receptors exhibiting Ca/Mg exchange. <i>Organic and Biomolecular Chemistry</i> , <b>2017</b> , 15, 4367-4374	3.9	1
99	Stable 5,5-Substituted 2,2-Bipyrroles: Building Blocks for Macrocyclic and Materials Chemistry. <i>Journal of Organic Chemistry</i> , <b>2017</b> , 82, 6904-6912	4.2	7
98	Translation of rod-like template sequences into homochiral assemblies of stacked helical oligomers. <i>Nature Nanotechnology</i> , <b>2017</b> , 12, 447-452	28.7	43
97	Controlling Dipole Orientation through Curvature: Aromatic Foldamer Bent $\pi$ -Sheets and Helix-Sheet-Helix Architectures. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 14668-14675	16.4	27
96	Helical Oligourea Foldamers as Powerful Hydrogen Bonding Catalysts for Enantioselective C-C Bond-Forming Reactions. <i>Journal of the American Chemical Society</i> , <b>2017</b> , 139, 12524-12532	16.4	57
95	Multivalent Interactions between an Aromatic Helical Foldamer and a DNA G-Quadruplex in the Solid State. <i>ChemBioChem</i> , <b>2016</b> , 17, 1911-1914	3.8	10
94	Anion Recognition by Aliphatic Helical Oligoureas. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 15684-15692	4.8	21
93	Design and synthesis of novel organometallic dyes for NiO sensitization and photo-electrochemical applications. <i>Dalton Transactions</i> , <b>2016</b> , 45, 12539-47	4.3	18

92	Iterative Evolution of an Abiotic Foldamer Sequence for the Recognition of Guest Molecules with Atomic Precision. <i>Journal of the American Chemical Society</i> , <b>2016</b> , 138, 10314-22	16.4	44
91	Anion Recognition by Aliphatic Helical Oligoureas. <i>Chemistry - A European Journal</i> , <b>2016</b> , 22, 15549-15549	4.8	2
90	Structure elucidation of the Pribnow box consensus promoter sequence by racemic DNA crystallography. <i>Nucleic Acids Research</i> , <b>2016</b> , 44, 5936-43	20.1	11
89	Stabilization of an $\alpha$ -helix by short adjacent accessory foldamers. <i>Comptes Rendus Chimie</i> , <b>2016</b> , 19, 123-131	17	6
88	Citric acid encapsulation by a double helical foldamer in competitive solvents. <i>Chemical Communications</i> , <b>2016</b> , 52, 3939-42	5.8	22
87	[2]Rotaxanes comprising a macrocyclic Hamilton receptor obtained using active template synthesis: synthesis and guest complexation. <i>Supramolecular Chemistry</i> , <b>2016</b> , 28, 733-741	1.8	13
86	Electronic Energy Transfer Modulation in a Dynamic Foldaxane: Proof-of-Principle of a Lifetime-Based Conformation Probe. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 1350-1355	3.6	16
85	Crystal structure of a complex between $\beta$ -glucopyranose and a macrocyclic receptor with dendritic multicharged water solubilizing chains. <i>Chemical Communications</i> , <b>2016</b> , 52, 9355-8	5.8	37
84	Electronic Energy Transfer Modulation in a Dynamic Foldaxane: Proof-of-Principle of a Lifetime-Based Conformation Probe. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 1328-33	16.4	34
83	Selective Dynamic Assembly of Disulfide Macrocyclic Helical Foldamers with Remote Communication of Handedness. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 6962-6966	3.6	24
82	Selective Dynamic Assembly of Disulfide Macrocyclic Helical Foldamers with Remote Communication of Handedness. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 6848-52	16.4	45
81	Structural and morphological diversity of self-assembled synthetic $\alpha$ -amino acid containing peptides. <i>Organic and Biomolecular Chemistry</i> , <b>2016</b> , 14, 4089-102	3.9	17
80	Quaterpyrroles as building blocks for the synthesis of expanded porphyrins. <i>Organic Letters</i> , <b>2015</b> , 17, 2194-7	6.2	17
79	Iterative design of a helically folded aromatic oligoamide sequence for the selective encapsulation of fructose. <i>Nature Chemistry</i> , <b>2015</b> , 7, 334-41	17.6	170
78	Peptide-Oligourea Chimeras: Stabilization of Short $\alpha$ -Helices by Non-Peptide Helical Foldamers. <i>Angewandte Chemie</i> , <b>2015</b> , 127, 9954-9958	3.6	22
77	Effects of Donor and Acceptor Units Attached with Benzoselenadiazole: Optoelectronic and Self-Assembling Patterns. <i>Crystal Growth and Design</i> , <b>2015</b> , 15, 5548-5554	3.5	21
76	Peptide-Oligourea Chimeras: Stabilization of Short $\alpha$ -Helices by Non-Peptide Helical Foldamers. <i>Angewandte Chemie - International Edition</i> , <b>2015</b> , 54, 9816-20	16.4	49
75	Isosteric substitutions of urea to thiourea and selenourea in aliphatic oligourea foldamers: site-specific perturbation of the helix geometry. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 2870-80	4.8	23

74	In situ helicity inversion of self-assembled nano-helices. <i>Chemical Communications</i> , <b>2015</b> , 51, 3518-21	5.8	19
73	Functionalization of a ruthenium-diacetylide organometallic complex as a next-generation push-pull chromophore. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 7017-24	4.8	29
72	Synthesis and folding propensity of aliphatic oligoureas containing repeats of proline-type units. <i>Journal of Organic Chemistry</i> , <b>2014</b> , 79, 5494-502	4.2	9
71	Aromatic oligoamide $\beta$ sheet foldamers. <i>Journal of the American Chemical Society</i> , <b>2014</b> , 136, 2168-74	16.4	71
70	Racemic DNA crystallography. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 14424-7	16.4	35
69	Assessing stabilization through $\pi$ interactions in aromatic oligoamide $\beta$ sheet foldamers. <i>Organic Letters</i> , <b>2014</b> , 16, 2326-9	6.2	29
68	Formation of a hydrogen-bonded barbiturate [2]-rotaxane. <i>Organic Letters</i> , <b>2014</b> , 16, 1358-61	6.2	22
67	Synthesis of 1,8-diazaanthracenes as building blocks for internally functionalized aromatic oligoamide foldamers. <i>Journal of Organic Chemistry</i> , <b>2014</b> , 79, 2115-22	4.2	13
66	Racemic DNA Crystallography. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 14652-14655	3.6	10
65	Increasing the Size of an Aromatic Helical Foldamer Cavity by Strand Intercalation. <i>Angewandte Chemie</i> , <b>2014</b> , 126, 13356-13360	3.6	10
64	Tuning the guest-binding ability of a helically folded capsule by in situ modification of the aromatic oligoamide backbone. <i>Chemistry - A European Journal</i> , <b>2014</b> , 20, 1547-53	4.8	30
63	Increasing the size of an aromatic helical foldamer cavity by strand intercalation. <i>Angewandte Chemie - International Edition</i> , <b>2014</b> , 53, 13140-4	16.4	35
62	Influence of achiral units with gem-dimethyl substituents on the helical character of aliphatic oligoamides. <i>Chemical Communications</i> , <b>2013</b> , 49, 7415-7	5.8	15
61	Controlling helix formation in the $\beta$ peptide superfamily: heterogeneous foldamers with urea/amide and urea/carbamate backbones. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 4147-51	16.4	45
60	Helix-forming propensity of aliphatic urea oligomers incorporating noncanonical residue substitution patterns. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 4884-92	16.4	43
59	Folding of a linear array of $\beta$ amino acids within a helical aromatic oligoamide frame. <i>Journal of the American Chemical Society</i> , <b>2013</b> , 135, 9628-31	16.4	65
58	Structural characterization of short hybrid urea/carbamate (U/C) foldamers: A case of partial helix unwinding. <i>Biopolymers</i> , <b>2013</b> , 100, 687-97	2.2	16
57	Controlling Helix Formation in the $\beta$ Peptide Superfamily: Heterogeneous Foldamers with Urea/Amide and Urea/Carbamate Backbones. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 4241-4245	3.6	13

56	Structure elucidation of host-guest complexes of tartaric and malic acids by quasi-racemic crystallography. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 11517-20	16.4	32
55	Structure Elucidation of Host-Guest Complexes of Tartaric and Malic Acids by Quasi-Racemic Crystallography. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 11731-11734	3.6	10
54	Unambiguous structure of atractyloside and carboxyatractyloside. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2012</b> , 22, 2973-5	2.9	10
53	An activated building block for the introduction of the histidine side chain in aliphatic oligourea foldamers. <i>Tetrahedron</i> , <b>2012</b> , 68, 4492-4500	2.4	6
52	A highly stable double helix of aromatic oligoamide comprised of fused ring aromatic units. <i>Tetrahedron</i> , <b>2012</b> , 68, 4479-4484	2.4	10
51	Photolariats: synthesis, metal ion complexation and photochromism. <i>Supramolecular Chemistry</i> , <b>2012</b> , 24, 462-472	1.8	4
50	Long-range effects on the capture and release of a chiral guest by a helical molecular capsule. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 11282-8	16.4	44
49	Identification of a foldaxane kinetic byproduct during guest-induced single to double helix conversion. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 15656-9	16.4	70
48	Spectroscopic and crystallographic characterization of "alternative resting" and "resting oxidized" enzyme forms of bilirubin oxidase: implications for activity and electrochemical behavior of multicopper oxidases. <i>Journal of the American Chemical Society</i> , <b>2012</b> , 134, 5548-51	16.4	43
47	Development of domino processes by using 7-silylcycloheptatrienes and its analogues. <i>Chemistry - A European Journal</i> , <b>2012</b> , 18, 11976-86	4.8	9
46	Dynamics of ion-regulated photoinduced electron transfer in BODIPY-BAPTA conjugates. <i>Photochemical and Photobiological Sciences</i> , <b>2012</b> , 11, 1666-74	4.2	28
45	Solvent dependence of helix stability in aromatic oligoamide foldamers. <i>Chemical Communications</i> , <b>2012</b> ,	5.8	70
44	Copper catalyst activation driven by photoinduced electron transfer: a prototype photolent click catalyst. <i>Angewandte Chemie - International Edition</i> , <b>2012</b> , 51, 7137-41	16.4	40
43	Relative helix-helix conformations in branched aromatic oligoamide foldamers. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 3165-72	16.4	63
42	The 1-D polymeric structure of the [Fe(NH <sub>2</sub> trz) <sub>3</sub> ](NO <sub>3</sub> ) <sub>2</sub> ·nH <sub>2</sub> O (with n = 2) spin crossover compound proven by single crystal investigations. <i>Chemical Communications</i> , <b>2011</b> , 47, 12382-4	5.8	94
41	Facile functionalization of a fully fluorescent perfluorophenyl BODIPY: photostable thiol and amine conjugates. <i>Chemical Communications</i> , <b>2011</b> , 47, 10425-7	5.8	30
40	Study of the oxidation of 3-hydroxypyrrroloindoles to pyrrolobenzoxazine alkaloids. <i>Tetrahedron</i> , <b>2011</b> , 67, 9899-9908	2.4	9
39	TrimethylamineN-oxide as a versatile cryoprotective agent in macromolecular crystallography. <i>Journal of Applied Crystallography</i> , <b>2011</b> , 44, 433-436	3.8	22

38	Template-Induced Screw Motions within an Aromatic Amide Foldamer Double Helix. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 7714-7717	3.6	35
37	Condensation Approach to Aliphatic Oligourea Foldamers: Helices with N-(Pyrrolidin-2-ylmethyl)ureido Junctions. <i>Angewandte Chemie</i> , <b>2011</b> , 123, 11584-11587	3.6	19
36	Template-induced screw motions within an aromatic amide foldamer double helix. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 7572-5	16.4	71
35	Condensation approach to aliphatic oligourea foldamers: helices with N-(pyrrolidin-2-ylmethyl)ureido junctions. <i>Angewandte Chemie - International Edition</i> , <b>2011</b> , 50, 11382-5	16.4	49
34	Preparative enantiomeric separation of new selective CB2 receptor agonists by liquid chromatography on polysaccharide-based chiral stationary phases: determination of enantiomeric purity and assignment of absolute stereochemistry by X-ray structure analysis. <i>Chirality</i> , <b>2011</b> , 23, 389-96	2.1	4
33	Absolute control of helical handedness in quinoline oligoamides. <i>Journal of Organic Chemistry</i> , <b>2011</b> , 76, 195-200	4.2	74
32	Helix-rod host-guest complexes with shuttling rates much faster than disassembly. <i>Science</i> , <b>2011</b> , 331, 1172-5	33.3	215
31	Cascading transformations within a dynamic self-assembled system. <i>Nature Chemistry</i> , <b>2010</b> , 2, 684-7	17.6	125
30	Diastereoselective encapsulation of tartaric acid by a helical aromatic oligoamide. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 7858-9	16.4	110
29	Self-assembly of supramolecular fullerene ribbons via hydrogen-bonding interactions and their impact on fullerene electronic interactions and charge carrier mobility. <i>Journal of the American Chemical Society</i> , <b>2010</b> , 132, 12717-23	16.4	68
28	Heteromeric double helix formation by cross-hybridization of chloro- and fluoro-substituted quinoline oligoamides. <i>Chemical Communications</i> , <b>2010</b> , 46, 297-9	5.8	50
27	Hybridization of long pyridine-dicarboxamide oligomers into multi-turn double helices: slow strand association and dissociation, solvent dependence, and solid state structures. <i>Chemistry - an Asian Journal</i> , <b>2010</b> , 5, 1364-75	4.5	12
26	Electrochemical synthesis and characterisation of alternating tripyridyl-dipyrrole molecular strands with multiple nitrogen-based donor-acceptor binding sites. <i>Chemistry - A European Journal</i> , <b>2010</b> , 16, 11876-89	4.8	10
25	Parallel and Antiparallel Triple Helices of Naphthyridine Oligoamides. <i>Angewandte Chemie</i> , <b>2010</b> , 122, 1822-1825	3.6	19
24	Parallel and antiparallel triple helices of naphthyridine oligoamides. <i>Angewandte Chemie - International Edition</i> , <b>2010</b> , 49, 1778-81	16.4	65
23	Driving amyloid toxicity in a yeast model by structural changes: a molecular approach. <i>FASEB Journal</i> , <b>2009</b> , 23, 2254-63	0.9	24
22	Interplay of interactions governing the dynamic conversions of acyclic and macrocyclic helicates. <i>Chemistry - A European Journal</i> , <b>2009</b> , 15, 6138-42	4.8	33
21	A self-assembled foldamer capsule: combining single and double helical segments in one aromatic amide sequence. <i>Chemistry - A European Journal</i> , <b>2009</b> , 15, 11530-6	4.8	44



20	Nanosized hybrid oligoamide foldamers: aromatic templates for the folding of multiple aliphatic units. <i>Journal of the American Chemical Society</i> , <b>2009</b> , 131, 8642-8	16.4	64
19	Methionine sulfoxide reductase B displays a high level of flexibility. <i>Journal of Molecular Biology</i> , <b>2009</b> , 394, 83-93	6.5	37
18	Expanding the registry of aromatic amide foldamers: folding, photochemistry and assembly using diaza-anthracene units. <i>Journal of Organic Chemistry</i> , <b>2008</b> , 73, 2687-94	4.2	52
17	A structural analysis of the catalytic mechanism of methionine sulfoxide reductase A from <i>Neisseria meningitidis</i> . <i>Journal of Molecular Biology</i> , <b>2008</b> , 377, 268-80	6.5	32
16	Interpenetrating single helical capsules. <i>Chemical Communications</i> , <b>2008</b> , 1968-70	5.8	31
15	Remote substituent effects and regioselective enhancement of electrophilic substitutions in helical aromatic oligoamides. <i>Journal of the American Chemical Society</i> , <b>2008</b> , 130, 13210-1	16.4	25
14	Metal-directed dynamic formation of tertiary structure in foldamer assemblies: orienting helices at an angle. <i>Chemistry - A European Journal</i> , <b>2008</b> , 14, 7140-3	4.8	31
13	Quadruple and double helices of 8-fluoroquinoline oligoamides. <i>Angewandte Chemie - International Edition</i> , <b>2008</b> , 47, 1715-8	16.4	119
12	Converting sequences of aromatic amino acid monomers into functional three-dimensional structures: second-generation helical capsules. <i>Angewandte Chemie - International Edition</i> , <b>2008</b> , 47, 4153-6	16.4	73
11	Quadruple and Double Helices of 8-Fluoroquinoline Oligoamides. <i>Angewandte Chemie</i> , <b>2008</b> , 120, 1739-1742	16.4	41
10	Converting Sequences of Aromatic Amino Acid Monomers into Functional Three-Dimensional Structures: Second-Generation Helical Capsules. <i>Angewandte Chemie</i> , <b>2008</b> , 120, 4221-4224	3.6	18
9	The herringbone helix: a noncanonical folding in aromatic-aliphatic peptides. <i>Journal of the American Chemical Society</i> , <b>2007</b> , 129, 11348-9	16.4	56
8	Assessing the mechanical properties of a molecular spring. <i>Chemistry - A European Journal</i> , <b>2007</b> , 13, 8463-9	4.8	83
7	Functional and structural aspects of poplar cytosolic and plastidial type a methionine sulfoxide reductases. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 3367-78	5.4	55
6	How to avoid premature decay of your macromolecular crystal: a quick soak for long life. <i>Structure</i> , <b>2006</b> , 14, 1099-105	5.2	46
5	The X-ray structure of the N-terminal domain of PILB from <i>Neisseria meningitidis</i> reveals a thioredoxin-fold. <i>Journal of Molecular Biology</i> , <b>2006</b> , 358, 443-54	6.5	12
4	The three-dimensional structures of peptide methionine sulfoxide reductases: current knowledge and open questions. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , <b>2005</b> , 1703, 249-60	4	34
3	N-(tert-Butyloxycarbonylamino)phthalimide. <i>Acta Crystallographica Section E: Structure Reports Online</i> , <b>2004</b> , 60, o934-o935		1

2	Crystallization and preliminary X-ray studies of the glutaredoxin from poplar in complex with glutathione. <i>Acta Crystallographica Section D: Biological Crystallography</i> , <b>2003</b> , 59, 1043-5	5
1	Crystallization and preliminary X-ray diffraction studies of the peptide methionine sulfoxide reductase B domain of <i>Neisseria meningitidis</i> PILB. <i>Acta Crystallographica Section D: Biological Crystallography</i> , <b>2002</b> , 58, 1467-9	12