## Tet Sen Howe

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3800445/publications.pdf

Version: 2024-02-01

623734 610901 45 674 14 24 h-index citations g-index papers 45 45 45 909 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Preoperative Anemia, Functional Outcomes, and Quality of Life After Hip Fracture Surgery. Journal of the American Geriatrics Society, 2018, 66, 1524-1531.	2.6	64
2	Ultrasonic Percutaneous Tenotomy for Recalcitrant Lateral Elbow Tendinopathy. American Journal of Sports Medicine, 2016, 44, 504-510.	4.2	60
3	Comorbidity as the dominant predictor of mortality after hip fracture surgeries. Osteoporosis International, 2019, 30, 2477-2483.	3.1	59
4	Comorbidities Have a Greater Impact Than Age Alone in the Outcomes of Octogenarian Total Knee Arthroplasty. Journal of Arthroplasty, 2017, 32, 3373-3378.	3.1	39
5	Atypical Fractures Are Mainly Subtrochanteric in Singapore and Diaphyseal in Sweden: A Cross-Sectional Study. Journal of Bone and Mineral Research, 2015, 30, 2127-2132.	2.8	36
6	Generalized ligamentous laxity may be a predisposing factor for musculoskeletal injuries. Journal of Science and Medicine in Sport, 2014, 17, 474-478.	1.3	35
7	Risk Factors and Trends Associated With Mortality Among Adults With Hip Fracture in Singapore. JAMA Network Open, 2020, 3, e1919706.	5.9	33
8	Charlson Comorbidity Index Predicts 5-Year Survivorship of Surgically Treated Hip Fracture Patients. Geriatric Orthopaedic Surgery and Rehabilitation, 2018, 9, 215145931880644.	1.4	32
9	The Association Between Psychological Resilience and Physical Function Among Older Adults With Hip Fracture Surgery. Journal of the American Medical Directors Association, 2020, 21, 260-266.e2.	2.5	30
10	Preoperative hypoalbuminemia: Poor functional outcomes and quality of life after hip fracture surgery. Bone, 2021, 143, 115567.	2.9	25
11	Bisphosphonate-associated peri-implant fractures: a new clinical entity?. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 622-626.	3.3	24
12	Early Postoperative Pain After Total Knee Arthroplasty Is Associated With Subsequent Poorer Functional Outcomes and Lower Satisfaction. Journal of Arthroplasty, 2021, 36, 2466-2472.	3.1	20
13	Four limb amputations due to peripheral gangrene from inotrope use – Case report and review of the literature. International Journal of Surgery Case Reports, 2015, 14, 63-65.	0.6	19
14	Combining classifiers for bone fracture detection in X-ray images. , 2005, , .		15
15	What Are the Preoperative Outcome Measures That Predispose to Periprosthetic Fractures After Primary Total Knee Arthroplasty?. Journal of Arthroplasty, 2017, 32, 2531-2534.	3.1	15
16	The psychological impact on an orthopaedic outpatient setting in the early phase of the COVID-19 pandemic: a cross-sectional study. Journal of Orthopaedic Surgery and Research, 2020, 15, 322.	2.3	14
17	Ultrasonic Percutaneous Tenotomy for Recalcitrant Lateral Elbow Tendinopathy: Clinical and Sonographic Results at 90 Months. American Journal of Sports Medicine, 2021, 49, 1854-1860.	4.2	14
18	The Effect of Comorbidities and Age on Functional Outcomes After Total Knee Arthroplasty in the Octogenarian: A Matched Cohort Study. Geriatric Orthopaedic Surgery and Rehabilitation, 2018, 9, 215145931876950.	1.4	13

#	Article	IF	Citations
19	Bone cross-sectional geometry is not associated with atypical femoral fractures in Asian female chronic bisphosphonate users. Bone, 2015, 79, 170-175.	2.9	12
20	Association of the 36-Item Short Form Health Survey Physical Component Summary Score With Patient Satisfaction and Improvement 2 Years After Total Knee Arthroplasty. JAMA Network Open, 2019, 2, e190062.	5.9	12
21	Predictors for Rehabilitation Outcome in Asian Geriatric Hip Fracture Patients. Journal of Orthopaedic Surgery, 2016, 24, 153-157.	1.0	10
22	Ensuring Business Continuity of Musculoskeletal Care During the COVID-19 Pandemic. JBJS Open Access, 2020, 5, e0050-e0050.	1.5	10
23	Higher Charlson Comorbidity Index Increases 90-Day Readmission Rate with Poorer Functional Outcomes in Surgically Treated Hip Fracture Patients. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110362.	1.4	9
24	From "business continuity―to "back to business―for orthopaedic surgeons during the COVID-19 pandemic. Bone & Joint Open, 2020, 1, 222-228.	2.6	9
25	End-Stage Renal Failure Is an Independent Risk Factor for 1-Year Mortality After Hip Fracture Surgery. Geriatric Orthopaedic Surgery and Rehabilitation, 2018, 9, 215145931877056.	1.4	8
26	The effect of the comorbidity burden on vitamin D levels in geriatric hip fracture. BMC Musculoskeletal Disorders, 2020, 21, 524.	1.9	6
27	Sub-optimal serum 25-hydroxyvitamin D level affects 2-year survival after hip fracture surgery. Journal of Bone and Mineral Metabolism, 2020, 38, 555-562.	2.7	6
28	Preoperative severe vitamin D deficiency is a significant independent risk factor for poorer functional outcome and quality of life 6 months after surgery for fragility hip fractures. Osteoporosis International, 2021, 32, 2217-2224.	3.1	6
29	Bilateral Atypical Femur Fractures After Denosumab in a Bisphosphonate Naive Patient: A Case Report. Calcified Tissue International, 2022, 111, 96-101.	3.1	6
30	Serum albumin level predicts survival after surgical treatment of metastatic femur fractures: a retrospective study. Journal of Orthopaedic Surgery and Research, 2020, 15, 128.	2.3	5
31	Detecting femur fractures by texture analysis of trabeculae. , 2004, , .		4
32	Restoring a functional and mobile shoulder following reconstruction of the sternoclavicular joint with a free vascularized fibular flap. JPRAS Open, 2018, 16, 73-77.	0.9	4
33	The Role of Prefracture Health Status in Physical and Mental Function After Hip Fracture Surgery. Journal of the American Medical Directors Association, 2018, 19, 989-994.e2.	2.5	4
34	Developing a Simpler Prognosticating Tool: Comparing the Combined Assessment of Risk Encountered in Surgery Score with Deyo-Charlson Comorbidity Index and The American Society of Anesthesiologists Physical Status Score in Predicting 2 years Mortality after Hip Fracture Surgery. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110362.	1.4	4
35	Recovery of 3D Pose of Bones in Single 2D X-ray Images. Proceedings IEEE Workshop on Applications of Computer Vision, 2007, , .	0.0	3
36	Drilling the near Cortex with Elongated Figure-of-8 Holes to Reduce the Stiffness of a Locking Compression Plate Construct. Journal of Orthopaedic Surgery, 2015, 23, 336-340.	1.0	2

#	Article	IF	CITATIONS
37	Strain behavior of native and reconstructed medial patellofemoral ligaments during dynamic knee flexion - a cadaveric study. Journal of Experimental Orthopaedics, 2019, 6, 31.	1.8	2
38	From "business continuity―to "back to business―for orthopaedic surgeons during the COVID-19 pandemic. Bone & Joint Open, 2020, 1, 222-228.	2.6	2
39	Response to PD Miller, Underdiagnosis and Undertreatment of Osteoporosis: The Battle To Be Won. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 1088-1089.	3.6	1
40	Computed tomography-based diagnosis of occult fragility hip fractures offer shorter waiting times with no inadvertent missed diagnosis. Journal of Orthopaedic Surgery, 2020, 28, 230949902093208.	1.0	1
41	End stage renal disease patients undergoing hip fracture surgery have increased length of stay, acute hospital bill size, and reduced survivorship—implications on a bundled care program. Archives of Osteoporosis, 2022, 17, 59.	2.4	1
42	The prisoner's dilemma in medical sponsorship – and why it just got worse. Proceedings of Singapore Healthcare, 2019, 28, 81-82.	0.6	0
43	Bipolar Hemiarthroplasty and Parathyroidectomy at the Same Setting for Fragility Fractures Secondary to Renal Bone Disease. Indian Journal of Orthopaedics, 2020, 54, 81-86.	1.1	O
44	Studies of the criteria for determining optimal location of medial patellofemoral ligament attachment sites. Medical and Biological Engineering and Computing, 2021, 59, 693-702.	2.8	0
45	Isolated Synovial Osteochondromatosis in a Completely Enclosed Suprapatellar Pouch: A Rare Case Report. Journal of Orthopaedic Case Reports, 2020, 10, 17-20.	0.1	O