

Christian U Huebbers

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3800655/publications.pdf>

Version: 2024-02-01

27
papers

1,091
citations

471371

17
h-index

501076

28
g-index

28
all docs

28
docs citations

28
times ranked

1894
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic Signatures of HPV-related and Unrelated Oropharyngeal Carcinoma and Their Prognostic Implications. <i>Clinical Cancer Research</i> , 2009, 15, 1779-1786.	3.2	186
2	Tumor-associated B cells and humoral immune response in head and neck squamous cell carcinoma. <i>Oncolmmunology</i> , 2019, 8, 1535293.	2.1	97
3	Characterization of tumor-associated T-lymphocyte subsets and immune checkpoint molecules in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 44418-44433.	0.8	95
4	Viral load, gene expression and mapping of viral integration sites in HPV16-associated HNSCC cell lines. <i>International Journal of Cancer</i> , 2015, 136, E207-18.	2.3	92
5	Comprehensive Analysis of HPV16 Integration in OSCC Reveals No Significant Impact of Physical Status on Viral Oncogene and Virally Disrupted Human Gene Expression. <i>PLoS ONE</i> , 2014, 9, e88718.	1.1	85
6	P16 ^{INK4A} immunostaining is a strong indicator for high-risk HPV-associated oropharyngeal carcinomas and dysplasias, but is unreliable to predict low-risk HPV infection in head and neck papillomas and laryngeal dysplasias. <i>International Journal of Cancer</i> , 2014, 134, 2108-2117.	2.3	64
7	p16 Expression in carcinoma of unknown primary: Diagnostic indicator and prognostic marker. <i>Head and Neck</i> , 2013, 35, 1521-1526.	0.9	50
8	Methylation status of HPV16 E2-binding sites classifies subtypes of HPV-associated oropharyngeal cancers. <i>Cancer</i> , 2015, 121, 1966-1976.	2.0	43
9	Integration of HPV6 and Downregulation of AKR1C3 Expression Mark Malignant Transformation in a Patient with Juvenile-Onset Laryngeal Papillomatosis. <i>PLoS ONE</i> , 2013, 8, e57207.	1.1	41
10	Chromosome stability in tonsillar squamous cell carcinoma is associated with HPV16 integration and indicates a favorable prognosis. <i>International Journal of Cancer</i> , 2013, 132, 1781-1789.	2.3	34
11	Prevalence and risk factors for oral human papillomavirus infection in 129 women screened for cervical HPV infection. <i>Oral Oncology</i> , 2014, 50, 27-31.	0.8	34
12	Nuclear translocation of β -catenin and decreased expression of epithelial cadherin in human papillomavirus-positive tonsillar cancer: an early event in human papillomavirus-related tumour progression?. <i>Histopathology</i> , 2011, 58, 1117-1126.	1.6	30
13	Management of neck metastases of unknown primary origin united in two European centers. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 195-205.	0.8	29
14	Prognostic impact of human papillomavirus status, survivin, and epidermal growth factor receptor expression on survival in patients treated with radiochemotherapy for very advanced nonresectable oropharyngeal cancer. <i>Head and Neck</i> , 2013, 35, 1339-1344.	0.9	25
15	LAG-3, TIM-3 and VISTA Expression on Tumor-Infiltrating Lymphocytes in Oropharyngeal Squamous Cell Carcinoma—Potential Biomarkers for Targeted Therapy Concepts. <i>International Journal of Molecular Sciences</i> , 2021, 22, 379.	1.8	24
16	HPV16 increases the number of migratory cancer stem cells and modulates their miRNA expression profile in oropharyngeal cancer. <i>International Journal of Cancer</i> , 2018, 143, 1426-1439.	2.3	23
17	Upregulation of AKR1C1 and AKR1C3 expression in OPSCC with integrated HPV16 and HPV-negative tumors is an indicator of poor prognosis. <i>International Journal of Cancer</i> , 2019, 144, 2465-2477.	2.3	23
18	PD-L1 Expression and a High Tumor Infiltrate of CD8+ Lymphocytes Predict Outcome in Patients with Oropharyngeal Squamous Cells Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5228.	1.8	19

#	ARTICLE	IF	CITATIONS
19	High glucose uptake unexpectedly is accompanied by high levels of the mitochondrial $\hat{1}^2$ -F1-ATPase subunit in head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2015, 6, 36172-36184.	0.8	18
20	Causes and Consequences of HPV Integration in Head and Neck Squamous Cell Carcinomas: State of the Art. <i>Cancers</i> , 2021, 13, 4089.	1.7	17
21	Prognostic value of survivin expression in parotid gland cancer in consideration of different histological subtypes. <i>European Journal of Cancer</i> , 2011, 47, 1013-1020.	1.3	10
22	Valosin-Containing Protein (VCP/p97)-Expression Correlates with Prognosis of HPV- Negative Oropharyngeal Squamous Cell Carcinoma (OSCC). <i>PLoS ONE</i> , 2014, 9, e114170.	1.1	10
23	Prognostic value of proliferating cell nuclear antigen in parotid gland cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2012, 269, 1225-1232.	0.8	8
24	Expression of podoplanin and prognosis in oropharyngeal cancer. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1749-1754.	0.8	8
25	Downregulation of the $\hat{1}^{\pm}$ and $\hat{1}^2$ -subunit of sGC in Arterial Smooth Muscle Cells of OPSCC Is HPV-Independent. <i>Journal of Dental Research</i> , 2018, 97, 1214-1221.	2.5	8
26	Viral Integration Analysis Reveals Likely Common Clonal Origin of Bilateral HPV16-Positive, p16-Positive Tonsil Tumors. <i>Archives of Clinical and Medical Case Reports</i> , 2020, 04, 680-696.	0.0	4
27	Comprehensive Analysis of VEGFR2 Expression in HPV-Positive and -Negative OPSCC Reveals Differing VEGFR2 Expression Patterns. <i>Cancers</i> , 2021, 13, 5221.	1.7	4