List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3801166/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	NY-ESO-1–specific TCR–engineered T cells mediate sustained antigen-specific antitumor effects in myeloma. Nature Medicine, 2015, 21, 914-921.	30.7	728
2	B cell maturation antigen–specific CAR T cells are clinically active in multiple myeloma. Journal of Clinical Investigation, 2019, 129, 2210-2221.	8.2	513
3	Chimeric Antigen Receptor T Cells against CD19 for Multiple Myeloma. New England Journal of Medicine, 2015, 373, 1040-1047.	27.0	511
4	Oral Selinexor–Dexamethasone for Triple-Class Refractory Multiple Myeloma. New England Journal of Medicine, 2019, 381, 727-738.	27.0	460
5	Autologous haemopoietic stem-cell transplantation followed by allogeneic or autologous haemopoietic stem-cell transplantation in patients with multiple myeloma (BMT CTN 0102): a phase 3 biological assignment trial. Lancet Oncology, The, 2011, 12, 1195-1203.	10.7	263
6	Post-traumatic stress disorder in cancer: a review. , 1999, 8, 521-537.		210
7	Carfilzomib-Associated Cardiovascular Adverse Events. JAMA Oncology, 2018, 4, e174519.	7.1	196
8	Autologous Transplantation, Consolidation, and Maintenance Therapy in Multiple Myeloma: Results of the BMT CTN 0702 Trial. Journal of Clinical Oncology, 2019, 37, 589-597.	1.6	184
9	Symptom Prevalence, Characteristics, and Distress in AIDS Outpatients. Journal of Pain and Symptom Management, 1999, 18, 253-262.	1.2	183
10	Efficacy and Safety of Hydroxychloroquine vs Placebo for Pre-exposure SARS-CoV-2 Prophylaxis Among Health Care Workers. JAMA Internal Medicine, 2021, 181, 195.	5.1	168
11	Improved Outcomes After Autologous Hematopoietic Cell Transplantation for Light Chain Amyloidosis: A Center for International Blood and Marrow Transplant Research Study. Journal of Clinical Oncology, 2015, 33, 3741-3749.	1.6	163
12	Financial toxicity in insured patients with multiple myeloma: a cross-sectional pilot study. Lancet Haematology,the, 2015, 2, e408-e416.	4.6	158
13	Combination immunotherapy using adoptive T-cell transfer and tumor antigen vaccination on the basis of hTERT and survivin after ASCT for myeloma. Blood, 2011, 117, 788-797.	1.4	148
14	Selective Inhibition of Nuclear Export With Oral Selinexor for Treatment of Relapsed or Refractory Multiple Myeloma. Journal of Clinical Oncology, 2018, 36, 859-866.	1.6	140
15	Anti-CD19 CAR T cells with high-dose melphalan and autologous stem cell transplantation for refractory multiple myeloma. JCI Insight, 2018, 3, .	5.0	140
16	T-cell phenotypes associated with effective CAR T-cell therapy in postinduction vs relapsed multiple myeloma. Blood Advances, 2019, 3, 2812-2815.	5.2	133
17	Combination Immunotherapy after ASCT for Multiple Myeloma Using MAGE-A3/Poly-ICLC Immunizations Followed by Adoptive Transfer of Vaccine-Primed and Costimulated Autologous T Cells. Clinical Cancer Research, 2014, 20, 1355-1365.	7.0	116
18	Salvage Second Hematopoietic Cell Transplantation inÂMyeloma. Biology of Blood and Marrow Transplantation, 2013, 19, 760-766.	2.0	98

#	Article	IF	CITATIONS
19	A Phase I Study of the Mammalian Target of Rapamycin Inhibitor Sirolimus and MEC Chemotherapy in Relapsed and Refractory Acute Myelogenous Leukemia. Clinical Cancer Research, 2009, 15, 6732-6739.	7.0	97
20	Rapid Immune Recovery and Graft-versus-Host Disease–like Engraftment Syndrome following Adoptive Transfer of Costimulated Autologous T Cells. Clinical Cancer Research, 2009, 15, 4499-4507.	7.0	91
21	A clone-directed approach may improve diagnosis and treatment of proliferative glomerulonephritis with monoclonal immunoglobulin deposits. Kidney International, 2018, 94, 199-205.	5.2	90
22	Clinical Implications of Targeting XPO1-mediated Nuclear Export in Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, 335-345.	0.4	88
23	A Novel Peptidylarginine Deiminase 4 (PAD4) Inhibitor BMS-P5 Blocks Formation of Neutrophil Extracellular Traps and Delays Progression of Multiple Myeloma. Molecular Cancer Therapeutics, 2020, 19, 1530-1538.	4.1	81
24	Trends in allogeneic stem cell transplantation for multiple myeloma: a CIBMTR analysis. Blood, 2011, 118, 1979-1988.	1.4	77
25	Older Patients with Myeloma Derive Similar Benefit from Autologous Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 1796-1803.	2.0	73
26	Impact of Pretransplant Therapy and Depth of Disease Response before Autologous Transplantation for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2015, 21, 335-341.	2.0	64
27	Successful use of the antiâ€CD25 antibody daclizumab in an adult patient with hemophagocytic lymphohistiocytosis. American Journal of Hematology, 2008, 83, 747-749.	4.1	63
28	Long-term follow-up of BMT CTN 0702 (STaMINA) of postautologous hematopoietic cell transplantation (autoHCT) strategies in the upfront treatment of multiple myeloma (MM) Journal of Clinical Oncology, 2020, 38, 8506-8506.	1.6	63
29	Bone marrow PMN-MDSCs and neutrophils are functionally similar in protection of multiple myeloma from chemotherapy. Cancer Letters, 2016, 371, 117-124.	7.2	59
30	Integrated safety profile of selinexor in multiple myeloma: experience from 437 patients enrolled in clinical trials. Leukemia, 2020, 34, 2430-2440.	7.2	54
31	Effect of Obesity on Outcomes after Autologous Hematopoietic Stem Cell Transplantation for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2011, 17, 1765-1774.	2.0	53
32	Phase I/II study of the novel proteasome inhibitor delanzomib (CEP-18770) for relapsed and refractory multiple myeloma. Leukemia and Lymphoma, 2017, 58, 1872-1879.	1.3	50
33	Transfer of influenza vaccine–primed costimulated autologous T cells after stem cell transplantation for multiple myeloma leads to reconstitution of influenza immunity: results of a randomized clinical trial. Blood, 2011, 117, 63-71.	1.4	41
34	Posttransplant lymphoproliferative disorder in adult liver transplant recipients: A report of seventeen cases. Leukemia and Lymphoma, 2007, 48, 885-891.	1.3	40
35	Medical management update: Multiple myeloma. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2007, 103, 599-609.	1.4	36
36	RUNX proteins desensitize multiple myeloma to lenalidomide via protecting IKZFs from degradation. Leukemia, 2019, 33, 2006-2021.	7.2	36

#	Article	IF	CITATIONS
37	Serial treatment of relapsed/refractory multiple myeloma with different BCMA-targeting therapies. Blood Advances, 2019, 3, 2487-2490.	5.2	35
38	Post-Transplant Outcomes in High-Risk Compared with Non–High-Risk Multiple Myeloma: A CIBMTR Analysis. Biology of Blood and Marrow Transplantation, 2016, 22, 1893-1899.	2.0	34
39	Successful Treatment of T-cell Post-Transplant Lymphoproliferative Disorder with the Retinoid Analog Bexarotene. American Journal of Transplantation, 2005, 5, 2070-2073.	4.7	32
40	A Phase I Study of Bexarotene, a Retinoic X Receptor Agonist, in Non-M3 Acute Myeloid Leukemia. Clinical Cancer Research, 2008, 14, 5619-5625.	7.0	32
41	Posterior Reversible Encephalopathy Syndrome (PRES) after Infusion of Anti-Bcma CAR T Cells (CART-BCMA) for Multiple Myeloma: Successful Treatment with Cyclophosphamide. Blood, 2016, 128, 5702-5702.	1.4	31
42	Scleromyxedema and dermato–neuro syndrome in a patient with multiple myeloma effectively treated with dexamethasone and bortezomib. American Journal of Hematology, 2011, 86, 893-896.	4.1	29
43	Outpatient Autologous Stem Cell Transplantation for Patients With Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 536-540.	0.4	28
44	Pilot Study of Anti-CD19 Chimeric Antigen Receptor T Cells (CTL019) in Conjunction with Salvage Autologous Stem Cell Transplantation for Advanced Multiple Myeloma. Blood, 2016, 128, 974-974.	1.4	28
45	Impact of prior therapies on the relative efficacy of bortezomib compared with dexamethasone in patients with relapsed/refractory multiple myeloma. British Journal of Haematology, 2009, 147, 531-534.	2.5	27
46	Selinexor and Low Dose Dexamethasone (Sd) in Patients with Lenalidomide, Pomalidomide, Bortezomib, Carfilzomib and Anti-CD38 Ab Refractory Multiple Myeloma (MM): STORM Study. Blood, 2016, 128, 491-491.	1.4	21
47	Gemcitabine-induced pericardial effusion and tamponade after unblocked cardiac irradiation. Leukemia and Lymphoma, 2005, 46, 1313-1320.	1.3	20
48	Clinical Predictors of T Cell Fitness for CAR T Cell Manufacturing and Efficacy in Multiple Myeloma. Blood, 2018, 132, 1886-1886.	1.4	19
49	Mass-Fix better predicts for PFS and OS than standard methods among multiple myeloma patients participating on the STAMINA trial (BMT CTN 0702 /07LT). Blood Cancer Journal, 2022, 12, 27.	6.2	19
50	Double autophagy stimulation using chemotherapy and mTOR inhibition combined with hydroxychloroquine for autophagy modulation in patients with relapsed or refractory multiple myeloma. Haematologica, 2017, 102, e261-e265.	3.5	17
51	Post-transplant outcomes of induction therapy for myeloma: Thalidomide and dexamethasone versus doxorubicin, vincristine, and dexamethasone prior to high-dose melphalan with autologous stem cell support. American Journal of Hematology, 2007, 82, 1071-1075.	4.1	15
52	Selinexorâ€based regimens for the treatment of myeloma refractory to chimeric antigen receptor T cell therapy. British Journal of Haematology, 2020, 189, e126-e130.	2.5	13
53	Response to Therapy and the Effectiveness of Treatment with Selinexor and Dexamethasone in Patients with Penta-Exposed Triple-Class Refractory Myeloma Who Had Plasmacytomas. Blood, 2019, 134, 3140-3140.	1.4	13
54	Combination Anti-Bcma and Anti-CD19 CAR T Cells As Consolidation of Response to Prior Therapy in Multiple Myeloma. Blood, 2019, 134, 1863-1863.	1.4	13

#	Article	IF	CITATIONS
55	The presence of amyloid in abdominal and oral mucosal tissues in patients initially diagnosed with multiple myeloma: a pilot study. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2011, 111, 326-332.	1.4	12
56	Sangivamycin-like Molecule 6 Exhibits Potent Anti-Multiple Myeloma Activity through Inhibition of Cyclin-Dependent Kinase-9. Molecular Cancer Therapeutics, 2012, 11, 2321-2330.	4.1	12
57	The evolving role of plerixafor in hematopoietic progenitor cell mobilization. Transfusion, 2013, 53, 2314-2326.	1.6	12
58	Phase 1B Results of Ricolinostat (ACY-1215) Combination Therapy with Bortezomib and Dexamethasone in Patients with Relapsed or Relapsed and Refractory Multiple Myeloma (MM). Blood, 2014, 124, 4764-4764.	1.4	12
59	Pembrolizumab in Combination with Pomalidomide and Dexamethasone (PEMBRO/POM/DEX) for Pomalidomide Exposed Relapsed or Refractory Multiple Myeloma. Blood, 2016, 128, 2119-2119.	1.4	12
60	Femtomolar SARS-CoV-2 Antigen Detection Using the Microbubbling Digital Assay with Smartphone Readout Enables Antigen Burden Quantitation and Tracking. Clinical Chemistry, 2021, 68, 230-239.	3.2	11
61	A phase 1 clinical trial of oral eltanexor in patients with relapsed or refractory multiple myeloma. American Journal of Hematology, 2022, 97, .	4.1	11
62	A randomized phase 2 trial of idiotype vaccination and adoptive autologous T-cell transfer in patients with multiple myeloma. Blood, 2022, 139, 1289-1301.	1.4	9
63	Differentiation syndrome in non-M3 acute myeloid leukemia treated with the retinoid X receptor agonist bexarotene. Medical Oncology, 2008, 25, 299-302.	2.5	8
64	Crystalâ€ s toring histiocytosis in plasma cell myeloma. American Journal of Hematology, 2010, 85, 444-445.	4.1	8
65	Quality of life analyses in patients with multiple myeloma: results from the Selinexor (KPT-330) Treatment of Refractory Myeloma (STORM) phase 2b study. BMC Cancer, 2021, 21, 993.	2.6	8
66	Bâ€cell maturation antigen chimeric antigen receptor Tâ€cell reâ€expansion in a patient with myeloma following salvage programmed cell death protein 1 inhibitorâ€based combination therapy. British Journal of Haematology, 2021, 193, 851-855.	2.5	6
67	Postâ€traumatic stress disorder in cancer: a review. Psycho-Oncology, 1999, 8, 521-537.	2.3	5
68	Selinexor-Containing Regimens for the Treatment of Patients with Multiple Myeloma Refractory to Chimeric Antigen Receptor T-Cell (CAR-T) Therapy. Blood, 2019, 134, 1854-1854.	1.4	5
69	Untangling immunotactoid glomerulopathy in the MGRS era. Kidney International, 2021, 99, 303-305.	5.2	3
70	Influence of Cytogenetics in Patients with Relapsed Refractory Multiple Myeloma Treated with Oral Selinexor and Dexamethasone: A Post-Hoc Analysis of the STORM Study. Blood, 2019, 134, 1872-1872.	1.4	3
71	The Rationale for Combined Proteasome and Autophagy Inhibition in Multiple Myeloma Established Using Novel Translational Platforms. Blood, 2008, 112, 2755-2755.	1.4	3
72	A unique window of opportunity for practical reform of cancer clinical trials. Cancer, 2021, 127, 2855-2860.	4.1	2

#	Article	IF	CITATIONS
73	A Phase 1 Trial of Fluphenazine HCl (Fz), a Serotonin Antagonist, in Relapsed and Refractory Multiple Myeloma. Blood, 2008, 112, 5188-5188.	1.4	2
74	Hypertriglyceridemia presenting as "pink blood―and elevated hemoglobin level. American Journal of Hematology, 2008, 83, 253-253.	4.1	0
75	Overall Survival Remains Important in Trials of Early-Line Multiple Myeloma Therapy. Journal of Clinical Oncology, 2021, , JCO2101754.	1.6	0
76	Posttransplant Lymphoproliferative Disorder in Liver Transplant Recipients: A Report of Seventeen Cases Blood, 2005, 106, 1507-1507.	1.4	0
77	Detection of the Malignant B Cell Clone in Multiple Myeloma Via High Throughput Sequencing Is Robust to Significant Levels of Somatic Hypermutation. Blood, 2014, 124, 3413-3413.	1.4	0