
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3801166/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A randomized phase 2 trial of idiotype vaccination and adoptive autologous T-cell transfer in patients with multiple myeloma. Blood, 2022, 139, 1289-1301.	1.4	9
2	A phase 1 clinical trial of oral eltanexor in patients with relapsed or refractory multiple myeloma. American Journal of Hematology, 2022, 97, .	4.1	11
3	Mass-Fix better predicts for PFS and OS than standard methods among multiple myeloma patients participating on the STAMINA trial (BMT CTN 0702 /07LT). Blood Cancer Journal, 2022, 12, 27.	6.2	19
4	Efficacy and Safety of Hydroxychloroquine vs Placebo for Pre-exposure SARS-CoV-2 Prophylaxis Among Health Care Workers. JAMA Internal Medicine, 2021, 181, 195.	5.1	168
5	Untangling immunotactoid glomerulopathy in the MCRS era. Kidney International, 2021, 99, 303-305.	5.2	3
6	Bâ€cell maturation antigen chimeric antigen receptor Tâ€cell reâ€expansion in a patient with myeloma following salvage programmed cell death protein 1 inhibitorâ€based combination therapy. British Journal of Haematology, 2021, 193, 851-855.	2.5	6
7	A unique window of opportunity for practical reform of cancer clinical trials. Cancer, 2021, 127, 2855-2860.	4.1	2
8	Femtomolar SARS-CoV-2 Antigen Detection Using the Microbubbling Digital Assay with Smartphone Readout Enables Antigen Burden Quantitation and Tracking. Clinical Chemistry, 2021, 68, 230-239.	3.2	11
9	Quality of life analyses in patients with multiple myeloma: results from the Selinexor (KPT-330) Treatment of Refractory Myeloma (STORM) phase 2b study. BMC Cancer, 2021, 21, 993.	2.6	8
10	Overall Survival Remains Important in Trials of Early-Line Multiple Myeloma Therapy. Journal of Clinical Oncology, 2021, , JCO2101754.	1.6	0
11	A Novel Peptidylarginine Deiminase 4 (PAD4) Inhibitor BMS-P5 Blocks Formation of Neutrophil Extracellular Traps and Delays Progression of Multiple Myeloma. Molecular Cancer Therapeutics, 2020, 19, 1530-1538.	4.1	81
12	Selinexorâ€based regimens for the treatment of myeloma refractory to chimeric antigen receptor T cell therapy. British Journal of Haematology, 2020, 189, e126-e130.	2.5	13
13	Integrated safety profile of selinexor in multiple myeloma: experience from 437 patients enrolled in clinical trials. Leukemia, 2020, 34, 2430-2440.	7.2	54
14	Long-term follow-up of BMT CTN 0702 (STaMINA) of postautologous hematopoietic cell transplantation (autoHCT) strategies in the upfront treatment of multiple myeloma (MM) Journal of Clinical Oncology, 2020, 38, 8506-8506.	1.6	63
15	Oral Selinexor–Dexamethasone for Triple-Class Refractory Multiple Myeloma. New England Journal of Medicine, 2019, 381, 727-738.	27.0	460
16	Serial treatment of relapsed/refractory multiple myeloma with different BCMA-targeting therapies. Blood Advances, 2019, 3, 2487-2490.	5.2	35
17	Autologous Transplantation, Consolidation, and Maintenance Therapy in Multiple Myeloma: Results of the BMT CTN 0702 Trial. Journal of Clinical Oncology, 2019, 37, 589-597.	1.6	184
18	RUNX proteins desensitize multiple myeloma to lenalidomide via protecting IKZFs from degradation. Leukemia, 2019, 33, 2006-2021.	7.2	36

#	Article	IF	CITATIONS
19	T-cell phenotypes associated with effective CAR T-cell therapy in postinduction vs relapsed multiple myeloma. Blood Advances, 2019, 3, 2812-2815.	5.2	133
20	B cell maturation antigen–specific CAR T cells are clinically active in multiple myeloma. Journal of Clinical Investigation, 2019, 129, 2210-2221.	8.2	513
21	Influence of Cytogenetics in Patients with Relapsed Refractory Multiple Myeloma Treated with Oral Selinexor and Dexamethasone: A Post-Hoc Analysis of the STORM Study. Blood, 2019, 134, 1872-1872.	1.4	3
22	Selinexor-Containing Regimens for the Treatment of Patients with Multiple Myeloma Refractory to Chimeric Antigen Receptor T-Cell (CAR-T) Therapy. Blood, 2019, 134, 1854-1854.	1.4	5
23	Response to Therapy and the Effectiveness of Treatment with Selinexor and Dexamethasone in Patients with Penta-Exposed Triple-Class Refractory Myeloma Who Had Plasmacytomas. Blood, 2019, 134, 3140-3140.	1.4	13
24	Combination Anti-Bcma and Anti-CD19 CAR T Cells As Consolidation of Response to Prior Therapy in Multiple Myeloma. Blood, 2019, 134, 1863-1863.	1.4	13
25	Clinical Implications of Targeting XPO1-mediated Nuclear Export in Multiple Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2018, 18, 335-345.	0.4	88
26	Carfilzomib-Associated Cardiovascular Adverse Events. JAMA Oncology, 2018, 4, e174519.	7.1	196
27	Selective Inhibition of Nuclear Export With Oral Selinexor for Treatment of Relapsed or Refractory Multiple Myeloma. Journal of Clinical Oncology, 2018, 36, 859-866.	1.6	140
28	Anti-CD19 CAR T cells with high-dose melphalan and autologous stem cell transplantation for refractory multiple myeloma. JCI Insight, 2018, 3, .	5.0	140
29	A clone-directed approach may improve diagnosis and treatment of proliferative glomerulonephritis with monoclonal immunoglobulin deposits. Kidney International, 2018, 94, 199-205.	5.2	90
30	Clinical Predictors of T Cell Fitness for CAR T Cell Manufacturing and Efficacy in Multiple Myeloma. Blood, 2018, 132, 1886-1886.	1.4	19
31	Phase I/II study of the novel proteasome inhibitor delanzomib (CEP-18770) for relapsed and refractory multiple myeloma. Leukemia and Lymphoma, 2017, 58, 1872-1879.	1.3	50
32	Double autophagy stimulation using chemotherapy and mTOR inhibition combined with hydroxychloroquine for autophagy modulation in patients with relapsed or refractory multiple myeloma. Haematologica, 2017, 102, e261-e265.	3.5	17
33	Post-Transplant Outcomes in High-Risk Compared with Non–High-Risk Multiple Myeloma: A CIBMTR Analysis. Biology of Blood and Marrow Transplantation, 2016, 22, 1893-1899.	2.0	34
34	Bone marrow PMN-MDSCs and neutrophils are functionally similar in protection of multiple myeloma from chemotherapy. Cancer Letters, 2016, 371, 117-124.	7.2	59
35	Pembrolizumab in Combination with Pomalidomide and Dexamethasone (PEMBRO/POM/DEX) for Pomalidomide Exposed Relapsed or Refractory Multiple Myeloma. Blood, 2016, 128, 2119-2119.	1.4	12
36	Selinexor and Low Dose Dexamethasone (Sd) in Patients with Lenalidomide, Pomalidomide, Bortezomib, Carfilzomib and Anti-CD38 Ab Refractory Multiple Myeloma (MM): STORM Study. Blood, 2016, 128, 491-491.	1.4	21

#	Article	IF	CITATIONS
37	Posterior Reversible Encephalopathy Syndrome (PRES) after Infusion of Anti-Bcma CAR T Cells (CART-BCMA) for Multiple Myeloma: Successful Treatment with Cyclophosphamide. Blood, 2016, 128, 5702-5702.	1.4	31
38	Pilot Study of Anti-CD19 Chimeric Antigen Receptor T Cells (CTL019) in Conjunction with Salvage Autologous Stem Cell Transplantation for Advanced Multiple Myeloma. Blood, 2016, 128, 974-974.	1.4	28
39	Financial toxicity in insured patients with multiple myeloma: a cross-sectional pilot study. Lancet Haematology,the, 2015, 2, e408-e416.	4.6	158
40	NY-ESO-1–specific TCR–engineered T cells mediate sustained antigen-specific antitumor effects in myeloma. Nature Medicine, 2015, 21, 914-921.	30.7	728
41	Outpatient Autologous Stem Cell Transplantation for Patients With Myeloma. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, 536-540.	0.4	28
42	Chimeric Antigen Receptor T Cells against CD19 for Multiple Myeloma. New England Journal of Medicine, 2015, 373, 1040-1047.	27.0	511
43	Improved Outcomes After Autologous Hematopoietic Cell Transplantation for Light Chain Amyloidosis: A Center for International Blood and Marrow Transplant Research Study. Journal of Clinical Oncology, 2015, 33, 3741-3749.	1.6	163
44	Impact of Pretransplant Therapy and Depth of Disease Response before Autologous Transplantation for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2015, 21, 335-341.	2.0	64
45	Combination Immunotherapy after ASCT for Multiple Myeloma Using MAGE-A3/Poly-ICLC Immunizations Followed by Adoptive Transfer of Vaccine-Primed and Costimulated Autologous T Cells. Clinical Cancer Research, 2014, 20, 1355-1365.	7.0	116
46	Older Patients with Myeloma Derive Similar Benefit from Autologous Transplantation. Biology of Blood and Marrow Transplantation, 2014, 20, 1796-1803.	2.0	73
47	Phase 1B Results of Ricolinostat (ACY-1215) Combination Therapy with Bortezomib and Dexamethasone in Patients with Relapsed or Relapsed and Refractory Multiple Myeloma (MM). Blood, 2014, 124, 4764-4764.	1.4	12
48	Detection of the Malignant B Cell Clone in Multiple Myeloma Via High Throughput Sequencing Is Robust to Significant Levels of Somatic Hypermutation. Blood, 2014, 124, 3413-3413.	1.4	0
49	Salvage Second Hematopoietic Cell Transplantation inÂMyeloma. Biology of Blood and Marrow Transplantation, 2013, 19, 760-766.	2.0	98
50	The evolving role of plerixafor in hematopoietic progenitor cell mobilization. Transfusion, 2013, 53, 2314-2326.	1.6	12
51	Sangivamycin-like Molecule 6 Exhibits Potent Anti-Multiple Myeloma Activity through Inhibition of Cyclin-Dependent Kinase-9. Molecular Cancer Therapeutics, 2012, 11, 2321-2330.	4.1	12
52	Combination immunotherapy using adoptive T-cell transfer and tumor antigen vaccination on the basis of hTERT and survivin after ASCT for myeloma. Blood, 2011, 117, 788-797.	1.4	148
53	Effect of Obesity on Outcomes after Autologous Hematopoietic Stem Cell Transplantation for Multiple Myeloma. Biology of Blood and Marrow Transplantation, 2011, 17, 1765-1774.	2.0	53
54	The presence of amyloid in abdominal and oral mucosal tissues in patients initially diagnosed with multiple myeloma: a pilot study. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2011, 111, 326-332.	1.4	12

#	Article	IF	CITATIONS
55	Autologous haemopoietic stem-cell transplantation followed by allogeneic or autologous haemopoietic stem-cell transplantation in patients with multiple myeloma (BMT CTN 0102): a phase 3 biological assignment trial. Lancet Oncology, The, 2011, 12, 1195-1203.	10.7	263
56	Transfer of influenza vaccine–primed costimulated autologous T cells after stem cell transplantation for multiple myeloma leads to reconstitution of influenza immunity: results of a randomized clinical trial. Blood, 2011, 117, 63-71.	1.4	41
57	Trends in allogeneic stem cell transplantation for multiple myeloma: a CIBMTR analysis. Blood, 2011, 118, 1979-1988.	1.4	77
58	Scleromyxedema and dermato–neuro syndrome in a patient with multiple myeloma effectively treated with dexamethasone and bortezomib. American Journal of Hematology, 2011, 86, 893-896.	4.1	29
59	Crystalâ€ s toring histiocytosis in plasma cell myeloma. American Journal of Hematology, 2010, 85, 444-445.	4.1	8
60	Rapid Immune Recovery and Graft-versus-Host Disease–like Engraftment Syndrome following Adoptive Transfer of Costimulated Autologous T Cells. Clinical Cancer Research, 2009, 15, 4499-4507.	7.0	91
61	A Phase I Study of the Mammalian Target of Rapamycin Inhibitor Sirolimus and MEC Chemotherapy in Relapsed and Refractory Acute Myelogenous Leukemia. Clinical Cancer Research, 2009, 15, 6732-6739.	7.0	97
62	Impact of prior therapies on the relative efficacy of bortezomib compared with dexamethasone in patients with relapsed/refractory multiple myeloma. British Journal of Haematology, 2009, 147, 531-534.	2.5	27
63	Differentiation syndrome in non-M3 acute myeloid leukemia treated with the retinoid X receptor agonist bexarotene. Medical Oncology, 2008, 25, 299-302.	2.5	8
64	Hypertriglyceridemia presenting as "pink blood―and elevated hemoglobin level. American Journal of Hematology, 2008, 83, 253-253.	4.1	0
65	Successful use of the anti D25 antibody daclizumab in an adult patient with hemophagocytic lymphohistiocytosis. American Journal of Hematology, 2008, 83, 747-749.	4.1	63
66	A Phase I Study of Bexarotene, a Retinoic X Receptor Agonist, in Non-M3 Acute Myeloid Leukemia. Clinical Cancer Research, 2008, 14, 5619-5625.	7.0	32
67	The Rationale for Combined Proteasome and Autophagy Inhibition in Multiple Myeloma Established Using Novel Translational Platforms. Blood, 2008, 112, 2755-2755.	1.4	3
68	A Phase 1 Trial of Fluphenazine HCl (Fz), a Serotonin Antagonist, in Relapsed and Refractory Multiple Myeloma. Blood, 2008, 112, 5188-5188.	1.4	2
69	Medical management update: Multiple myeloma. Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics, 2007, 103, 599-609.	1.4	36
70	Posttransplant lymphoproliferative disorder in adult liver transplant recipients: A report of seventeen cases. Leukemia and Lymphoma, 2007, 48, 885-891.	1.3	40
71	Post-transplant outcomes of induction therapy for myeloma: Thalidomide and dexamethasone versus doxorubicin, vincristine, and dexamethasone prior to high-dose melphalan with autologous stem cell support. American Journal of Hematology, 2007, 82, 1071-1075.	4.1	15
72	Successful Treatment of T-cell Post-Transplant Lymphoproliferative Disorder with the Retinoid Analog Bexarotene. American Journal of Transplantation, 2005, 5, 2070-2073.	4.7	32

#	Article	IF	CITATIONS
73	Gemcitabine-induced pericardial effusion and tamponade after unblocked cardiac irradiation. Leukemia and Lymphoma, 2005, 46, 1313-1320.	1.3	20
74	Posttransplant Lymphoproliferative Disorder in Liver Transplant Recipients: A Report of Seventeen Cases Blood, 2005, 106, 1507-1507.	1.4	0
75	Symptom Prevalence, Characteristics, and Distress in AIDS Outpatients. Journal of Pain and Symptom Management, 1999, 18, 253-262.	1.2	183
76	Post-traumatic stress disorder in cancer: a review. , 1999, 8, 521-537.		210
77	Postâ€ŧraumatic stress disorder in cancer: a review. Psycho-Oncology, 1999, 8, 521-537.	2.3	5