

Filip HarabiÅ;

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3801922/publications.pdf>

Version: 2024-02-01

26
papers

556
citations

759233

12
h-index

677142

22
g-index

27
all docs

27
docs citations

27
times ranked

500
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Aquatic insects indicate terrestrial habitat degradation: changes in taxonomical structure and functional diversity of dragonflies in tropical rainforest of East Kalimantan. <i>Tropical Zoology</i> , 2012, 25, 141-157. | 0.6 | 67 |
| 2 | Human altered ecosystems: suitable habitats as well as ecological traps for dragonflies (Odonata): the matter of scale. <i>Journal of Insect Conservation</i> , 2012, 16, 121-130. | 1.4 | 58 |
| 3 | Home Range, Movement, and Distribution Patterns of the Threatened Dragonfly <i>Sympetrum depressiusculum</i> (Odonata: Libellulidae): A Thousand Times Greater Territory to Protect?. <i>PLoS ONE</i> , 2014, 9, e100408. | 2.5 | 55 |
| 4 | Underground mining can contribute to freshwater biodiversity conservation: Allogenic succession forms suitable habitats for dragonflies. <i>Biological Conservation</i> , 2012, 145, 109-117. | 4.1 | 54 |
| 5 | Dragonflies of freshwater pools in lignite spoil heaps: Restoration management, habitat structure and conservation value. <i>Ecological Engineering</i> , 2013, 55, 51-61. | 3.6 | 46 |
| 6 | Ecological factors determining the density-distribution of Central European dragonflies (Odonata). <i>European Journal of Entomology</i> , 2010, 107, 571-577. | 1.2 | 33 |
| 7 | Towards Global Volunteer Monitoring of Odonate Abundance. <i>BioScience</i> , 2020, 70, 914-923. | 4.9 | 32 |
| 8 | High diversity of odonates in post-mining areas: Meta-analysis uncovers potential pitfalls associated with the formation and management of valuable habitats. <i>Ecological Engineering</i> , 2016, 90, 438-446. | 3.6 | 26 |
| 9 | Natal philopatry in four European species of dragonflies (Odonata: Sympetrinae) and possible implications for conservation management. <i>Journal of Insect Conservation</i> , 2013, 17, 821-829. | 1.4 | 24 |
| 10 | Necessity for the conservation of drainage systems as last refugia for threatened damselfly species, <i>Coenagrion ornatum</i> . <i>Insect Conservation and Diversity</i> , 2015, 8, 143-151. | 3.0 | 23 |
| 11 | Odonates need natural disturbances: how human-induced dynamics affect the diversity of dragonfly assemblages. <i>Freshwater Science</i> , 2015, 34, 1050-1057. | 1.8 | 21 |
| 12 | Assessment of the quality of the terrestrial habitat of the threatened dragonfly, <i>Sympetrum depressiusculum</i> (Odonata: Libellulidae). <i>European Journal of Entomology</i> , 0, 113, 476-481. | 1.2 | 18 |
| 13 | Invasive host caught up with a native parasitoid: field data reveal high parasitism of <i>Harmonia axyridis</i> by <i>Dinocampus coccinellae</i> in Central Europe. <i>Biological Invasions</i> , 2019, 21, 2795-2802. | 2.4 | 16 |
| 14 | Military training areas as refuges for threatened dragonfly species: Effect of spatial isolation and military activity. <i>Biological Conservation</i> , 2018, 217, 28-35. | 4.1 | 13 |
| 15 | Does the management of surrounding terrestrial habitats increase the tendency of odonates to leave aquatic habitats?. <i>Biodiversity and Conservation</i> , 2017, 26, 2155-2167. | 2.6 | 11 |
| 16 | Effects of Landscape Patterns and Their Changes to Species Richness, Species Composition, and the Conservation Value of Odonates (Insecta). <i>Insects</i> , 2021, 12, 478. | 2.2 | 10 |
| 17 | The value of terrestrial ecotones as refuges for winter damselflies (Odonata: Lestidae). <i>Journal of Insect Conservation</i> , 2016, 20, 971-977. | 1.4 | 9 |
| 18 | Enigmatic adult overwintering in damselflies: coexistence as weaker intraguild competitors due to niche separation in time. <i>Population Ecology</i> , 2012, 54, 549-556. | 1.2 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Different Oviposition Strategies of Closely Related Damselfly Species as an Effective Defense against Parasitoids. <i>Insects</i> , 2019, 10, 26. | 2.2 | 7 |
| 20 | European database of the life-history, morphological and habitat characteristics of dragonflies (Odonata). <i>European Journal of Entomology</i> , 0, 117, 302-308. | 1.2 | 6 |
| 21 | Do egg parasitoids increase the tendency of <i>Lestes sponsa</i> (Odonata: Lestidae) to oviposit underwater?. <i>European Journal of Entomology</i> , 2015, 112, 63-68. | 1.2 | 5 |
| 22 | Specialization directs habitat selection responses to a top predator in semiaquatic but not aquatic taxa. <i>Scientific Reports</i> , 2021, 11, 18928. | 3.3 | 5 |
| 23 | Diel changes in habitat use by dragonflies: Nocturnal roosting site selection by the threatened dragonfly <i>Sympetrum depressiusculum</i> (Odonata: Libellulidae). <i>Entomological Science</i> , 2018, 21, 154-163. | 0.6 | 4 |
| 24 | Motorway as a barrier to dispersal of the threatened dragonfly <i>Sympetrum depressiusculum</i> (Odonata: Libellulidae): Consequence of mortality or crossing avoidance?. <i>European Journal of Entomology</i> , 0, 114, 391-399. | 1.2 | 3 |
| 25 | Catch them if you can! Do traits of individual European dragonfly species affect their detectability?. <i>Insect Conservation and Diversity</i> , 2020, 13, 303-312. | 3.0 | 2 |
| 26 | Exceptional Quantity of Water Habitats on Unreclaimed Spoil Banks. <i>Water (Switzerland)</i> , 2022, 14, 2085. | 2.7 | 0 |