## Tuba Terbıyık Kurt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3802343/publications.pdf

Version: 2024-02-01

1163117 1058476 21 225 8 14 citations g-index h-index papers 21 21 21 315 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Regional and seasonal characteristics of epipelagic mesozooplankton in the Mediterranean Sea based on an artificial neural network analysis. Journal of Marine Systems, 2014, 135, 64-80.	2.1	38
2	New Alien Mediterranean Biodiversity Records 2020. Mediterranean Marine Science, 2020, 21, 129.	1.6	29
3	Seasonal distribution of coastal mesozooplankton community in relation to the environmental factors in İskenderun Bay (north-east Levantine, Mediterranean Sea). Journal of the Marine Biological Association of the United Kingdom, 2013, 93, 1163-1174.	0.8	27
4	Copepod communities, production and grazing in the Turkish Straits System and the adjacent northern Aegean Sea during spring. Journal of Marine Systems, 2011, 86, 45-56.	2.1	23
5	Mesozooplankton in the open Black Sea: Regional and seasonal characteristics. Journal of Marine Systems, 2014, 135, 81-96.	2.1	21
6	Zooplankton abundance, biomass, and size structure in the coastal waters of the northeastern Mediterranean Sea. Turkish Journal of Zoology, 2015, 39, 378-387.	0.9	16
7	Pesticide residues in muscles of some marine fish species and seaweeds of Iskenderun Bay (Northeastern Mediterranean), Turkey. Environmental Science and Pollution Research, 2018, 25, 3756-3764.	5.3	14
8	First record of Ferosagitta galerita (Dallot, 1971) [Chaetognatha] in the Mediterranean Sea. Journal of Plankton Research, 2007, 29, 721-726.	1.8	11
9	Characterization of seasonal and inter-annual changes in the abundance of species of marine Cladocera on the Turkish coast of the northeastern Levantine Basin. Crustaceana, 2014, 87, 769-783.	0.3	7
10	Contribution and acclimatization of the swarming tropical copepod Dioithona oculata (Farran, 1913) in a Mediterranean coastal ecosystem. Turkish Journal of Zoology, 2018, 42, 567-577.	0.9	6
11	Experiment design and bacterial abundance control extracellular H <sub>2</sub> O <sub>2</sub> concentrations during fourÂseries of mesocosm experiments. Biogeosciences, 2020, 17, 1309-1326.	3.3	6
12	A new species of Cymbasoma (Copepoda, Monstrilloida) from the northern coast of Turkey (Black Sea) with comments on the C. longispinosum species-group. Crustaceana, 2014, 87, 1393-1410.	0.3	5
13	First distribution record of the invasive copepod <i>Oithona davisae</i> Ferrari and Orsi, 1984, in the coastal waters of the Aegean Sea. Marine Ecology, 2019, 40, e12548.	1.1	5
14	Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2016, 16, .	0.9	4
15	Spatial and temporal variations of tintinnids (Ciliata: Protozoa) in the Bay of Mersin, Northeastern Mediterranean Sea. Mediterranean Marine Science, 2019, 20, 342.	1.6	4
16	Two-way bioinvasion: tracking the neritic non-native cyclopoid copepods Dioithona oculata and Oithona davisae (Oithonidae) in the Eastern Mediterranean Sea. Mediterranean Marine Science, 2021, 22, 586.	1.6	3
17	SPATIAL AND TEMPORAL DISTRIBUTION OF MARINE CLADOCERAN SPECIES IN THE SURFACE WATERS OF ISKENDERUN BAY. Aquatic Research, 0, , 65-73.	0.7	3

İskenderun Körfezi (KuzeydoÄŸu Akdeniz) kıyısal sularında Flaccisagitta enflata (Grassi, 1881)'nın beslenmesi ve bağırsak iÁ§eriÄŸi ýzerine ilk gözlemler. KahramanmaraÅŸ Sütçü İmam Üniversitesi Tarım V@DoÄŸa Dergisi, 2018, 21, 765-766.

#	Article	IF	CITATIONS
19	The distribution of indopasific Dioithona oculata in souhthern coastal waters of Turkey. Aquatic Research, 2020, 3, 197-207.	0.7	1
20	TEMPORAL CHANGES OF MESOZOOPLANKTON STANDING STOCKS IN COASTAL WATERS OF YUMURTALIK (NORTHEASTERN MEDİTERRANEAN) IN YEARS 2012-2017. Aquatic Research, 0, , 1-15.	0.7	0
21	TÃ⅓rk BoÄŸazlar Sistemi'nde mesozooplankton biyokÃ⅓tlesinin ilkbahar ve sonbahar mevsimlerindeki alansal ve vertikal dağılımı. Acta Aquatica Turcica, 0, , 189-201.	0.6	O