Lars Melholt Rasmussen

List of Publications by Citations

 $\textbf{Source:} \ https://exaly.com/author-pdf/380641/lars-melholt-rasmussen-publications-by-citations.pdf$

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158 papers

3,203 citations

30 h-index

40 g-index

174 ext. papers

3,766 ext. citations

4.9 avg, IF

5.07 L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 158 | Improved thrombin binding aptamer by incorporation of a single unlocked nucleic acid monomer. <i>Nucleic Acids Research</i> , 2011 , 39, 1155-64 | 20.1 | 130 |
| 157 | Plasma osteoprotegerin levels are associated with glycaemic status, systolic blood pressure, kidney function and cardiovascular morbidity in type 1 diabetic patients. <i>European Journal of Endocrinology</i> , 2006 , 154, 75-81 | 6.5 | 124 |
| 156 | Overexpression of hyaluronan in the tunica media promotes the development of atherosclerosis. <i>Circulation Research</i> , 2005 , 96, 583-91 | 15.7 | 111 |
| 155 | Diverse effects of inhibition of 3-hydroxy-3-methylglutaryl-CoA reductase on the expression of VCAM-1 and E-selectin in endothelial cells. <i>Biochemical Journal</i> , 2001 , 360, 363-370 | 3.8 | 111 |
| 154 | Randomized controlled trial of cholecalciferol supplementation in chronic kidney disease patients with hypovitaminosis D. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 3523-31 | 4.3 | 105 |
| 153 | Angiotensin II regulates microRNA-132/-212 in hypertensive rats and humans. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 11190-207 | 6.3 | 98 |
| 152 | Phenotype presentation of hypophosphatemic rickets in adults. <i>Calcified Tissue International</i> , 2010 , 87, 108-19 | 3.9 | 81 |
| 151 | Soluble serum Klotho levels in healthy subjects. Comparison of two different immunoassays. <i>Clinical Biochemistry</i> , 2013 , 46, 1079-1083 | 3.5 | 78 |
| 150 | Body composition is distinctly altered in Turner syndrome: relations to glucose metabolism, circulating adipokines, and endothelial adhesion molecules. <i>European Journal of Endocrinology</i> , 2006 , 155, 583-92 | 6.5 | 76 |
| 149 | The capability of plasma osteoprotegerin as a predictor of cardiovascular disease: a systematic literature review. <i>European Journal of Endocrinology</i> , 2008 , 159, 603-8 | 6.5 | 75 |
| 148 | Combined bioavailable isoflavones and probiotics improve bone status and estrogen metabolism in postmenopausal osteopenic women: a randomized controlled trial. <i>American Journal of Clinical Nutrition</i> , 2017 , 106, 909-920 | 7 | 67 |
| 147 | Fibulin-1 is a marker for arterial extracellular matrix alterations in type 2 diabetes. <i>Clinical Chemistry</i> , 2011 , 57, 1556-65 | 5.5 | 58 |
| 146 | Diverse effects of inhibition of 3-hydroxy-3-methylglutaryl-CoA reductase on the expression of VCAM-1 and E-selectin in endothelial cells. <i>Biochemical Journal</i> , 2001 , 360, 363-70 | 3.8 | 58 |
| 145 | Localization of microfibrillar-associated protein 4 (MFAP4) in human tissues: clinical evaluation of serum MFAP4 and its association with various cardiovascular conditions. <i>PLoS ONE</i> , 2013 , 8, e82243 | 3.7 | 55 |
| 144 | Oral Magnesium Supplementation in Chronic Kidney Disease Stages 3 and 4: Efficacy, Safety, and Effect on Serum Calcification Propensity-AlProspective Randomized Double-Blinded Placebo-Controlled Clinical Trial. <i>Kidney International Reports</i> , 2017 , 2, 380-389 | 4.1 | 53 |
| 143 | Calcification of human vascular smooth muscle cells: associations with osteoprotegerin expression and acceleration by high-dose insulin. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007 , 292, H1058-64 | 5.2 | 51 |
| 142 | Changes in fibroblast growth factor 23 during treatment of secondary hyperparathyroidism with alfacalcidol or paricalcitol. <i>Nephrology Dialysis Transplantation</i> , 2012 , 27, 2263-9 | 4.3 | 49 |

| 141 | Niacin and biosynthesis of PGD B y platelet COX-1 in mice and humans. <i>Journal of Clinical Investigation</i> , 2012 , 122, 1459-68 | 15.9 | 46 |
|-----|---|-----------|----|
| 140 | Laser-assisted microdissection of membrane-mounted paraffin sections for polymerase chain reaction analysis: identification of cell populations using immunohistochemistry and in situ hybridization. <i>Journal of Molecular Diagnostics</i> , 2001 , 3, 105-10 | 5.1 | 45 |
| 139 | Osteoprotegerin and mortality in type 2 diabetic patients. <i>Diabetes Care</i> , 2010 , 33, 2561-6 | 14.6 | 43 |
| 138 | Thermodynamic and biological evaluation of a thrombin binding aptamer modified with several unlocked nucleic acid (UNA) monomers and a 2SC-piperazino-UNA monomer. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 4739-45 | 3.4 | 37 |
| 137 | The Danish Cardiovascular Screening Trial (DANCAVAS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 554 | 2.8 | 36 |
| 136 | Quantitative Proteome Analysis Reveals Increased Content of Basement Membrane Proteins in Arteries From Patients With Type 2 Diabetes Mellitus and Lower Levels Among Metformin Users. <i>Circulation: Cardiovascular Genetics</i> , 2015 , 8, 727-35 | | 34 |
| 135 | Prostaglandin I2 and prostaglandin E2 modulate human intrarenal artery contractility through prostaglandin E2-EP4, prostacyclin-IP, and thromboxane A2-TP receptors. <i>Hypertension</i> , 2014 , 64, 551-6 | 8.5 | 34 |
| 134 | Endothelial function and biochemical vascular markers in first-degree relatives of type 2 diabetic patients: the effect of exercise training. <i>Metabolism: Clinical and Experimental</i> , 2006 , 55, 1508-15 | 12.7 | 34 |
| 133 | Soluble urokinase plasminogen activator receptor is in contrast to high-sensitive C-reactive-protein associated with coronary artery calcifications in healthy middle-aged subjects. <i>Atherosclerosis</i> , 2014 , 237, 60-6 | 3.1 | 33 |
| 132 | Plasma concentrations of extracellular matrix protein fibulin-1 are related to cardiovascular risk markers in chronic kidney disease and diabetes. <i>Cardiovascular Diabetology</i> , 2013 , 12, 6 | 8.7 | 32 |
| 131 | Plasma proteomics to identify biomarkers happlication to cardiovascular diseases. <i>Translational Proteomics</i> , 2015 , 7, 40-48 | | 32 |
| 130 | Osteoprotegerin as a marker of atherosclerosis: a systematic update. <i>Scandinavian Cardiovascular Journal</i> , 2012 , 46, 203-11 | 2 | 30 |
| 129 | Gene transcription of receptors for growth hormone-releasing peptide and somatostatin in human pituitary adenomas. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 2997-3000 | 5.6 | 30 |
| 128 | Plasma proteome profiling of atherosclerotic disease manifestations reveals elevated levels of the cytoskeletal protein vinculin. <i>Journal of Proteomics</i> , 2014 , 101, 141-53 | 3.9 | 29 |
| 127 | Insulin decreases atherosclerosis by inducing endothelin receptor B expression. JCI Insight, 2016, 1, | 9.9 | 29 |
| 126 | Glycated Hemoglobin Is Associated With the Growth Rate of Abdominal Aortic Aneurysms: A Substudy From the VIVA (Viborg Vascular) Randomized Screening Trial. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 730-736 | 9.4 | 28 |
| 125 | Eosinophils improve cardiac function after myocardial infarction. <i>Nature Communications</i> , 2020 , 11, 6396 | 517.4 | 28 |
| 124 | Acute hyperinsulinemia decreases plasma osteoprotegerin with diminished effect in type 2 diabetes and obesity. <i>European Journal of Endocrinology</i> , 2009 , 161, 95-101 | 6.5 | 28 |

| 123 | Proteome analysis of human arterial tissue discloses associations between the vascular content of small leucine-rich repeat proteoglycans and pulse wave velocity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 1896-903 | 9.4 | 27 |
|-----|--|------|----|
| 122 | Expression of osteoblast and osteoclast regulatory genes in the bone marrow microenvironment in multiple myeloma: only up-regulation of Wnt inhibitors SFRP3 and DKK1 is associated with lytic bone disease. <i>Leukemia and Lymphoma</i> , 2014 , 55, 911-9 | 1.9 | 27 |
| 121 | Plasma osteoprotegerin is related to carotid and peripheral arterial disease, but not to myocardial ischemia in type 2 diabetes mellitus. <i>Cardiovascular Diabetology</i> , 2011 , 10, 76 | 8.7 | 26 |
| 120 | Simvastatin reduces plasma osteoprotegerin in type 2 diabetic patients with microalbuminuria. <i>Diabetes Care</i> , 2007 , 30, 3122-4 | 14.6 | 26 |
| 119 | CT-Detected Growth of Coronary Artery Calcification in Asymptomatic Middle-Aged Subjects and Association With 15 Biomarkers. <i>JACC: Cardiovascular Imaging</i> , 2017 , 10, 858-866 | 8.4 | 25 |
| 118 | Global gene expression profiling displays a network of dysregulated genes in non-atherosclerotic arterial tissue from patients with type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2012 , 11, 15 | 8.7 | 25 |
| 117 | Development and validation of an enzyme-linked immunosorbent assay for the quantification of a specific MMP-9 mediated degradation fragment of type III collagenA novel biomarker of atherosclerotic plaque remodeling. <i>Clinical Biochemistry</i> , 2011 , 44, 900-6 | 3.5 | 25 |
| 116 | No influence of OPG and its ligands, RANKL and TRAIL, on proliferation and regulation of the calcification process in primary human vascular smooth muscle cells. <i>Molecular and Cellular Endocrinology</i> , 2012 , 362, 149-56 | 4.4 | 24 |
| 115 | Association of systemic collagen type IV formation with survival among patients undergoing hemodialysis. <i>PLoS ONE</i> , 2013 , 8, e71050 | 3.7 | 24 |
| 114 | Decorin is down-regulated in multiple myeloma and MGUS bone marrow plasma and inhibits HGF-induced myeloma plasma cell viability and migration. <i>European Journal of Haematology</i> , 2013 , 91, 196-200 | 3.8 | 23 |
| 113 | Risk factors for mortality and ischemic heart disease in patients with long-term type 1 diabetes. Journal of Diabetes and Its Complications, 2010 , 24, 223-8 | 3.2 | 23 |
| 112 | A MMP derived versican neo-epitope is elevated in plasma from patients with atherosclerotic heart disease. <i>International Journal of Clinical and Experimental Medicine</i> , 2013 , 6, 174-84 | | 22 |
| 111 | Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017 , 66, 768-774.e2 | 3.5 | 21 |
| 110 | Soluble Eklotho and its relation to kidney function and fibroblast growth factor-23. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, E855-61 | 5.6 | 21 |
| 109 | First-trimester multimarker prediction of gestational diabetes mellitus using targeted mass spectrometry. <i>Diabetologia</i> , 2016 , 59, 970-9 | 10.3 | 20 |
| 108 | Osteoprotegerin released from the vascular wall by heparin mainly derives from vascular smooth muscle cells. <i>Atherosclerosis</i> , 2008 , 201, 33-5 | 3.1 | 20 |
| 107 | Fibulins and their role in cardiovascular biology and disease. <i>Advances in Clinical Chemistry</i> , 2014 , 67, 245-65 | 5.8 | 18 |
| 106 | Expression levels and functional aspects of the hyaluronan receptor CD44. Effects of insulin, glucose, IGF-I, or growth hormone on human arterial smooth muscle cells. <i>Metabolism: Clinical and Experimental</i> , 2005 , 54, 287-95 | 12.7 | 18 |

(2016-2014)

| 105 | peptide and inflammatory markers in hemodialysis patients: a randomized crossover study. <i>BMC Nephrology</i> , 2014 , 15, 130 | 2.7 | 17 |
|-----|---|------|----|
| 104 | Lack of observed association between high plasma osteoprotegerin concentrations and ischemic stroke risk in a healthy population. <i>Clinical Chemistry</i> , 2008 , 54, 1969-74 | 5.5 | 17 |
| 103 | Growth hormone increases vascular cell adhesion molecule 1 expression: in vivo and in vitro evidence. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 909-16 | 5.6 | 17 |
| 102 | Fibulin-1 suppresses endothelial to mesenchymal transition in the proximal outflow tract. <i>Mechanisms of Development</i> , 2015 , 136, 123-32 | 1.7 | 15 |
| 101 | Plasma cytokine levels and risks of abdominal aortic aneurysms: A population-based prospective cohort study. <i>Annals of Medicine</i> , 2015 , 47, 245-52 | 1.5 | 15 |
| 100 | Proteomic Discovery and Validation of the Confounding Effect of Heparin Administration on the Analysis of Candidate Cardiovascular Biomarkers. <i>Clinical Chemistry</i> , 2018 , 64, 1474-1484 | 5.5 | 15 |
| 99 | Elastin organization in pig and cardiovascular disease patientsSpericardial resistance arteries. Journal of Vascular Research, 2015 , 52, 1-11 | 1.9 | 15 |
| 98 | Clinical evaluation of a matrix metalloproteinase-12 cleaved fragment of titin as a cardiovascular serological biomarker. <i>Journal of Translational Medicine</i> , 2012 , 10, 140 | 8.5 | 15 |
| 97 | Immunoelectron microscopy and mass spectrometry for classification of amyloid deposits. <i>Amyloid:</i> the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2020 , 27, 59-66 | 2.7 | 15 |
| 96 | Cutaneous Porphyrias: Causes, Symptoms, Treatments and the Danish Incidence 1989-2013. <i>Acta Dermato-Venereologica</i> , 2016 , 96, 868-872 | 2.2 | 15 |
| 95 | Hepatocyte growth factor pathway upregulation in the bone marrow microenvironment in multiple myeloma is associated with lytic bone disease. <i>British Journal of Haematology</i> , 2013 , 161, 373-82 | 4.5 | 14 |
| 94 | Acute Myocardial Infarction and Pulmonary Diseases Result in Two Different Degradation Profiles of Elastin as Quantified by Two Novel ELISAs. <i>PLoS ONE</i> , 2013 , 8, e60936 | 3.7 | 14 |
| 93 | Rosiglitazone decreases plasma levels of osteoprotegerin in a randomized clinical trial with type 2 diabetes patients. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2011 , 109, 481-5 | 3.1 | 14 |
| 92 | Acute hyperinsulinemia is followed by increased serum concentrations of fibroblast growth factor 23 in type 2 diabetes patients. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012 , 72, 108-13 | 2 | 14 |
| 91 | Bone morphogenetic proteins regulate osteoprotegerin and its ligands in human vascular smooth muscle cells. <i>Endocrine</i> , 2007 , 32, 52-8 | | 14 |
| 90 | Ectopic ACTH syndrome: discrepancy between somatostatin receptor status in vivo and ex vivo, and between immunostaining and gene transcription for POMC and CRH. <i>Hormone Research in Paediatrics</i> , 2002 , 57, 200-4 | 3.3 | 14 |
| 89 | SHP-1 activation inhibits vascular smooth muscle cell proliferation and intimal hyperplasia in a rodent model of insulin resistance and diabetes. <i>Diabetologia</i> , 2017 , 60, 585-596 | 10.3 | 13 |
| 88 | Insulin Downregulates the Transcriptional Coregulator CITED2, an Inhibitor of Proangiogenic Function in Endothelial Cells. <i>Diabetes</i> , 2016 , 65, 3680-3690 | 0.9 | 13 |

| 87 | Associations between calcium-phosphate metabolism and coronary artery calcification; a cross sectional study of a middle-aged general population. <i>Atherosclerosis</i> , 2016 , 251, 101-108 | 3.1 | 13 |
|----|---|------|----|
| 86 | Abdominal Aortic Aneurysms Growth Is Associated With High Concentrations of Plasma Proteins in the Intraluminal Thrombus and Diseased Arterial Tissue. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2254-2267 | 9.4 | 13 |
| 85 | Nitroglycerin decreases medial smooth muscle cell proliferation after arterial balloon injury. Journal of Vascular Surgery, 1995 , 21, 499-504 | 3.5 | 13 |
| 84 | Etiology of Shock in the Emergency Department: A 12-Year Population-Based Cohort Study. <i>Shock</i> , 2019 , 51, 60-67 | 3.4 | 13 |
| 83 | Eosinophils Protect Mice From Angiotensin-II Perfusion-Induced Abdominal Aortic Aneurysm. <i>Circulation Research</i> , 2021 , 128, 188-202 | 15.7 | 13 |
| 82 | Imaging and modeling of acute pressure-induced changes of collagen and elastin microarchitectures in pig and human resistance arteries. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2017 , 313, H164-H178 | 5.2 | 12 |
| 81 | Smoking is associated with lower amounts of arterial type I collagen and decorin. <i>Atherosclerosis</i> , 2016 , 247, 201-6 | 3.1 | 12 |
| 80 | Postoperative Reverse Remodeling and Symptomatic Improvement in Normal-Flow Low-Gradient Aortic Stenosis After Aortic Valve Replacement. <i>Circulation: Cardiovascular Imaging</i> , 2017 , 10, | 3.9 | 12 |
| 79 | Plasma copeptin as marker of cardiovascular disease in asymptomatic type 2 diabetes patients. <i>Diabetes and Vascular Disease Research</i> , 2014 , 11, 448-50 | 3.3 | 12 |
| 78 | Aortic valve stenosis and atrial fibrillation influence plasma fibulin-1 levels in patients treated with coronary bypass surgery. <i>Cardiology</i> , 2013 , 126, 202-6 | 1.6 | 12 |
| 77 | Does osteoprotegerin relate to micro- and macrovascular complications in long-term type 1 diabetes?. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2010 , 70, 188-93 | 2 | 12 |
| 76 | Plasma fibulin-1 is linked to restrictive filling of the left ventricle and to mortality in patients with aortic valve stenosis. <i>Journal of the American Heart Association</i> , 2012 , 1, e003889 | 6 | 12 |
| 75 | How does endotoxin trigger inflammation in otitis media with effusion?. <i>Laryngoscope</i> , 2001 , 111, 297- | 3906 | 12 |
| 74 | Adipokine Imbalance in the Pericardial Cavity of Cardiac and Vascular Disease Patients. <i>PLoS ONE</i> , 2016 , 11, e0154693 | 3.7 | 12 |
| 73 | Can osteoprotegerin be used to identify the presence and severity of coronary artery disease in different clinical settings?. <i>Atherosclerosis</i> , 2014 , 236, 230-6 | 3.1 | 11 |
| 72 | Plasma levels of the arterial wall protein fibulin-1 are associated with carotid-femoral pulse wave velocity: a cross-sectional study. <i>Cardiovascular Diabetology</i> , 2013 , 12, 107 | 8.7 | 11 |
| 71 | Homocysteine and the production of collagens, proliferation and apoptosis in human arterial smooth muscle cells. <i>Apmis</i> , 2004 , 112, 598-604 | 3.4 | 11 |
| 70 | Shock in the emergency department; a 12 lyear population based cohort study. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2016 , 24, 87 | 3.6 | 11 |

(2020-2016)

| 69 | Endothelin-1 shifts the mediator of bradykinin-induced relaxation from NO to H2 O2 in resistance arteries from patients with cardiovascular disease. <i>British Journal of Pharmacology</i> , 2016 , 173, 1653-64 | 8.6 | 11 |
|----|--|------|----|
| 68 | Extracellular matrix biomarker, fibulin-1, is closely related to NT-proBNP and soluble urokinase plasminogen activator receptor in patients with aortic valve stenosis (the SEAS study). <i>PLoS ONE</i> , 2014 , 9, e101522 | 3.7 | 10 |
| 67 | Osteoprotegerin and coronary artery disease in type 2 diabetic patients with microalbuminuria. <i>Cardiovascular Diabetology</i> , 2011 , 10, 70 | 8.7 | 10 |
| 66 | Associations between plasma fibulin-1, pulse wave velocity and diabetes in patients with coronary heart disease. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 362-6 | 3.2 | 9 |
| 65 | Relation of osteoprotegerin in severe aortic valve stenosis to postoperative outcome and left ventricular function. <i>American Journal of Cardiology</i> , 2013 , 112, 1433-8 | 3 | 9 |
| 64 | Metformin, but not rosiglitazone, attenuates the increasing plasma levels of a new cardiovascular marker, fibulin-1, in patients with type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 760-6 | 14.6 | 9 |
| 63 | Abdominal aortic aneurysm, arterial stiffening and the role of the intraluminal thrombus. <i>Vasa - European Journal of Vascular Medicine</i> , 2015 , 44, 349-53 | 1.9 | 9 |
| 62 | External validity of a cardiovascular screening including a coronary artery calcium examination in middle-aged individuals from the general population. <i>European Journal of Preventive Cardiology</i> , 2018 , 25, 1156-1166 | 3.9 | 8 |
| 61 | Arterial tissue transcriptional profiles associate with tissue remodeling and cardiovascular phenotype in children with end-stage kidney disease. <i>Scientific Reports</i> , 2019 , 9, 10316 | 4.9 | 8 |
| 60 | Important options availablefrom start to finishfor translating proteomics results to clinical chemistry. <i>Proteomics - Clinical Applications</i> , 2015 , 9, 235-52 | 3.1 | 8 |
| 59 | Pathology of macrovascular disease. Baillierens Clinical Endocrinology and Metabolism, 1988, 2, 391-405 | | 8 |
| 58 | Periarterial fat from two human vascular beds is not a source of aldosterone to promote vasoconstriction. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, F1670-F1682 | 4.3 | 8 |
| 57 | Oxidation of protein disulfide bonds by singlet oxygen gives rise to glutathionylated proteins. <i>Redox Biology</i> , 2021 , 38, 101822 | 11.3 | 8 |
| 56 | End-systolic wall stress in aortic stenosis: comparing symptomatic and asymptomatic patients. <i>Open Heart</i> , 2019 , 6, e001021 | 3 | 7 |
| 55 | Computed tomography scan based prediction of the vulnerable carotid plaque. <i>BMC Medical Imaging</i> , 2017 , 17, 61 | 2.9 | 7 |
| 54 | The 82-plex plasma protein signature that predicts increasing inflammation. <i>Scientific Reports</i> , 2015 , 5, 14882 | 4.9 | 7 |
| 53 | RANTES in otitis media with effusion: presence, role and correlation with cytokines and microbiology. <i>Apmis</i> , 2001 , 109, 441-6 | 3.4 | 7 |
| 52 | Oxidant-induced glutathionylation at protein disulfide bonds. <i>Free Radical Biology and Medicine</i> , 2020 , 160, 513-525 | 7.8 | 7 |

| 51 | Affinity Capture Enrichment versus Affinity Depletion: A Comparison of Strategies for Increasing Coverage of Low-Abundant Human Plasma Proteins. <i>International Journal of Molecular Sciences</i> , 6. 2020 , 21, | .3 | 7 |
|----|--|--------------------|---|
| 50 | Effects of menaquinone-7 supplementation in patients with aortic valve calcification: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2018 , 8, e022019 | | 6 |
| 49 | Galectin-3 and fibulin-1 in systolic heart failure - relation to glucose metabolism and left ventricular contractile reserve. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 22 | .3 | 6 |
| 48 | Preliminary analysis of proteome alterations in non-aneurysmal, internal mammary artery tissue from patients with abdominal aortic aneurysms. <i>PLoS ONE</i> , 2018 , 13, e0192957 | 7 | 6 |
| 47 | Extent of arterial calcification by conventional vitamin K antagonist treatment. PLoS ONE, 2020, 15, e0243 | l / 450 | 6 |
| 46 | Population-Based Risk Factors for Ascending, Arch, Descending, and Abdominal Aortic Dilations for 60-74-Year-Old Individuals. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 201-211 | 5.1 | 6 |
| 45 | Classification of Amyloidosis by Model-Assisted Mass Spectrometry-Based Proteomics <i>International Journal of Molecular Sciences</i> , 2021 , 23, | .3 | 6 |
| 44 | Towards identification of novel putative biomarkers for infective endocarditis by serum proteomic analysis. <i>International Journal of Infectious Diseases</i> , 2020 , 96, 73-81 | 0.5 | 5 |
| 43 | Nanomechanics and ultrastructure of the internal mammary artery adventitia in patients with low and high pulse wave velocity. <i>Acta Biomaterialia</i> , 2018 , 73, 437-448 | 0.8 | 5 |
| 42 | High osteoprotegerin is associated with development of foot ulcer in type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1603-1608 | .2 | 5 |
| 41 | Identification of differential gene expression patterns in human arteries from patients with chronic kidney disease. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 314, F1117-F1128 | .3 | 5 |
| 40 | Proteomic analysis of the early bovine yolk sac fluid and cells from the day 13 ovoid and elongated preimplantation embryos. <i>Theriogenology</i> , 2014 , 82, 657-67 | .8 | 5 |
| 39 | An ELISA for the quantitation of von Willebrand factor: osteoprotegerin complexes in plasma. Thrombosis Research, 2013, 131, 396-400 | .2 | 5 |
| 38 | Is cardiovascular disease in patients with diabetes associated with serum levels of MMP-2, LOX, and the elastin degradation products ELM and ELM-2?. <i>Scandinavian Journal of Clinical and Laboratory</i> 2 <i>Investigation</i> , 2017 , 77, 493-497 | | 5 |
| 37 | Total and isoform-specific quantitative assessment of circulating fibulin-1 using selected reaction monitoring MS and time-resolved immunofluorometry. <i>Proteomics - Clinical Applications</i> , 2015 , 9, 767-75 ³ · | 1 | 5 |
| 36 | Feasibility Study of Advanced Cardiovascular Screening in Middle-Aged Patients with Diabetes. Clinical Epidemiology, 2020 , 12, 447-455 5. | .9 | 5 |
| 35 | Hyperlipidemia does not affect development of elastase-induced abdominal aortic aneurysm in mice. <i>Atherosclerosis</i> , 2020 , 311, 73-83 | 1 | 5 |
| 34 | Crosslinking of human plasma C-reactive protein to human serum albumin via disulfide bond oxidation. <i>Redox Biology</i> , 2021 , 41, 101925 | 1.3 | 5 |

(2020-2018)

| 33 | High Proportions of Coexisting Aortic Dilations Call for Total Aortic Scan. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 811-812 | 15.1 | 4 | |
|----|--|---------|---|--|
| 32 | Peroxisome proliferator-activated receptor gamma (PPAR) agonism reduces the insulin-stimulated increase in circulating interleukin-6 in GH replaced GH-deficient adults. <i>Clinical Endocrinology</i> , 2009 , 71, 363-8 | 3.4 | 4 | |
| 31 | Pentoxifylline inhibits neointimal formation and stimulates constrictive vascular remodeling after arterial injury. <i>Journal of Cardiovascular Pharmacology</i> , 1999 , 34, 683-9 | 3.1 | 4 | |
| 30 | Extracellular matrix biomarker, fibulin-1 and its association with soluble uPAR in a bi-ethnic South African population: the SAfrEIC study. <i>Heart Lung and Circulation</i> , 2015 , 24, 298-305 | 1.8 | 3 | |
| 29 | Survival, Prevalence, Progression and Repair of Abdominal Aortic Aneurysms: Results from Three Randomised Controlled Screening Trials Over Three Decades. <i>Clinical Epidemiology</i> , 2020 , 12, 95-103 | 5.9 | 3 | |
| 28 | Diabetes Is Not Associated with the Risk of Rupture Among Patients with Abdominal Aortic Aneurysms - Results From a Large Danish Register Based Matched Case Control Study From 1996 to 2016. European Journal of Vascular and Endovascular Surgery, 2020 , 60, 36-42 | 2.3 | 3 | |
| 27 | No detectable differential microRNA expression between non-atherosclerotic arteries of type 2 diabetic patients (treated or untreated with metformin) and non-diabetic patients. <i>Cardiovascular Diabetology</i> , 2018 , 17, 72 | 8.7 | 3 | |
| 26 | Fibulin-1C, C1 Esterase Inhibitor and Glucose Regulated Protein 75 Interact with the CREC Proteins, Calumenin and Reticulocalbin. <i>PLoS ONE</i> , 2015 , 10, e0132283 | 3.7 | 3 | |
| 25 | The nature of large vessel disease in diabetes mellitus. <i>The Journal of Diabetic Complications</i> , 1990 , 4, 63-5 | | 3 | |
| 24 | Platelet aggregation is not altered among men with diabetes mellitus. <i>Acta Diabetologica</i> , 2020 , 57, 3. | 89-3899 | 3 | |
| 23 | Arterial Iron Content Is Increased in Patients with High Plasma Ferritin Levels. <i>Journal of Vascular Research</i> , 2016 , 53, 301-307 | 1.9 | 3 | |
| 22 | Sex differences in aortic valve calcification in severe aortic valve stenosis: association between computer tomography assessed calcification and valvular calcium concentrations. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 , 22, 581-588 | 4.1 | 3 | |
| 21 | Vitamin K Dependent Matrix Gla Protein Relating to Abdominal Aortic Aneurysm and Overall Mortality: A Combined Case Control and Cohort Study. <i>European Journal of Vascular and Endovascular Surgery</i> , 2021 , 62, 267-274 | 2.3 | 3 | |
| 20 | Association of aortic valve calcification and vitamin K antagonist treatment. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 718-724 | 4.1 | 2 | |
| 19 | Growth hormone receptor expression and function in pituitary adenomas. <i>Clinical Endocrinology</i> , 2004 , 60, 576-83 | 3.4 | 2 | |
| 18 | Sex Differences in Factors Associated With Progression of Aortic Valve Calcification in the General Population <i>Circulation: Cardiovascular Imaging</i> , 2022 , CIRCIMAGING121013165 | 3.9 | 2 | |
| 17 | Increased mortality in patients with porphyria cutanea tarda-A nationwide cohort study. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 817-823 | 4.5 | 2 | |
| 16 | | | | |

| 15 | Retinal Vascular Fractal Dimensions and Their Association with Macrovascular Cardiac Disease. <i>Ophthalmic Research</i> , 2021 , 64, 561-566 | 2.9 | 2 | |
|----|--|-------------------|-----|--|
| 14 | Retinal vascular oxygen saturation increases after cardiac surgery. <i>Acta Ophthalmologica</i> , 2019 , 97, e94 | 113 e /941 | 2 1 | |
| 13 | Diagnosing diabetes mellitus in patients with porphyria cutanea tarda. <i>International Journal of Dermatology</i> , 2018 , 57, 763-769 | 1.7 | 1 | |
| 12 | Lipocalin-type prostaglandin D synthase is not a biomarker of atherosclerotic manifestations. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2014 , 74, 219-27 | 2 | 1 | |
| 11 | Major diabetes-related vascular events do not improve glycaemic control in a population-based cohort of type 1 diabetic individuals. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2009 , 69, 748-51 | 2 | 1 | |
| 10 | Determining Plasma Protein Variation Parameters as a Prerequisite for Biomarker Studies-A TMT-Based LC-MSMS Proteome Investigation <i>Proteomes</i> , 2021 , 9, | 4.6 | 1 | |
| 9 | STEMI, Cardiogenic Shock, and Mortality in Patients Admitted for Acute Angiography: Associations and Predictions from Plasma Proteome Data. <i>Shock</i> , 2021 , 55, 41-47 | 3.4 | 1 | |
| 8 | AFM Characterization of the Internal Mammary Artery as a Novel Target for Arterial Stiffening. <i>Scanning</i> , 2018 , 2018, 6340425 | 1.6 | 1 | |
| 7 | Does diabetes modify the effect of heparin on plasma proteins? - A proteomic search for plasma protein biomarkers for diabetes-related endothelial dysfunction. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107906 | 3.2 | O | |
| 6 | Basement membrane proteins in various arterial beds from individuals with and without type 2 diabetes mellitus: a proteome study. <i>Cardiovascular Diabetology</i> , 2021 , 20, 182 | 8.7 | O | |
| 5 | Plasma CCN2 is independently related to subsequent need for abdominal aorta aneurysm repair. <i>Growth Factors</i> , 2019 , 37, 146-152 | 1.6 | | |
| 4 | Osteoprotegerin (OPG) and its ligand RANKL in vascular tissue. FASEB Journal, 2009, 23, 1006.6 | 0.9 | | |
| 3 | Expression of Wnt-Inhibitors and SDF-1 in Whole Bone Marrow Biopsies in Association to the Osteolytic Bone Disease of Multiple Myeloma <i>Blood</i> , 2012 , 120, 2922-2922 | 2.2 | | |
| 2 | Expression of Factors in the Hepatocyte Growth Factor (HGF) Pathway in Whole Bone Marrow Biopsies in Association to the Osteolytic Bone Disease of Multiple Myeloma. <i>Blood</i> , 2012 , 120, 3977-39 | 7 7 .2 | | |
| 1 | Baseline Findings in the Danish Cardiovascular Screening (Dancavas) Trial [A Multifaceted and Multicenter Randomized Controlled Clinical Screening and Interventional Trial of 65 174 Year Old Men. European Journal of Vascular and Endovascular Surgery, 2019, 58, e366-e367 | 2.3 | | |