

# Hengwei Qiu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3806794/publications.pdf>

Version: 2024-02-01

43  
papers

1,652  
citations

257450

24  
h-index

289244

40  
g-index

44  
all docs

44  
docs citations

44  
times ranked

2374  
citing authors

#	ARTICLE	IF	CITATIONS
1	Strong violet emission from ultra-stable strontium-doped CsPbCl <sub>3</sub> superlattices. <i>Nanoscale</i> , 2022, 14, 2359-2366.	5.6	14
2	In Situ Synthesis of UltraStable TiO <sub>2</sub> Coating Rb <sup>+</sup> -Doped Red Emitting CsPbBr <sub>2</sub> Perovskite Quantum Dots. <i>Journal of Physical Chemistry C</i> , 2022, 126, 1542-1551.	3.1	7
3	Stable CsPbX <sub>3</sub> (Br/Cl) Perovskite Nanocrystal Layer Passivated with Al-Doped CdSe for Blue Light-Emitting Diodes. <i>ACS Applied Nano Materials</i> , 2022, 5, 908-916.	5.0	10
4	Direct optical patterning of perovskite nanocrystals with ligand cross-linkers. <i>Science Advances</i> , 2022, 8, eabm8433.	10.3	54
5	Beyond a Linker: The Role of Photochemistry of Crosslinkers in the Direct Optical Patterning of Colloidal Nanocrystals. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	24
6	Beyond a Linker: The Role of Photochemistry of Crosslinkers in the Direct Optical Patterning of Colloidal Nanocrystals. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	1
7	Wearable piezoresistive pressure sensors based on 3D graphene. <i>Chemical Engineering Journal</i> , 2021, 406, 126777.	12.7	191
8	A versatile approach for shape-controlled synthesis of ultrathin perovskite nanostructures. <i>Dalton Transactions</i> , 2021, 50, 3308-3314.	3.3	5
9	Triethylphosphine-Assisted Pre-protection Low-Temperature Solvothermal Synthesis of Highly Stable CsPbBr <sub>3</sub> /TiO <sub>2</sub> Nanocomposites. <i>Journal of Physical Chemistry Letters</i> , 2021, 12, 3786-3794.	4.6	30
10	CB Nanoparticles Optimized 3D Wearable Graphene Multifunctional Piezoresistive Sensor Framed by Loofah Sponge. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 36540-36547.	8.0	47
11	Pressure-Driven Transformation of CsPbBr <sub>2</sub> Nanoparticles into Stable Nanosheets in Solution through Self-Assembly. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 9862-9868.	4.6	28
12	Wrinkled 2H-phase MoS <sub>2</sub> sheet decorated with graphene-microflowers for ultrasensitive molecular sensing by plasmon-free SERS enhancement. <i>Sensors and Actuators B: Chemical</i> , 2020, 320, 128445.	7.8	31
13	Highly stable Na: CsPb(Br,I) <sub>3</sub> @Al <sub>2</sub> O <sub>3</sub> nanocomposites prepared by a pre-protection strategy. <i>Nanoscale</i> , 2020, 12, 6403-6410.	5.6	44
14	Stable near white light emission in CsPbCl <sub>3</sub> perovskite quantum dots by incorporating Al <sup>3+</sup> /Mn <sup>2+</sup> ions. <i>Nano Express</i> , 2020, 1, 030033.	2.4	3
15	Nanowire-assisted self-assembly of one-dimensional nanocrystal superlattice chains. <i>Journal of Materials Chemistry C</i> , 2019, 7, 8471-8476.	5.5	21
16	Self-cleaning SERS membrane for reusable and ultrasensitive molecular detection via integrating graphitic carbon-nitride nanosheets and Ag nanospheres into hierarchical graphene layers that covered with graphitic carbon-nitride quantum-dots. <i>Applied Surface Science</i> , 2019, 489, 1010-1018.	6.1	14
17	Two-step synthesis of hierarchical Ag/Cu <sub>2</sub> O/ITO substrate for ultrasensitive and recyclable surface-enhanced Raman spectroscopy applications. <i>Applied Surface Science</i> , 2019, 489, 1002-1009.	6.1	23
18	One-pot synthesis of hierarchical Ag mesoparticles with tunable morphology for ultrasensitive surface-enhanced Raman scattering activity. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2019, 37, 032601.	1.2	0

#	ARTICLE	IF	CITATIONS
19	Synthesis of Zn-doped TiO <sub>2</sub> nano-particles using metal Ti and Zn as raw materials and application in quantum dot sensitized solar cells. <i>Journal of Alloys and Compounds</i> , 2019, 791, 371-379.	5.5	34
20	Reversible transformation between CsPbBr <sub>3</sub> nanowires and nanoparticles. <i>Chemical Communications</i> , 2019, 55, 12809-12812.	4.1	13
21	Reduced graphene oxide supporting Ag meso-flowers and phenyl-modified graphitic carbon nitride as self-cleaning flexible SERS membrane for molecular trace-detection. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019, 560, 9-19.	4.7	22
22	Engineering the Exciton Dissociation in Quantum-Confined 2D CsPbBr <sub>3</sub> Nanosheet Films. <i>Advanced Functional Materials</i> , 2018, 28, 1705908.	14.9	98
23	Preparation of all-inorganic perovskite quantum dots-polymer composite for white LEDs application. <i>Journal of Alloys and Compounds</i> , 2018, 748, 537-545.	5.5	88
24	Hierarchical MoS <sub>2</sub> -microspheres decorated with 3D AuNPs arrays for high-efficiency SERS sensing. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1407-1414.	7.8	40
25	Effect of Graphene-EC on Ag NW-Based Transparent Film Heaters: Optimizing the Stability and Heat Dispersion of Films. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 1077-1083.	8.0	47
26	Wearable rGO-Ag NW@cotton fiber piezoresistive sensor based on the fast charge transport channel provided by Ag nanowire. <i>Nano Energy</i> , 2018, 50, 528-535.	16.0	90
27	Regulation of radicals from electrochemical exfoliation of a double-graphite electrode to fabricate high-quality graphene. <i>Journal of Materials Chemistry C</i> , 2018, 6, 6257-6263.	5.5	29
28	Reliable molecular trace-detection based on flexible SERS substrate of graphene/Ag-nanoflowers/PMMA. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 439-450.	7.8	83
29	Dielectrophoretic-Assembled Single and Parallel-Aligned Ag Nanowire-ZnO-Branched Nanorod Heteronanowire Ultraviolet Photodetectors. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 22837-22845.	8.0	31
30	A new route for the synthesis of a Ag nanopore-inlay-nanogap structure: integrated Ag-core/graphene-shell/Ag-jacket nanoparticles for high-efficiency SERS detection. <i>Chemical Communications</i> , 2017, 53, 8691-8694.	4.1	11
31	Regulation of radicals from electrochemical exfoliation for production of graphene and its electrochemical properties. <i>Electrochimica Acta</i> , 2017, 258, 1484-1492.	5.2	20
32	Evanescent Wave Absorption Sensor Based Tapered Plastic Optical Fiber Coated with Monolayer Graphene for Ethanol Molecules Detection. <i>Chinese Journal of Chemistry</i> , 2016, 34, 1039-1047.	4.9	16
33	Enhanced red emission from Eu <sup>3+</sup> /Bi <sup>3+</sup> co-doped Ca <sub>2</sub> YSbO <sub>6</sub> phosphors for white light-emitting diode. <i>Journal of Alloys and Compounds</i> , 2016, 658, 453-458.	5.5	36
34	Application of patterned growth of aligned zinc oxide nanoarrays by microcontact printing in quantum dots-sensitized solar cells. <i>Journal of Power Sources</i> , 2015, 280, 555-564.	7.8	12
35	Graphene/Cu Nanoparticle Hybrids Fabricated by Chemical Vapor Deposition As Surface-Enhanced Raman Scattering Substrate for Label-Free Detection of Adenosine. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 10977-10987.	8.0	157
36	Large-area MoS <sub>2</sub> thin layers directly synthesized on Pyramid-Si substrate for surface-enhanced Raman scattering. <i>RSC Advances</i> , 2015, 5, 83899-83905.	3.6	28

#	ARTICLE	IF	CITATIONS
37	Surface-Enhanced Raman Scattering Based on Controllable Layer Graphene Shells Directly Synthesized on Cu Nanoparticles for Molecular Detection. <i>ChemPhysChem</i> , 2015, 16, 2953-2960.	2.1	21
38	Arrays of ZnO/AZO (Al-doped ZnO) nanocables: A higher open circuit voltage and remarkable improvement of efficiency for CdS-sensitized solar cells. <i>Journal of Colloid and Interface Science</i> , 2014, 418, 277-282.	9.4	30
39	A comparison study between ZnO nanorods coated with graphene oxide and reduced graphene oxide. <i>Journal of Alloys and Compounds</i> , 2014, 582, 29-32.	5.5	44
40	Photoluminescence investigation about zinc oxide with graphene oxide & reduced graphene oxide buffer layers. <i>Journal of Colloid and Interface Science</i> , 2014, 416, 289-293.	9.4	22
41	Fabrication of micro/nano-composite porous TiO <sub>2</sub> electrodes for quantum dot-sensitized solar cells. <i>Journal of Power Sources</i> , 2014, 253, 17-26.	7.8	30
42	Multi-junction joints network self-assembled with converging ZnO nanowires as multi-barrier gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2013, 177, 1027-1034.	7.8	72
43	In situ hydrothermal growth of CdSe(S) nanocrystals on mesoporous TiO <sub>2</sub> films for quantum dot-sensitized solar cells. <i>Electrochimica Acta</i> , 2012, 81, 260-267.	5.2	31