

Francesco Portaluppi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3807304/francesco-portaluppi-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

187
papers

18,064
citations

58
h-index

133
g-index

192
ext. papers

19,825
ext. citations

5.8
avg, IF

6.34
L-index

#	Paper	IF	Citations
187	Sleep-time blood pressure: Unique sensitive prognostic marker of vascular risk and therapeutic target for prevention. <i>Sleep Medicine Reviews</i> , 2017 , 33, 17-27	10.2	36
186	Circadian mechanisms of 24-hour blood pressure regulation and patterning. <i>Sleep Medicine Reviews</i> , 2017 , 33, 4-16	10.2	92
185	Letter by Hermida et al Regarding Article, "The Heart@ Circadian Rhythms Point to Potential Treatment Strategies". <i>Circulation</i> , 2017 , 135, e925-e926	16.7	
184	Circadian disruption: New clinical perspective of disease pathology and basis for chronotherapeutic intervention. <i>Chronobiology International</i> , 2016 , 33, 1101-19	3.6	106
183	Chronotherapy with conventional blood pressure medications improves management of hypertension and reduces cardiovascular and stroke risks. <i>Hypertension Research</i> , 2016 , 39, 277-92	4.7	82
182	Chronotherapy of Blood Pressure Medications to Improve Management of Hypertension and Reduce Vascular Risk 2016 , 295-334		
181	Circadian and Cyclic Environmental Determinants of Blood Pressure Patterning and Implications for Therapeutic Interventions 2016 , 105-127		2
180	Zofenopril or irbesartan plus hydrochlorothiazide in elderly patients with isolated systolic hypertension untreated or uncontrolled by previous treatment: a double-blind, randomized study. <i>Journal of Hypertension</i> , 2016 , 34, 576-87; discussion 587	1.9	7
179	Diurnal and twenty-four hour patterning of human diseases: cardiac, vascular, and respiratory diseases, conditions, and syndromes. <i>Sleep Medicine Reviews</i> , 2015 , 21, 3-11	10.2	52
178	Diurnal and twenty-four hour patterning of human diseases: acute and chronic common and uncommon medical conditions. <i>Sleep Medicine Reviews</i> , 2015 , 21, 12-22	10.2	73
177	Takotsubo cardiomyopathy and acute infectious diseases: a mini-review of case reports. <i>Angiology</i> , 2015 , 66, 257-61	2.1	20
176	Bedtime hypertension chronotherapy: concepts and patient outcomes. <i>Current Pharmaceutical Design</i> , 2015 , 21, 773-90	3.3	34
175	Chronotherapeutics of conventional blood pressure-lowering medications: simple, low-cost means of improving management and treatment outcomes of hypertensive-related disorders. <i>Current Hypertension Reports</i> , 2014 , 16, 412	4.7	20
174	Abnormalities in chronic kidney disease of ambulatory blood pressure 24 h patterning and normalization by bedtime hypertension chronotherapy. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1160-7	4.3	25
173	Sleep-time ambulatory blood pressure as a novel therapeutic target for cardiovascular risk reduction. <i>Journal of Human Hypertension</i> , 2014 , 28, 567-74	2.6	27
172	In-hospital mortality in patients with renal dysfunction admitted for myocardial infarction: the Emilia-Romagna region of Italy database of hospital admissions. <i>International Urology and Nephrology</i> , 2013 , 45, 769-75	2.3	27
171	In-hospital mortality for pulmonary embolism: relationship with chronic kidney disease and end-stage renal disease. The hospital admission and discharge database of the Emilia Romagna region of Italy. <i>Internal and Emergency Medicine</i> , 2013 , 8, 735-40	3.7	26

170	Chronotherapy improves blood pressure control and reduces vascular risk in CKD. <i>Nature Reviews Nephrology</i> , 2013 , 9, 358-68	14.9	45
169	Administration-time differences in effects of hypertension medications on ambulatory blood pressure regulation. <i>Chronobiology International</i> , 2013 , 30, 280-314	3.6	71
168	Twenty-four-hour patterns in occurrence and pathophysiology of acute cardiovascular events and ischemic heart disease. <i>Chronobiology International</i> , 2013 , 30, 6-16	3.6	42
167	Dipper and non-dipper blood pressure 24-hour patterns: circadian rhythm-dependent physiologic and pathophysiologic mechanisms. <i>Chronobiology International</i> , 2013 , 30, 17-30	3.6	96
166	Risk factors for renal disease and urinary abnormalities in men and women: data from the World Kidney Day in the province of Ferrara, Italy. <i>Renal Failure</i> , 2013 , 35, 440-5	2.9	3
165	Circadian rhythms and medical diseases: does it matter when drugs are taken?. <i>European Journal of Internal Medicine</i> , 2013 , 24, 698-706	3.9	47
164	2013 ambulatory blood pressure monitoring recommendations for the diagnosis of adult hypertension, assessment of cardiovascular and other hypertension-associated risk, and attainment of therapeutic goals. <i>Chronobiology International</i> , 2013 , 30, 355-410	3.6	136
163	Predictive value of admission N-terminal pro-B-type natriuretic peptide and renal function in older people hospitalized for dyspnoea. <i>Disease Markers</i> , 2013 , 35, 735-40	3.2	2
162	Morning surge, dipping, and sleep-time blood pressure as prognostic markers of cardiovascular risk. <i>Hypertension</i> , 2013 , 61, e3	8.5	4
161	Nondipping and cardiovascular risk after morning renin-angiotensin blockade. <i>Hypertension</i> , 2013 , 61, e15	8.5	1
160	Asleep blood pressure: relevance to the proper definition of isolated-office and masked hypertension. <i>Hypertension Research</i> , 2013 , 36, 471-2	4.7	2
159	Relevance of Chronobiology to the Research and Clinical Practice of Neurorehabilitation. <i>Sleep Medicine Clinics</i> , 2012 , 7, 655-666	3.6	
158	Circadian rhythms and cardiovascular health. <i>Sleep Medicine Reviews</i> , 2012 , 16, 151-66	10.2	188
157	Night shift and impaired endothelial function: circadian out-of-synch may play a role. <i>International Journal of Cardiology</i> , 2012 , 154, 94-5	3.2	6
156	Biological Rhythms, Drug Delivery, and Chronotherapeutics 2012 , 359-443		28
155	Stroke and renal dysfunction: are we always conscious of this relationship?. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2012 , 18, 305-11	3.3	7
154	Relationship between N-terminal pro-B-type natriuretic peptide plasma levels and renal function evaluated with different formulae in older adult subjects admitted because of dyspnea. <i>Gerontology</i> , 2012 , 58, 50-5	5.5	6
153	Twenty-four hour and early morning blood pressure control of olmesartan vs. ramipril in elderly hypertensive patients: pooled individual data analysis of two randomized, double-blind, parallel-group studies. <i>Journal of Hypertension</i> , 2012 , 30, 1468-77	1.9	16

152	Estimation of glomerular filtration rate and assessment of risk of stroke in an emergency setting. <i>American Journal of Emergency Medicine</i> , 2011 , 29, 831-2	2.9	2
151	Elevated NT-proBNP levels should be interpreted in elderly patients presenting with dyspnea. <i>European Journal of Internal Medicine</i> , 2011 , 22, 108-11	3.9	12
150	Relationship between major adverse cardiac events and angiographic findings in dialysis patients. <i>International Urology and Nephrology</i> , 2011 , 43, 1171-8	2.3	6
149	Detection of urinary abnormalities in a community from northern Italy based on the World Kidney Day screening program. <i>International Urology and Nephrology</i> , 2011 , 43, 793-9	2.3	1
148	Risk factors for metabolic syndrome in stable Italian renal transplant patients. <i>Clinical and Experimental Nephrology</i> , 2011 , 15, 560-6	2.5	2
147	Evidence-based statin prescription for cardiovascular protection in renal impairment. <i>Clinical and Experimental Nephrology</i> , 2011 , 15, 456-63	2.5	12
146	Estimation of renal function in patients with eating disorders. <i>International Journal of Eating Disorders</i> , 2011 , 44, 233-7	6.3	11
145	Lack of time-of-day differences is not necessarily indicative of lack of circadian influences. <i>Chronobiology International</i> , 2011 , 28, 731-3; author reply 733	3.6	1
144	Switching patients with uncontrolled hypertension on amlodipine 10 mg to single-pill combinations of telmisartan and amlodipine: results of the TEAMSTA-10 study. <i>Current Medical Research and Opinion</i> , 2011 , 27, 2145-53	2.5	16
143	Bedtime hypertension treatment increases ambulatory blood pressure control and reduces cardiovascular risk in resistant hypertension. <i>Hypertension</i> , 2011 , 58, e26; author reply e27	8.5	4
142	Circadian rhythms in blood pressure regulation and optimization of hypertension treatment with ACE inhibitor and ARB medications. <i>American Journal of Hypertension</i> , 2011 , 24, 383-91	2.3	116
141	The Medical Subject Headings thesaurus remains inaccurate and incomplete for electronic indexing and retrieval of chronobiologic references. <i>Biological Rhythm Research</i> , 2011 , 42, 491-504	0.8	
140	Low molecular weight heparins and glomerular filtration rate: a report to be considered. <i>Current Vascular Pharmacology</i> , 2011 , 9, 693-7	3.3	5
139	Ethics and methods for biological rhythm research on animals and human beings. <i>Chronobiology International</i> , 2010 , 27, 1911-29	3.6	981
138	Perspectives on the chronotherapy of hypertension based on the results of the MAPEC study. <i>Chronobiology International</i> , 2010 , 27, 1652-67	3.6	63
137	Administration-time-dependent effects of blood pressure-lowering medications: basis for the chronotherapy of hypertension. <i>Blood Pressure Monitoring</i> , 2010 , 15, 173-80	1.3	129
136	DO RESTLESS LEGS SYNDROME (RLS) AND PERIODIC LIMB MOVEMENTS OF SLEEP (PLMS) PLAY A ROLE IN NOCTURNAL HYPERTENSION AND INCREASED CARDIOVASCULAR RISK OF RENALLY IMPAIRED PATIENTS?. <i>Chronobiology International</i> , 2009 , 26, 1206-1221	3.6	1
135	Do restless legs syndrome (RLS) and periodic limb movements of sleep (PLMS) play a role in nocturnal hypertension and increased cardiovascular risk of renally impaired patients?. <i>Chronobiology International</i> , 2009 , 26, 1206-21	3.6	40

134	Ethical and methodological standards for laboratory and medical biological rhythm research. <i>Chronobiology International</i> , 2008 , 25, 999-1016	3.6	315
133	Consistency and accuracy of the Medical Subject Headings thesaurus for electronic indexing and retrieval of chronobiologic references. <i>Chronobiology International</i> , 2007 , 24, 1213-29	3.6	15
132	Comparison of the efficacy of morning versus evening administration of olmesartan in uncomplicated essential hypertension. <i>Chronobiology International</i> , 2007 , 24, 171-81	3.6	34
131	Twenty-four-hour pattern of angina pectoris, acute myocardial infarction and sudden cardiac death: Role of blood pressure, heart rate and rate-pressure product circadian rhythms. <i>Biological Rhythm Research</i> , 2007 , 38, 205-216	0.8	16
130	The cardioprotective effects of the angiotensin-converting enzyme inhibitor perindopril in patients with stable coronary artery disease are not modified by mild to moderate renal insufficiency: insights from the EUROPA trial. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 2148-55	15.1	41
129	Chronobiology and chronotherapy of ischemic heart disease. <i>Advanced Drug Delivery Reviews</i> , 2007 , 59, 952-65	18.5	48
128	Circadian variation of blood pressure: the basis for the chronotherapy of hypertension. <i>Advanced Drug Delivery Reviews</i> , 2007 , 59, 904-22	18.5	137
127	Chronotherapy of hypertension: administration-time-dependent effects of treatment on the circadian pattern of blood pressure. <i>Advanced Drug Delivery Reviews</i> , 2007 , 59, 923-39	18.5	119
126	Circadian rhythms in cardiac arrhythmias and opportunities for their chronotherapy. <i>Advanced Drug Delivery Reviews</i> , 2007 , 59, 940-51	18.5	81
125	ACE inhibition with perindopril and endothelial function. Results of a substudy of the EUROPA study: PERTINENT. <i>Cardiovascular Research</i> , 2007 , 73, 237-46	9.9	123
124	Cost effectiveness of perindopril in reducing cardiovascular events in patients with stable coronary artery disease using data from the EUROPA study. <i>Heart</i> , 2007 , 93, 1081-6	5.1	44
123	Chronotherapy in hypertensive patients: administration-time dependent effects of treatment on blood pressure regulation. <i>Expert Review of Cardiovascular Therapy</i> , 2007 , 5, 463-75	2.5	20
122	Adverse prognosis associated with the metabolic syndrome in established coronary artery disease: data from the EUROPA trial. <i>Heart</i> , 2007 , 93, 1406-11	5.1	35
121	Efficacy and tolerability of candesartan cilexetil/hydrochlorothiazide and amlodipine in patients with poorly controlled mild-to-moderate essential hypertension. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2007 , 8, 139-44	3	11
120	Prediction of cardiovascular outcome by estimated glomerular filtration rate and estimated creatinine clearance in the high-risk hypertension population of the VALUE trial. <i>Journal of Hypertension</i> , 2007 , 25, 1473-9	1.9	56
119	Ambulatory blood pressure monitoring after 1 year on valsartan or amlodipine-based treatment: a VALUE substudy. <i>Journal of Hypertension</i> , 2007 , 25, 707-12	1.9	23
118	Role of sleep-wake cycle on blood pressure circadian rhythms and hypertension. <i>Sleep Medicine</i> , 2007 , 8, 668-80	4.6	123
117	Efficacy of perindopril in reducing risk of cardiac events in patients with revascularized coronary artery disease. <i>American Heart Journal</i> , 2007 , 153, 629-35	4.9	15

116	Effects of perindopril on long-term clinical outcome of patients with coronary artery disease and preserved left ventricular function. <i>International Journal of Cardiology</i> , 2007 , 121, 57-61	3.2	11
115	Circadian Rhythmic and Environmental Determinants of 24-Hour Blood Pressure Regulation in Normal and Hypertensive Conditions 2007 , 135-158		12
114	Treatment benefit by perindopril in patients with stable coronary artery disease at different levels of risk. <i>European Heart Journal</i> , 2006 , 27, 796-801	9.5	49
113	Loss of nocturnal blood pressure fall in patients with renal impairment. <i>Archives of Internal Medicine</i> , 2006 , 166, 2158-9; author reply 2159		2
112	Ethics, standards, and procedures of animal and human chronobiology research. <i>Chronobiology International</i> , 2006 , 23, 1083-96	3.6	215
111	Can combining different risk interventions into a single formulation contribute to improved cardiovascular disease risk reduction? Rationale and design for an international, open-label program to assess the effectiveness of a single pill (amlodipine/atorvastatin) to attain recommended target levels for blood pressure and lipids (the LIFEIT Program). <i>International Journal of Cardiology</i> , 2006 , 103, 10-17	3.2	23
110	Effects of valsartan compared to amlodipine on preventing type 2 diabetes in high-risk hypertensive patients: the VALUE trial. <i>Journal of Hypertension</i> , 2006 , 24, 1405-12	1.9	119
109	The effect of perindopril on cardiovascular morbidity and mortality in patients with diabetes in the EUROPA study: results from the PERSUADE substudy. <i>European Heart Journal</i> , 2005 , 26, 1369-78	9.5	105
108	Quality control of B-mode ultrasonic measurement of carotid artery intima-media thickness: the European Lacidipine Study on Atherosclerosis. <i>Journal of Hypertension</i> , 2005 , 23, 1047-54	1.9	23
107	Long-term prognostic impact of repeated measurements over 1 year of pulse pressure and systolic blood pressure in the elderly. <i>Journal of Human Hypertension</i> , 2005 , 19, 355-63	2.6	6
106	Caffeine intake induces an alteration in human neutrophil A2A adenosine receptors. <i>Cellular and Molecular Life Sciences</i> , 2005 , 62, 2350-8	10.3	24
105	Biological rhythms, medication safety, and women's health. <i>Journal of Women's Health</i> , 2005 , 14, 38-46	3	10
104	Circadian rhythms in mouse blood coagulation. <i>Journal of Biological Rhythms</i> , 2005 , 20, 219-24	3.2	16
103	Daily and circadian rhythms of tissue factor pathway inhibitor and factor VII activity. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 646-9	9.4	73
102	Chronotherapeutics in the Treatment of Hypertension 2005 , 530-542		8
101	Candesartan plus hydrochlorothiazide fixed combination vs previous monotherapy plus diuretic in poorly controlled essential hypertensive patients. <i>Blood Pressure</i> , 2004 , 2, 11-7	1.7	12
100	Oxidative stress in essential hypertension. <i>Current Pharmaceutical Design</i> , 2004 , 10, 1695-8	3.3	54
99	Ethical principles and standards for the conduct of human and animal biological rhythm research. <i>Chronobiology International</i> , 2004 , 21, 161-70	3.6	300

98	Influence of circadian rhythm on mortality after myocardial infarction: data from a prospective cohort of emergency calls. <i>American Journal of Emergency Medicine</i> , 2004 , 22, 555-9	2.9	84
97	Outcomes in hypertensive patients at high cardiovascular risk treated with regimens based on valsartan or amlodipine: the VALUE randomised trial. <i>Lancet, The</i> , 2004 , 363, 2022-31	4.0	2112
96	Absolute and relative changes in carotid intima-media thickness and atherosclerotic plaques during long-term antihypertensive treatment: further results of the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2004 , 22, 1201-12	1.9	31
95	Benefits and risks of more intensive blood pressure lowering in hypertensive patients of the HOT study with different risk profiles: does a J-shaped curve exist in smokers?. <i>Journal of Hypertension</i> , 2003 , 21, 797-804	1.9	77
94	PERTINENT--perindopril-thrombosis, inflammation, endothelial dysfunction and neurohormonal activation trial: a sub-study of the EUROPA study. <i>Cardiovascular Drugs and Therapy</i> , 2003 , 17, 83-91	3.9	20
93	Logistics and quality control for DNA sampling in large multicenter studies. <i>Journal of Thrombosis and Haemostasis</i> , 2003 , 1, 987-91	15.4	44
92	Typical chest pain and onset of acute myocardial infarction in a prospective cohort of emergency calls. <i>Annals of Emergency Medicine</i> , 2003 , 41, 759; author reply 759-60	2.1	1
91	Efficacy of perindopril in reduction of cardiovascular events among patients with stable coronary artery disease: randomised, double-blind, placebo-controlled, multicentre trial (the EUROPA study). <i>Lancet, The</i> , 2003 , 362, 782-8	4.0	1630
90	ST segment monitoring as a predictor of reperfusion after blood transfusion in a patient with acute non-Q-wave myocardial infarction. <i>American Journal of Emergency Medicine</i> , 2003 , 21, 449	2.9	
89	VALUE trial: Long-term blood pressure trends in 13,449 patients with hypertension and high cardiovascular risk. <i>American Journal of Hypertension</i> , 2003 , 16, 544-8	2.3	84
88	Regarding "The safety, efficacy and pharmacoeconomics of low-dose alteplase compared with urokinase for catheter-directed thrombolysis of arterial and venous occlusions". <i>Journal of Vascular Surgery</i> , 2003 , 38, 411-2	3.5	
87	Morning surge in blood pressure as a predictor of silent and clinical cerebrovascular disease in elderly hypertensives. <i>Circulation</i> , 2003 , 108, e72-3; author reply e72-3	16.7	27
86	Chronobiological patterns of acute aortic dissection. <i>Circulation</i> , 2002 , 106, 1110-5	16.7	223
85	Effects of doxazosin and propranolol on A2A adenosine receptors in essential hypertension. <i>Hypertension</i> , 2002 , 40, 909-13	8.5	12
84	Calcium antagonist lacidipine slows down progression of asymptomatic carotid atherosclerosis: principal results of the European Lacidipine Study on Atherosclerosis (ELSA), a randomized, double-blind, long-term trial. <i>Circulation</i> , 2002 , 106, 2422-7	16.7	439
83	Comparative effects of candesartan and enalapril on left ventricular hypertrophy in patients with essential hypertension: the candesartan assessment in the treatment of cardiac hypertrophy (CATCH) study. <i>Journal of Hypertension</i> , 2002 , 20, 2293-300	1.9	90
82	Circadian pattern in occurrence of renal colic in an emergency department: analysis of patients' notes. <i>BMJ, The</i> , 2002 , 324, 767	5.9	12
81	Benefit and harm of low-dose aspirin in well-treated hypertensives at different baseline cardiovascular risk. <i>Journal of Hypertension</i> , 2002 , 20, 2301-7	1.9	48

80	Morning preference in onset of symptomatic third-degree atrioventricular heart block. <i>Chronobiology International</i> , 2002 , 19, 785-91	3.6	7
79	Circadian variability in hemorrhagic stroke. <i>JAMA - Journal of the American Medical Association</i> , 2002 , 287, 1266-7	27.4	87
78	Efficacy, tolerability, and impact on quality of life of long-term treatment with manidipine or amlodipine in patients with essential hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 2001 , 38, 642-50	3.1	43
77	The EUROPA trial: design, baseline demography and status of the substudies. <i>Cardiovascular Drugs and Therapy</i> , 2001 , 15, 169-79	3.9	34
76	Characteristics of 15,314 hypertensive patients at high coronary risk. The VALUE trial. The Valsartan Antihypertensive Long-term Use Evaluation. <i>Blood Pressure</i> , 2001 , 10, 83-91	1.7	73
75	Risk assessment and treatment benefit in intensively treated hypertensive patients of the hypertension Optimal Treatment (HOT) study. <i>Journal of Hypertension</i> , 2001 , 19, 819-25	1.9	36
74	Effects of individual risk factors on the incidence of cardiovascular events in the treated hypertensive patients of the Hypertension Optimal Treatment Study. HOT Study Group. <i>Journal of Hypertension</i> , 2001 , 19, 1149-59	1.9	99
73	Relation between blood pressure variability and carotid artery damage in hypertension: baseline data from the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2001 , 19, 1981-9	1.9	203
72	Circadian Rhythm and Environmental Determinants of Blood Pressure Regulation in Normal and Hypertensive Conditions 2001 , 79-138		15
71	Platelet alpha2-adrenoceptor alterations in patients with essential hypertension are normalized after treatment with doxazosin but not propranolol. <i>Journal of Hypertension</i> , 2000 , 18, 217-21	1.9	10
70	Baseline reproducibility of B-mode ultrasonic measurement of carotid artery intima-media thickness: the European Lacidipine Study on Atherosclerosis (ELSA). <i>Journal of Hypertension</i> , 2000 , 18, 197-201	1.9	110
69	Dose and time effects of caffeine intake on human platelet adenosine A(2A) receptors : functional and biochemical aspects. <i>Circulation</i> , 2000 , 102, 285-9	16.7	92
68	Seasonal variation in the occurrence of epistaxis. <i>American Journal of Medicine</i> , 2000 , 108, 759-60	2.4	17
67	Circadian variation in onset of epistaxis: analysis of hospital admissions. <i>BMJ: British Medical Journal</i> , 2000 , 321, 1112		13
66	Circadian variation in onset of acute cardiogenic pulmonary edema is independent of patients Q features and underlying pathophysiological causes. <i>Chronobiology International</i> , 2000 , 17, 705-15	3.6	16
65	Caffeine alters A2A adenosine receptors and their function in human platelets. <i>Circulation</i> , 1999 , 99, 2499-502	16.7	89
64	From a static to a dynamic concept of risk: the circadian epidemiology of cardiovascular events. <i>Chronobiology International</i> , 1999 , 16, 33-49	3.6	84
63	Platelet alpha2-adrenoceptor alterations in patients with essential hypertension. <i>British Journal of Clinical Pharmacology</i> , 1999 , 47, 167-72	3.8	36

62	Seasonal variation in the occurrence of nontraumatic rupture of thoracic aorta. <i>American Journal of Emergency Medicine</i> , 1999 , 17, 672-4	2.9	41
61	Circadian variation in thrombotic risk factors in haemorrhagic cardiovascular events. <i>Lancet, The</i> , 1999 , 353, 1800-1801	4.0	3
60	Circadian variation in spontaneous rupture of abdominal aorta. <i>Lancet, The</i> , 1999 , 353, 643-4	4.0	67
59	Chronopharmacology and chronotherapy of cardiovascular medications: relevance to prevention and treatment of coronary heart disease. <i>American Heart Journal</i> , 1999 , 137, S14-S24	4.9	63
58	Compliance with aspirin or placebo in the Hypertension Optimal Treatment (HOT) study. <i>Journal of Hypertension</i> , 1999 , 17, 1041-5	1.9	58
57	The long-term prognostic significance of repeated blood pressure measurements in the elderly: SPAA (Studio sulla Pressione Arteriosa nell'anziano) 10-year follow-up. <i>Archives of Internal Medicine</i> , 1999 , 159, 1205-12		37
56	In vitro versus in vivo assessment of vein wall properties. <i>Annals of Vascular Surgery</i> , 1998 , 12, 324-9	1.7	8
55	Effects of intensive blood-pressure lowering and low-dose aspirin in patients with hypertension: principal results of the Hypertension Optimal Treatment (HOT) randomised trial. HOT Study Group. <i>Lancet, The</i> , 1998 , 351, 1755-62	4.0	4439
54	Circadian variation in the onset of acute critical limb ischemia. <i>Thrombosis Research</i> , 1998 , 92, 163-9	8.2	22
53	Clinical features of fatal familial insomnia: phenotypic variability in relation to a polymorphism at codon 129 of the prion protein gene. <i>Brain Pathology</i> , 1998 , 8, 515-20	6	93
52	Hypertension optimal treatment (HOT) study: home blood pressure in treated hypertensive subjects. <i>Hypertension</i> , 1998 , 31, 1014-20	8.5	55
51	Risk factors associated with alterations in carotid intima-media thickness in hypertension: baseline data from the European Lacidipine Study on Atherosclerosis. <i>Journal of Hypertension</i> , 1998 , 16, 949-61	1.9	214
50	Undiagnosed sleep-disordered breathing among male nondippers with essential hypertension. <i>Journal of Hypertension</i> , 1997 , 15, 1227-33	1.9	118
49	Ultrasonographic assessment of ambulatory venous pressure in superficial venous incompetence. <i>Journal of Vascular Surgery</i> , 1997 , 26, 796-802	3.5	20
48	Chronobiological patterns of onset of acute cerebrovascular diseases. <i>Thrombosis Research</i> , 1997 , 88, 451-63	8.2	128
47	Seasonal variations in the rupture of abdominal aortic aneurysms. <i>International Heart Journal</i> , 1997 , 38, 67-72		18
46	Circadian rhythmicity in the occurrence of spontaneous acute dissection and rupture of thoracic aorta. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 113, 603-4	1.5	47
45	Relative influence of menopausal status, age, and body mass index on blood pressure. <i>Hypertension</i> , 1997 , 29, 976-9	8.5	49

44	The rhythms of blood pressure in humans. Exogenous and endogenous components and implications for diagnosis and treatment. <i>Annals of the New York Academy of Sciences</i> , 1996 , 783, 1-9	6.5	32
43	Endocrine mechanisms of blood pressure rhythms. <i>Annals of the New York Academy of Sciences</i> , 1996 , 783, 113-31	6.5	58
42	Relationships of the circadian rhythms of thrombotic, ischemic, hemorrhagic, and arrhythmic events to blood pressure rhythms. <i>Annals of the New York Academy of Sciences</i> , 1996 , 783, 141-58	6.5	67
41	Ambulatory blood pressure monitoring. Application to clinical medicine and antihypertension medication trials. <i>Annals of the New York Academy of Sciences</i> , 1996 , 783, 278-94	6.5	11
40	Out-of-hospital sudden death referring to an emergency department. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 865-8	5.7	63
39	Chronobiologic aspects of ischemic coronary artery disease. <i>International Heart Journal</i> , 1996 , 37, 829-36		
38	Circadian and circannual rhythmicity in the occurrence of subarachnoid hemorrhage. <i>Stroke</i> , 1996 , 27, 1793-7	6.7	83
37	Dissociated 24-hour patterns of somatotropin and prolactin in fatal familial insomnia. <i>Neuroendocrinology</i> , 1995 , 61, 731-7	5.6	30
36	Time-dependent effect of isradipine on the nocturnal hypertension in chronic renal failure. <i>American Journal of Hypertension</i> , 1995 , 8, 719-26	2.3	94
35	Chronobiological aspects of pulmonary thromboembolism. <i>International Journal of Cardiology</i> , 1995 , 52, 31-7	3.2	13
34	Circadian variation in the occurrence of paroxysmal supraventricular tachycardia in clinically healthy subjects. <i>Chronobiology International</i> , 1995 , 12, 55-61	3.6	26
33	Circadian variation in the occurrence of fatal pulmonary embolism. Differences depending on sex and age. <i>International Heart Journal</i> , 1994 , 35, 765-70		7
32	Diurnal blood pressure variation and hormonal correlates in fatal familial insomnia. <i>Hypertension</i> , 1994 , 23, 569-76	8.5	75
31	Haematological profile in cancer patients: analysis of circadian pattern. <i>Journal of International Medical Research</i> , 1994 , 22, 343-9	1.4	5
30	Evidence that enhancement of cholinergic tone increases basal plasma levels of calcitonin gene-related peptide in normal man. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994 , 78, 763-766	5.6	14
29	Progressive disruption of the circadian rhythm of melatonin in fatal familial insomnia. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1994 , 78, 1075-1078	5.6	52
28	Effect of dermorphin on behavior and hippocampal electrical activity in rabbits. <i>Life Sciences</i> , 1993 , 52, 323-8	6.8	9
27	Atrial natriuretic peptide and circadian blood pressure regulation: clues from a chronobiological approach. <i>Chronobiology International</i> , 1993 , 10, 176-89	3.6	29

26	Circadian rhythms of atrial natriuretic peptide and blood pressure are consistently blunted in chronic renal failure. <i>Contributions To Nephrology</i> , 1993 , 101, 37-43	1.6	4
25	Effect of deltorphin on behavior and hippocampal electrical activity in rabbits. <i>Physiology and Behavior</i> , 1993 , 53, 285-90	3.5	8
24	Modulatory effect of the renin-angiotensin system on the plasma levels of calcitonin gene-related peptide in normal man. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1993 , 77, 816-820	5.6	20
23	Loss of nocturnal increase in plasma concentration of atrial natriuretic peptide in hypertensive chronic renal failure. <i>Cardiology</i> , 1992 , 80, 312-23	1.6	13
22	delta-Opioid receptors and the secretion of growth hormone in man: effect of opioid delta-receptor agonist deltorphin on GH responses to GH-releasing hormone and insulin-induced hypoglycemia. <i>Neuroendocrinology</i> , 1992 , 56, 907-12	5.6	3
21	Prevalence and variability of orthostatic hypotension in the elderly. Results of the Italian study on blood pressure in the elderly (SPAA) The Gruppo di Studio Sulla Pressione Arteriosa nell'Anziano <i>European Heart Journal</i> , 1992 , 13, 178-82	9.5	64
20	Differences in blood pressure regulation of congestive heart failure, before and after treatment, correlate with changes in the circulating pattern of atrial natriuretic peptide. <i>European Heart Journal</i> , 1992 , 13, 990-6	9.5	18
19	Circadian rhythm of calcitonin gene-related peptide in uncomplicated essential hypertension. <i>Journal of Hypertension</i> , 1992 , 10, 1227-34	1.9	54
18	Consistent changes in the circadian rhythms of blood pressure and atrial natriuretic peptide in congestive heart failure. <i>Chronobiology International</i> , 1991 , 8, 432-9	3.6	29
17	Loss of nocturnal decline of blood pressure in hypertension due to chronic renal failure. <i>American Journal of Hypertension</i> , 1991 , 4, 20-6	2.3	163
16	Circadian profile of plasma calcitonin gene-related peptide in healthy man. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1991 , 73, 945-51	5.6	48
15	Plasma levels of atrial natriuretic peptide are increased in normotensive postmenopausal women as a function of age. <i>Cardiology</i> , 1991 , 78, 317-22	1.6	3
14	Circadian rhythms of atrial natriuretic peptide, renin, aldosterone, cortisol, blood pressure and heart rate in normal and hypertensive subjects. <i>Journal of Hypertension</i> , 1990 , 8, 85-95	1.9	95
13	Altered Circadian Rhythms of Blood Pressure and Heart Rate in Non-Hemodialysis Chronic Renal Failure. <i>Chronobiology International</i> , 1990 , 7, 321-327	3.6	61
12	Atrial strain is the main determinant of release of atrial natriuretic peptide. <i>International Journal of Cardiology</i> , 1990 , 29, 297-303	3.2	13
11	Circadian rhythms of atrial natriuretic peptide, blood pressure and heart rate in normal subjects. <i>Cardiology</i> , 1989 , 76, 428-32	1.6	25
10	Chronobiologic vs. sphygmomanometric assessment of hypertension in a hospital setting. <i>Clinical Cardiology</i> , 1989 , 12, 380-3	3.3	4
9	Ergometric evaluation of the effects of enalapril maleate in normotensive patients with stable angina. <i>Clinical Cardiology</i> , 1988 , 11, 246-9	3.3	14

8	Effects of captopril on the physical work capacity of normotensive patients with stable-effort angina pectoris. <i>Cardiology</i> , 1987 , 74, 226-8	1.6	31
7	Noninvasive index of cardiac contractility during stress testing: a collaborative study. <i>Clinical Cardiology</i> , 1985 , 8, 375-84	3.3	9
6	The main heart sounds as vibrations of the cardiohemic system: old controversy and new facts. <i>American Journal of Cardiology</i> , 1983 , 52, 1133-6	3	6
5	First heart sound in atrial septal defect. <i>Angiology</i> , 1981 , 32, 846-54	2.1	
4	Peculiarities of the first heart sound in bundle branch blocks. A new interpretation based on graphic analysis. <i>International Heart Journal</i> , 1981 , 22, 729-38		1
3	Esophageal left atrial pulse in mitral valve prolapse. <i>Circulation</i> , 1977 , 56, 1114	16.7	
2	Circadian Rhythm and Environmental Determinants of Blood Pressure Regulation in Normal and Hypertensive Conditions 79-138		25
1	Altered Circadian Rhythms of Blood Pressure and Heart Rate in Non-Hemodialysis Chronic Renal Failure		12