

Hemamali Samaratunga Mbbs, Frcpa

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/380965/hemamali-samaratunga-mbbs-frcpa-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198
papers

7,862
citations

41
h-index

85
g-index

221
ext. papers

9,601
ext. citations

4.8
avg, IF

5.77
L-index

#	Paper	IF	Citations
198	Artificial intelligence for diagnosis and Gleason grading of prostate cancer: the PANDA challenge.. <i>Nature Medicine</i> , 2022 ,	50.5	14
197	Primary tumour PSMA intensity is an independent prognostic biomarker for biochemical recurrence-free survival following radical prostatectomy.. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022 , 1	8.8	1
196	Detection of perineural invasion in prostate needle biopsies with deep neural networks.. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022 , 1	5.1	0
195	Re: Svetlana Avulova, John C. Cheville, Christine M. Lohse, et al. Grading of Chromophobe Renal Cell Carcinoma: Evidence for a Four-tiered Classification Incorporating Coagulative Tumor Necrosis. <i>Eur Urol</i> 2021;79:225-31: Should Chromophobe Renal Cell Carcinoma Be Graded?. <i>European Urology</i> , 2021 , 79, e141-e142	10.2	1
194	ISUP Consensus Definition of Cribriform Pattern Prostate Cancer. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 1118-1126	6.7	6
193	Cribriform prostate cancer: Morphologic criteria enabling a diagnosis, based on survey of experts. <i>Annals of Diagnostic Pathology</i> , 2021 , 52, 151733	2.2	4
192	Intraductal Carcinoma of the Prostate: Extreme Nuclear Size Is Not a Diagnostic Parameter. <i>American Journal of Surgical Pathology</i> , 2021 , 45, 1527-1533	6.7	1
191	Artificial Intelligence for Diagnosis and Gleason Grading of Prostate Cancer in Biopsies-Current Status and Next Steps. <i>European Urology Focus</i> , 2021 , 7, 687-691	5.1	2
190	Perithyroidal Salivary Gland Acinic Cell Carcinoma: Morphological and Molecular Attributes of a Unique Lesion. <i>Head and Neck Pathology</i> , 2021 , 15, 628-637	3.3	1
189	Tumour-like lesions of the urinary bladder. <i>Pathology</i> , 2021 , 53, 44-55	1.6	2
188	Benign mimics of prostate cancer. <i>Pathology</i> , 2021 , 53, 26-35	1.6	2
187	Prostate cancer grading, time to go back to the future. <i>BJU International</i> , 2021 , 127, 165-168	5.6	0
186	Histological findings of totally embedded robot assisted laparoscopic radical prostatectomy (RALP) specimens in 1197 men with a negative (low risk) preoperative multiparametric magnetic resonance imaging (mpMRI) prostate lobe and clinical implications. <i>Prostate Cancer and Prostatic Diseases</i> , 2021 , 24, 398-405	6.2	0
185	Staging of renal cell carcinoma: current progress and potential advances. <i>Pathology</i> , 2021 , 53, 120-128	1.6	5
184	Intraductal carcinoma of the prostate is not a diagnostic entity. <i>Histopathology</i> , 2021 , 78, 342-344	7.3	3
183	Prognostic significance of morphological patterns of Gleason grade 5 prostatic adenocarcinoma diagnosed on needle biopsy. <i>Pathology</i> , 2021 , 53, 199-204	1.6	1
182	Interobserver reproducibility of perineural invasion of prostatic adenocarcinoma in needle biopsies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021 , 478, 1109-1116	5.1	2

181	External Validation and Addition of Prostate-specific Membrane Antigen Positron Emission Tomography to the Most Frequently Used Nomograms for the Prediction of Pelvic Lymph-node Metastases: an International Multicenter Study. <i>European Urology</i> , 2021 , 80, 234-242	10.2	4
180	Lichen sclerosus presenting as an isolated bulbar urethral stricture. <i>Urology Case Reports</i> , 2021 , 39, 101794	5.4	4
179	Diagnostic approach in TFE3-rearranged renal cell carcinoma: a multi-institutional international survey. <i>Journal of Clinical Pathology</i> , 2021 , 74, 291-299	3.9	7
178	Identification of areas of grading difficulties in prostate cancer and comparison with artificial intelligence assisted grading. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 477, 777-786	5.1	10
177	Granular necrosis: a distinctive form of cell death in malignant tumours. <i>Pathology</i> , 2020 , 52, 507-514	1.6	7
176	Use of a trizonal schema to assess targeting accuracy in prostatic fusion biopsy. <i>BJU International</i> , 2020 , 126 Suppl 1, 6-11	5.6	8
175	Dataset for the reporting of urinary tract carcinoma-biopsy and transurethral resection specimen: recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Modern Pathology</i> , 2020 , 33, 700-712	9.8	6
174	Artificial intelligence for diagnosis and grading of prostate cancer in biopsies: a population-based, diagnostic study. <i>Lancet Oncology, The</i> , 2020 , 21, 222-232	21.7	154
173	Dataset for the reporting of carcinoma of the bladder-cystectomy, cystoprostatectomy and diverticulectomy specimens: recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020 , 476, 521-534	5.1	9
172	Intraductal carcinoma of the prostate is an aggressive form of invasive carcinoma and should be graded. <i>Pathology</i> , 2020 , 52, 192-196	1.6	14
171	The 2019 International Society of Urological Pathology (ISUP) Consensus Conference on Grading of Prostatic Carcinoma. <i>American Journal of Surgical Pathology</i> , 2020 , 44, e87-e99	6.7	82
170	Perineural invasion by prostate adenocarcinoma in needle biopsies predicts bone metastasis: Ten year data from the TROG 03.04 RADAR Trial. <i>Histopathology</i> , 2020 , 77, 284-292	7.3	7
169	Emerging entities of renal cell neoplasia. <i>Surgical and Experimental Pathology</i> , 2019 , 2,	1.6	4
168	Risk of metastatic disease on gallium-prostate-specific membrane antigen positron emission tomography/computed tomography scan for primary staging of 1253 men at the diagnosis of prostate cancer. <i>BJU International</i> , 2019 , 124, 401-407	5.6	49
167	Dataset for reporting of carcinoma of the urethra (in urethrectomy specimens): recommendations from the International Collaboration on Cancer Reporting (ICCR). <i>Histopathology</i> , 2019 , 75, 453-467	7.3	1
166	Percentage grade 4 tumour predicts outcome for clear cell renal cell carcinoma. <i>Pathology</i> , 2019 , 51, 349-352	1.6	1
165	Intraductal carcinoma of the prostate: a critical re-appraisal. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 525-534	5.1	22
164	Somatic alterations detected in diagnostic prostate biopsies provide an inadequate representation of multifocal prostate cancer. <i>Prostate</i> , 2019 , 79, 920-928	4.2	6

163	The International Society of Urological Pathology Education web-a web-based system for training and testing of pathologists. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 577-584	5.1	4
162	Evolution, controversies and the future of prostate cancer grading. <i>Pathology International</i> , 2019 , 69, 55-66	1.8	2
161	Disruption of Spermatogenesis and Infertility in Ataxia with Oculomotor Apraxia Type 2 (AOA2). <i>Cerebellum</i> , 2019 , 18, 448-456	4.3	10
160	Assessment of tumour-associated necrosis provides prognostic information additional to World Health Organization/International Society of Urological Pathology grading for clear cell renal cell carcinoma. <i>Histopathology</i> , 2019 , 74, 284-290	7.3	12
159	PD-L1 expression and deficient mismatch repair in ductal adenocarcinoma of the prostate. <i>Apmis</i> , 2019 , 127, 554-560	3.4	8
158	Prostate specific membrane antigen (PSMA) expression in vena cava tumour thrombi of clear cell renal cell carcinoma suggests a role for PSMA-driven tumour neoangiogenesis. <i>Translational Andrology and Urology</i> , 2019 , 8, S147-S155	2.3	8
157	Utility of cytokeratin 7, S100A1 and caveolin-1 as immunohistochemical biomarkers to differentiate chromophobe renal cell carcinoma from renal oncocytoma. <i>Translational Andrology and Urology</i> , 2019 , 8, S123-S137	2.3	6
156	Controversial issues in Gleason and International Society of Urological Pathology (ISUP) prostate cancer grading: proposed recommendations for international implementation. <i>Pathology</i> , 2019 , 51, 463-473	16.6	19
155	Data Set for the Reporting of Carcinoma of the Renal Pelvis and Ureter-Nephroureterectomy and Ureterectomy Specimens: Recommendations From the International Collaboration on Cancer Reporting (ICCR). <i>American Journal of Surgical Pathology</i> , 2019 , 43, e1-e12	6.7	3
154	Is the UICC/AJCC pT2 Staging Category for Clear Cell Renal Cell Carcinoma Meaningful?. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1249-1252	6.7	4
153	Grading of renal cell carcinoma. <i>Histopathology</i> , 2019 , 74, 4-17	7.3	62
152	Datasets for the reporting of neoplasia of the testis: recommendations from the International Collaboration on Cancer Reporting. <i>Histopathology</i> , 2019 , 74, 171-183	7.3	4
151	MRI-guided in-bore biopsy for prostate cancer: what does the evidence say? A case series of 554 patients and a review of the current literature. <i>World Journal of Urology</i> , 2019 , 37, 1263-1279	4	15
150	Utility of Pathology Imagebase for standardisation of prostate cancer grading. <i>Histopathology</i> , 2018 , 73, 8-18	7.3	19
149	Fuhrman grading is inappropriate for papillary renal cell carcinoma. <i>World Journal of Urology</i> , 2018 , 36, 1335-1336	4	3
148	A novel technique for biobanking of large sections of radical prostatectomy specimens. <i>Histopathology</i> , 2018 , 72, 481-489	7.3	2
147	Leptin and its receptor: can they help to differentiate chromophobe renal cell carcinoma from renal oncocytoma?. <i>Pathology</i> , 2018 , 50, 504-510	1.6	9
146	Robot-assisted laparoscopic prostatectomy versus open radical retropubic prostatectomy: 24-month outcomes from a randomised controlled study. <i>Lancet Oncology, The</i> , 2018 , 19, 1051-1060	21.7	181

145	Design and Clinical Verification of Surface-Enhanced Raman Spectroscopy Diagnostic Technology for Individual Cancer Risk Prediction. <i>ACS Nano</i> , 2018 , 12, 8362-8371	16.7	48
144	Re: Comment on Egevad et al., Utility of Pathology Imagebase for standardisation of prostate cancer grading <i>Histopathology</i> , 2018 , 73, 361-362	7.3	
143	Contemporary prognostic indicators for prostate cancer incorporating International Society of Urological Pathology recommendations. <i>Pathology</i> , 2018 , 50, 60-73	1.6	18
142	Reconsidering the role of pelvic lymph node dissection with radical prostatectomy for prostate cancer in an era of improving radiological staging techniques. <i>World Journal of Urology</i> , 2018 , 36, 15-20	4	12
141	Epigenetically reprogrammed methylation landscape drives the DNA self-assembly and serves as a universal cancer biomarker. <i>Nature Communications</i> , 2018 , 9, 4915	17.4	80
140	Accuracy of prostate biopsies for predicting Gleason score in radical prostatectomy specimens: nationwide trends 2000-2012. <i>BJU International</i> , 2017 , 119, 50-56	5.6	28
139	Prostate Cancer Grading: A Decade After the 2005 Modified Gleason Grading System. <i>Archives of Pathology and Laboratory Medicine</i> , 2017 , 141, 182-183	5	3
138	Kallikrein-related peptidase 4 induces cancer-associated fibroblast features in prostate-derived stromal cells. <i>Molecular Oncology</i> , 2017 , 11, 1307-1329	7.9	10
137	Genetic profile of ductal adenocarcinoma of the prostate. <i>Human Pathology</i> , 2017 , 69, 1-7	3.7	13
136	Initial multicentre experience of gallium-PSMA PET/CT guided robot-assisted salvage lymphadenectomy: acceptable safety profile but oncological benefit appears limited. <i>BJU International</i> , 2017 , 120, 673-681	5.6	52
135	Mucinous adenocarcinoma of prostate and prostatic adenocarcinoma with mucinous components: a clinicopathological analysis of 143 cases. <i>Histopathology</i> , 2017 , 71, 641-647	7.3	8
134	Prognostic significance and biopsy characteristics of prostate cancer with seminal vesicle invasion on radical prostatectomy: a nationwide population-based study. <i>Pathology</i> , 2017 , 49, 715-720	1.6	10
133	Clear cell renal cell carcinoma: validation of World Health Organization/International Society of Urological Pathology grading. <i>Histopathology</i> , 2017 , 71, 918-925	7.3	68
132	Pathology Imagebase-a reference image database for standardization of pathology. <i>Histopathology</i> , 2017 , 71, 677-685	7.3	12
131	Re: Anthony Zietman, Joseph Smith, Eric Klein, Michael Droller, Prokar Dasgupta, James Catto. Describing the Grade of Prostate Cancer: Consistent Use of Contemporary Terminology Is Now Required. <i>Eur Urol</i> 2016;70:1. <i>European Urology</i> , 2017 , 71, e52-e53	10.2	
130	Long-term outcomes of high-dose-rate brachytherapy for intermediate- and high-risk prostate cancer with a median follow-up of 10 years. <i>BJU International</i> , 2017 , 120, 56-60	5.6	23
129	Using prostate specific membrane antigen (PSMA) expression in clear cell renal cell carcinoma for imaging advanced disease. <i>Pathology</i> , 2016 , 48, 613-6	1.6	20
128	Consensus guidelines for reporting prostate cancer Gleason Grade. <i>BJU International</i> , 2016 , 118, E1-2	5.6	2

127	Reply by the Authors. <i>Urology</i> , 2016 , 96, 179-180	1.6	
126	Robot-assisted laparoscopic prostatectomy versus open radical retropubic prostatectomy: early outcomes from a randomised controlled phase 3 study. <i>Lancet, The</i> , 2016 , 388, 1057-1066	4.0	378
125	Re: Consensus Guidelines for Reporting Prostate Cancer Gleason Grade: A. Zietman, E. Klein, M. J. Droller, P. Dasgupta, J. Catto and J. A. Smith, Jr. <i>J Urol</i> 2016;195: 1723. <i>Journal of Urology</i> , 2016 , 196, 1321-3	2.5	
124	From Gleason to International Society of Urological Pathology (ISUP) grading of prostate cancer. <i>Scandinavian Journal of Urology</i> , 2016 , 50, 325-9	1.6	18
123	Gleason grade 4 prostate adenocarcinoma patterns: an interobserver agreement study among genitourinary pathologists. <i>Histopathology</i> , 2016 , 69, 441-9	7.3	55
122	Ductal adenocarcinoma of the prostate: histogenesis, biology and clinicopathological features. <i>Pathology</i> , 2016 , 48, 398-405	1.6	30
121	International Society of Urological Pathology (ISUP) Grading of Prostate Cancer. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 858-61	6.7	29
120	Reply: Gleason and Fuhrman no longer make the grade. <i>Histopathology</i> , 2016 , 69, 341-2	7.3	
119	Histologic prognostic markers for renal cell neoplasia. <i>Diagnostic Histopathology</i> , 2016 , 22, 65-72	0.7	1
118	Magnitude of PD-1, PD-L1 and T Lymphocyte Expression on Tissue from Castration-Resistant Prostate Adenocarcinoma: An Exploratory Analysis. <i>Targeted Oncology</i> , 2016 , 11, 345-51	5	48
117	Multifocal Primary Neoplasms in Kidney Allografts: Evaluation of Two Cases. <i>Journal of Kidney Cancer and VHL</i> , 2016 , 3, 14-22	1.4	1
116	One is the new six: The International Society of Urological Pathology (ISUP) patient-focused approach to Gleason grading. <i>Canadian Urological Association Journal</i> , 2016 , 10, 339-341	1.2	5
115	Pleomorphic giant cell carcinoma of the urinary bladder: an extreme form of tumour de-differentiation. <i>Histopathology</i> , 2016 , 68, 533-40	7.3	20
114	Can atorvastatin with metformin change the natural history of prostate cancer as characterized by molecular, metabolomic, imaging and pathological variables? A randomized controlled trial protocol. <i>Contemporary Clinical Trials</i> , 2016 , 50, 16-20	2.3	4
113	A systematic review and meta-analysis of immunohistochemical biomarkers that differentiate chromophobe renal cell carcinoma from renal oncocytoma. <i>Journal of Clinical Pathology</i> , 2016 , 69, 661-739	3.9	38
112	In Regard to Zietman et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 1126-1127	1.7	3
111	Decreased apoptosis repressor with caspase recruitment domain confers resistance to sunitinib in renal cell carcinoma through alternate angiogenesis pathways. <i>Biochemical and Biophysical Research Communications</i> , 2016 , 473, 47-53	3.4	6
110	MP03-12 STAGING ADVANCED AND METASTATIC CLEAR CELL RENAL CELL CARCINOMA WITH 68 GALLIUM PSMA PET FOR TREATMENT PLANNING. <i>Journal of Urology</i> , 2016 , 195,	2.5	2

109	Prostate-based biofluids for the detection of prostate cancer: A comparative study of the diagnostic performance of cell-sourced RNA biomarkers. <i>Prostate International</i> , 2016 , 4, 97-102	3.4	9
108	New Gleason grading system: Statement from the editors of 6 journals. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016 , 34, 479-480	2.8	
107	Immunohistochemistry of ductal adenocarcinoma of the prostate and adenocarcinomas of non-prostatic origin: a comparative study. <i>Apmis</i> , 2016 , 124, 263-70	3.4	19
106	Prostate cancer grading: recent developments and future directions. <i>BJU International</i> , 2016 , 117 Suppl 4, 7-8	5.6	16
105	Gleason and Fuhrman no longer make the grade. <i>Histopathology</i> , 2016 , 68, 475-81	7.3	34
104	Mesenchymal tumors of adult kidney. <i>Seminars in Diagnostic Pathology</i> , 2015 , 32, 160-71	4.3	9
103	Risk Analysis of Prostate Cancer in PRACTICAL, a Multinational Consortium, Using 25 Known Prostate Cancer Susceptibility Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1121-9	4	46
102	The prognostic significance of the 2014 International Society of Urological Pathology (ISUP) grading system for prostate cancer. <i>Pathology</i> , 2015 , 47, 515-9	1.6	39
101	Cancer stem cell markers in prostate cancer: an immunohistochemical study of ALDH1, SOX2 and EZH2. <i>Pathology</i> , 2015 , 47, 622-8	1.6	28
100	Is transperineal prostate biopsy more accurate than transrectal biopsy in determining final Gleason score and clinical risk category? A comparative analysis. <i>BJU International</i> , 2015 , 116 Suppl 3, 26-30	5.6	32
99	Diagnostic performance of expression of PCA3, Hepsin and miR biomarkers in ejaculate in combination with serum PSA for the detection of prostate cancer. <i>Prostate</i> , 2015 , 75, 539-49	4.2	33
98	Differentiation of oncocytoma from chromophobe renal cell carcinoma (RCC): can novel molecular biomarkers help solve an old problem?. <i>Journal of Clinical Pathology</i> , 2014 , 67, 97-104	3.9	57
97	Immunohistochemical profile of ductal adenocarcinoma of the prostate. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 559-65	5.1	22
96	Wave propagation analysis in laminated composite plates with transverse cracks using the wavelet spectral finite element method. <i>Finite Elements in Analysis and Design</i> , 2014 , 89, 19-32	2.2	29
95	A progress report on a prospective randomised trial of open and robotic prostatectomy. <i>European Urology</i> , 2014 , 65, 512-5	10.2	12
94	The ISUP system of staging, grading and classification of renal cell neoplasia. <i>Journal of Kidney Cancer and VHL</i> , 2014 , 1, 26-39	1.4	24
93	Consensus statement with recommendations on active surveillance inclusion criteria and definition of progression in men with localized prostate cancer: the critical role of the pathologist. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2014 , 465, 623-8	5.1	33
92	The critical role of the pathologist in determining eligibility for active surveillance as a management option in patients with prostate cancer: consensus statement with recommendations supported by the College of American Pathologists, International Society of Urological Pathology, Association of Directors of Anatomic and Surgical Pathology, the New Zealand Society of Pathologists, and the Prostate Cancer Foundation. <i>Archives of Pathology and Laboratory Medicine</i> , 2014 , 138, 1387-405	5	99

91	Total submission of pelvic lymphadenectomy tissues removed during radical prostatectomy for prostate cancer increases lymph node yield and detection of micrometastases. <i>Histopathology</i> , 2014 , 64, 399-404	7.3	26
90	Diagnostic criteria for ductal adenocarcinoma of the prostate: interobserver variability among 20 expert uropathologists. <i>Histopathology</i> , 2014 , 65, 216-27	7.3	34
89	Percutaneous renal tumour biopsy. <i>Histopathology</i> , 2014 , 65, 295-308	7.3	15
88	Clinical significance of cancer in radical prostatectomy specimens: analysis from a contemporary series of 2900 men. <i>Pathology</i> , 2014 , 46, 11-4	1.6	2
87	Effective maybe, but is it cost-effective? A reply. <i>Histopathology</i> , 2014 , 65, 729-30	7.3	2
86	Value of uroplakin III in distinguishing variants of primary bladder urothelial carcinoma from malignancy metastatic to the urinary bladder. <i>Anticancer Research</i> , 2014 , 34, 6779-84	2.3	5
85	The International Society of Urological Pathology (ISUP) Vancouver Classification of Renal Neoplasia. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1469-89	6.7	737
84	Premalignant lesions of the urinary bladder. <i>Pathology</i> , 2013 , 45, 243-50	1.6	12
83	Handling and staging of renal cell carcinoma: the International Society of Urological Pathology Consensus (ISUP) conference recommendations. <i>American Journal of Surgical Pathology</i> , 2013 , 37, 1505-17	6.7	96
82	Evidence for steroidogenic potential in human prostate cell lines and tissues. <i>American Journal of Pathology</i> , 2012 , 181, 1078-87	5.8	23
81	Gleason grading: past, present and future. <i>Histopathology</i> , 2012 , 60, 75-86	7.3	64
80	Recently described and unusual variants of urothelial carcinoma of the urinary bladder. <i>Pathology</i> , 2012 , 44, 407-18	1.6	33
79	Genetic association of the KLK4 locus with risk of prostate cancer. <i>PLoS ONE</i> , 2012 , 7, e44520	3.7	14
78	Alpha-fetoprotein-producing carcinoma of the renal pelvis exhibiting hepatoid and urothelial differentiation. <i>Anticancer Research</i> , 2012 , 32, 4987-91	2.3	9
77	Ductal adenocarcinoma of the prostate: Reply. <i>Human Pathology</i> , 2011 , 42, 606-607	3.7	1
76	Tertiary Gleason pattern 5 on needle biopsy predicts greater tumour volume on radical prostatectomy. <i>Pathology</i> , 2011 , 43, 693-6	1.6	4
75	International society of urological pathology consensus conference on handling and staging of radical prostatectomy specimens. <i>Advances in Anatomic Pathology</i> , 2011 , 18, 301-5	5.1	11
74	Grading of clear cell renal cell carcinoma should be based on nucleolar prominence. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 1134-9	6.7	71

73	Prognostic factors in prostate cancer. Key elements in structured histopathology reporting of radical prostatectomy specimens. <i>Pathology</i> , 2011 , 43, 410-9	1.6	8
72	International Society of Urological Pathology (ISUP) Consensus Conference on Handling and Staging of Radical Prostatectomy Specimens. Working group 1: specimen handling. <i>Modern Pathology</i> , 2011 , 24, 6-15	9.8	183
71	Ductal adenocarcinoma of the prostate diagnosed on transurethral biopsy or resection is not always indicative of aggressive disease: implications for clinical management. <i>BJU International</i> , 2010 , 105, 476-80	5.6	22
70	Micropapillary urothelial carcinoma of the urinary bladder: a clinicopathological analysis of 72 cases. <i>Pathology</i> , 2010 , 42, 650-4	1.6	87
69	Gleason scoring: a comparison of classical and modified (international society of urological pathology) criteria using nadir PSA as a clinical end point. <i>Pathology</i> , 2010 , 42, 339-43	1.6	39
68	Renal cell neoplasms of oncocytosis have distinct morphologic, immunohistochemical, and cytogenetic profiles. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 620-6	6.7	46
67	Expression of PSA-RP2, an alternatively spliced variant from the PSA gene, is increased in prostate cancer tissues but the protein is not secreted from prostate cancer cells. <i>Biological Chemistry</i> , 2010 , 391, 461-6	4.5	7
66	Comparative biomarker expression and RNA integrity in biospecimens derived from radical retropubic and robot-assisted laparoscopic prostatectomies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1755-65	4	11
65	Any proportion of ductal adenocarcinoma in radical prostatectomy specimens predicts extraprostatic extension. <i>Human Pathology</i> , 2010 , 41, 281-5	3.7	44
64	Distal seminal vesicle invasion by prostate adenocarcinoma does not occur in isolation of proximal seminal vesicle invasion or lymphovascular infiltration. <i>Pathology</i> , 2010 , 42, 330-3	1.6	12
63	New genomic structure for prostate cancer specific gene PCA3 within BMCC1: implications for prostate cancer detection and progression. <i>PLoS ONE</i> , 2009 , 4, e4995	3.7	63
62	Identification of claudin-4 as a marker highly overexpressed in both primary and metastatic prostate cancer. <i>British Journal of Cancer</i> , 2008 , 99, 491-501	8.7	47
61	Tissue-specific promoter utilisation of the kallikrein-related peptidase genes, KLK5 and KLK7, and cellular localisation of the encoded proteins suggest roles in exocrine pancreatic function. <i>Biological Chemistry</i> , 2008 , 389, 99-109	4.5	16
60	Loss of heterozygosity at the BRCA2 locus detected by multiplex ligation-dependent probe amplification is common in prostate cancers from men with a germline BRCA2 mutation. <i>Clinical Cancer Research</i> , 2008 , 14, 2953-61	12.9	32
59	Kallikrein-related peptidase 4 (KLK4) initiates intracellular signaling via protease-activated receptors (PARs). KLK4 and PAR-2 are co-expressed during prostate cancer progression. <i>Journal of Biological Chemistry</i> , 2008 , 283, 12293-304	5.4	101
58	Prostatic trypsin-like kallikrein-related peptidases (KLKs) and other prostate-expressed tryptic proteinases as regulators of signalling via proteinase-activated receptors (PARs). <i>Biological Chemistry</i> , 2008 , 389, 653-68	4.5	32
57	Cellular angiofibroma of the scrotum. <i>Pathology</i> , 2008 , 40, 330-3	1.6	5
56	What is the molecular pathology of low-risk prostate cancer?. <i>World Journal of Urology</i> , 2008 , 26, 431-6	4	4

55	A novel transcript from the KLKP1 gene is androgen regulated, down-regulated during prostate cancer progression and encodes the first non-serine protease identified from the human kallikrein gene locus. <i>Prostate</i> , 2008 , 68, 381-99	4.2	20
54	Ductal adenocarcinoma of the prostate: current opinion and controversies 2008 , 30, 237-46		3
53	Prostatic ductal adenocarcinoma presenting as a urethral polyp: a clinicopathological study of eight cases of a lesion with the potential to be misdiagnosed as a benign prostatic urethral polyp. <i>Pathology</i> , 2007 , 39, 476-81	1.6	12
52	Significance of minute focus of adenocarcinoma on prostate needle biopsy. <i>Urology</i> , 2007 , 70, 299-302	1.6	6
51	A working group classification of focal prostate atrophy lesions. <i>American Journal of Surgical Pathology</i> , 2006 , 30, 1281-91	6.7	97
50	17 DD3 expression in metastatic prostate cancer. <i>BJU International</i> , 2006 , 97, 5-5	5.6	
49	7 Positive margin rates in patients with a single positive core on extended TRUS biopsy. <i>BJU International</i> , 2006 , 97, 2-2	5.6	
48	Atypical prostatic glandular proliferations on needle biopsy: Diagnostic implications, use of immunohistochemistry, and clinical significance 2006 , 28, 104-10		4
47	The 2005 International Society of Urological Pathology (ISUP) Consensus Conference on Gleason Grading of Prostatic Carcinoma. <i>American Journal of Surgical Pathology</i> , 2005 , 29, 1228-42	6.7	1909
46	Use of multiple biomarkers for a molecular diagnosis of prostate cancer. <i>International Journal of Cancer</i> , 2005 , 114, 950-6	7.5	99
45	Significance of Stromal Reaction Patterns in Invasive Urothelial Carcinoma. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 851-857	1.9	8
44	Compartmentalized expression of kallikrein 4 (KLK4/hK4) isoforms in prostate cancer: nuclear, cytoplasmic and secreted forms. <i>Endocrine-Related Cancer</i> , 2005 , 12, 875-89	5.7	46
43	Significance of stromal reaction patterns in invasive urothelial carcinoma. <i>American Journal of Clinical Pathology</i> , 2005 , 123, 851-7	1.9	1
42	Expression of the disintegrin metalloprotease, ADAM-10, in prostate cancer and its regulation by dihydrotestosterone, insulin-like growth factor I, and epidermal growth factor in the prostate cancer cell model LNCaP. <i>Clinical Cancer Research</i> , 2004 , 10, 314-23	12.9	80
41	Micropapillary variant of urothelial carcinoma of the urinary bladder; a clinicopathological and immunohistochemical study. <i>Histopathology</i> , 2004 , 45, 55-64	7.3	147
40	Expression analysis of delta-catenin and prostate-specific membrane antigen: their potential as diagnostic markers for prostate cancer. <i>International Journal of Cancer</i> , 2002 , 100, 228-37	7.5	102
39	Comparison of WHO/ISUP and WHO classification of noninvasive papillary urothelial neoplasms for risk of progression. <i>Urology</i> , 2002 , 60, 315-9	1.6	103
38	Phyllodes tumors of the breast: correlation of nucleolar organizer regions with histopathological malignancy grading, flow cytometric DNA analysis and clinical outcome. <i>Pathology International</i> , 2001 , 51, 866-73	1.8	4

37	Atypical presentation of herpes simplex (chronic hypertrophic herpes) in a patient with HIV infection. <i>Pathology</i> , 2001 , 33, 532-5	1.6	38
36	Primary vaginal non-Hodgkin's lymphoma after radiotherapy for Hodgkin's disease. <i>Australian and New Zealand Journal of Medicine</i> , 2000 , 30, 404-5		
35	Localization of N-acetyltransferases NAT1 and NAT2 in human tissues. <i>Toxicological Sciences</i> , 2000 , 54, 19-29	4.4	110
34	MOLECULAR DETECTION OF PROSTATE CELLS IN EJACULATE AND URETHRAL WASHINGS IN MEN WITH SUSPECTED PROSTATE CANCER. <i>Journal of Urology</i> , 1999 , 161, 1337-1343	2.5	23
33	Grading of renal cell carcinoma. <i>Urologic Clinics of North America</i> , 1999 , 26, 637-42, vii	2.9	17
32	Cervical adenoid basal epitheliomas. <i>American Journal of Surgical Pathology</i> , 1999 , 23, 1308-9	6.7	2
31	Evaluation of myectomized partial-thickness ileum in experimental bladder augmentation. <i>ANZ Journal of Surgery</i> , 1998 , 68, 587-91	1	1
30	Mesenteric panniculitis: a mimic of malignancy. <i>ANZ Journal of Surgery</i> , 1998 , 68, 237-9	1	13
29	Experimental pyeloureterectomy and calyceal neck transection with autotransplantation and bladder advancement. <i>BJU International</i> , 1998 , 82, 877-81	5.6	
28	Non-rabies Lyssavirus human encephalitis from fruit bats: Australian bat Lyssavirus (pteropid Lyssavirus) infection. <i>Neuropathology and Applied Neurobiology</i> , 1998 , 24, 331-5	5.2	68
27	Re: Malignant Cytological Washings From Radical Prostatectomy Specimens. <i>Journal of Urology</i> , 1997 , 158, 889-889	2.5	
26	A new lyssavirus [The first endemic rabies-related virus recognized in Australia. <i>Bulletin De L'Institut Pasteur</i> , 1997 , 95, 209-218		79
25	Intussuscepted partial-thickness ileal valve in continent urinary diversion. <i>European Urology</i> , 1997 , 31, 102-7	10.2	4
24	Primary Lymphoma of Pituitary Gland: A Neoplasm of Acquired Malt?. <i>Endocrine Pathology</i> , 1997 , 8, 335-341	4.1	17
23	Distribution pattern of basal cells detected by cytokeratin 34 beta E12 in primary prostatic duct adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 1997 , 21, 435-40	6.7	39
22	Intravascular fasciitis: a case report and review of the literature. <i>Pathology</i> , 1996 , 28, 8-11	1.6	19
21	Nodular fasciitis and related pseudosarcomatous lesions of soft tissues. <i>ANZ Journal of Surgery</i> , 1996 , 66, 22-5	1	17
20	Abnormal prostatic cells in ejaculates from men with prostatic cancer--a preliminary report. <i>BJU International</i> , 1996 , 78, 414-8	5.6	21

19	Mango dermatitis: allergic contact dermatitis to <i>Mangifera indica</i> . <i>Australasian Journal of Dermatology</i> , 1996 , 37, 59-60	1.3	27
18	Prostate-specific Antigen (PSA) and Cancer-Associated Serum Antigen (CASA) in Distinguishing Benign and Malignant Prostate Disease. <i>International Journal of Biological Markers</i> , 1995 , 10, 221-225	2.8	3
17	Prostatic carcinoma metastasizing to the testis--an unusual pattern of spread. <i>British Journal of Urology</i> , 1995 , 75, 803-4		6
16	Mucin expression by transitional cell carcinomas of the bladder. <i>British Journal of Urology</i> , 1994 , 73, 256-62		48
15	Immunohistological expression of p53 in primary pT1 transitional cell bladder cancer in relation to tumour progression. <i>British Journal of Urology</i> , 1994 , 73, 526-32		59
14	Squamous cell carcinoma in situ involving mesonephric remnants. A potential diagnostic pitfall. <i>American Journal of Surgical Pathology</i> , 1994 , 18, 1265-9	6.7	6
13	Cerebral metastasis of an atrial myxoma mimicking an epithelioid hemangioendothelioma. <i>American Journal of Surgical Pathology</i> , 1994 , 18, 107-11	6.7	29
12	Mucin inclusions in urothelial carcinomas. <i>Human Pathology</i> , 1993 , 24, 929-30	3.7	
11	Human papillomavirus DNA in glandular lesions of the uterine cervix. <i>Journal of Clinical Pathology</i> , 1993 , 46, 718-21	3.9	6
10	Lymph node pseudotumor. <i>American Journal of Surgical Pathology</i> , 1993 , 17, 91-2	6.7	10
9	Absence of human papillomavirus in cervical adenocarcinoma. <i>Journal of Clinical Pathology</i> , 1992 , 45, 271-2	3.9	
8	An immunohistological demonstration of c-erbB-2 oncoprotein expression in primary urothelial bladder cancer. <i>Urological Research</i> , 1992 , 20, 117-20		22
7	Value of fine needle aspiration biopsy cytology in the diagnosis of discrete hepatic lesions suspicious for malignancy. <i>ANZ Journal of Surgery</i> , 1992 , 62, 540-4	1	20
6	A clinicopathological study of adenocarcinoma in situ of the cervix. The influence of cervical HPV infection and other factors, and the role of conservative surgery. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1991 , 31, 179-83	1.7	43
5	Squamous cell carcinoma arising in a case of vulvitis granulomatosa or vulval variant of Melkersson-Rosenthal syndrome. <i>Gynecologic Oncology</i> , 1991 , 41, 263-9	4.9	6
4	Evaluation of a bladder advancement extension graft technique. <i>British Journal of Urology</i> , 1990 , 66, 606-12		1
3	Application of the invaginated sleeve technique to form a continent ileal urostomy. <i>British Journal of Urology</i> , 1990 , 65, 457-61		2
2	Development of the invaginated sleeve technique for continent cystostomies in dogs. <i>British Journal of Urology</i> , 1989 , 63, 276-80		7

1 A CASE OF RABIES. *The BMJ*, **1965**, 1, 1596

2