List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3814694/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
2	Global burden of 369 diseases and injuries in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1204-1222.	6.3	7,664
3	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
4	Global burden of 87 risk factors in 204 countries and territories, 1990–2019: a systematic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1223-1249.	6.3	3,928
5	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
6	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
7	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950–2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1160-1203.	6.3	890
8	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
9	Five insights from the Global Burden of Disease Study 2019. Lancet, The, 2020, 396, 1135-1159.	6.3	335
10	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
11	Application of Convolutional Neural Networks in the Diagnosis of Helicobacter pylori Infection Based on Endoscopic Images. EBioMedicine, 2017, 25, 106-111.	2.7	231
12	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 398, 870-905.	6.3	229
13	Pandemic preparedness and COVID-19: an exploratory analysis of infection and fatality rates, and contextual factors associated with preparedness in 177 countries, from Jan 1, 2020, to Sept 30, 2021. Lancet, The, 2022, 399, 1489-1512.	6.3	229
14	Population health and regional variations of disease burden in Japan, 1990–2015: a systematic subnational analysis for the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 1521-1538.	6.3	158
15	FGF10/FGFR2 signal induces cell migration and invasion in pancreatic cancer. British Journal of Cancer, 2008, 99, 305-313.	2.9	129
16	Automatic anatomical classification of esophagogastroduodenoscopy images using deep convolutional neural networks. Scientific Reports, 2018, 8, 7497.	1.6	110
17	Mortality Risk amongst Nursing Home Residents Evacuated after the Fukushima Nuclear Accident: A Retrospective Cohort Study. PLoS ONE, 2013, 8, e60192.	1.1	99
18	Trends in suicide in Japan by gender during the COVID-19 pandemic, up to September 2020. Psychiatry Research, 2021, 295, 113622.	1.7	94

#	Article	IF	CITATIONS
19	Reasons for being unsure or unwilling regarding intention to take COVID-19 vaccine among Japanese people: A large cross-sectional national survey. The Lancet Regional Health - Western Pacific, 2021, 14, 100223.	1.3	84
20	Tracking development assistance for health and for COVID-19: a review of development assistance, government, out-of-pocket, and other private spending on health for 204 countries and territories, 1990–2050. Lancet, The, 2021, 398, 1317-1343.	6.3	79
21	The Relationship between Media Consumption and Health-Related Anxieties after the Fukushima Daiichi Nuclear Disaster. PLoS ONE, 2013, 8, e65331.	1.1	71
22	Postnuclear disaster evacuation and chronic health in adults in Fukushima, Japan: a long-term retrospective analysis. BMJ Open, 2016, 6, e010080.	0.8	67
23	Mental health of family, friends, and co-workers of COVID-19 patients in Japan. Psychiatry Research, 2020, 291, 113067.	1.7	60
24	Short-term outcomes of robotic radical esophagectomy for esophageal cancer by a nontransthoracic approach compared with conventional transthoracic surgery. Ecological Management and Restoration, 2016, 29, 429-434.	0.2	59
25	Was the Risk from Nursing-Home Evacuation after the Fukushima Accident Higher than the Radiation Risk?. PLoS ONE, 2015, 10, e0137906.	1.1	58
26	Social determinants of mid- to long-term disaster impacts on health: A systematic review. International Journal of Disaster Risk Reduction, 2016, 16, 53-67.	1.8	54
27	Impact of domestic travel restrictions on transmission of COVID-19 infection using public transportation network approach. Scientific Reports, 2021, 11, 3109.	1.6	53
28	Limited Internal Radiation Exposure Associated with Resettlements to a Radiation-Contaminated Homeland after the Fukushima Daiichi Nuclear Disaster. PLoS ONE, 2013, 8, e81909.	1.1	52
29	Post-nuclear disaster evacuation and survival amongst elderly people in Fukushima: A comparative analysis between evacuees and non-evacuees. Preventive Medicine, 2016, 82, 77-82.	1.6	48
30	Progress towards universal health coverage in Myanmar: a national and subnational assessment. The Lancet Global Health, 2018, 6, e989-e997.	2.9	47
31	Reduction of High Levels of Internal Radio-Contamination by Dietary Intervention in Residents of Areas Affected by the Fukushima Daiichi Nuclear Plant Disaster: A Case Series. PLoS ONE, 2014, 9, e100302.	1.1	45
32	Breast cancer patient delay in Fukushima, Japan following the 2011 triple disaster: a long-term retrospective study. BMC Cancer, 2017, 17, 423.	1.1	45
33	Excess mortality due to indirect health effects of the 2011 triple disaster in Fukushima, Japan: a retrospective observational study. Journal of Epidemiology and Community Health, 2017, 71, 974-980.	2.0	44
34	Absence of Internal Radiation Contamination by Radioactive Cesium among Children Affected by the Fukushima Daiichi Nuclear Power Plant Disaster. Health Physics, 2015, 108, 39-43.	0.3	40
35	The relationship between fever rate and telework implementation as a social distancing measure against the COVID-19 pandemic in Japan. Public Health, 2021, 192, 12-14.	1.4	39
36	Effect and cost-effectiveness of national gastric cancer screening in Japan: a microsimulation modeling study. BMC Medicine, 2020, 18, 257.	2.3	37

#	Article	IF	CITATIONS
37	Early SNS-Based Monitoring System for the COVID-19 Outbreak in Japan: A Population-Level Observational Study. Journal of Epidemiology, 2020, 30, 362-370.	1.1	35
38	An assessment of self-reported COVID-19 related symptoms of 227,898 users of a social networking service in Japan: Has the regional risk changed after the declaration of the state of emergency?. The Lancet Regional Health - Western Pacific, 2020, 1, 100011.	1.3	34
39	Assessment of the Annual Additional Effective Doses amongst Minamisoma Children during the Second Year after the Fukushima Daiichi Nuclear Power Plant Disaster. PLoS ONE, 2015, 10, e0129114.	1.1	33
40	Comparison between Direct Measurements and Modeled Estimates of External Radiation Exposure among School Children 18 to 30 Months after the Fukushima Nuclear Accident in Japan. Environmental Science & Technology, 2015, 49, 1009-1016.	4.6	33
41	Reduced mortality during the COVID-19 outbreak in Japan, 2020: a two-stage interrupted time-series design. International Journal of Epidemiology, 2022, 51, 75-84.	0.9	32
42	Travel restrictions and SARS-CoV-2 transmission: an effective distance approach to estimate impact. Bulletin of the World Health Organization, 2020, 98, 518-529.	1.5	32
43	Reducing childhood malnutrition in Bangladesh: the importance of addressing socio-economic inequalities. Public Health Nutrition, 2020, 23, 72-82.	1.1	30
44	Clonal analysis of isolated intestinal metaplastic glands of stomach using X linked polymorphism. Gut, 1998, 42, 663-668.	6.1	29
45	Reasons for Suicide During the COVID-19 Pandemic in Japan. JAMA Network Open, 2022, 5, e2145870.	2.8	29
46	Large-scale epidemiological monitoring of the COVID-19 epidemic in Tokyo. The Lancet Regional Health - Western Pacific, 2020, 3, 100016.	1.3	27
47	Assessing the quality of cause of death data in six high-income countries: Australia, Canada, Denmark, Germany, Japan and Switzerland. International Journal of Public Health, 2020, 65, 17-28.	1.0	27
48	Assessment of the Risk of Medium-Term Internal Contamination in Minamisoma City, Fukushima, Japan, after the Fukushima Dai-ichi Nuclear Accident. Environmental Health Perspectives, 2014, 122, 587-593.	2.8	26
49	The Immediate Physical and Mental Health Crisis in Residents Proximal to the Evacuation Zone After Japan's Nuclear Disaster: An Observational Pilot Study. Disaster Medicine and Public Health Preparedness, 2014, 8, 30-36.	0.7	26
50	Individual external doses below the lowest reference level of 1 mSv per year five years after the 2011 Fukushima nuclear accident among all children in Soma City, Fukushima: A retrospective observational study. PLoS ONE, 2017, 12, e0172305.	1.1	25
51	The voice of the most vulnerable: lessons from the nuclear crisis in Fukushima, Japan. Bulletin of the World Health Organization, 2012, 90, 629-630.	1.5	24
52	Trends in heterosexual inexperience among young adults in Japan: analysis of national surveys, 1987–2015. BMC Public Health, 2019, 19, 355.	1.2	24
53	Whole-body counter survey results 4 months after the Fukushima Dai-ichi NPP accident in Minamisoma City, Fukushima. Journal of Radiological Protection, 2014, 34, 787-799.	0.6	23
54	Additional risk of diabetes exceeds the increased risk of cancer caused by radiation exposure after the Fukushima disaster. PLoS ONE, 2017, 12, e0185259.	1.1	23

#	Article	IF	CITATIONS
55	Excess All-Cause Deaths during Coronavirus Disease Pandemic, Japan, January–May 20201. Emerging Infectious Diseases, 2021, 27, 789-795.	2.0	22
56	Changes in marriage, divorce and births during the COVID-19 pandemic in Japan. BMJ Global Health, 2022, 7, e007866.	2.0	22
57	Low dose of external exposure among returnees to former evacuation areas: a cross-sectional all-municipality joint study following the 2011 Fukushima Daiichi nuclear power plant incident. Journal of Radiological Protection, 2020, 40, 1-18.	0.6	21
58	Cancer incidence attributable to tuberculosis in 2015: global, regional, and national estimates. BMC Cancer, 2020, 20, 412.	1.1	21
59	Dependence of radiation dose on the behavioral patterns among school children: a retrospective analysis 18 to 20 months following the 2011 Fukushima nuclear incident in Japan. Journal of Radiation Research, 2016, 57, 1-8.	0.8	20
60	Demographic transition and factors associated with remaining in place after the 2011 Fukushima nuclear disaster and related evacuation orders. PLoS ONE, 2018, 13, e0194134.	1.1	20
61	Impact of decontamination on individual radiation doses from external exposure among residents of Minamisoma City after the 2011 Fukushima Daiichi nuclear power plant incident in Japan: a retrospective observational study. Journal of Radiological Protection, 2019, 39, 854-871.	0.6	20
62	An evaluation of early countermeasures to reduce the risk of internal radiation exposure after the Fukushima nuclear incident in Japan. Health Policy and Planning, 2016, 31, 425-433.	1.0	19
63	Tazobactam-Piperacillin Compared with Sulbactam-Ampicillin, Clavulanic Acid-Ticarcillin, Sulbactam-Cefoperazone, and Piperacillin for Activity against Beta-Lactamase-Producing Bacteria Isolated from Patients with Complicated Urinary Tract Infections. Journal of Chemotherapy, 1997, 9, 89-94	0.7	18
64	The longitudinal mental health impact of Fukushima nuclear disaster exposures and public criticism among power plant workers: the Fukushima NEWS Project study. Psychological Medicine, 2016, 46, 3117-3125.	2.7	18
65	Time to Reconsider Diverse Ways of Working in Japan to Promote Social Distancing Measures against the COVID-19. Journal of Urban Health, 2020, 97, 457-460.	1.8	18
66	Managing Type 2 Diabetes Mellitus through Periodical Hospital Visits in the Aftermath of the Great East Japan Earthquake Disaster: A Retrospective Case Series. PLoS ONE, 2015, 10, e0125632.	1.1	18
67	Trends in Healthcare Access in Japan during the First Wave of the COVID-19 Pandemic, up to June 2020. International Journal of Environmental Research and Public Health, 2021, 18, 3271.	1.2	17
68	A prospective evaluation of Al-augmented epidemiology to forecast COVID-19 in the USA and Japan. Npj Digital Medicine, 2021, 4, 146.	5.7	17
69	Birth Outcomes after the Fukushima Daiichi Nuclear Power Plant Disaster: A Long-Term Retrospective Study. International Journal of Environmental Research and Public Health, 2017, 14, 542.	1.2	16
70	COVID-19 and Heat Illness in Tokyo, Japan: Implications for the Summer Olympic and Paralympic Games in 2021. International Journal of Environmental Research and Public Health, 2021, 18, 3620.	1.2	16
71	Mobility Patterns in Different Age Groups in Japan during the COVID-19 Pandemic: a Small Area Time Series Analysis through March 2021. Journal of Urban Health, 2021, 98, 635-641.	1.8	16
72	Mechanism of Enhancement of Bactericidal Activity of Phagocytes against <i>Klebsiella pneumoniae </i> Treated with Subminimal Inhibitory Concentrations of Cefodizime. Chemotherapy, 1995, 41, 267-275.	0.8	15

#	Article	IF	CITATIONS
73	Measurement of Internal Radiation Exposure among Decontamination Workers in Villages near the Crippled Fukushima Daiichi Nuclear Power Plant. Health Physics, 2013, 105, 379-381.	0.3	15
74	Causes and risk factors for singleton stillbirth in Japan: Analysis of a nationwide perinatal database, 2013–2014. Scientific Reports, 2018, 8, 4117.	1.6	15
75	Inequalities and risk factors analysis in prevalence and management of hypertension in India and Nepal: a national and subnational study. BMC Public Health, 2020, 20, 1341.	1.2	15
76	Trends in suicide in Japan by gender during the COVID-19 pandemic, through December 2020. Psychiatry Research, 2021, 300, 113913.	1.7	15
77	Suicide by gender and 10-year age groups during the COVID-19 pandemic vs previous five years in Japan: An analysis of national vital statistics. Psychiatry Research, 2021, 305, 114173.	1.7	15
78	Transient hydrocephalus due to movement of a clot plugging the aqueduct. Computerized Medical Imaging and Graphics, 1997, 21, 351-353.	3.5	14
79	Balancing the risk of the evacuation and sheltering-in-place options: a survival study following Japan's 2011 Fukushima nuclear incident. BMJ Open, 2018, 8, e021482.	0.8	14
80	Autocrine mechanism of epidermal growth factor in choriocarcinoma cell proliferation. Molecular and Cellular Endocrinology, 1996, 124, 63-69.	1.6	13
81	Impacts of the 2011 Fukushima nuclear accident on emergency medical service times in Soma District, Japan: a retrospective observational study. BMJ Open, 2016, 6, e013205.	0.8	13
82	Non-communicable diseases in decontamination workers in areas affected by the Fukushima nuclear disaster: a retrospective observational study. BMJ Open, 2016, 6, e013885.	0.8	13
83	How do Japanese rate the severity of different diseases and injuries?—an assessment of disability weights for 231 health states by 37,318 Japanese respondents. Population Health Metrics, 2021, 19, 21.	1.3	13
84	Sociodemographic patterning of long-term diabetes mellitus control following Japan's 3.11 triple disaster: a retrospective cohort study. BMJ Open, 2016, 6, e011455.	0.8	12
85	Estimated association between dwelling soil contamination and internal radiation contamination levels after the 2011 Fukushima Daiichi nuclear accident in Japan. BMJ Open, 2016, 6, e010970.	0.8	12
86	Towards a Long-Term Strategy for Voluntary-Based Internal Radiation Contamination Monitoring: A Population-Level Analysis of Monitoring Prevalence and Factors Associated with Monitoring Participation Behavior in Fukushima, Japan. International Journal of Environmental Research and Public Health 2017 14, 397	1.2	12
87	Breast Cancer Provider Interval Length in Fukushima, Japan, After the 2011 Triple Disaster: A Long-Term Retrospective Study. Clinical Breast Cancer, 2020, 20, e127-e150.	1.1	12
88	Timeliness of routine vaccination among children and determinants associated with age-appropriate vaccination in Mongolia. Heliyon, 2020, 6, e04898.	1.4	12
89	Projections of disability-adjusted life years for major diseases due to a change in vegetable intake in 2017–2040 in Japan. BMC Public Health, 2021, 21, 770.	1.2	12
90	Excess deaths from COVID-19 in Japan and 47 prefectures from January through June 2021. Public Health, 2022, 203, 15-18.	1.4	12

#	Article	IF	CITATIONS
91	Massive Rectal Bleeding from a Dieulafoy Lesion in the Rectum: Successful Endoscopic Clipping. Endoscopy, 2002, 34, 237-237.	1.0	11
92	Compliance with the proper use of an individual radiation dosimeter among children and the effects of improper use on the measured dose: a retrospective study 18–20â€months following Japan's 2011 Fukushima nuclear incident. BMJ Open, 2015, 5, e009555.	0.8	11
93	Longâ€Term Changes in Strokeâ€Related Hospital Admissions After the Fukushima Triple Disaster. Journal of the American Geriatrics Society, 2015, 63, 2425-2426.	1.3	11
94	Geographically weighted generalized Farrington algorithm for rapid outbreak detection over short data accumulation periods. Statistics in Medicine, 2021, 40, 6277-6294.	0.8	11
95	Toward a third term of Health Japan 21 – implications from the rise in non-communicable disease burden and highly preventable risk factors. The Lancet Regional Health - Western Pacific, 2022, 21, 100377.	1.3	11
96	Towards a Long-Term Strategy for Voluntary-Based Internal Radiation Contamination Monitoring: Representativeness of the Monitoring Results in Fukushima, Japan. International Journal of Environmental Research and Public Health, 2017, 14, 656.	1.2	10
97	Human papillomavirus vaccine effectiveness within a cervical cancer screening programme: cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2021, 128, 532-539.	1.1	10
98	Factors associated with the risk perception of COVID-19 infection and severe illness: A cross-sectional study in Japan. SSM - Population Health, 2022, 18, 101105.	1.3	10
99	Inter-prefectural Travel and Network Connectedness During the COVID-19 Pandemic in Japan. Journal of Epidemiology, 2022, 32, 510-518.	1.1	10
100	Effects of Sub-Minimal Inhibitory Concentrations of Antimicrobial Agents on the Cell Surface ofKlebsiella pneumoniaeand Phagocytic Killing Activity. Journal of Chemotherapy, 1995, 7, 406-413.	0.7	9
101	School restrictions on outdoor activities and weight status in adolescent children after Japan's 2011 Fukushima Nuclear Power Plant disaster: a mid-term to long-term retrospective analysis. BMJ Open, 2016, 6, e013145.	0.8	9
102	Meat subtypes and colorectal cancer risk: A pooled analysis of 6 cohort studies in Japan. Cancer Science, 2019, 110, 3603-3614.	1.7	9
103	Internal exposure risk due to radiocesium and the consuming behaviour of local foodstuffs among pregnant women in Minamisoma City near the Fukushima nuclear power plant: a retrospective observational study. BMJ Open, 2019, 9, e023654.	0.8	9
104	Forecasting disability-adjusted life years for chronic diseases: reference and alternative scenarios of salt intake for 2017–2040 in Japan. BMC Public Health, 2020, 20, 1475.	1.2	9
105	Trends in deaths from road injuries during the COVID-19 pandemic in Japan, January to September 2020. Injury Epidemiology, 2020, 7, 66.	0.8	9
106	The trajectories of local food avoidance after the Fukushima Daiichi nuclear plant disaster: A five-year prospective cohort study. International Journal of Disaster Risk Reduction, 2020, 46, 101513.	1.8	9
107	Legionella pheumophila isolated in pure culture from the ascites of a patient with systemic lupus erythematosus. American Journal of Medicine, 1989, 86, 833-834.	0.6	8
108	Risk factors and regional variations of malnutrition among children under 5 in Myanmar: cross-sectional analyses at national and subnational levels. BMJ Open, 2019, 9, e030894.	0.8	8

#	Article	IF	CITATIONS
109	Tracking Japan's development assistance for health, 2012–2016. Globalization and Health, 2020, 16, 32.	2.4	8
110	Trends in emergency transportation due to heat illness under the new normal lifestyle in the COVID-19 era, in Japan and 47 prefectures. Science of the Total Environment, 2021, 768, 144723.	3.9	8
111	Worsening Health Status among Evacuees: Analysis of Medical Expenditures after the 2011 Great East Japan Earthquake and Nuclear Disaster in Fukushima. Tohoku Journal of Experimental Medicine, 2019, 248, 115-123.	0.5	8
112	Identification of optimum combinations of media channels for approaching COVID-19 vaccine unsure and unwilling groups in Japan. The Lancet Regional Health - Western Pacific, 2022, 18, 100330.	1.3	8
113	Salaries, degrees, and babies: Trends in fertility by income and education among Japanese men and women born 1943–1975—Analysis of national surveys. PLoS ONE, 2022, 17, e0266835.	1.1	8
114	Comparison of external doses between radio-contaminated areas and areas with high natural terrestrial background using the individual dosimeter â€D-shuttle' 75 months after the Fukushima Daiichi nuclear power plant accident. Journal of Radiological Protection, 2018, 38, 273-285.	0.6	7
115	Change of access to emergency care in a repopulated village after the 2011 Fukushima nuclear disaster: a retrospective observational study. BMJ Open, 2019, 9, e023836.	0.8	7
116	Contributions of information and communications technology to future health systems and Universal Health Coverage: application of Japan's experiences. Health Research Policy and Systems, 2020, 18, 73.	1.1	7
117	Comparative risk assessment of non-communicable diseases by evacuation scenario– a retrospective study in the 7 years following the Fukushima Daiichi nuclear power plant accident. Global Health Action, 2021, 14, 1918886.	0.7	7
118	Military coup during COVID-19 pandemic and health crisis in Myanmar. BMJ Global Health, 2021, 6, e005801.	2.0	7
119	Hospital admission for type 2 diabetes mellitus under the Universal Coverage Scheme in Thailand: A time- and geographical-trend analysis, 2009–2016. PLoS ONE, 2021, 16, e0253434.	1.1	7
120	The herbivore's dilemma: Trends in and factors associated with heterosexual relationship status and interest in romantic relationships among young adults in Japan—Analysis of national surveys, 1987–2015. PLoS ONE, 2020, 15, e0241571.	1.1	7
121	In vitro and in vivo Enhancement of Bactericidal Activity of Phagocytes against <i>Klebsiella pneumoniae </i> treated with Subminimal Inhibitory Concentrations of Cefodizime. Chemotherapy, 1995, 41, 178-186.	0.8	6
122	Assessment of medium-term cardiovascular disease risk after Japan's 2011 Fukushima Daiichi nuclear accident: a retrospective analysis. BMJ Open, 2017, 7, e018502.	0.8	6
123	Does Japan's national nutrient-based dietary guideline improve lifestyle-related disease outcomes? A retrospective observational cross-sectional study. PLoS ONE, 2019, 14, e0224042.	1.1	6
124	Radiation doses and decontamination effects in Minamisoma city: airborne and individual monitoring after the Fukushima nuclear accident. Journal of Radiological Protection, 2019, 39, N27-N35.	0.6	6
125	Implementing a sustainable health insurance system in Cambodia: a study protocol for developing and validating an efficient household income-level assessment model for equitable premium collection. International Journal for Equity in Health, 2020, 19, 17.	1.5	6
126	Assessing the regional impact of Japan's COVID-19 state of emergency declaration: a population-level observational study using social networking services. BMJ Open, 2021, 11, e042002.	0.8	6

#	Article	IF	CITATIONS
127	Recent changes in the reporting of STIs in Japan during the COVID-19 pandemic. Sexually Transmitted Infections, 2022, , sextrans-2021-055378.	0.8	6
128	Decontamination Work and the Long-term Increase in Hospital Visits for Hymenoptera Stings Following the Fukushima Nuclear Disaster. Disaster Medicine and Public Health Preparedness, 2017, 11, 545-551.	0.7	5
129	Trend change of the transmission route of COVID-19–related symptoms in Japan. Public Health, 2020, 187, 157-160.	1.4	5
130	Associations between parental socioeconomic position and health-seeking behaviour for diarrhoea and acute respiratory infection among under-5 children in Myanmar: a cross-sectional study. BMJ Open, 2020, 10, e032039.	0.8	5
131	Loss of Working Life Years Due to Mortality, Sickness Absence, or Ill-health Retirement: A Comprehensive Approach to Estimating Disease Burden in the Workplace. Journal of Epidemiology, 2021, 31, 403-409.	1.1	5
132	Profiling of Androgen-Dependent Enhancer RNAs Expression in Human Prostate Tumors: Search for Malignancy Transition Markers. Research and Reports in Urology, 2021, Volume 13, 705-713.	0.6	5
133	Decreased incidence followed by comeback of pediatric infections during the COVID-19 pandemic in Japan. World Journal of Pediatrics, 2022, 18, 564-567.	0.8	5
134	Long-term trends of hospital admissions among patients with cancer following the 2015 earthquake: a single institution observational study in Kathmandu, Nepal. BMJ Open, 2019, 9, e026746.	0.8	4
135	Low dose from external radiation among returning residents to the former evacuation zone in Minamisoma City, Fukushima Prefecture. Journal of Radiological Protection, 2019, 39, 548-563.	0.6	4
136	Prediction of disability-adjusted life years for diseases due to low fruit intake in 2017–2040 in Japan. Public Health Nutrition, 2020, 24, 1-11.	1.1	4
137	Clobal warming and the Summer Olympic and Paralympic games: a perspective from the Tokyo 2020 Games. Environmental Health and Preventive Medicine, 2022, 27, 7-7.	1.4	4
138	Assessment of Traffic Accidents in Japan during the COVID-19 Pandemic vs. Previous Years: A Preliminary Report. Healthcare (Switzerland), 2022, 10, 860.	1.0	4
139	Are Japanese Randomized Controlled Trials Up to the Task? A Systematic Review. PLoS ONE, 2014, 9, e90127.	1.1	3
140	Living in Contaminated Radioactive Areas Is Not an Acute Risk Factor for Noncommunicable Disease Development: A Retrospective Observational Study. Disaster Medicine and Public Health Preparedness, 2016, 10, 34-37.	0.7	3
141	Call for a new epidemiological approach to disaster response. Journal of Epidemiology and Community Health, 2018, 72, 267-268.	2.0	3
142	Digitization of the approach to food and nutrition respecting individual health values. Nutrition Reviews, 2020, 78, 46-48.	2.6	3
143	Umami: An Alternative Japanese Approach to Reducing Sodium While Enhancing Taste Desirability. Health, 2021, 13, 629-636.	0.1	3
144	Tracking sectoral allocation of official development assistance: a comparative study of the 29 Development Assistance Committee countries, 2011–2018. Global Health Action, 2021, 14, 1903222.	0.7	3

#	Article	IF	CITATIONS
145	Analysis of the relationship between the HbA1c screening results and the development and worsening of diabetes among adults aged over 40 years: a 4-year follow-up study of 140,000 people in Japan – the Shizuoka study. BMC Public Health, 2021, 21, 1880.	1.2	3
146	Ongoing debate on data governance principles for achieving Universal Health Coverage: a proposal to post-G20 Osaka Summit meetings. Global Health Action, 2020, 13, 1859822.	0.7	3
147	Fish in the sea: Number, characteristics, and partner preferences of unmarried Japanese adults - analysis of a national survey. PLoS ONE, 2022, 17, e0262528.	1.1	3
148	A Case of Vesical Paraganglioma Behind the Symphysis Pubis. Journal of Urology, 1991, 146, 830-832.	0.2	2
149	Detection of 1311 in a Patient With Thyroid Cancer by Internal Radiation Exposure Screening Using a Whole-Body Counter in Fukushima. Clinical Nuclear Medicine, 2014, 39, 281-282.	0.7	2
150	An assessment of the characteristics and quality of diagnostic accuracy studies for positron emission tomography conducted in Japan: a systematic review. EJNMMI Research, 2015, 5, 6.	1.1	2
151	Assessment of Nutritional Status of Iodine Through Urinary Iodine Screening Among Local Children and Adolescents After the Fukushima Daiichi Nuclear Power Plant Accident. Thyroid, 2016, 26, 1778-1785.	2.4	2
152	Factors affecting dilation force in balloon dilation of severe esophageal strictures: an experiment using an artificial stricture model. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 4315-4320.	1.3	2
153	Trends in comparative efficacy and safety of malaria control interventions for maternal and child health outcomes in Africa: a study protocol for a Bayesian network meta-regression exploring the effect of HIV and malaria endemicity spectrum. BMJ Open, 2019, 9, e024313.	0.8	2
154	National genotype prevalence and age distribution of human papillomavirus from infection to cervical cancer in Japanese women: a systematic review and meta-analysis protocol. Systematic Reviews, 2021, 10, 135.	2.5	2
155	Assessing Factors Associated with TB Awareness in Nepal: A National and Subnational Study. International Journal of Environmental Research and Public Health, 2021, 18, 5124.	1.2	2
156	Age-appropriate vaccination coverage and its determinants in children aged 12–36 months in Nepal: a national and subnational assessment. BMC Public Health, 2021, 21, 2063.	1.2	2
157	Pre- and post-COVID-19 all-cause mortality of Japanese citizens versus foreign residents living in Japan, 2015–2021. SSM - Population Health, 2022, 18, 101114.	1.3	2
158	Attributable risk of household solid fuel use and second-hand smoke associated with under-5 mortality in 46 low- and lower-middle-income countries, 2010–2020. International Journal of Hygiene and Environmental Health, 2022, 243, 113986.	2.1	2
159	Whole body counter assessment of internal radiocontamination in patients with end-stage renal disease living in areas affected by the Fukushima Daiichi nuclear power plant disaster: a retrospective observational study. BMJ Open, 2015, 5, e009745.	0.8	1
160	Degarelix treatment is compatible with diabetes and antithrombotic therapy in patients with prostate cancer. Research and Reports in Urology, 2017, Volume 9, 225-232.	0.6	1
161	Public Health Preparedness for and Response to Nuclear Disasters: An Editorial. International Journal of Environmental Research and Public Health, 2018, 15, 2489.	1.2	1
162	Overall health information exposure, its barriers and impacts on attitude toward healthcare among cancer patients. The long-term aftermath of the 2011 triple disaster in Fukushima, Japan: A single institution cross-sectional study. Health Informatics Journal, 2021, 27, 146045822199642.	1.1	1

#	Article	IF	CITATIONS
163	Developing and validating regression models for predicting household consumption to introduce an equitable and sustainable health insurance system in Cambodia. International Journal of Health Planning and Management, 2021, 36, 2094-2105.	0.7	1
164	Effect of emergency declaration on mental health during the COVID-19 pandemic in Japan: A social network service-based difference-in-differences approach. Science Progress, 2021, 104, 003685042110297.	1.0	1
165	Tracking Development Assistance for Health: A Comparative Study of the 29 Development Assistance Committee Countries, 2011–2019. International Journal of Environmental Research and Public Health, 2021, 18, 8519.	1.2	1
166	Limited alignment of publicly competitive disease funding with disease burden in Japan. PLoS ONE, 2020, 15, e0228542.	1.1	1
167	Long-Term Mental Health Support after Natural Hazard Events: A Report from an Online Survey among Experts in Japan. International Journal of Environmental Research and Public Health, 2022, 19, 3022.	1.2	1
168	Japan's development assistance for health: Historical trends and prospects for a new era. The Lancet Regional Health - Western Pacific, 2022, 22, 100403.	1.3	1
169	Public transportation network scan for rapid surveillance. Biostatistics and Epidemiology, 2023, 7, .	0.4	1
170	Impact of the 2011 Triple Disaster in Fukushima, Japan - An Earthquake, Tsunamis, and a Nuclear Power Plant Accident - Physical Performance of the Children: A Retrospective Cohort Study in Soma City, Fukushima. Prehospital and Disaster Medicine, 2017, 32, S200.	0.7	0
171	P1551Brachial stiffness beta-value is associated with vascular thickness and cardiovascular risk factors. European Heart Journal, 2018, 39, .	1.0	0
172	4926High-throughput single-molecule RNA imaging analysis reveals spatial heterogeneity in heart failure. European Heart Journal, 2018, 39, .	1.0	0
173	A Comparative Survival Analysis Between Evacuees and Nonevacuees Among Dialysis Patients in Fukushima Prefecture After Japan's 2011 Fukushima Nuclear Incident. Disaster Medicine and Public Health Preparedness, 2019, 13, 898-904.	0.7	0
174	Association between Daily Living Walking Speed and Lifestyle and Physiological Factors in Older, Female Pokémon GO Players. Health, 2021, 13, 564-573.	0.1	0
175	Hypertensive disorders of pregnancy by oocyte donation pregnancy in Japanese women aged 40 years or older: a single-center retrospective cohort study. Hypertension in Pregnancy, 2021, 40, 36-44.	0.5	0
176	Hypophysectomy and injections of high doses of estrogens inhibit the growth of ovary-independent rat mammary carcinomas. In Vivo, 1990, 4, 121-5.	0.6	0
177	Sialoadenectomy-inhibited growth of transplantable rat mammary carcinoma (KN1003) with epidermal growth factor receptors. In Vivo, 1989, 3, 83-6.	0.6	0
178	Public transportation network scan for rapid surveillance. Biostatistics and Epidemiology, 2023, 7, .	0.4	0