Minghui Li

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3814965/publications.pdf

Version: 2024-02-01

		1163117	1125743
20	239	8	13
papers	citations	h-index	g-index
35	35	35	142
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Relationship Between the Triglyceride Glucose Index and the Risk of First Stroke in Elderly Hypertensive Patients. International Journal of General Medicine, 2022, Volume 15, 1271-1279.	1.8	9
2	The ankle–brachial index and risk of incident stroke in Chinese hypertensive population withoutÂatrial fibrillation: AÂcrossâ€sectional study. Journal of Clinical Hypertension, 2021, 23, 114-121.	2.0	6
3	AST/ALT Ratio and Peripheral Artery Disease in a Chinese Hypertensive Population: A Cross-Sectional Study. Angiology, 2021, 72, 916-922.	1.8	18
4	Visceral Adiposity Index Is Inversely Associated with Renal Function in Normal-Weight Adults with Hypertension: The China H-Type Hypertension Registry Study. Journal of Nutrition, 2021, 151, 1394-1400.	2.9	13
5	The relationship between the atherogenic index of plasma and arterial stiffness in essential hypertensive patients from China: a cross-sectional study. BMC Cardiovascular Disorders, 2021, 21, 245.	1.7	11
6	Association of waist-to-height ratio with hypertension and its subtypes in southern China. Journal of Human Hypertension, 2021 , , .	2.2	1
7	A Review of Novel Cardiac Biomarkers in Acute or Chronic Cardiovascular Diseases: The Role of Soluble ST2 (sST2), Lipoprotein-Associated Phospholipase A2 (Lp-PLA2), Myeloperoxidase (MPO), and Procalcitonin (PCT). Disease Markers, 2021, 2021, 1-10.	1.3	13
8	The association between AST/ALT ratio and all-cause and cardiovascular mortality in patients with hypertension. Medicine (United States), 2021, 100, e26693.	1.0	20
9	The association of lipid ratios with hyperuricemia in a rural Chinese hypertensive population. Lipids in Health and Disease, 2021, 20, 121.	3.0	4
10	Saturation Effects of Plasma Homocysteine on Chronic Kidney Disease in Chinese Adults With H-type Hypertension: A Cross-sectional Study., 2021, 31, 459-466.		3
11	Positive Association between Triglyceride-Rich Lipoprotein Cholesterol and Diabetes Mellitus in Hypertensive Patients. International Journal of Endocrinology, 2021, 2021, 1-8.	1.5	2
12	Nonlinear association between blood lead and hyperhomocysteinemia among adults in the United States. Scientific Reports, 2020, 10, 17166.	3.3	8
13	Association between serum albumin and peripheral arterial disease in hypertensive patients. Journal of Clinical Hypertension, 2020, 22, 2250-2257.	2.0	7
14	Is There a Nonlinear Relationship between Serum Uric Acid and Lipids in a Hypertensive Population with eGFR ≥30 ml/min/1.73 m ² ? Findings from the China Hypertension Registry Study. International Journal of Endocrinology, 2020, 2020, 1-7.	1.5	5
15	Association between nontraditional lipid profiles and peripheral arterial disease in Chinese adults with hypertension. Lipids in Health and Disease, 2020, 19, 231.	3.0	7
16	A U-shaped association between the LDL-cholesterol to HDL-cholesterol ratio and all-cause mortality in elderly hypertensive patients: a prospective cohort study. Lipids in Health and Disease, 2020, 19, 238.	3.0	16
17	Positive association between triglyceride glucose index and arterial stiffness in hypertensive patients: the China H-type Hypertension Registry Study. Cardiovascular Diabetology, 2020, 19, 139.	6.8	90
18	Association between platelet count and the risk of bleeding among patients with nonvalvular atrial fibrillation taking dabigatran after radiofrequency ablation: a cohort study. Cardiovascular Diagnosis and Therapy, 2020, 10, 1175-1183.	1.7	2

Minghui Li

#	Article	IF	CITATIONS
19	Association Between the Change in Total Bilirubin and Risk of Bleeding Among Patients With Nonvalvular Atrial Fibrillation Taking Dabigatran. Clinical and Applied Thrombosis/Hemostasis, 2020, 26, 107602962091080.	1.7	1
20	Diastolic blood pressure achieved at target systolic blood pressure (120-140 mmHg) and dabigatran-related bleeding in patients with nonvalvular atrial fibrillation: a real-world study. Anatolian Journal of Cardiology, 2020, 24, 267-273.	0.9	2