

Willem Assendelft

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3815979/willem-assendelft-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

10,416
citations

48
h-index

97
g-index

192
ext. papers

11,634
ext. citations

4.7
avg, IF

5.8
L-index

#	Paper	IF	Citations
174	The Netherlands Study of Depression and Anxiety (NESDA): rationale, objectives and methods. <i>International Journal of Methods in Psychiatric Research</i> , 2008 , 17, 121-40	4.3	694
173	Interventions to improve the management of diabetes in primary care, outpatient, and community settings: a systematic review. <i>Diabetes Care</i> , 2001 , 24, 1821-33	14.6	589
172	Corticosteroid injections, physiotherapy, or a wait-and-see policy for lateral epicondylitis: a randomised controlled trial. <i>Lancet, The</i> , 2002 , 359, 657-62	4.0	535
171	Effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review of randomized clinical trials. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1361-9		346
170	Spinal radiographic findings and nonspecific low back pain. A systematic review of observational studies. <i>Spine</i> , 1997 , 22, 427-34	3.3	328
169	Use of Framingham risk score and new biomarkers to predict cardiovascular mortality in older people: population based observational cohort study. <i>BMJ, The</i> , 2009 , 338, a3083	5.9	234
168	Interobserver reproducibility of the assessment of severity of complaints, grip strength, and pressure pain threshold in patients with lateral epicondylitis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2002 , 83, 1145-50	2.8	208
167	Behavioural treatment for chronic low-back pain. <i>The Cochrane Library</i> , 2010 , CD002014	5.2	206
166	Corticosteroid injections for lateral epicondylitis: a systematic review. <i>Pain</i> , 2002 , 96, 23-40	8	201
165	Systematic review of the occurrence of infantile colic in the community. <i>Archives of Disease in Childhood</i> , 2001 , 84, 398-403	2.2	197
164	Spinal manipulation for low back pain. An updated systematic review of randomized clinical trials. <i>Spine</i> , 1996 , 21, 2860-71; discussion 2872-3	3.3	193
163	Behavioral treatment for chronic low back pain: a systematic review within the framework of the Cochrane Back Review Group. <i>Spine</i> , 2000 , 25, 2688-99	3.3	163
162	Spinal manipulative therapy for chronic low-back pain: an update of a Cochrane review. <i>Spine</i> , 2011 , 36, E825-46	3.3	157
161	Effectiveness of physiotherapy for lateral epicondylitis: a systematic review. <i>Annals of Medicine</i> , 2003 , 35, 51-62	1.5	151
160	Behavioral treatment for chronic low back pain: a systematic review within the framework of the Cochrane Back Review Group. <i>Spine</i> , 2001 , 26, 270-81	3.3	148
159	Efficacy of spinal manipulation for chronic headache: A systematic review. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2001 , 24, 457-466	1.3	134
158	Diagnostic value of C reactive protein in infections of the lower respiratory tract: systematic review. <i>BMJ, The</i> , 2005 , 331, 26	5.9	132

157	Training health professionals in smoking cessation. <i>The Cochrane Library</i> , 2012 , CD000214	5.2	124
156	Behavioural treatment for chronic low-back pain. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD002014		124
155	Conservative treatment of lateral epicondylitis: brace versus physical therapy or a combination of both-a randomized clinical trial. <i>American Journal of Sports Medicine</i> , 2004 , 32, 462-9	6.8	123
154	Integrated disease management interventions for patients with chronic obstructive pulmonary disease. <i>The Cochrane Library</i> , 2013 , CD009437	5.2	120
153	Translating pharmacogenomics: challenges on the road to the clinic. <i>PLoS Medicine</i> , 2007 , 4, e209	11.6	120
152	Infantile colic: crying time reduction with a whey hydrolysate: A double-blind, randomized, placebo-controlled trial. <i>Pediatrics</i> , 2000 , 106, 1349-54	7.4	114
151	Chronic frequent headache in the general population: prevalence and associated factors. <i>Cephalalgia</i> , 2006 , 26, 1434-42	6.1	108
150	Spinal manipulative therapy for chronic low-back pain. <i>The Cochrane Library</i> , 2011 , CD008112	5.2	106
149	Manual therapy, physical therapy, or continued care by the general practitioner for patients with neck pain: long-term results from a pragmatic randomized clinical trial. <i>Clinical Journal of Pain</i> , 2006 , 22, 370-7	3.5	106
148	Effect of anemia and comorbidity on functional status and mortality in old age: results from the Leiden 85-plus Study. <i>Cmaj</i> , 2009 , 181, 151-7	3.5	103
147	Warts in primary schoolchildren: prevalence and relation with environmental factors. <i>British Journal of Dermatology</i> , 2009 , 161, 148-52	4	100
146	Spinal manipulative therapy for acute low back pain: an update of the cochrane review. <i>Spine</i> , 2013 , 38, E158-77	3.3	99
145	Immobilisation for acute ankle sprain. A systematic review. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2001 , 121, 462-71	3.6	98
144	Quality of primary care guidelines for acute low back pain. <i>Spine</i> , 2004 , 29, E357-62	3.3	92
143	The effect of preconception counselling on lifestyle and other behaviour before and during pregnancy. <i>Women's Health Issues</i> , 2008 , 18, S117-25	2.6	91
142	Effectiveness of integrated disease management for primary care chronic obstructive pulmonary disease patients: results of cluster randomised trial. <i>BMJ, The</i> , 2014 , 349, g5392	5.9	89
141	Cryotherapy with liquid nitrogen versus topical salicylic acid application for cutaneous warts in primary care: randomized controlled trial. <i>Cmaj</i> , 2010 , 182, 1624-30	3.5	86
140	The relationship between methodological quality and conclusions in reviews of spinal manipulation. <i>JAMA - Journal of the American Medical Association</i> , 1995 , 274, 1942-1948	27.4	84

139	Spinal manipulative therapy for acute low-back pain. <i>The Cochrane Library</i> , 2012 , CD008880	5.2	83
138	Long-term use of proton pump inhibitors and vitamin B12 status in elderly individuals. <i>Alimentary Pharmacology and Therapeutics</i> , 2008 , 27, 491-7	6.1	83
137	Antidepressants for non-specific low back pain. <i>The Cochrane Library</i> , 2008 , CD001703	5.2	80
136	Cutaneous wart-associated HPV types: prevalence and relation with patient characteristics. <i>Journal of Clinical Virology</i> , 2012 , 55, 250-5	14.5	78
135	Functional treatments for acute ruptures of the lateral ankle ligament: a systematic review. <i>Acta Orthopaedica</i> , 2003 , 74, 69-77		70
134	Patient education for preventing diabetic foot ulceration. A systematic review. <i>Endocrinology and Metabolism Clinics of North America</i> , 2002 , 31, 633-58	5.5	69
133	Shock wave therapy for lateral elbow pain. <i>The Cochrane Library</i> , 2005 , CD003524	5.2	61
132	What is a clinically relevant change on the HIT-6 questionnaire? An estimation in a primary-care population of migraine patients. <i>Cephalalgia</i> , 2014 , 34, 29-36	6.1	60
131	Systematic review of sexual problems: epidemiology and methodology. <i>Journal of Sex and Marital Therapy</i> , 2002 , 28, 399-422	2.7	58
130	Patient education for preventing diabetic foot ulceration. <i>Cochrane Database of Systematic Reviews</i> , 2012 , 10, CD001488		56
129	How usual is usual care in pragmatic intervention studies in primary care? An overview of recent trials. <i>British Journal of General Practice</i> , 2010 , 60, e305-18	1.6	56
128	Identifying patients at risk for severe exacerbations of asthma: development and external validation of a multivariable prediction model. <i>Thorax</i> , 2016 , 71, 838-46	7.3	47
127	Time-dependent effects of aspirin on blood pressure and morning platelet reactivity: a randomized cross-over trial. <i>Hypertension</i> , 2015 , 65, 743-50	8.5	46
126	A systematic review on the treatment of giardiasis. <i>Tropical Medicine and International Health</i> , 1997 , 2, 63-82	2.3	46
125	Accuracy of carbohydrate-deficient transferrin in the detection of excessive alcohol consumption: a systematic review. <i>Alcohol and Alcoholism</i> , 2004 , 39, 75-85	3.5	46
124	Symptom- and fraction of exhaled nitric oxide-driven strategies for asthma control: A cluster-randomized trial in primary care. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 682-8.e11 ^{11.5}		45
123	Chronic frequent headache in the general population: comorbidity and quality of life. <i>Cephalalgia</i> , 2006 , 26, 1443-50	6.1	45
122	Natural course of cutaneous warts among primary schoolchildren: a prospective cohort study. <i>Annals of Family Medicine</i> , 2013 , 11, 437-41	2.9	44

121	Patient education for preventing diabetic foot ulceration. <i>The Cochrane Library</i> , 2014 , CD001488	5.2	43
120	Warts transmitted in families and schools: a prospective cohort. <i>Pediatrics</i> , 2013 , 131, 928-34	7.4	43
119	Weekly self-monitoring and treatment adjustment benefit patients with partly controlled and uncontrolled asthma: an analysis of the SMASHING study. <i>Respiratory Research</i> , 2010 , 11, 74	7.3	43
118	Chiropractic patients in the Netherlands: a descriptive study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2000 , 23, 557-63	1.3	43
117	The role of fat mass and skeletal muscle mass in knee osteoarthritis is different for men and women: the NEO study. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 197-202	6.2	42
116	Cost effectiveness of interventions for lateral epicondylitis: results from a randomised controlled trial in primary care. <i>Pharmacoeconomics</i> , 2004 , 22, 185-95	4.4	42
115	Long-term outcomes of internet-based self-management support in adults with asthma: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e188	7.6	41
114	Effectiveness of collaborative stepped care for anxiety disorders in primary care: a pragmatic cluster randomised controlled trial. <i>Psychotherapy and Psychosomatics</i> , 2014 , 83, 37-44	9.4	40
113	Blood pressure trends and mortality: the Leiden 85-plus Study. <i>Journal of Hypertension</i> , 2013 , 31, 63-70	1.9	39
112	Reproducibility of cervical range of motion in patients with neck pain. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 59	2.8	39
111	The predictive value of diagnostic sonography for the effectiveness of conservative treatment of tennis elbow. <i>American Journal of Roentgenology</i> , 2005 , 185, 1113-8	5.4	38
110	Multicomponent Program to Reduce Functional Decline in Frail Elderly People: A Cluster Controlled Trial. <i>Journal of the American Board of Family Medicine</i> , 2016 , 29, 209-17	1.6	38
109	What do patients consider to be the most important outcomes for effectiveness studies on migraine treatment? Results of a Delphi study. <i>PLoS ONE</i> , 2014 , 9, e98933	3.7	37
108	Surgery for lateral elbow pain. <i>The Cochrane Library</i> , 2011 , CD003525	5.2	37
107	Cost effectiveness of brace, physiotherapy, or both for treatment of tennis elbow. <i>British Journal of Sports Medicine</i> , 2006 , 40, 637-43; discussion 643	10.3	37
106	Barriers and facilitators to implement shared decision making in multidisciplinary sciatica care: a qualitative study. <i>Implementation Science</i> , 2013 , 8, 95	8.4	36
105	Cost-effectiveness of Internet-based self-management compared with usual care in asthma. <i>PLoS ONE</i> , 2011 , 6, e27108	3.7	33
104	Is the role as gatekeeper still feasible? A survey among Dutch general practitioners. <i>Family Practice</i> , 2014 , 31, 538-44	1.9	32

103	Prospective cohort study of acute pyelonephritis in adults: safety of triage towards home based oral antimicrobial treatment. <i>Journal of Infection</i> , 2010 , 60, 114-21	18.9	32
102	Primary prevention of cardio-metabolic diseases in general practice: a Dutch survey of attitudes and working methods of general practitioners. <i>European Journal of General Practice</i> , 2010 , 16, 139-42	2.8	31
101	Chronic kidney disease in patients with diabetes mellitus type 2 or hypertension in general practice. <i>British Journal of General Practice</i> , 2010 , 60, 884-90	1.6	31
100	Low blood pressure predicts increased mortality in very old age even without heart failure: the Leiden 85-plus Study. <i>European Journal of Heart Failure</i> , 2013 , 15, 528-33	12.3	30
99	Effects of a stepped-care intervention programme among older subjects who screened positive for depressive symptoms in general practice: the PROMODE randomised controlled trial. <i>Age and Ageing</i> , 2012 , 41, 482-8	3	30
98	Tennis elbow. <i>BMJ, The</i> , 2003 , 327, 329	5.9	30
97	Patient education for preventing diabetic foot ulceration. <i>Cochrane Database of Systematic Reviews</i> , 2005 , CD001488		30
96	Medically unexplained symptoms: the person, the symptoms and the dialogue. <i>Family Practice</i> , 2017 , 34, 245-251	1.9	29
95	HPV type in plantar warts influences natural course and treatment response: secondary analysis of a randomised controlled trial. <i>Journal of Clinical Virology</i> , 2013 , 57, 227-32	14.5	29
94	CASINO: surgical or nonsurgical treatment for cervical radiculopathy, a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 129	2.8	28
93	Feasibility of pharmacy-initiated pharmacogenetic screening for CYP2D6 and CYP2C19. <i>European Journal of Clinical Pharmacology</i> , 2012 , 68, 363-70	2.8	28
92	The role of comorbidity in the detection of psychiatric disorders with checklists for mental and physical symptoms in primary care. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 78-85	4.5	28
91	The effect of cognitive impairment on the predictive value of multimorbidity for the increase in disability in the oldest old: the Leiden 85-plus Study. <i>Age and Ageing</i> , 2011 , 40, 352-7	3	28
90	Most important factors for the implementation of shared decision making in sciatica care: ranking among professionals and patients. <i>PLoS ONE</i> , 2014 , 9, e94176	3.7	27
89	Vitamin B12 and folate and the risk of anemia in old age: the Leiden 85-Plus Study. <i>Archives of Internal Medicine</i> , 2008 , 168, 2238-44		27
88	Systematic review of treatments for infant colic. <i>Pediatrics</i> , 2001 , 108, 1047-8	7.4	27
87	Cardiometabolic prevention consultation in the Netherlands: screening uptake and detection of cardiometabolic risk factors and diseases--a pilot study. <i>BMC Family Practice</i> , 2013 , 14, 29	2.6	26
86	Abdominal adiposity largely explains associations between insulin resistance, hyperglycemia and subclinical atherosclerosis: the NEO study. <i>Atherosclerosis</i> , 2013 , 229, 423-9	3.1	26

85	Follow-up study on health care use of patients with somatoform, anxiety and depressive disorders in primary care. <i>BMC Family Practice</i> , 2008 , 9, 5	2.6	26
84	Behavioural treatment for chronic low back pain. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD002014		26
83	Cochrane corner: is integrated disease management for patients with COPD effective?. <i>Thorax</i> , 2014 , 69, 1053-5	7.3	25
82	RECODE: design and baseline results of a cluster randomized trial on cost-effectiveness of integrated COPD management in primary care. <i>BMC Pulmonary Medicine</i> , 2013 , 13, 17	3.5	25
81	The routine electrocardiogram for cardiovascular risk stratification in old age: the Leiden 85-plus study. <i>Journal of the American Geriatrics Society</i> , 2007 , 55, 872-7	5.6	25
80	Deprescribing preventive cardiovascular medication in patients with predicted low cardiovascular disease risk in general practice - the ECSTATIC study: a cluster randomised non-inferiority trial. <i>BMC Medicine</i> , 2018 , 16, 5	11.4	24
79	One-hour training for general practitioners in reducing the implementation gap of smoking cessation care: a cluster-randomized controlled trial. <i>Nicotine and Tobacco Research</i> , 2014 , 16, 1-10	4.9	24
78	Improving GP communication in consultations on medically unexplained symptoms: a qualitative interview study with patients in primary care. <i>British Journal of General Practice</i> , 2017 , 67, e716-e723	1.6	23
77	Cost-effectiveness of integrated COPD care: the RECODE cluster randomised trial. <i>BMJ Open</i> , 2015 , 5, e007284	3	23
76	Monochloroacetic acid application is an effective alternative to cryotherapy for common and plantar warts in primary care: a randomized controlled trial. <i>Journal of Investigative Dermatology</i> , 2015 , 135, 1261-1267	4.3	23
75	Collaborative stepped care for anxiety disorders in primary care: aims and design of a randomized controlled trial. <i>BMC Health Services Research</i> , 2009 , 9, 159	2.9	23
74	Shock wave therapy for lateral elbow pain. <i>Cochrane Database of Systematic Reviews</i> , 2002 , CD003524		22
73	Effect of CYP2C9 polymorphisms on prescribed dose and time-to-stable dose of sulfonylureas in primary care patients with Type 2 diabetes mellitus. <i>Pharmacogenomics</i> , 2010 , 11, 1517-23	2.6	21
72	Triptan overuse in the Dutch general population: a nationwide pharmaco-epidemiology database analysis in 6.7 million people. <i>Cephalalgia</i> , 2011 , 31, 943-52	6.1	21
71	Preconception counselling initiated by general practitioners in the Netherlands: reaching couples contemplating pregnancy [ISRCTN53942912]. <i>BMC Family Practice</i> , 2006 , 7, 41	2.6	21
70	Bridging the gap between public health and primary care in prevention of cardiometabolic diseases; background of and experiences with the Prevention Consultation in The Netherlands. <i>Family Practice</i> , 2012 , 29 Suppl 1, i126-i131	1.9	20
69	Revised guidelines for cardiovascular risk management - time to stop medication? A practice-based intervention study. <i>British Journal of General Practice</i> , 2011 , 61, e347-52	1.6	19
68	Patient education for preventing diabetic foot ulceration. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD001488		19

67	Subnormal vitamin B12 concentrations and anaemia in older people: a systematic review. <i>BMC Geriatrics</i> , 2010 , 10, 42	4.1	19
66	Women's motives for not participating in preconception counseling: qualitative study. <i>Public Health Genomics</i> , 2008 , 11, 166-70	1.9	19
65	Changing prediction of mortality by systolic blood pressure with increasing age: the Rotterdam study. <i>Age</i> , 2013 , 35, 431-8		18
64	Homocysteine levels and treatment effect in the PROspective Study of Pravastatin in the Elderly at Risk. <i>Journal of the American Geriatrics Society</i> , 2014 , 62, 213-21	5.6	18
63	Current choices in the treatment of cutaneous warts: a survey among Dutch GP. <i>Family Practice</i> , 2010 , 27, 549-53	1.9	18
62	Communication between general practitioners and chiropractors. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2001 , 24, 12-6	1.3	17
61	A Smart Mobile Health Tool Versus a Paper Action Plan to Support Self-Management of Chronic Obstructive Pulmonary Disease Exacerbations: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2019 , 7, e14408	5.5	17
60	Preventive treatment for migraine in primary care, a population-based study in the Netherlands. <i>Cephalalgia</i> , 2013 , 33, 1170-8	6.1	16
59	GP-initiated preconception counselling in a randomised controlled trial does not induce anxiety. <i>BMC Family Practice</i> , 2006 , 7, 66	2.6	16
58	Prophylactic treatment of migraine; the patient's view, a qualitative study. <i>BMC Family Practice</i> , 2012 , 13, 13	2.6	15
57	Physicians' identification of the need for palliative care in people with intellectual disabilities. <i>Research in Developmental Disabilities</i> , 2016 , 59, 55-64	2.7	15
56	Exploring the variation in implementation of a COPD disease management programme and its impact on health outcomes: a post hoc analysis of the RECODE cluster randomised trial. <i>Npj Primary Care Respiratory Medicine</i> , 2015 , 25, 15071	3.2	14
55	Treatment duration of febrile urinary tract infection (FUTIRST trial): a randomized placebo-controlled multicenter trial comparing short (7 days) antibiotic treatment with conventional treatment (14 days). <i>BMC Infectious Diseases</i> , 2009 , 9, 131	4	14
54	Acceptance or rejection of prophylactic medicine in patients with migraine: a cross-sectional study. <i>British Journal of General Practice</i> , 2008 , 58, 98-101	1.6	14
53	Arrest of chronic acid suppressant drug use after successful <i>Helicobacter pylori</i> eradication in patients with peptic ulcer disease: a six-month follow-up study. <i>Alimentary Pharmacology and Therapeutics</i> , 2001 , 15, 1047-54	6.1	14
52	eHealth Apps Replacing or Complementing Health Care Contacts: Scoping Review on Adverse Effects. <i>Journal of Medical Internet Research</i> , 2019 , 21, e10736	7.6	14
51	Variability in vulnerability assessment of older people by individual general practitioners: a cross-sectional study. <i>PLoS ONE</i> , 2014 , 9, e108666	3.7	13
50	Response to an unsolicited intervention offer to persons aged ≥ 75 years after screening positive for depressive symptoms: a qualitative study. <i>International Psychogeriatrics</i> , 2012 , 24, 270-7	3.4	13

49	Web-based consultation between general practitioners and nephrologists: a cluster randomized controlled trial. <i>Family Practice</i> , 2017 , 34, 430-436	1.9	12
48	Use of action planning to increase provision of smoking cessation care by general practitioners: role of plan specificity and enactment. <i>Implementation Science</i> , 2014 , 9, 180	8.4	12
47	GPs' opinions of health assessment instruments for people with intellectual disabilities: a qualitative study. <i>British Journal of General Practice</i> , 2017 , 67, e41-e48	1.6	11
46	Health assessment instruments for people with intellectual disabilities-A systematic review. <i>Research in Developmental Disabilities</i> , 2017 , 64, 12-24	2.7	11
45	Check it out! Decision-making of vulnerable groups about participation in a two-stage cardiometabolic health check: a qualitative study. <i>Patient Education and Counseling</i> , 2015 , 98, 234-44	3.1	11
44	The additional value of routine electrocardiograms in cardiovascular risk management of older people. <i>Scandinavian Journal of Primary Health Care</i> , 2008 , 26, 147-53	2.7	11
43	Compliance and reliability of electronic PEF monitoring in adolescents with asthma. <i>Thorax</i> , 2006 , 61, 457-8	7.3	11
42	Splinting or surgery for carpal tunnel syndrome? Design of a randomized controlled trial [ISRCTN18853827]. <i>BMC Neurology</i> , 2001 , 1, 8	3.1	11
41	After-hours primary care for people with intellectual disabilities in The Netherlands-Current arrangements and challenges. <i>Research in Developmental Disabilities</i> , 2016 , 59, 1-7	2.7	10
40	Systematic review of school-based interventions to prevent smoking for girls. <i>Systematic Reviews</i> , 2015 , 4, 109	3	10
39	The influence of the administration method on scores of the 15-item Geriatric Depression Scale in old age. <i>Psychiatry Research</i> , 2012 , 197, 280-4	9.9	10
38	GPs' perspectives on preventive care for older people: a focus group study. <i>British Journal of General Practice</i> , 2012 , 62, e765-72	1.6	10
37	An increase in primary care prescriptions of stop-smoking medication as a result of health insurance coverage in the Netherlands: population based study. <i>Addiction</i> , 2013 , 108, 2183-92	4.6	10
36	Yield and costs of direct and stepped screening for depressive symptoms in subjects aged 75 years and over in general practice. <i>International Journal of Geriatric Psychiatry</i> , 2011 , 26, 229-38	3.9	10
35	Time trends in preventive drug treatment after myocardial infarction in older patients. <i>British Journal of General Practice</i> , 2010 , 60, 47-9	1.6	10
34	Prophylactic treatment of migraine by GPs: a qualitative study. <i>British Journal of General Practice</i> , 2012 , 62, e268-74	1.6	10
33	Brief multimodal psychosomatic therapy in patients with medically unexplained symptoms: feasibility and treatment effects. <i>Family Practice</i> , 2016 , 33, 346-53	1.9	10
32	Adherence to chronic kidney disease guidelines in primary care patients is associated with comorbidity. <i>Family Practice</i> , 2017 , 34, 459-466	1.9	9

31	Response and participation of underserved populations after a three-step invitation strategy for a cardiometabolic health check. <i>BMC Public Health</i> , 2015 , 15, 854	4.1	9
30	Assessment of appropriateness of screening community-dwelling older people to prevent functional decline. <i>Journal of the American Geriatrics Society</i> , 2012 , 60, 42-50	5.6	9
29	Reliability of lumbar spine radiograph reading by chiropractors. <i>Spine</i> , 1997 , 22, 1235-41	3.3	9
28	The predictive value of the extensor grip test for the effectiveness of bracing for tennis elbow. <i>American Journal of Sports Medicine</i> , 2005 , 33, 1905-9	6.8	9
27	Longitudinal outcomes of different asthma phenotypes in primary care, an observational study. <i>Npj Primary Care Respiratory Medicine</i> , 2017 , 27, 55	3.2	8
26	The Diagnostic Value of the Patient's Reason for Encounter for Diagnosing Cancer in Primary Care. <i>Journal of the American Board of Family Medicine</i> , 2017 , 30, 806-812	1.6	8
25	Implementation strategies of internet-based asthma self-management support in usual care. Study protocol for the IMPASSE cluster randomized trial. <i>Implementation Science</i> , 2012 , 7, 113	8.4	8
24	Asthma control cost-utility randomized trial evaluation (ACCURATE): the goals of asthma treatment. <i>BMC Pulmonary Medicine</i> , 2011 , 11, 53	3.5	8
23	Reliability and validity of lumbosacral spine radiograph reading by chiropractors, chiropractic radiologists, and medical radiologists. <i>Spine</i> , 2002 , 27, 1926-33; discussion 1933	3.3	8
22	The development of an ICF-based questionnaire for patients with chronic conditions in primary care. <i>Journal of Clinical Epidemiology</i> , 2018 , 103, 92-100	5.7	7
21	Genetic risk factors for type 2 diabetes mellitus and response to sulfonylurea treatment. <i>Pharmacogenetics and Genomics</i> , 2011 , 21, 461-8	1.9	7
20	Effect of erythropoietin levels on mortality in old age: the Leiden 85-plus Study. <i>Cmaj</i> , 2010 , 182, 1953-83.5		7
19	Validation of ACCESS: an automated tool to support self-management of COPD exacerbations. <i>International Journal of COPD</i> , 2018 , 13, 3255-3267	3	7
18	Substitution scenario in follow-up of chronic cancer patients in primary care: prevalence, disease duration and estimated extra consultation time. <i>Family Practice</i> , 2016 , 33, 4-9	1.9	6
17	Designing an implementation strategy to improve interprofessional shared decision making in sciatica: study protocol of the DISC study. <i>Implementation Science</i> , 2012 , 7, 55	8.4	6
16	Sequence-analysis of video-recorded practitioner-patient communication about smoking in general practice: do smokers express negative statements about quitting?. <i>Patient Education and Counseling</i> , 2014 , 97, 352-60	3.1	5
15	Change in calculated cardiovascular risk due to guideline revision: A cross-sectional study in the Netherlands. <i>European Journal of General Practice</i> , 2015 , 21, 217-23	2.8	5
14	Acceptance of preventive treatment in migraine patients: results of a survey. <i>European Journal of General Practice</i> , 2012 , 18, 143-8	2.8	5

13	Feasibility and validity of a tool for identification of people with intellectual disabilities in need of palliative care (PALLI). <i>Research in Developmental Disabilities</i> , 2018 , 72, 67-78	2.7	5
12	Predictive value of low ferritin in older persons with anemia with and without inflammation: the Leiden 85-plus Study. <i>Journal of the American Geriatrics Society</i> , 2010 , 58, 1601-3	5.6	4
11	Social networks and type 2 diabetes: a narrative review. <i>Diabetologia</i> , 2021 , 64, 1905-1916	10.3	4
10	Triptan use after starting prophylactic migraine treatment: a retrospective cohort study in a primary care population. <i>Cephalalgia</i> , 2014 , 34, 927-32	6.1	3
9	Drugs for treating giardiasis. <i>Cochrane Database of Systematic Reviews</i> , 2000 , CD000217		3
8	An Electronic Health Intervention for Dutch Women With Stress Urinary Incontinence: Protocol for a Mixed Methods Study. <i>JMIR Research Protocols</i> , 2019 , 8, e13164	2	3
7	Scoring the quality of clinical trials. <i>JAMA - Journal of the American Medical Association</i> , 2000 , 283, 1421; author reply 1422-3	27.4	2
6	Proximity to death is associated with frequency of GP contacts in the oldest old: the Leiden 85-plus study. <i>Age and Ageing</i> , 2012 , 41, 814-7	3	1
5	Use and Effects of Patient Access to Medical Records in General Practice Through a Personal Health Record in the Netherlands: Protocol for a Mixed-Methods Study. <i>JMIR Research Protocols</i> , 2018 , 7, e10193	3	1
4	Overweight can be used as a tool to guide case-finding for cardiovascular risk assessment. <i>Family Practice</i> , 2015 , 32, 646-51	1.9	0
3	Stepped care voor depressieve ouderen. <i>Huisarts En Wetenschap</i> , 2012 , 55, 548-552	0.1	0
2	Differences between excessively crying infants and normal infants. A case-control study. <i>European Journal of General Practice</i> , 2003 , 9, 25-6	2.8	0
1	Spinal manipulation and mobilisation for back and neck pain: AuthorsSreply 1992 , 304, 185-185		