

# Claire E Wilcox

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3816146/publications.pdf>

Version: 2024-02-01

25  
papers

1,938  
citations

567281

15  
h-index

580821

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

2623  
citing authors

#	ARTICLE	IF	CITATIONS
1	Stroop-related cerebellar and temporal activation is correlated with negative affect and alcohol use disorder severity. <i>Brain Imaging and Behavior</i> , 2020, 14, 586-598.	2.1	10
2	Effects of attentional bias modification therapy on the cue reactivity and cognitive control networks in participants with cocaine use disorders. <i>American Journal of Drug and Alcohol Abuse</i> , 2020, 46, 357-367.	2.1	5
3	Objective markers for psychiatric decision-making: How to move imaging into clinical practice. <i>NeuroImage: Clinical</i> , 2020, 26, 102084.	2.7	2
4	Brain activation and subjective anxiety during an anticipatory anxiety task is related to clinical outcome during prazosin treatment for alcohol use disorder. <i>NeuroImage: Clinical</i> , 2020, 26, 102162.	2.7	5
5	Alterations in resting-state functional connectivity in substance use disorders and treatment implications. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 91, 79-93.	4.8	34
6	A Randomized, Placebo-controlled, Clinical Trial of Prazosin for the Treatment of Alcohol Use Disorder. <i>Journal of Addiction Medicine</i> , 2018, 12, 339-345.	2.6	42
7	Default mode network deactivation to smoking cue relative to food cue predicts treatment outcome in nicotine use disorder. <i>Addiction Biology</i> , 2018, 23, 412-424.	2.6	9
8	Changes in depression mediate the effects of AA attendance on alcohol use outcomes. <i>American Journal of Drug and Alcohol Abuse</i> , 2018, 44, 103-112.	2.1	13
9	The importance of standardization of stimuli for functional MRI tasks to evaluate substance use disorder pathology. <i>American Journal of Drug and Alcohol Abuse</i> , 2017, 43, 625-627.	2.1	11
10	Functional network connectivity predicts treatment outcome during treatment of nicotine use disorder. <i>Psychiatry Research - Neuroimaging</i> , 2017, 265, 45-53.	1.8	18
11	The efficacy of attention bias modification therapy in cocaine use disorders. <i>American Journal of Drug and Alcohol Abuse</i> , 2016, 42, 459-468.	2.1	28
12	Neural Circuitry of Impaired Emotion Regulation in Substance Use Disorders. <i>American Journal of Psychiatry</i> , 2016, 173, 344-361.	7.2	156
13	The Subjective Experience of Pain: An fMRI Study of Percept-Related Models and Functional Connectivity. <i>Pain Medicine</i> , 2015, 16, 2121-2133.	1.9	56
14	Effects of long-term AA attendance and spirituality on the course of depressive symptoms in individuals with alcohol use disorder.. <i>Psychology of Addictive Behaviors</i> , 2015, 29, 382-391.	2.1	15
15	Psilocybin-assisted treatment for alcohol dependence: A proof-of-concept study. <i>Journal of Psychopharmacology</i> , 2015, 29, 289-299.	4.0	768
16	Cognitive Control Network Function in Alcohol Use Disorder Before and During Treatment With Lorazepam. <i>Substance Use and Misuse</i> , 2015, 50, 40-52.	1.4	16
17	Cognitive control in alcohol use disorder: deficits and clinical relevance. <i>Reviews in the Neurosciences</i> , 2014, 25, 1-24.	2.9	125
18	Hyperactivation of the cognitive control network in cocaine use disorders during a multisensory Stroop task. <i>Drug and Alcohol Dependence</i> , 2013, 133, 235-241.	3.2	22

#	ARTICLE	IF	CITATIONS
19	Concordance between self-report and urine drug screen data in adolescent opioid dependent clinical trial participants. <i>Addictive Behaviors</i> , 2013, 38, 2568-2574.	3.0	59
20	Genetic Variation in the Alpha Synuclein Gene (SNCA) Is Associated With BOLD Response to Alcohol Cues. <i>Journal of Studies on Alcohol and Drugs</i> , 2013, 74, 233-244.	1.0	12
21	Compensation Effects on Clinical Trial Data Collection in Opioid-Dependent Young Adults. <i>American Journal of Drug and Alcohol Abuse</i> , 2012, 38, 81-86.	2.1	9
22	Enhanced cue reactivity and fronto-striatal functional connectivity in cocaine use disorders. <i>Drug and Alcohol Dependence</i> , 2011, 115, 137-144.	3.2	125
23	Correlations of striatal dopamine synthesis with default network deactivations during working memory in younger adults. <i>Human Brain Mapping</i> , 2011, 32, 947-961.	3.6	50
24	Relationship of Striatal Dopamine Synthesis Capacity to Age and Cognition. <i>Journal of Neuroscience</i> , 2008, 28, 14320-14328.	3.6	87
25	Purkinje Cell Expression of a Mutant Allele of <i>SCA1</i> in Transgenic Mice Leads to Disparate Effects on Motor Behaviors, Followed by a Progressive Cerebellar Dysfunction and Histological Alterations. <i>Journal of Neuroscience</i> , 1997, 17, 7385-7395.	3.6	261