## Roberto Coppola

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/381847/roberto-coppola-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161<br/>papers7,711<br/>citations32<br/>h-index86<br/>g-index177<br/>ext. papers9,831<br/>ext. citations3.8<br/>avg, IF5.21<br/>L-index

| #   | Paper  | IF                | Citations |
|-----|--|-------------------|-----------|
| 161 | Data of postoperative complications related to fibrinogen-to-albumin ratio in pancreatic resections <i>Data in Brief</i> , <b>2022</b> , 42, 108064  | 1.2               | O         |
| 160 | Validations of new cut-offs for surgical drains management and use of computerized tomography scan after pancreatoduodenectomy: The DALCUT trial. <i>World Journal of Clinical Cases</i> , <b>2022</b> , 10, 4836-4  | 8 <sup>1</sup> 42 |           |
| 159 | Detection of Pancreatic Ductal Adenocarcinoma by Ex Vivo Magnetic Levitation of Plasma Protein-Coated Nanoparticles. <i>Cancers</i> , <b>2021</b> , 13,  | 6.6               | 1         |
| 158 | Utility of preoperative systemic inflammatory biomarkers in predicting postoperative complications after pancreaticoduodenectomy: Literature review and single center experience. <i>World Journal of Gastrointestinal Surgery</i> , <b>2021</b> , 13, 1216-1225 | 2.4               | 2         |
| 157 | Nanotechnology and pancreatic cancer management: State of the art and further perspectives. <i>World Journal of Gastrointestinal Oncology</i> , <b>2021</b> , 13, 231-237  | 3.4               | 7         |
| 156 | The Role of Pathological Method and Clearance Definition for the Evaluation of Margin Status after Pancreatoduodenectomy for Periampullary Cancer. Results of a Multicenter Prospective Randomized Trial. <i>Cancers</i> , <b>2021</b> , 13,                     | 6.6               | 1         |
| 155 | Minimally invasive aortic valve replacement: short-term efficacy of sutureless compared with stented bioprostheses. <i>Interactive Cardiovascular and Thoracic Surgery</i> , <b>2021</b> , 33, 188-194   | 1.8               | 2         |
| 154 | CA19.9 Serum Level Predicts Lymph-Nodes Status in Resectable Pancreatic Ductal Adenocarcinoma: A Retrospective Single-Center Analysis. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 690580   | 5.3               | 4         |
| 153 | Different Biliary Microbial Flora Influence Type of Complications after Pancreaticoduodenectomy: A Single Center Retrospective Analysis. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,   | 5.1               | 2         |
| 152 | Splenic artery dissection: an unusual clinical presentation mimicking a retroperitoneal sarcoma. <i>ANZ Journal of Surgery</i> , <b>2021</b> , 91, 457-458   | 1                 |           |
| 151 | Efficient pancreatic cancer detection through personalized protein corona of gold nanoparticles. <i>Biointerphases</i> , <b>2021</b> , 16, 011010  | 1.8               | 1         |
| 150 | The use of an implemented infection prevention bundle reduces the incidence of surgical site infections after colorectal surgery: a retrospective single center analysis. <i>Updates in Surgery</i> , <b>2021</b> , 73, 2113-2124                                | 2.9               |           |
| 149 | Clinical Impact of Stump Closure Reinforced With Hemopatch on the Prevention of Clinically Relevant Pancreatic Fistula After Distal Pancreatectomy: A Multicenter Randomized Trial. <i>Annals of Surgery Open</i> , <b>2021</b> , 2, e033                        | 1                 | O         |
| 148 | The Italian National Registry for minimally invasive pancreatic surgery: an initiative of the Italian Group of Minimally Invasive Pancreas Surgery (IGoMIPS). <i>Updates in Surgery</i> , <b>2020</b> , 72, 379-385  | 2.9               |           |
| 147 | Personalized Graphene Oxide-Protein Corona in the Human Plasma of Pancreatic Cancer Patients. <i>Frontiers in Bioengineering and Biotechnology</i> , <b>2020</b> , 8, 491  | 5.8               | 24        |
| 146 | Topographic lymph node staging system shows prognostic superiority compared to the 8th edition of AJCC TNM in gastric cancer. A western monocentric experience. <i>Surgical Oncology</i> , <b>2020</b> , 34, 223-233   | 3 <sup>2.5</sup>  | 4         |
| 145 | hERG1 and HIF-2IBehave as Biomarkers of Positive Response to Bevacizumab in Metastatic Colorectal Cancer Patients. <i>Translational Oncology</i> , <b>2020</b> , 13, 100740  | 4.9               | 10        |

| 144 | Synergistic Analysis of Protein Corona and Haemoglobin Levels Detects Pancreatic Cancer. <i>Cancers</i> , <b>2020</b> , 13,  | 6.6               | 5    |
|-----|--|-------------------|------|
| 143 | An invited commentary on "Current update in domino liver transplantation". <i>International Journal of Surgery</i> , <b>2020</b> , 78, 73-74   | 7.5               |      |
| 142 | Invited Commentary to: Enhanced Recovery After Surgery protocols in patients undergoing liver transplantation: A retrospective comparative cohort study. <i>International Journal of Surgery</i> , <b>2020</b> , 78, 168-169   | 7.5               |      |
| 141 | An invited commentary on: Optimizing response in surgical systems during and after COVID-19 pandemic: Lessons from China and the UK - Perspective. Zheng Liu (IJS-D-20-00464). <i>International Journal of Surgery</i> , <b>2020</b> , 79, 84-85                       | 7.5               | 1    |
| 140 | Current trends in mitral valve surgery: A multicenter national comparison between full-sternotomy and minimally-invasive approach. <i>International Journal of Cardiology</i> , <b>2020</b> , 306, 147-151   | 3.2               | 17   |
| 139 | An invited commentary on "Critical appraisal of gastric conduit ischaemic conditioning (GIC) prior to oesophagectomy: A systematic review and meta-analysis" (Int J Surg 2020; epub ahead of print). <i>International Journal of Surgery</i> , <b>2020</b> , 78, 15-16 | 7.5               |      |
| 138 | The PROCESS 2020 Guideline: Updating Consensus Preferred Reporting Of CaseSeries in Surgery (PROCESS) Guidelines. <i>International Journal of Surgery</i> , <b>2020</b> , 84, 231-235  | 7.5               | 254  |
| 137 | The SCARE 2020 Guideline: Updating Consensus Surgical CAse REport (SCARE) Guidelines. <i>International Journal of Surgery</i> , <b>2020</b> , 84, 226-230  | 7.5               | 2300 |
| 136 | A protein corona sensor array detects breast and prostate cancers. <i>Nanoscale</i> , <b>2020</b> , 12, 16697-16704  | 7.7               | 8    |
| 135 | Preoperative systemic inflammatory biomarkers and postoperative day 1 drain amylase value predict grade C pancreatic fistula after pancreaticoduodenectomy. <i>Annals of Medicine and Surgery</i> , <b>2020</b> , 57, 56-61  | 2                 | 3    |
| 134 | A Bio-Imaging Signature as a Predictor of Clinical Outcomes in Locally Advanced Pancreatic Cancer. <i>Cancers</i> , <b>2020</b> , 12,  | 6.6               | 1    |
| 133 | Role of drain amylase levels assay and routinary postoperative day 3 abdominal CT scan in prevention of complications and management of surgical drains after pancreaticoduodenectomy. <i>Updates in Surgery</i> , <b>2020</b> , 72, 727-741                           | 2.9               | 5    |
| 132 | Delayed surgery after radio-chemotherapy for rectal adenocarcinoma is protective for anastomotic dehiscence: a single-center observational retrospective cohort study. <i>Updates in Surgery</i> , <b>2020</b> , 72, 469-  | -4 <del>7</del> 8 | 3    |
| 131 | A Systematic Review of Outcomes and Patient Satisfaction Following Surgical and Non-surgical Treatments for Hair Loss. <i>Aesthetic Plastic Surgery</i> , <b>2019</b> , 43, 1523-1535  | 2                 | 4    |
| 130 | Protein Corona Fingerprints of Liposomes: New Opportunities for Targeted Drug Delivery and Early Detection in Pancreatic Cancer. <i>Pharmaceutics</i> , <b>2019</b> , 11,  | 6.4               | 27   |
| 129 | Application of minimally invasive pancreatic surgery: an Italian survey. <i>Updates in Surgery</i> , <b>2019</b> , 71, 97-   | 103)              | 5    |
| 128 | Converting the personalized biomolecular corona of graphene oxide nanoflakes into a high-throughput diagnostic test for early cancer detection. <i>Nanoscale</i> , <b>2019</b> , 11, 15339-15346   | 7.7               | 29   |
| 127 | O-Ring Protector in Prevention of SSIs in Laparoscopic Colorectal Surgery. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , <b>2019</b> , 23,  | 2.2               | 3    |

| 126 | Effect of Glucose on Liposome-Plasma Protein Interactions: Relevance for the Physiological Response of Clinically Approved Liposomal Formulations. <i>Advanced Biology</i> , <b>2019</b> , 3, e1800221   | 3.5 | 6    |
|-----|--|-----|------|
| 125 | The role of procalcitonin in the diagnosis of bacterial infection after major abdominal surgery: Advantage from daily measurement. <i>Medicine (United States)</i> , <b>2018</b> , 97, e9496   | 1.8 | 14   |
| 124 | Laparoscopic Distal Pancreatectomy with En Bloc Splenectomy. <i>Updates in Surgery Series</i> , <b>2018</b> , 195-201  | 0.1 |      |
| 123 | A novel germline mutation at exon 10 of MEN1 gene: a clinical survey and positive genotype-phenotype analysis of a MEN1 Italian family, including monozygotic twins. <i>Hormones</i> , <b>2018</b> , 17, 427-435   | 3.1 | 3    |
| 122 | Multi-drug resistant Pseudomonas aeruginosa nosocomial strains: Molecular epidemiology and evolution. <i>Microbial Pathogenesis</i> , <b>2018</b> , 123, 233-241   | 3.8 | 11   |
| 121 | Improving the accuracy of pancreatic cancer clinical staging by exploitation of nanoparticle-blood interactions: A pilot study. <i>Pancreatology</i> , <b>2018</b> , 18, 661-665   | 3.8 | 10   |
| 120 | Neutrophil to lymphocyte ratio predicts risk of nodal involvement in T1 colorectal cancer patients. <i>Minerva Chirurgica</i> , <b>2018</b> , 73, 475-481  | 0.8 | O    |
| 119 | The PROCESS 2018 statement: Updating Consensus Preferred Reporting Of CasE Series in Surgery (PROCESS) guidelines. <i>International Journal of Surgery</i> , <b>2018</b> , 60, 279-282   | 7.5 | 316  |
| 118 | The SCARE 2018 statement: Updating consensus Surgical CAse REport (SCARE) guidelines. <i>International Journal of Surgery</i> , <b>2018</b> , 60, 132-136  | 7.5 | 1971 |
| 117 | HER2 Status in Gastric Cancer: Comparison between Primary and Distant Metastatic Disease. <i>Pathology and Oncology Research</i> , <b>2017</b> , 23, 55-61   | 2.6 | 10   |
| 116 | All that glitters are not gold! Reactive lymphoid hyperplasia mimicking colorectal liver metastases: description of a case and literature review. <i>Updates in Surgery</i> , <b>2017</b> , 69, 113-115  | 2.9 | 5    |
| 115 | PD-L1/PD-1 check-point in gastric carcinoma with lymphoid stroma case report with immunochemical study. <i>Medicine (United States)</i> , <b>2017</b> , 96, e5730  | 1.8 | 3    |
| 114 | Clinically approved PEGylated nanoparticles are covered by a protein corona that boosts the uptake by cancer cells. <i>Nanoscale</i> , <b>2017</b> , 9, 10327-10334  | 7.7 | 62   |
| 113 | Endoscopic full-thickness resection of superficial colorectal neoplasms using a new over-the-scope clip system: A single-centre study. <i>Digestive and Liver Disease</i> , <b>2017</b> , 49, 1009-1013  | 3.3 | 36   |
| 112 | Phase II study of induction chemotherapy followed by chemoradiotherapy in patients with borderline resectable and unresectable locally advanced pancreatic cancer. <i>Scientific Reports</i> , <b>2017</b> , 7, 45845  | 4.9 | 11   |
| 111 | Multi-drug resistant Klebsiella pneumoniae strains circulating in hospital setting: whole-genome sequencing and Bayesian phylogenetic analysis for outbreak investigations. <i>Scientific Reports</i> , <b>2017</b> , 7, 3534  | 4.9 | 15   |
| 110 | A protein corona-enabled blood test for early cancer detection. <i>Nanoscale</i> , <b>2017</b> , 9, 349-354  | 7.7 | 61   |
| 109 | Neutrophil to Lymphocyte Ratio (NLR) and Derived Neutrophil to Lymphocyte Ratio (d-NLR) Predict Non-Responders and Postoperative Complications in Patients Undergoing Radical Surgery After Neo-Adjuvant Radio-Chemotherapy for Rectal Adenocarcinoma. <i>Cancer Investigation</i> , <b>2016</b> , 34, 440-451 | 2.1 | 22   |

| 108 | Surgical margins for duodenopancreatectomy. <i>Updates in Surgery</i> , <b>2016</b> , 68, 279-285  | 2.9 | 1  |  |
|-----|--|-----|----|--|
| 107 | Klebsiella pneumoniae blaKPC-3 nosocomial epidemic: Bayesian and evolutionary analysis. <i>Infection, Genetics and Evolution</i> , <b>2016</b> , 46, 85-93   | 4.5 | 4  |  |
| 106 | Non-sutureless minimally invasive aortic valve replacement: mini-sternotomy versus mini-thoracotomy: a series of 1130 patients. <i>Interactive Cardiovascular and Thoracic Surgery</i> , <b>2016</b> , 23, 253-8 | 1.8 | 17 |  |
| 105 | Microscopic Residual Tumor After Pancreaticoduodenectomy: Is Standardization of Pathological Examination Worthwhile?. <i>Pancreas</i> , <b>2016</b> , 45, 748-54   | 2.6 | 3  |  |
| 104 | Peer review report 1 on The 100 most influential manuscripts in gastric cancer: A bibliometric analysis [International Journal of Surgery, 2016, 25, 129]  | 7.5 |    |  |
| 103 | hERG1 channels drive tumour malignancy and may serve as prognostic factor in pancreatic ductal adenocarcinoma. <i>British Journal of Cancer</i> , <b>2015</b> , 112, 1076-87                                     | 8.7 | 32 |  |
| 102 | Role of c-mesenchymal-epithelial transition pathway in gastric cancer. <i>Expert Opinion on Pharmacotherapy</i> , <b>2015</b> , 16, 1195-207   | 4   | 9  |  |
| 101 | Rhodotorula mucilaginosa skin infection in a patient treated with sorafenib. <i>Journal of the European Academy of Dermatology and Venereology</i> , <b>2015</b> , 29, 1028-9                                    | 4.6 | 11 |  |
| 100 | An innovative minimally invasive technique for aortic valve replacement. <i>European Heart Journal Supplements</i> , <b>2015</b> , 17, A54-A57   | 1.5 |    |  |
| 99  | Prospective study of cetuximab and gemcitabine in combination with radiation therapy: feasibility and efficacy in locally advanced pancreatic head cancer. <i>Radiation Oncology</i> , <b>2015</b> , 10, 255     | 4.2 | 8  |  |
| 98  | Hybrid coronary artery revascularization: initial experience of a single centre. <i>European Heart Journal Supplements</i> , <b>2015</b> , 17, A38-A42   | 1.5 | 1  |  |
| 97  | Minimally invasive mitral valve surgery: state-of-the-art and our experience. <i>European Heart Journal Supplements</i> , <b>2015</b> , 17, A49-A53  | 1.5 |    |  |
| 96  | Incidence and prognostic impact of para-aortic lymph nodes metastases during pancreaticoduodenectomy for peri-ampullary cancer. <i>Hpb</i> , <b>2015</b> , 17, 1001-8  | 3.8 | 8  |  |
| 95  | Long non-coding RNA HSAT II as a new biomarker for the identification of high risk intraductal papillary mucinous neoplasms (IPMNs) <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, e15246-e15246        | 2.2 |    |  |
| 94  | Serum lactate dehydrogenase alone is not a helpful prognostic factor in resected colorectal cancer patients. <i>Updates in Surgery</i> , <b>2014</b> , 66, 211-5   | 2.9 | 4  |  |
| 93  | Conversion in mini-invasive colorectal surgery: the effect of timing on short term outcome.  International Journal of Surgery, <b>2014</b> , 12, 805-9   | 7.5 | 12 |  |
| 92  | Complete pathological response after FOLFIRINOX for locally advanced pancreatic cancer. The beginning of a new era? Case report and review of the literature. <i>Pancreatology</i> , <b>2014</b> , 14, 425-30    | 3.8 | 20 |  |
| 91  | T1 colorectal cancer: poor histological grading is predictive of lymph-node metastases.  International Journal of Surgery, <b>2014</b> , 12, 209-12  | 7.5 | 12 |  |

| 90 | Randomised trial comparing Lichtenstein vs Trabucco vs Valenti techniques in inguinal hernia repair. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , <b>2014</b> , 18, 205-12   | 3.2  | 6  |
|----|--|------|----|
| 89 | Continuous glucose monitoring and robot surgery of an insulinoma: a case report and review of the literature. <i>Pancreas</i> , <b>2014</b> , 43, 483-5  | 2.6  |    |
| 88 | Size and charge of nanoparticles following incubation with human plasma of healthy and pancreatic cancer patients. <i>Colloids and Surfaces B: Biointerfaces</i> , <b>2014</b> , 123, 673-8  | 6    | 47 |
| 87 | Infusion of bevacizumab increases the risk of intestinal perforation: results on a series of 143 patients consecutively treated. <i>Updates in Surgery</i> , <b>2013</b> , 65, 121-4   | 2.9  | 11 |
| 86 | US-guided application of Nd:YAG laser in porcine pancreatic tissue: an ex vivo study and numerical simulation. <i>Gastrointestinal Endoscopy</i> , <b>2013</b> , 78, 750-5   | 5.2  | 33 |
| 85 | Carcinoma of the ampulla of Vater: morphological and immunophenotypical classification predicts overall survival. <i>Pancreas</i> , <b>2013</b> , 42, 60-6   | 2.6  | 42 |
| 84 | HER2 amplification status in gastric and gastro-oesophageal junction cancer in routine clinical practice: which sample should be used?. <i>Histopathology</i> , <b>2012</b> , 61, 134-5  | 7.3  | 6  |
| 83 | Impact of arterial revascularization in patients undergoing coronary bypass. <i>Journal of Cardiac Surgery</i> , <b>2012</b> , 27, 427-33  | 1.3  | 10 |
| 82 | Aberrant promoter methylation of beta-1,4 galactosyltransferase 1 as potential cancer-specific biomarker of colorectal tumors. <i>Genes Chromosomes and Cancer</i> , <b>2012</b> , 51, 1133-43   | 5    | 18 |
| 81 | Pancreatic arteriovenous malformation involving the duodenum embolized with ethylene-vinyl alcohol copolymer (Onyx). <i>CardioVascular and Interventional Radiology</i> , <b>2012</b> , 35, 958-62   | 2.7  | 21 |
| 80 | Efficacy of an absorbable fibrin sealant patch (TachoSil) after distal pancreatectomy: a multicenter, randomized, controlled trial. <i>Annals of Surgery</i> , <b>2012</b> , 256, 853-9; discussion 859-60                                   | 7.8  | 92 |
| 79 | In situ identification of CD44+/CD24- cancer cells in primary human breast carcinomas. <i>PLoS ONE</i> , <b>2012</b> , 7, e43110   | 3.7  | 31 |
| 78 | Effects of oxidative stress on mitochondrial content and integrity of human anastomotic colorectal dehiscence: a preliminary DNA study. <i>Canadian Journal of Gastroenterology &amp; Hepatology</i> , <b>2011</b> , 25, 433-                | -9   | 4  |
| 77 | Short-term and long-term results of cardiac surgery in elderly and very elderly patients. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2011</b> , 141, 725-31, 731.e1  | 1.5  | 32 |
| 76 | Results of mitral valve repair for Barlow disease (bileaflet prolapse) via right minithoracotomy versus conventional median sternotomy: a randomized trial. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2011</b> , 142, 77-83 | 1.5  | 66 |
| 75 | A singular observation of a giant benign Brenner tumor of the ovary. <i>Archives of Gynecology and Obstetrics</i> , <b>2011</b> , 284, 513-6   | 2.5  | 3  |
| 74 | Human equilibrative nucleoside transporter 1 and carcinoma of the ampulla of Vater: expression differences in tumour histotypes. <i>European Journal of Histochemistry</i> , <b>2010</b> , 54, e38   | 2.1  | 9  |
| 73 | Operative and middle-term results of cardiac surgery in nonagenarians: a bridge toward routine practice. <i>Circulation</i> , <b>2010</b> , 121, 208-13  | 16.7 | 50 |

## (2007-2010)

| 72 | EUS-guided Nd:YAG laser ablation of normal pancreatic tissue: a pilot study in a pig model. <i>Gastrointestinal Endoscopy</i> , <b>2010</b> , 72, 358-63   | 5.2  | 66 |
|----|--|------|----|
| 71 | First experience for the laparoscopic treatment of parastomal hernia with the use of Parietex composite mesh. <i>Updates in Surgery</i> , <b>2010</b> , 62, 195-7  | 2.9  | 5  |
| 70 | Promyelocytic leukemia (PML) gene expression is a prognostic factor in ampullary cancer patients. <i>Annals of Oncology</i> , <b>2009</b> , 20, 78-83  | 10.3 | 10 |
| 69 | MUC2 but not MUC5 expression correlates with prognosis in radically resected pancreatic cancer patients. <i>Cancer Biology and Therapy</i> , <b>2009</b> , 8, 996-9  | 4.6  | 7  |
| 68 | Arterial revascularization in primary coronary artery bypass grafting: Direct comparison of 4 strategiesresults of the Stand-in-Y Mammary Study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , <b>2009</b> , 137, 1093-100     | 1.5  | 82 |
| 67 | Bevacizumab in association with de Gramont 5-fluorouracil/folinic acid in patients with oxaliplatin-, irinotecan-, and cetuximab-refractory colorectal cancer: a single-center phase 2 trial. <i>Cancer</i> , <b>2009</b> , 115, 4849-56 | 6.4  | 27 |
| 66 | Surgical treatment of locally advanced anal cancer after male-to-female sex reassignment surgery. <i>World Journal of Gastroenterology</i> , <b>2009</b> , 15, 2918-9  | 5.6  | 5  |
| 65 | Impaired contractility of colonic muscle cells in a patient with chronic intestinal pseudo-obstruction. <i>Digestive and Liver Disease</i> , <b>2008</b> , 40, 225-9   | 3.3  | 5  |
| 64 | Pancreatitis after percutaneous ethanol injection into HCC: a minireview of the literature. <i>Journal of Experimental and Clinical Cancer Research</i> , <b>2008</b> , 27, 28   | 12.8 | 4  |
| 63 | Experience with two cases of intestinal tuberculosis: utility of the QuantiFERON-TB Gold test for diagnosis. <i>Surgical Infections</i> , <b>2008</b> , 9, 407-10  | 2    | 15 |
| 62 | Quality of life following colorectal cancer surgery: the role of alexithymia. <i>European Surgical Research</i> , <b>2008</b> , 41, 324-30   | 1.1  | 14 |
| 61 | Laparoscopic transperitoneal right adrenalectomy for 'large' tumors. <i>Urologia Internationalis</i> , <b>2008</b> , 81, 437-40  | 1.9  | 6  |
| 60 | Human equilibrative nucleoside transporter 1 (hENT1) protein is associated with short survival in resected ampullary cancer. <i>Annals of Oncology</i> , <b>2008</b> , 19, 724-8   | 10.3 | 32 |
| 59 | Effect of acute mucosal exposure to Lactobacillus rhamnosus GG on human colonic smooth muscle cells. <i>Journal of Clinical Gastroenterology</i> , <b>2008</b> , 42 Suppl 3 Pt 2, S185-90  | 3    | 29 |
| 58 | Solitary splenic metastasis of ovarian carcinoma: report of two cases. Surgery Today, 2008, 38, 1144-7   | 3    | 17 |
| 57 | Percutaneous ultrasound-guided ablation of BW7756-hepatoma using ethanol or acetic acid in a rat model. <i>BMC Gastroenterology</i> , <b>2007</b> , 7, 45  | 3    | 2  |
| 56 | Retrospective analysis of long-term defunctioning stoma complications after colorectal surgery. <i>Colorectal Disease</i> , <b>2007</b> , 9, 559-61  | 2.1  | 81 |
| 55 | Surgical treatment of rectal cancer after neoadjuvant chemoradiation. Where are we going?. <i>Surgical Oncology</i> , <b>2007</b> , 16 Suppl 1, S91-2  | 2.5  | 1  |

| 54             | Superficial temporal artery pseudoaneurysm: a conservative approach in a critically ill patient. <i>CardioVascular and Interventional Radiology</i> , <b>2007</b> , 30, 286-8  | 2.7 | 19 |
|----------------|--|-----|----|
| 53             | Chronomodulated administration of oxaliplatin plus capecitabine (XELOX) as first line chemotherapy in advanced colorectal cancer patients: phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2007</b> , 59, 613-20          | 3.5 | 17 |
| 52             | Soluble Ig-like transcript 3 inhibits tumor allograft rejection in humanized SCID mice and T cell responses in cancer patients. <i>Journal of Immunology</i> , <b>2007</b> , 178, 7432-41  | 5.3 | 68 |
| 51             | Ruptured aortic arch aneurysm: transposition of aortic arch branches after insertion of thoracic endovascular stent with extra-anatomic brain perfusion. <i>Interactive Cardiovascular and Thoracic Surgery</i> , <b>2007</b> , 6, 376-8   | 1.8 | 6  |
| 50             | Molecular prognostic factors in patients with pancreatic cancer. <i>Expert Opinion on Therapeutic Targets</i> , <b>2007</b> , 11, 1553-69  | 6.4 | 22 |
| 49             | Pelvic and perineal reconstruction following abdominoperineal resection: the role of gracilis flap. <i>Annals of Plastic Surgery</i> , <b>2007</b> , 59, 168-72  | 1.7 | 54 |
| 48             | Tumor regression in mesorectal lymphnodes after neoadjuvant chemoradiation for rectal cancer. <i>European Journal of Surgical Oncology</i> , <b>2007</b> , 33, 724-8   | 3.6 | 37 |
| 47             | Is total colectomy the right choice in intractable slow-transit constipation?. <i>Surgery</i> , <b>2006</b> , 140, 435-40  | 3.6 | 36 |
| 46             | Apoptotic index or a combination of Bax/Bcl-2 expression correlate with survival after resection of pancreatic adenocarcinoma. <i>Journal of Cellular Biochemistry</i> , <b>2006</b> , 97, 98-108  | 4.7 | 29 |
| 45             | Same-day endoscopic retrograde cholangiopancreatography after transduodenal endoscopic ultrasound-guided needle aspiration: do we need to be cautious?. <i>Endoscopy</i> , <b>2006</b> , 38, 1149-51                                       | 3.4 | 21 |
| 44             | COX-2 expression in ampullary carcinoma: correlation with angiogenesis process and clinicopathological variables. <i>Journal of Clinical Pathology</i> , <b>2006</b> , 59, 492-6   | 3.9 | 14 |
| 43             | Cerebellar metastasis from pancreatic adenocarcinoma. A case report. <i>Pancreatology</i> , <b>2006</b> , 6, 306-8   | 3.8 | 16 |
| 42             | Prognostic factors after surgery for locally recurrent rectal cancer: an overview. <i>European Journal of Surgical Oncology</i> , <b>2006</b> , 32, 126-32   | 3.6 | 56 |
| 4 <sup>1</sup> | Cetuximab and irinotecan as third-line therapy in advanced colorectal cancer patients: a single centre phase II trial. <i>British Journal of Cancer</i> , <b>2006</b> , 94, 792-7  | 8.7 | 94 |
| 40             | Complementary use of local excision and transanal endoscopic microsurgery for rectal cancer after neoadjuvant chemoradiation. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2006</b> , 20, 1203-7                     | 5.2 | 40 |
| 39             | Locally recurrent rectal cancer: when should radiofrequency ablation be used?. <i>International Journal of Colorectal Disease</i> , <b>2006</b> , 21, 285  | 3   | 2  |
| 38             | COX-2 expression of ampullary carcinoma: correlation with different histotypes and clinicopathological parameters. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , <b>2006</b> , 449, 334-40 | 5.1 | 14 |
| 37             | Continuous infusion of oxaliplatin plus chronomodulated capecitabine in 5-fluorouracil- and irinotecan-resistant advanced colorectal cancer patients. <i>Oncology</i> , <b>2005</b> , 69, 27-34  | 3.6 | 23 |

## (2001-2005)

| 36 | Temporary stoma after elective anterior resection of the rectum: an unsolved debate. <i>Colorectal Disease</i> , <b>2005</b> , 7, 196  | 2.1  | 3   |
|----|--|------|-----|
| 35 | An omental mass: any hypothesis?. <i>Colorectal Disease</i> , <b>2005</b> , 7, 417-8   | 2.1  | 7   |
| 34 | Giant abdominal sarcoma. <i>Colorectal Disease</i> , <b>2005</b> , 7, 422-3  | 2.1  | 1   |
| 33 | Nuclear and cytoplasmic expression of survivin in 67 surgically resected pancreatic cancer patients. <i>British Journal of Cancer</i> , <b>2005</b> , 92, 2225-32  | 8.7  | 50  |
| 32 | Retroperitoneal fibrosis and ankylosing spondylitis: which links?. <i>Seminars in Arthritis and Rheumatism</i> , <b>2005</b> , 35, 43-8  | 5.3  | 14  |
| 31 | Vascular endothelial growth factor (VEGF) expression is not associated with prognosis in patients with radically resected ampullary carcinoma. <i>Annals of Oncology</i> , <b>2005</b> , 16, 1847-8  | 10.3 | 2   |
| 30 | Cyclooxygenase-2 overexpression is associated with a poor outcome in resected ampullary cancer patients. <i>Clinical Cancer Research</i> , <b>2005</b> , 11, 3784-9  | 12.9 | 17  |
| 29 | Prognostic value of Bax, Bcl-2, p53, and TUNEL staining in patients with radically resected ampullary carcinoma. <i>Journal of Clinical Pathology</i> , <b>2005</b> , 58, 159-65   | 3.9  | 17  |
| 28 | DNA end binding activity and Ku70/80 heterodimer expression in human colorectal tumor. <i>World Journal of Gastroenterology</i> , <b>2005</b> , 11, 6694-700   | 5.6  | 18  |
| 27 | Large abdominal mass in Crohn's disease. <i>Gut</i> , <b>2004</b> , 53, 1493, 1503   | 19.2 | O   |
| 26 | Thymidylate synthase expression in normal colonic mucosa: a predictive marker of toxicity in colorectal cancer patients receiving 5-fluorouracil-based adjuvant chemotherapy. <i>Oncology</i> , <b>2004</b> , 67, 135-42                               | 3.6  | 15  |
| 25 | Liver harvesting surgical technique for the treatment of retro-hepatic caval thrombosis concomitant to renal cell carcinoma: perioperative and long-term results in 15 patients without mortality. <i>European Urology</i> , <b>2004</b> , 45, 194-202 | 10.2 | 32  |
| 24 | Clinical significance of intramural extension of rectal cancer to the sphincter muscles. <i>Journal of Surgical Oncology</i> , <b>2004</b> , 88, 109   | 2.8  |     |
| 23 | Fever after zoledronic acid administration is due to increase in TNF-alpha and IL-6. <i>Journal of Interferon and Cytokine Research</i> , <b>2003</b> , 23, 649-54   | 3.5  | 105 |
| 22 | Mucinous cystic lesions of the pancreas. Report of a patient submitted to distal pancreatectomy. <i>Chirurgia Italiana</i> , <b>2003</b> , 55, 105-8   |      |     |
| 21 | Endoscopic palliation of unresectable malignant oesophageal strictures with self-expanding metal stents: comparing Ultraflex and Esophacoil stents. <i>Digestive and Liver Disease</i> , <b>2002</b> , 34, 356-63                                      | 3.3  | 18  |
| 20 | Periampullary tumors. Analysis of 319 consecutive cases submitted to preoperative endoscopic biliary drainage. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2001</b> , 15, 1135-9  | 5.2  | 5   |
| 19 | Selective use of endoscopic retrograde cholangiopancreatography to facilitate laparoscopic cholecystectomy without cholangiography. A review of 1139 consecutive cases. Surgical Endoscopy and Other Interventional Techniques 2001, 15, 1213-6        | 5.2  | 31  |

| 18 | Recurrent Peptic Stenosis of the Esophagus: Treatment With a Self-Expanding Metallic Stent. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, <b>2000</b> , 10, 401-403                          | 1.3 | 1   |
|----|---|-----|-----|
| 17 | Prognostic factors after surgical resection for pancreatic carcinoma. <i>Journal of Surgical Oncology</i> , <b>2000</b> , 74, 36-40   | 2.8 | 48  |
| 16 | Use of a self-expanding stent in the palliation of rectal cancer recurrences. A report of three cases. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2000</b> , 14, 708-11             | 5.2 | 12  |
| 15 | Intraoperative flow measurement in composite Y arterial grafts. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2000</b> , 17, 505-8  | 3   | 10  |
| 14 | <b>2000</b> , 10, 401-403   |     | 3   |
| 13 | Characteristics of gastric-vein lymphocytes with regard to the immune response to Helicobacter pylori. <i>Scandinavian Journal of Gastroenterology</i> , <b>1999</b> , 34, 757-64                           | 2.4 |     |
| 12 | Major liver resection for non-Hodgkin's lymphoma in an HIV-positive patient: report of a case. <i>Surgery Today</i> , <b>1998</b> , 28, 1257-60   | 3   | 2   |
| 11 | Analysis of complications of endoscopic sphincterotomy for biliary stones in a consecutive series of 546 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>1997</b> , 11, 129-32 | 5.2 | 35  |
| 10 | Immediately preoperative laparoscopic staging for gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>1996</b> , 10, 996-9   | 5.2 | 38  |
| 9  | ERCP in the era of laparoscopic biliary surgery. Experience with 407 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>1996</b> , 10, 403-6                                      | 5.2 | 23  |
| 8  | Choledochocele: changing trends in diagnosis and management. Surgery Today, 1996, 26, 281-5   | 3   | 38  |
| 7  | Lymphocyte proliferative response to Helicobacter pylori CagA protein in patients with duodenal ulcer or gastritis. <i>Journal of Clinical Gastroenterology</i> , <b>1996</b> , 23, 81-2                    | 3   | 1   |
| 6  | Early retroduodenal perforation following endoscopic internal biliary drainage. <i>Endoscopy</i> , <b>1993</b> , 25, 255-6  | 3.4 | 15  |
| 5  | Changing attitudes in the palliation of proximal malignant biliary obstruction. <i>Journal of Surgical Oncology</i> , <b>1993</b> , 3, 151-3  | 2.8 | 10  |
| 4  | Esophageal diverticula. Physiopathological basis for surgical management. <i>European Journal of Cardio-thoracic Surgery</i> , <b>1992</b> , 6, 330-4   | 3   | 28  |
| 3  | Surgical treatment of hydatid disease of the liver. A 20-year experience. <i>Archives of Surgery</i> , <b>1991</b> , 126, 518-22; discussion 523  |     | 119 |
| 2  | Value of ERCP in the diagnosis and management of pre- and postoperative biliary complications in hydatid disease of the liver. <i>Gastrointestinal Radiology</i> , <b>1989</b> , 14, 315-20                 |     | 29  |
| 1  | 99mTc-diethyl-IDA: the extraction efficiency of the liver. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1983</b> , 8, 187-90  |     | 5   |