Xiongbing Zu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3818946/publications.pdf

Version: 2024-02-01

105	1,815	22	34
papers	citations	h-index	g-index
111	111	111	2149
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Siglec15 shapes a non-inflamed tumor microenvironment and predicts the molecular subtype in bladder cancer. Theranostics, 2021, 11, 3089-3108.	10.0	207
2	Circular RNA DOCK1 promotes bladder carcinoma progression via modulating circDOCK1/hsaâ€miRâ€132â€3p/Sox5 signalling pathway. Cell Proliferation, 2019, 52, e12614.	5.3	69
3	Vascular endothelial growth factor-C expression in bladder transitional cell cancer and its relationship to lymph node metastasis. BJU International, 2006, 98, 1090-1093.	2.5	66
4	YTHDF1 Is a Potential Pan-Cancer Biomarker for Prognosis and Immunotherapy. Frontiers in Oncology, 2021, 11, 607224.	2.8	64
5	Androgen receptorâ€regulated circ <scp>FNTA</scp> activates <scp>KRAS</scp> signaling to promote bladder cancer invasion. EMBO Reports, 2020, 21, e48467.	4.5	60
6	5mC regulator-mediated molecular subtypes depict the hallmarks of the tumor microenvironment and guide precision medicine in bladder cancer. BMC Medicine, 2021, 19, 289.	5 . 5	48
7	LncRNA-MALAT1 mediates cisplatin resistance via miR-101-3p/VEGF-C pathway in bladder cancer. Acta Biochimica Et Biophysica Sinica, 2019, 51, 1148-1157.	2.0	45
8	Maspin enhances cisplatin chemosensitivity in bladder cancer T24 and 5637 cells and correlates with prognosis of muscle-invasive bladder cancer patients receiving cisplatin based neoadjuvant chemotherapy. Journal of Experimental and Clinical Cancer Research, 2016, 35, 2.	8.6	42
9	High expression of long noncoding RNA NORAD indicates a poor prognosis and promotes clinical progression and metastasis in bladder cancer. Urologic Oncology: Seminars and Original Investigations, 2018, 36, 310.e15-310.e22.	1.6	42
10	LPS/TLR4 Signaling Enhances TGF- \hat{l}^2 Response Through Downregulating BAMBI During Prostatic Hyperplasia. Scientific Reports, 2016, 6, 27051.	3.3	37
11	Application of Three-Dimensional Visualization Technology in Laparoscopic Partial Nephrectomy of Renal Tumor: A Comparative Study. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2017, 27, 516-523.	1.0	35
12	miR-150 Modulates Cisplatin Chemosensitivity and Invasiveness of Muscle-Invasive Bladder Cancer Cells via Targeting PDCD4 In Vitro. Medical Science Monitor, 2014, 20, 1850-1857.	1.1	35
13	miR-101 Suppresses Vascular Endothelial Growth Factor C That Inhibits Migration and Invasion and Enhances Cisplatin Chemosensitivity of Bladder Cancer Cells. PLoS ONE, 2015, 10, e0117809.	2.5	34
14	Prognostic factors in patients with penile cancer after surgical management. World Journal of Urology, 2018, 36, 435-440.	2.2	33
15	ERα-mediated alterations in circ_0023642 and miR-490-5p signaling suppress bladder cancer invasion. Cell Death and Disease, 2019, 10, 635.	6.3	31
16	A Comparative Study of Fast-Track Versus Conventional Surgery in Patients Undergoing Laparoscopic Radical Cystectomy and Ileal Conduit Diversion: Chinese Experience. Scientific Reports, 2014, 4, 6820.	3.3	30
17	RNA Modification of N6-Methyladenosine Predicts Immune Phenotypes and Therapeutic Opportunities in Kidney Renal Clear Cell Carcinoma. Frontiers in Oncology, 2021, 11, 642159.	2.8	30
18	<p>Predictors of inguinal lymph node metastasis in penile cancer patients: a meta-analysis of retrospective studies</p> . Cancer Management and Research, 2019, Volume 11, 6425-6441.	1.9	28

#	Article	IF	Citations
19	Down-regulated microRNA-101 in bladder transitional cell carcinoma is associated with poor prognosis. Medical Science Monitor, 2014, 20, 812-817.	1.1	28
20	Aberrant Transforming Growth Factor- $\langle i \rangle \hat{l}^2 \langle i \rangle$ Activation Recruits Mesenchymal Stem Cells During Prostatic Hyperplasia. Stem Cells Translational Medicine, 2017, 6, 394-404.	3.3	27
21	Androgen dihydrotestosterone (DHT) promotes the bladder cancer nuclear AR-negative cell invasion via a newly identified membrane androgen receptor (mAR-SLC39A9)-mediated Gl±i protein/MAPK/MMP9 intracellular signaling. Oncogene, 2020, 39, 574-586.	5.9	27
22	MiRNA-141 and miRNA-200b are closely related to invasive ability and considered as decision-making biomarkers for the extent of PLND during cystectomy. BMC Cancer, 2015, 15, 92.	2.6	24
23	Comparing the Efficiency and Safety of Bipolar and Monopolar Transurethral Resection for Non-Muscle Invasive Bladder Tumors: A Systematic Review and Meta-Analysis. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2016, 26, 196-202.	1.0	24
24	A Robust Hypoxia Risk Score Predicts the Clinical Outcomes and Tumor Microenvironment Immune Characters in Bladder Cancer. Frontiers in Immunology, 2021, 12, 725223.	4.8	24
25	A Novel TGF-Î ² Risk Score Predicts the Clinical Outcomes and Tumour Microenvironment Phenotypes in Bladder Cancer. Frontiers in Immunology, 2021, 12, 791924.	4.8	24
26	Development and Validation of an Animal Model of Prostate Inflammation-Induced Chronic Pelvic Pain: Evaluating from Inflammation of the Prostate to Pain Behavioral Modifications. PLoS ONE, 2014, 9, e96824.	2.5	23
27	BMI1 is directly regulated by androgen receptor to promote castration-resistance in prostate cancer. Oncogene, 2020, 39, 17-29.	5.9	22
28	microRNA-195 inhibits cell proliferation in bladder cancer via inhibition of cell division control protein 42 homolog/signal transducer and activator of transcription-3 signaling. Experimental and Therapeutic Medicine, 2015, 10, 1103-1108.	1.8	21
29	Effect of alvimopan on accelerates gastrointestinal recovery after radical cystectomy: A systematic review and meta-analysis. International Journal of Surgery, 2016, 25, 1-6.	2.7	21
30	5-Aza-2′-Deoxycytidine Enhances <i>Maspin</i> Expression and Inhibits Proliferation, Migration, and Invasion of the Bladder Cancer T24 Cell Line. Cancer Biotherapy and Radiopharmaceuticals, 2013, 28, 343-350.	1.0	20
31	Primary gastrointestinal stromal tumor of the prostate: A case report and literature review. Oncology Letters, 2014, 7, 1925-1929.	1.8	20
32	Saphenous vein sparing during laparoscopic bilateral inguinal lymphadenectomy for penile carcinoma patients. International Urology and Nephrology, 2016, 48, 363-366.	1.4	20
33	LncRNA SNHG9 is a prognostic biomarker and correlated with immune infiltrates in prostate cancer. Translational Andrology and Urology, 2021, 10, 215-226.	1.4	20
34	circ_100984â€miRâ€432â€3p axis regulated câ€Jun/YBXâ€1/βâ€catenin feedback loop promotes bladder cancer progression. Cancer Science, 2021, 112, 1429-1442.	3.9	20
35	Technique Selection of Bricker or Wallace Ureteroileal Anastomosis in Ileal Conduit Urinary Diversion: A Strategy Based on Patient Characteristics. Annals of Surgical Oncology, 2014, 21, 2808-2812.	1.5	19
36	Overexpression of Wip1 Is Associated with Biologic Behavior in Human Clear Cell Renal Cell Carcinoma. PLoS ONE, 2014, 9, e110218.	2.5	19

3

#	Article	IF	Citations
37	Epidermal Growth Factor Receptor and Ki-67 as Predictive Biomarkers Identify Patients Who Will Be More Sensitive to Intravesical Instillations for the Prevention of Bladder Cancer Recurrence after Radical Nephroureterectomy. PLoS ONE, 2016, 11, e0166884.	2.5	18
38	Evolving use of social media among Chinese urologists: Opportunity or challenge?. PLoS ONE, 2017, 12, e0181895.	2.5	18
39	Tamsulosin as a Medical Expulsive Therapy for Ureteral Stones: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. Journal of Urology, 2019, 201, 950-955.	0.4	18
40	The JNK inhibitor AS602801 Synergizes with Enzalutamide to Kill Prostate Cancer Cells In Vitro and In Vivo and Inhibit Androgen Receptor Expression. Translational Oncology, 2020, 13, 100751.	3.7	17
41	CLASP2 is involved in the EMT and early progression after transurethral resection of the bladder tumor. BMC Cancer, 2017, 17, 105.	2.6	16
42	Afatinib inhibits proliferation and invasion and promotes apoptosis of the T24 bladder cancer cell line. Experimental and Therapeutic Medicine, 2015, 9, 1851-1856.	1.8	15
43	Antihistamine Drug Ebastine Inhibits Cancer Growth by Targeting Polycomb Group Protein EZH2. Molecular Cancer Therapeutics, 2020, 19, 2023-2033.	4.1	15
44	N6-Methyladenosine Writer Gene ZC3H13 Predicts Immune Phenotype and Therapeutic Opportunities in Kidney Renal Clear Cell Carcinoma. Frontiers in Oncology, 2021, 11, 718644.	2.8	15
45	Association between endothelial nitric oxide synthase 894G>T polymorphism and prostate cancer risk: a meta-analysis of literature studies. Tumor Biology, 2014, 35, 11727-11733.	1.8	14
46	Radical prostatectomy after previous transurethral resection of the prostate: a systematic review and meta-analysis. Translational Andrology and Urology, 2019, 8, 712-727.	1.4	14
47	N6-Methyladenosine in Cancer Immunotherapy: An Undervalued Therapeutic Target. Frontiers in Immunology, 2021, 12, 697026.	4.8	14
48	Percutaneous Intrarenal Cyst Marsupialization and Simultaneous Nephrolithotomy in Selected Patients: Killing Two Birds With One Stone?. Urology, 2014, 84, 1267-1271.	1.0	13
49	Neoadjuvant Chemotherapy Benefits Survival in High-Grade Upper Tract Urothelial Carcinoma: A Propensity Score-Based Analysis. Annals of Surgical Oncology, 2020, 27, 1297-1303.	1.5	13
50	A Novel Electrochemical Immunosensor for Prostate-Specific Antigen Based on Noncovalent Nanocomposite of Ferrocene Monocarboxylic Acid with Graphene Oxide. Analytical Letters, 2014, 47, 2266-2280.	1.8	12
51	Primary mucinous adenocarcinoma of the renal pelvis misdiagnosed as calculous pyonephrosis: a case report and literature review. Translational Andrology and Urology, 2020, 9, 781-788.	1.4	12
52	Emerging Biomarkers for Predicting Bladder Cancer Lymph Node Metastasis. Frontiers in Oncology, 2021, 11, 648968.	2.8	12
53	PMEPA1 Is a Prognostic Biomarker That Correlates With Cell Malignancy and the Tumor Microenvironment in Bladder Cancer. Frontiers in Immunology, 2021, 12, 705086.	4.8	12
54	Multiple tracts percutaneous nephrolithotomy assisted by LithoClast master in one session for staghorn calculi: report of 117 cases. Urolithiasis, 2014, 42, 165-169.	2.0	11

#	Article	IF	Citations
55	Expression and clinical significance of androgen receptor in bladder cancer: A meta-analysis. Molecular and Clinical Oncology, 2017, 7, 919-927.	1.0	11
56	The VIM-AS1/miR-655/ZEB1 axis modulates bladder cancer cell metastasis by regulating epithelial–mesenchymal transition. Cancer Cell International, 2021, 21, 233.	4.1	11
57	A nomogram incorporating PD-L1, NLR, and clinicopathologic features to predict inguinal lymph node metastasis in penile squamous cell carcinoma. Urologic Oncology: Seminars and Original Investigations, 2020, 38, 641.e19-641.e29.	1.6	10
58	VEGF-C as a Decision-making Biomarker for Selected Patients with Invasive Bladder Cancer Who Underwent Bladder-preserving Radical Surgery. Archives of Medical Research, 2011, 42, 405-411.	3.3	9
59	<p>Serum CXCL13 Level is Associated with Tumor Progression and Unfavorable Prognosis in Penile Cancer</p> . OncoTargets and Therapy, 2020, Volume 13, 8757-8769.	2.0	9
60	Clinicopathological and prognostic significance of osteopontin expression in patients with prostate cancer: a systematic review and meta-analysis. Bioscience Reports, 2021, 41, .	2.4	9
61	Strategies for improvement of WeChat-PBL teaching: experience from China. International Journal of Medical Education, 2016, 7, 382-384.	1.2	9
62	High serum CCL20 is associated with tumor progression in penile cancer. Journal of Cancer, 2020, 11, 6812-6822.	2.5	8
63	A Comprehensive Analysis Identified the Key Differentially Expressed Circular Ribonucleic Acids and Methylation-Related Function in Pheochromocytomas and Paragangliomas. Frontiers in Genetics, 2020, 11, 15.	2.3	8
64	Clinicopathologic Features and Survival Outcomes for Primary Renal Neuroendocrine Neoplasms. Clinical Genitourinary Cancer, 2021, 19, 155-161.	1.9	8
65	CCR7 as a predictive biomarker associated with computed tomography for the diagnosis of lymph node metastasis in bladder carcinoma. Oncology Letters, 2016, 11, 735-740.	1.8	7
66	UCA1 promotes cell viability, proliferation and migration potential through UCA1/miR-204/CCND2 pathway in primary cystitis glandularis cells. Biomedicine and Pharmacotherapy, 2019, 114, 108872.	5.6	7
67	Development and validation of a predictive nomogram for the risk of recurrence in patients with cystitis glandularis. Annals of Translational Medicine, 2020, 8, 352-352.	1.7	7
68	Forkhead Box R2 Knockdown Decreases Chemoresistance to Cisplatin via MYC Pathway in Bladder Cancer. Medical Science Monitor, 2019, 25, 8928-8939.	1.1	7
69	miR-616-5p Promotes Invasion and Migration of Bladder Cancer via Downregulating NR2C2 Expression. Frontiers in Oncology, 2021, 11, 762946.	2.8	7
70	Resveratrol suppresses the epithelial-to-mesenchymal transition in PC-3 cells by down-regulating the PI3K/AKT signaling pathway. Animal Cells and Systems, 2016, 20, 77-85.	2.2	6
71	Retroperitoneoscopic Partial Nephrectomy for Moderately Complex Ventral Hilar Tumors: Surgical Technique and Trifecta Outcomes from a Single Institution in China. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2017, 27, 812-817.	1.0	6
72	A Poliovirus Receptor (CD155)-Related Risk Signature Predicts the Prognosis of Bladder Cancer. Frontiers in Oncology, 2021, 11, 660273.	2.8	6

#	Article	IF	CITATIONS
73	Albumin levels predict prognosis in advanced renal cell carcinoma treated with tyrosine kinase inhibitors: a systematic review and meta-analysis. Urologic Oncology: Seminars and Original Investigations, 2022, 40, 12.e13-12.e22.	1.6	6
74	Vascular Endothelial Growth Factor-C Associated with Computed Tomography Used in the Diagnosis of Lymph Node Metastasis of Bladder Carcinoma. Archives of Medical Research, 2010, 41, 606-610.	3.3	5
75	Delayed versus standard ligature of the dorsal venous complex during laparoscopic radical prostatectomy: A systematic review and meta-analysis of comparative studies. International Journal of Surgery, 2019, 68, 117-125.	2.7	5
76	Effect of neoadjuvant chemotherapy on locally advanced upper tract urothelial carcinoma: a pooled analysis. Translational Andrology and Urology, 2020, 9, 2094-2106.	1.4	5
77	Intracorporeal versus extracorporeal urinary diversion after robotâ€assisted radical cystectomy: a pooled analysis. Gland Surgery, 2021, 10, 706-720.	1.1	5
78	Malignant priapism secondary to isolated penile metastasis from a renal pelvic carcinoma. Canadian Urological Association Journal, 2014, 8, 558.	0.6	4
79	Localized chromophobe renal cell carcinoma: preoperative imaging judgment and laparoscopic simple enucleation for treatment. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2018, 44, 922-932.	1.5	4
80	Suppression of osteogenic-like differentiation in human renal interstitial fibroblasts by miRNA-410-3p through MSX2. Translational Andrology and Urology, 2020, 9, 2082-2093.	1.4	3
81	Infertility duration and preâ€operative sperm progressive motility are significant factors of spontaneous pregnancy after varicocele repair. American Journal of Reproductive Immunology, 2020, 84, e13318.	1.2	3
82	A preoperative nomogram predicting the pseudocapsule status in localized renal cell carcinoma. Translational Andrology and Urology, 2020, 9, 462-472.	1.4	3
83	Silencing of MEG3 attenuated the role of lipopolysaccharides by modulating the miR-93-5p/PTEN pathway in Leydig cells. Reproductive Biology and Endocrinology, 2021, 19, 33.	3.3	3
84	Clinicopathological characteristics and survival outcomes for testicular choriocarcinoma: a population-based study. Translational Andrology and Urology, 2021, 10, 408-416.	1.4	3
85	Long noncoding RNA X-inactive specific transcript as a prognostic factor in cancer patients. Medicine (United States), 2019, 98, e14095.	1.0	2
86	Low Expression of ATM Indicates a Poor Prognosis in Clear Cell Renal Cell Carcinoma. Clinical Genitourinary Cancer, 2019, 17, e433-e439.	1.9	2
87	A comprehensive evaluation of differentially expressed mRNAs and lncRNAs in cystitis glandularis with gene ontology, KEGG pathway, and ceRNA network analysis. Translational Andrology and Urology, 2020, 9, 232-242.	1.4	2
88	Competing endogenous RNA network analysis reveals pivotal ceRNAs in bladder urothelial carcinoma. Translational Andrology and Urology, 2021, 10, 797-808.	1.4	2
89	Effects of Fibrin Clot Inhibitors and Statins on the Intravesical Bacille Calmette–Guérin Therapy for Bladder Cancer: A Systematic Review and Meta-Analysis. Frontiers in Oncology, 2021, 11, 614041.	2.8	2
90	Adjuvant chemotherapy in patients with locally advanced bladder cancer after neoadjuvant chemotherapy and radical cystectomy: a systematic review and pooled analysis. Translational Andrology and Urology, 2021, 10, 283-291.	1.4	2

#	Article	IF	CITATIONS
91	Smoking status and pathological response to neoadjuvant chemotherapy among patients with bladder cancer: a pooled analysis. Translational Andrology and Urology, 2021, 10, 374-383.	1.4	2
92	CD4 T cell exhaustion leads to adoptive transfer therapy failure which can be prevented by immune checkpoint blockade. American Journal of Cancer Research, 2020, 10, 4234-4250.	1.4	2
93	Re: Raj Satkunasivam, Sheaumei Tsai, Sumeet Syan, et al. Robotic Unclamped "Minimal-margin―Partial Nephrectomy: Ongoing Refinement of the Anatomic Zero-ischemia Concept. Eur Urol 2015;68:705–12. European Urology, 2016, 69, e72-e73.	1.9	1
94	Genetic Screening in Pheochromocytoma/Paraganglioma. Pathology and Oncology Research, 2017, 23, 217-217.	1.9	1
95	Identification of key genes and microRNA regulatory network in development and progression of urothelial bladder carcinoma. Translational Andrology and Urology, 2021, 10, 438-447.	1.4	1
96	Efficacy of Intra-Arterial Plus Intravesical Chemotherapy for High-Risk Non-Muscle-Invasive Bladder Cancer: A Pooled Analysis. Frontiers in Pharmacology, 2021, 12, 707271.	3.5	1
97	SHCBP1 regulates STAT3/c-Myc signaling activation to promote tumor progression in penile cancer. American Journal of Cancer Research, 2020, 10, 3138-3156.	1.4	1
98	Re: Claude Schulman, Erik Cornel, Vsevolod Matveev, et al. Intermittent Versus Continuous Androgen Deprivation Therapy in Patients with Relapsing or Locally Advanced Prostate Cancer: A Phase 3b Randomised Study (ICELAND). Eur Urol 2016;69:720–7. European Urology, 2017, 71, e68.	1.9	0
99	Recurrence factors in patients with Keratinizing squamous metaplasia of the bladder after surgical management: a single-center retrospective study. Translational Andrology and Urology, 2021, 10, 734-740.	1.4	0
100	Re: Mikkel Fode, Christian Fuglesang S. Jensen, Peter B. \tilde{A} stergren. How Should the Medical Community Respond to the Low Quality of Medical Information on Social Media? Eur Urol. In press. https://doi.org/10.1016/j.eururo.2020.09.050. European Urology Open Science, 2021, 24, 9-10.	0.4	0
101	The prevalence of CDK12 alterations in Chinese cancer patients and the association with tumor mutation burden(TMB) and survival Journal of Clinical Oncology, 2020, 38, e13663-e13663.	1.6	0
102	Re: Minimally Invasive Radical Prostatectomy after Previous Bladder Outlet Surgery: A Systematic Review and Pooled Analysis of Comparative Studies. Journal of Urology, 2020, 203, 208-209.	0.4	0
103	Background, applications and challenges of radiogenomics in genitourinary tumor. American Journal of Cancer Research, 2021, 11, 1936-1945.	1.4	0
104	Dual-tracer PET/CT-targeted, mpMRI-targeted, systematic biopsy, and combined biopsy for the diagnosis of prostate cancer Journal of Clinical Oncology, 2022, 40, 34-34.	1.6	0
105	Depression and perceived stress among the medical residents under the unified doubletrack training systems. Journal of Central South University (Medical Sciences), 2020, 45, 1450-1456.	0.1	O