
Xiaofang Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3819188/publications.pdf Version: 2024-02-01



XIAOFANC CHEN

#	Article	IF	CITATIONS
1	Mechanofluorochromism and mechanical force-triggered solid-state [2+2] photocycloaddition in α-cyanostilbene derivatives. Dyes and Pigments, 2022, 201, 110205.	3.7	8
2	Composition-dependent phase transformation in side-chain liquid crystalline copolymers with mesogenic groups at different substituent positions. Soft Matter, 2021, 17, 4594-4603.	2.7	2
3	Photochromic fluorescence switching in liquid crystalline polynorbornenes with α-cyanostilbene side-chains. Journal of Materials Chemistry C, 2020, 8, 6461-6469.	5.5	35
4	Synthesis and supramolecular liquid crystalline structure modulation of side-chain polynorbornenes with asymmetrical substituent mesogenic groups. Polymer Chemistry, 2019, 10, 5751-5759.	3.9	2
5	Supramolecular Fluorescent Polymers Containing α-Cyanostilbene-Based Stereoisomers: <i>Z</i> / <i>E</i> -Isomerization Induced Multiple Reversible Switching. Macromolecules, 2018, 51, 3487-3496.	4.8	47
6	Cooperation of Amphiphilicity and Smectic Order in Regulating the Self-Assembly of Cholesterol-Functionalized Brush-Like Block Copolymers. Langmuir, 2018, 34, 11034-11041.	3.5	11
7	Tunable Supramolecular Hexagonal Columnar Structures of Hydrogen-Bonded Copolymers Containing Two Different Sized Dendritic Side Chains. ACS Macro Letters, 2017, 6, 479-484.	4.8	11
8	Self-assembly of amphiphilic macrocycles containing polymeric liquid crystal grafts in solution. Polymer Chemistry, 2016, 7, 2785-2789.	3.9	13
9	Synthesis and mesomorphic properties of side-chain polynorbornenes containing mono-, di- and tri-calamitic mesogenic pendant groups. Polymer Chemistry, 2016, 7, 3520-3529.	3.9	12
10	Hydrogen-bonded liquid crystalline polymers containing poly(4-vinylpridine) and dendron-like side chains: Fromlamellar to columnar phase. Materials Today Communications, 2015, 4, 77-85.	1.9	6
11	Biomacrocyclic side-chain liquid crystalline polymers bearing cholesterol mesogens: facile synthesis and topological effect study. Polymer Chemistry, 2015, 6, 6885-6893.	3.9	14
12	Hydrogen-Bonded Polymers with Bent-Shaped Side Chains and Poly(4-vinylpridine) Backbone: Phase Behavior and Thin Film Morphologies. Macromolecules, 2014, 47, 3917-3925.	4.8	11
13	Tunable assembly of amphiphilic rod–coil block copolymers in solution. Chemical Society Reviews, 2013, 42, 9127.	38.1	124
14	Ordered gold nanoparticle arrays obtained with supramolecular block copolymers. Soft Matter, 2013, 9, 4715.	2.7	18
15	Controlling the packing of gold nanoparticles with grafted liquid crystals. Journal of Nanoparticle Research, 2012, 14, 1.	1.9	9
16	Self-assembled hierarchical structure evolution of azobenzene-containing linear-dendritic liquid crystalline block copolymers. Soft Matter, 2012, 8, 6174.	2.7	24
17	Hemiphasmidic Side-Chain Liquid Crystalline Polymer: From Smectic C Phase to Columnar Phase with a Bundle of Chains as Its Building Block. ACS Macro Letters, 2012, 1, 641-645.	4.8	41
18	Chiral nematic liquid crystals with helix inversion from (R)-1,1′-binaphthyl and cholesteryl ester moieties. Liquid Crystals, 2012, 39, 1284-1290.	2.2	7

XIAOFANG CHEN

#	Article	IF	CITATIONS
19	Sideâ€chain liquidâ€crystalline polymers based on flexible rodâ€like mesogen directly attached to backbone. Journal of Polymer Science Part A, 2012, 50, 5023-5031.	2.3	16
20	Influence of linkage and terminal group on the liquid crystalline and helical twisting behaviours of cholesteryl esters. Liquid Crystals, 2011, 38, 803-812.	2.2	13
21	A novel pentaerythritol-based carbosilane liquid crystalline dendrimer containing 12 nitroazobenzene groups on the periphery. Chinese Journal of Chemistry, 2010, 22, 1034-1038.	4.9	4
22	A novel mesogenâ€ j acketed liquid crystalline electroluminescent polymer with both thiophene and oxadiazole in conjugated side chain. Journal of Polymer Science Part A, 2010, 48, 1502-1515.	2.3	19
23	Preparation and properties of highly birefringent liquid crystalline materials: styrene monomers with acetylenes, naphthyl, and isothiocyanate groups. Liquid Crystals, 2010, 37, 453-462.	2.2	18
24	Special positive birefringence properties of mesogen-jacketed liquid crystalline polymer films for optical compensators. Polymer Chemistry, 2010, 1, 430-433.	3.9	6
25	Mesogen-jacketed liquid crystalline polymers. Chemical Society Reviews, 2010, 39, 3072.	38.1	202
26	Order-order transition induced by mesophase formation in a novel type of diblock copolymers based on poly(isobutyl methacrylate) and poly[2,5-di(isopropyloxycarbonyl)styrene]. Soft Matter, 2010, 6, 922-927.	2.7	11
27	Jacketed polymers: Controlled synthesis of mesogenâ€jacketed polymers and block copolymers. Journal of Polymer Science Part A, 2009, 47, 319-330.	2.3	23
28	Influence of alkoxy tail length and unbalanced mesogenic core on phase behavior of mesogenâ€ j acketed liquid crystalline polymers. Journal of Polymer Science Part A, 2009, 47, 505-514.	2.3	27
29	Synthesis, characterization, and electroluminescence of novel copolyfluorenes and their applications in white light emission. Journal of Polymer Science Part A, 2009, 47, 4555-4565.	2.3	10
30	Effects of Mesogenic Shape and Flexibility on the Phase Structures of Mesogen-Jacketed Liquid Crystalline Polymers with Bent Side Groups Containing 1,3,4-Oxadiazole. Macromolecules, 2009, 42, 2542-2550.	4.8	45
31	Synthesis and properties of highly birefringent liquid crystalline materials: 2,5-bis(5-alkyl-2-butadinylthiophene-yl) styrene monomers. Liquid Crystals, 2009, 37, 69-76.	2.2	14
32	Single layer lightâ€emitting diodes from copolymers comprised of mesogenâ€ j acketed polymer containing oxadiazole units and PVK. Journal of Polymer Science Part A, 2008, 46, 1843-1851.	2.3	16
33	Synthesis and characterization of bipolar copolymers containing oxadiazole and carbazole pendant groups and their application to electroluminescent devices. Journal of Polymer Science Part A, 2008, 46, 5452-5460.	2.3	31
34	Novel mesogenâ€jacketed poly(<i>p</i> â€phenylenevinylene) derivatives bearing oxadiazole pendants: Design, synthesis, and optoelectronic properties. Journal of Polymer Science Part A, 2008, 46, 7173-7186.	2.3	14
35	Bipolar copolymers comprised mesogenâ€jacketed polymer containing oxadiazole units and PVK as host materials for electroluminescent devices. Journal of Polymer Science Part A, 2008, 46, 7861-7867.	2.3	14
36	Synthesis and properties of silicon-containing bismaleimide resins. Journal of Applied Polymer Science, 2008, 109, 190-199.	2.6	24

XIAOFANG CHEN

#	Article	IF	CITATIONS
37	Synthesis, characterisation and liquid crystal properties of 2,5â€bis[5â€alkyl(alkoxy)phenylâ€1,3,4â€oxadiazole]bromobenzenes. Liquid Crystals, 2008, 35, 133-141.	2.2	26
38	Self-assembly of highly luminescent bi-1,3,4-oxadiazole derivatives through electron donor–acceptor interactions in three-dimensional crystals, two-dimensional layers and mesophases. Journal of Materials Chemistry, 2008, 18, 3954.	6.7	56
39	Competition between liquid crystallinity and block copolymerself-assembly in core–shell rod–coil block copolymers. Soft Matter, 2008, 4, 458-461.	2.7	32
40	Organic–inorganic hybrid bent-core liquid crystals with cubic silsesquioxane cores. Journal of Materials Chemistry, 2008, 18, 3481.	6.7	58
41	ABA type liquid crystalline triblock copolymers by combination of living cationic polymerizaition and ATRP: synthesis and self-assembly. Soft Matter, 2008, 4, 1230.	2.7	33
42	Hierarchical Nanostructures of Bent-Core Molecules Blended with Poly(styrene-b-4-vinylpyridine) Block Copolymer. Macromolecules, 2007, 40, 5095-5102.	4.8	26
43	Side-Chain Liquid Crystalline Poly(meth)acrylates with Bent-Core Mesogens. Macromolecules, 2007, 40, 840-848.	4.8	39
44	Synthesis and mesophase behaviors of 2,5-disubstituted styrene-based random copolymers: Effect of difference in side-group length on liquid crystallinity. Polymer, 2007, 48, 4252-4263.	3.8	13
45	Synthesis and characterization of graft copolymers containing poly(p-phenylene) main chains and mesogen-jacketed liquid-crystalline polystyrene side chains. Journal of Polymer Science Part A, 2007, 45, 2543-2555.	2.3	8
46	ABAâ€type liquid crystalline triblock copolymers via nitroxideâ€mediated radical polymerization: Design, synthesis, and morphologies. Journal of Polymer Science Part A, 2007, 45, 5949-5956.	2.3	11
47	Water soluble multi-walled carbon nanotubes prepared via nitroxide-mediated radical polymerization. Journal of Materials Chemistry, 2006, 16, 4619.	6.7	48
48	Tailoring Thermotropic Liquid Crystalline Properties of Random Copolymers Based on Vinyl Monomers with Laterally Attached Mesogenic and Nonmesogenic Substituents via No Spacer. Macromolecules, 2006, 39, 6887-6897.	4.8	29
49	Design, Synthesis, and Characterization of Bent-Core Mesogen-Jacketed Liquid Crystalline Polymers. Macromolecules, 2006, 39, 517-527.	4.8	67
50	Synthesis and properties of azobenzene-containing poly(1-alkyne)s with different functional pendant groups. Journal of Polymer Science Part A, 2006, 44, 4532-4545.	2.3	18
51	Surface modification of multiwalled carbon nanotubes via nitroxide-mediated radical polymerization. Journal of Polymer Science Part A, 2006, 44, 4656-4667.	2.3	90
52	Synthesis and chiroptical properties of optically active poly(N-propargylamide) bearing photoisomerizable azobenzene moieties. Journal of Polymer Science Part A, 2006, 44, 6047-6054.	2.3	23
53	Restudy of the unusual phase behavior of the mesogen-jacketed liquid crystal polymers. Science in China Series B: Chemistry, 2006, 49, 116-125.	0.8	2
54	Ellipsoid-shaped Carbosilane Dendrimers Modified withp-Nitroazobenzene Mesogens on the Periphery. Chinese Journal of Chemistry, 2006, 24, 169-171.	4.9	3

XIAOFANG CHEN

#	ARTICLE	IF	CITATIONS
55	Dumbbell-shaped Carbosilane Dendrimers Based on 1,6-Hexanediol. Chinese Journal of Chemistry, 2005, 23, 11-13.	4.9	4
56	Synthesis and Characterization of Helix-Coil Diblock Copolymers with Controlled Supramolecular Architectures in Aqueous Solution. Macromolecular Rapid Communications, 2005, 26, 1241-1245.	3.9	24
57	Copolymers of 2,5-bis[(4-methoxyphenyl) oxycarbonyl]styrene with styrene and methyl methacrylate: Synthesis, monomer reactivity ratios, thermal properties, and liquid crystalline behavior. Journal of Polymer Science Part A, 2005, 43, 2666-2674.	2.3	13
58	Copolymers of 2,5-bis[(4-methoxyphenyl) oxycarbonyl]styrene withn-butyl acrylate: Design, synthesis, and characterization. Journal of Polymer Science Part A, 2005, 43, 5935-5943.	2.3	8
59	Synthesis and ordered aggregation in water of a blue light-emitting PEO-PHP-PEO triblock oligomer. Science Bulletin, 2003, 48, 1525-1530.	1.7	3
60	Synthesis and characterization of novel rod-coil diblock copolymers of poly(methyl methacrylate) and liquid crystalline segments of poly(2,5-bis[(4-methoxyphenyl)oxycarbonyl] styrene). Polymer International, 2003, 52, 92-97.	3.1	18
61	Reverse atom transfer radical polymerization of methyl methacrylate in room-temperature ionic liquids. Journal of Polymer Science Part A, 2003, 41, 143-151.	2.3	91
62	Synthesis and characterization of mesogen-jacketed liquid-crystal polymers based on 2,5-bis(4′-alkoxyphenyl)styrene. Journal of Polymer Science Part A, 2003, 41, 1454-1464.	2.3	47
63	Self-Assembled Nanostructures of Rodâ^'Coil Diblock Copolymers with Different Rod Lengths. Macromolecules, 2003, 36, 6565-6569.	4.8	49
64	Mesogen-jacketed liquid crystalline polymer with flexible dicyclopentyl terephthalate as side group. Macromolecular Rapid Communications, 1999, 20, 549-551.	3.9	19