## Tamie Takenami

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3819539/publications.pdf

Version: 2024-02-01

1163117 1199594 12 202 8 12 citations h-index g-index papers 14 14 14 128 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Intrathecally administered ropivacaine is less neurotoxic than procaine, bupivacaine, and levobupivacaine in a rat spinal model. Canadian Journal of Anaesthesia, 2012, 59, 456-465.	1.6	49
2	Neurotoxicity of Intrathecally Administered Bupivacaine Involves the Posterior Roots/Posterior White Matter and Is Milder Than Lidocaine in Rats. Regional Anesthesia and Pain Medicine, 2005, 30, 464-472.	2.3	33
3	Neurotoxicity of Intrathecally Administered Bupivacaine Involves the Posterior Roots/Posterior White Matter and Is Milder Than Lidocaine in Rats. Regional Anesthesia and Pain Medicine, 2005, 30, 464-472.	2.3	30
4	Spinal Procaine Is Less Neurotoxic Than Mepivacaine, Prilocaine and Bupivacaine in Rats. Regional Anesthesia and Pain Medicine, 2009, 34, 189-195.	2.3	18
5	Neurotoxicity of Intrathecally Administered Tetracaine Commences at the Posterior Roots Near Entry Into the Spinal Cord. Regional Anesthesia and Pain Medicine, 2000, 25, 372-379.	2.3	17
6	Intrathecal mepivacaine and prilocaine are less neurotoxic than lidocaine in a rat intrathecal model. Regional Anesthesia and Pain Medicine, 2004, 29, 446-453.	2.3	16
7	Neurotoxicity of Intrathecally Administered Fentanyl in a Rat Spinal Model. Pain Medicine, 2011, 12, 717-725.	1.9	11
8	Effects of Sodium Bisulfite With or Without Procaine Derivatives on Axons of Cultured Mouse Dorsal Root Ganglion Neurons. Regional Anesthesia and Pain Medicine, 2015, 40, 62-67.	2.3	11
9	Intrathecal mepivacaine and prilocaine are less neurotoxic than lidocaine in a rat intrathecal model. Regional Anesthesia and Pain Medicine, 2004, 29, 446-453.	2.3	7
10	Adie syndrome associated with general anesthesia. Canadian Journal of Anaesthesia, 2008, 55, 130-131.	1.6	6
11	Awake fiberoptic intubation with an epidural catheter in a morbidly obese patient. Journal of Anesthesia, 2020, 34, 468-471.	1.7	3
12	Steroid-induced rapid recovery from respiratory dysfunction in a patient with myasthenia gravis after spinal anesthesia. Journal of Anesthesia, 2021, 35, 142-144.	1.7	1