Xiao Wang

List of Publications by Citations

Source: https://exaly.com/author-pdf/3819562/xiao-wang-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 2,838 30 51 h-index g-index citations papers 11.5 92 5.17 3,541 L-index ext. citations avg, IF ext. papers

#	Paper	IF	Citations
86	Vapor Growth and Tunable Lasing of Band Gap Engineered Cesium Lead Halide Perovskite Micro/Nanorods with Triangular Cross Section. <i>ACS Nano</i> , 2017 , 11, 1189-1195	16.7	199
85	Directional Growth of Ultralong CsPbBr Perovskite Nanowires for High-Performance Photodetectors. <i>Journal of the American Chemical Society</i> , 2017 , 139, 15592-15595	16.4	195
84	High-Quality In-Plane Aligned CsPbX Perovskite Nanowire Lasers with Composition-Dependent Strong Exciton-Photon Coupling. <i>ACS Nano</i> , 2018 , 12, 6170-6178	16.7	147
83	Perovskite-Erbium Silicate Nanosheet Hybrid Waveguide Photodetectors at the Near-Infrared Telecommunication Band. <i>Advanced Materials</i> , 2017 , 29, 1604431	24	99
82	High-Performance Flexible Photodetectors based on High-Quality Perovskite Thin Films by a Vapor-Solution Method. <i>Advanced Materials</i> , 2017 , 29, 1703256	24	96
81	Direct Vapor Growth of Perovskite CsPbBr Nanoplate Electroluminescence Devices. <i>ACS Nano</i> , 2017 , 11, 9869-9876	16.7	96
80	Cesium lead halide perovskite triangular nanorods as high-gain medium and effective cavities for multiphoton-pumped lasing. <i>Nano Research</i> , 2017 , 10, 3385-3395	10	89
79	Self-Powered Broad-band Photodetectors Based on Vertically Stacked WSe/BiTe Heterojunctions. <i>ACS Nano</i> , 2019 , 13, 13573-13580	16.7	89
78	High-Resolution Spectroscopic Mapping of the Chemical Contrast from Nanometer Domains in P3HT:PCBM Organic Blend Films for Solar-Cell Applications. <i>Advanced Functional Materials</i> , 2010 , 20, 492-499	15.6	89
77	Properties of Excitons and Photogenerated Charge Carriers in Metal Halide Perovskites. <i>Advanced Materials</i> , 2019 , 31, e1806671	24	85
76	Band Alignment Engineering in Two-Dimensional Lateral Heterostructures. <i>Journal of the American Chemical Society</i> , 2018 , 140, 11193-11197	16.4	85
75	Broken Symmetry Induced Strong Nonlinear Optical Effects in Spiral WS Nanosheets. <i>ACS Nano</i> , 2017 , 11, 4892-4898	16.7	79
74	Van der Waals epitaxial growth of vertically stacked Sb2Te3/MoS2 pB heterojunctions for high performance optoelectronics. <i>Nano Energy</i> , 2019 , 59, 66-74	17.1	75
73	Composition modulation in one-dimensional and two-dimensional chalcogenide semiconductor nanostructures. <i>Chemical Society Reviews</i> , 2018 , 47, 7504-7521	58.5	72
72	Parabolic mirror-assisted tip-enhanced spectroscopic imaging for non-transparent materials. Journal of Raman Spectroscopy, 2009 , 40, 1371-1376	2.3	70
71	Strain-Tuning Atomic Substitution in Two-Dimensional Atomic Crystals. ACS Nano, 2018, 12, 4853-4860	16.7	64
70	Color-changeable optical transport through Se-doped CdS 1D nanostructures. <i>Nano Letters</i> , 2007 , 7, 2970-5	11.5	63

69	Controllable Growth and Formation Mechanisms of Dislocated WS Spirals. Nano Letters, 2018, 18, 3885	-3893	62
68	Controlled Vapor Growth and Nonlinear Optical Applications of Large-Area 3R Phase WS2 and WSe2 Atomic Layers. <i>Advanced Functional Materials</i> , 2019 , 29, 1806874	15.6	59
67	Direct Vapor Growth of 2D Vertical Heterostructures with Tunable Band Alignments and Interfacial Charge Transfer Behaviors. <i>Advanced Science</i> , 2019 , 6, 1802204	13.6	57
66	Rational Kinetics Control toward Universal Growth of 2D Vertically Stacked Heterostructures. <i>Advanced Materials</i> , 2019 , 31, e1901351	24	53
65	Light Emission Properties of 2D Transition Metal Dichalcogenides: Fundamentals and Applications. <i>Advanced Optical Materials</i> , 2018 , 6, 1800420	8.1	53
64	Ultrahigh-Performance Optoelectronics Demonstrated in Ultrathin Perovskite-Based Vertical Semiconductor Heterostructures. <i>ACS Nano</i> , 2019 , 13, 7996-8003	16.7	45
63	Diverse Atomically Sharp Interfaces and Linear Dichroism of 1TRReS2-ReSe2 Lateral pli Heterojunctions. <i>Advanced Functional Materials</i> , 2018 , 28, 1804696	15.6	35
62	Wavelength-Tunable Mid-Infrared Lasing from Black Phosphorus Nanosheets. <i>Advanced Materials</i> , 2020 , 32, e1808319	24	34
61	Spatially composition-modulated two-dimensional WSSe nanosheets. <i>Nanoscale</i> , 2017 , 9, 4707-4712	7.7	32
60	Simultaneous spectroscopic and topographic near-field imaging of TiO2 single surface states and interfacial electronic coupling. <i>Nano Letters</i> , 2011 , 11, 1490-4	11.5	31
59	Nonlinear photoluminescence in monolayer WS: parabolic emission and excitation fluence-dependent recombination dynamics. <i>Nanoscale</i> , 2017 , 9, 7235-7241	7.7	30
58	High-responsivity two-dimensional p-PbI2/n-WS2 vertical heterostructure photodetectors enhanced by photogating effect. <i>Materials Horizons</i> , 2019 , 6, 1474-1480	14.4	30
57	Controlled Synthesis and Photonics Applications of Metal Halide Perovskite Nanowires. <i>Small Methods</i> , 2019 , 3, 1800294	12.8	30
56	Room-temperature high-performance CsPbBr perovskite tetrahedral microlasers. <i>Nanoscale</i> , 2019 , 11, 2393-2400	7.7	29
55	Nonvolatile MoTe p-n Diodes for Optoelectronic Logics. <i>ACS Nano</i> , 2019 , 13, 7216-7222	16.7	29
54	Enhancement of Radiative Plasmon Decay by Hot Electron Tunneling. ACS Nano, 2015, 9, 8176-83	16.7	29
53	Visualizing Carrier Transport in Metal Halide Perovskite Nanoplates via Electric Field Modulated Photoluminescence Imaging. <i>Nano Letters</i> , 2018 , 18, 3024-3031	11.5	29
52	WO-WS Vertical Bilayer Heterostructures with High Photoluminescence Quantum Yield. <i>Journal of the American Chemical Society</i> , 2019 , 141, 11754-11758	16.4	29

51	Morphology Related Photodegradation of Low-Band-Gap Polymer Blends. <i>Advanced Energy Materials</i> , 2014 , 4, 1400497	21.8	24
50	Probing and Manipulating Carrier Interlayer Diffusion in van der Waals Multilayer by Constructing Type-I Heterostructure. <i>Nano Letters</i> , 2019 , 19, 7217-7225	11.5	23
49	Epitaxial synthesis of ultrathin EnSe/MoS heterostructures with high visible/near-infrared photoresponse. <i>Nanoscale</i> , 2020 , 12, 6480-6488	7.7	21
48	Room temperature near unity spin polarization in 2D Van der Waals heterostructures. <i>Nature Communications</i> , 2020 , 11, 4442	17.4	20
47	Vapor growth of WSe2/WS2 heterostructures with stacking dependent optical properties. <i>Nano Research</i> , 2019 , 12, 3123-3128	10	19
46	Polarization-dependent SERS at differently oriented single gold nanorods. <i>ChemPhysChem</i> , 2012 , 13, 952-8	3.2	19
45	Topography-Correlated Confocal Raman Microscopy with Cylindrical Vector Beams for Probing Nanoscale Structural Order. <i>Journal of Physical Chemistry Letters</i> , 2014 , 5, 1048-54	6.4	18
44	Near-Unity Polarization of Valley-Dependent Second-Harmonic Generation in Stacked TMDC Layers and Heterostructures at Room Temperature. <i>Advanced Materials</i> , 2020 , 32, e1908061	24	17
43	An Electrically Controlled Wavelength-Tunable Nanoribbon Laser. ACS Nano, 2020, 14, 3397-3404	16.7	17
42	Dual-channel type tunable field-effect transistors based on vertical bilayer WS2(1 lk)Se2x/SnS2 heterostructures. <i>Informal</i> DMaterilly, 2020 , 2, 752-760	23.1	17
41	Large-Scale Growth of Ultrathin Low-Dimensional Perovskite Nanosheets for High-Detectivity Photodetectors. <i>ACS Applied Materials & Discrete Scale</i> , 12, 2884-2891	9.5	16
40	Wavelength Selective Photodetectors Integrated on a Single Composition-Graded Semiconductor Nanowire. <i>Advanced Optical Materials</i> , 2018 , 6, 1800293	8.1	15
39	Strong Second- and Third-Harmonic Generation in 1D Chiral Hybrid Bismuth Halides. <i>Journal of the American Chemical Society</i> , 2021 , 143, 16095-16104	16.4	15
38	Organozinc Precursor-Derived Crystalline ZnO Nanoparticles: Synthesis, Characterization and Their Spectroscopic Properties. <i>Nanomaterials</i> , 2018 , 8,	5.4	14
37	Power- and polarization dependence of two photon luminescence of single CdSe nanowires with tightly focused cylindrical vector beams of ultrashort laser pulses. <i>Laser and Photonics Reviews</i> , 2016 , 10, 835-842	8.3	14
36	Phonon-Assisted Electro-Optical Switches and Logic Gates Based on Semiconductor Nanostructures. <i>Advanced Materials</i> , 2019 , 31, e1901263	24	13
35	Revealing Excitonic and Electron-Hole Plasma States in Stimulated Emission of Single CsPbBr3 Nanowires at Room Temperature. <i>Physical Review Applied</i> , 2020 , 13,	4.3	13
34	Superluminescence from an optically pumped molecular tunneling junction by injection of plasmon induced hot electrons. <i>Beilstein Journal of Nanotechnology</i> , 2015 , 6, 1100-6	3	12

33	Probing the nanoscale phase separation and photophysics properties of low-bandgap polymer:fullerene blend film by near-field spectroscopic mapping. <i>Small</i> , 2011 , 7, 2793-800	11	12
32	Tin Nanoparticles E nhanced Optical Transportation in Branched CdS Nanowire Waveguides. <i>Advanced Optical Materials</i> , 2018 , 6, 1800305	8.1	12
31	Trion-Induced Distinct Transient Behavior and Stokes Shift in WS Monolayers. <i>Journal of Physical Chemistry Letters</i> , 2019 , 10, 3763-3772	6.4	11
30	Plasmonic Modulation of Valleytronic Emission in Two-Dimensional Transition Metal Dichalcogenides. <i>Advanced Functional Materials</i> , 2021 , 31, 2010234	15.6	10
29	Double-Spiral Hexagonal Boron Nitride and Shear Strained Coalescence Boundary. <i>Nano Letters</i> , 2019 , 19, 4229-4236	11.5	9
28	Second-harmonic generation in single CdSe nanowires by focused cylindrical vector beams. <i>Optics Letters</i> , 2017 , 42, 2623-2626	3	8
27	Twist Angle-Dependent Optical Responses in Controllably Grown WS2 Vertical Homojunctions. <i>Chemistry of Materials</i> , 2020 , 32, 9721-9729	9.6	8
26	Revealing nanoscale optical properties and morphology in perfluoropentacene films by confocal and tip-enhanced near-field optical microscopy and spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 15919-26	3.6	8
25	Active optical antennas driven by inelastic electron tunneling. <i>Nanophotonics</i> , 2018 , 7, 1503-1516	6.3	8
24	Contact and injection engineering for low SS reconfigurable FETs and high gain complementary inverters. <i>Science Bulletin</i> , 2020 , 65, 2007-2013	10.6	6
23	Light-Controlled Near-Field Energy Transfer in Plasmonic Metasurface Coupled MoS Monolayer. <i>Small</i> , 2020 , 16, e2003539	11	6
22	Polar-Induced Selective Epitaxial Growth of Multijunction Nanoribbons for High-Performance Optoelectronics. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 15813-15820	9.5	5
21	Magnetic Doping Induced Strong Circularly Polarized Light Emission and Detection in 2D Layered Halide Perovskite. <i>Advanced Optical Materials</i> ,2200183	8.1	5
20	Continuous-wave lasing in halide perovskites. <i>Science China Materials</i> , 2018 , 61, 1243-1244	7.1	4
19	Efficient modulation of MoS2/WSe2 interlayer excitons via uniaxial strain. <i>Applied Physics Letters</i> , 2022 , 120, 053107	3.4	4
18	Second harmonic generation of two-dimensional layered materials: characterization, signal modulation and enhancement. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2020 , 69, 184210	0.6	4
17	Solution-Processed CsPbBr Quantum Dots/Organic Semiconductor Planar Heterojunctions for High-Performance Photodetectors <i>Advanced Science</i> , 2022 , e2105856	13.6	4
16	Two-photon luminescence contrast by tip-sample coupling in femtosecond near-field optical microscopy. <i>Applied Physics B: Lasers and Optics</i> , 2017 , 123, 1	1.9	2

15	Comparison of the optical waveguide behaviors of Se-doped and undoped CdS nanoribbons by using near-field optical microscopy. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 978-81	1.3	2
14	Room temperature exciton-polaritons in high-quality 2D Ruddlesden B opper perovskites (BA)2(MA)n-1PbnI3n+1 (n = 3, 4). <i>Applied Physics Letters</i> , 2020 , 117, 221107	3.4	2
13	An Efficient Deep-Subwavelength Second Harmonic Nanoantenna Based on Surface Plasmon-Coupled Dilute Nitride GaNP Nanowires. <i>Nano Letters</i> , 2021 , 21, 3426-3434	11.5	2
12	Probing Bias-Induced Electron Density Shifts in Metal-Molecule Interfaces via Tip-Enhanced Raman Scattering. <i>Journal of the American Chemical Society</i> , 2021 , 143, 1816-1821	16.4	2
11	Erbium chloride silicate-based vertical cavity surface-emitting laser at the near-infrared communication band <i>Optics Letters</i> , 2022 , 47, 1610-1613	3	2
10	Doping of Sn-based two-dimensional perovskite semiconductor for high-performance field-effect transistors and thermoelectric devices <i>IScience</i> , 2022 , 25, 104109	6.1	2
9	Enhancing circular polarization of photoluminescence of two-dimensional Ruddlesden P opper perovskites by constructing van der Waals heterostructures. <i>Applied Physics Letters</i> , 2021 , 119, 151101	3.4	1
8	Triphenylamine B olystyrene Blends for Perovskite Solar Cells with Simultaneous Energy Loss Suppression and Stability Improvement. <i>Solar Rrl</i> , 2020 , 4, 2000490	7.1	1
7	Controlled vapor growth of 2D magnetic Cr2Se3 and its magnetic proximity effect in heterostructures*. <i>Chinese Physics B</i> , 2021 , 30, 097601	1.2	1
6	Atom-by-atom chemical identification from scanning transmission electron microscopy images in presence of noise and residual aberrations. <i>Ultramicroscopy</i> , 2021 , 227, 113292	3.1	0
5	Polarized photoluminescence spectroscopy in WS2, WSe2 atomic layers and heterostructures by cylindrical vector beams*. <i>Chinese Physics B</i> , 2021 , 30, 087802	1.2	О
4	Hot-electron-induced light amplification. <i>Journal of Photonics for Energy</i> , 2016 , 6, 042506	1.2	
3	Optical waveguide behavior of Se-doped and undoped CdS one-dimensional nanostructures using near-field optical microscopy 2009 , 52, 26-30		
2	Spatial mapping on surface light extraction from 2D photonic quasicrystals patterned GaN-based light emitters. <i>Physica Status Solidi C: Current Topics in Solid State Physics</i> , 2007 , 4, 100-103		
1	Manipulating Picosecond Photoresponse in van der Waals Heterostructure Photodetectors. Advanced Functional Materials, 2200973	15.6	