

# Qi-Hao Guo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/38201/publications.pdf>

Version: 2024-02-01

124  
papers

3,437  
citations

201385

27  
h-index

189595

50  
g-index

148  
all docs

148  
docs citations

148  
times ranked

4087  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Value of Clock Drawing Process Assessment in Screening for Mild Cognitive Impairment and Alzheimer's Dementia. <i>Assessment</i> , 2023, 30, 364-374.	1.9	5
2	Validation of the Chinese version of Addenbrooke's cognitive examination III for detecting mild cognitive impairment. <i>Aging and Mental Health</i> , 2022, 26, 384-391.	1.5	17
3	Validation of a modified Chinese version of Mini-Addenbrooke's Cognitive Examination for detecting mild cognitive impairment. <i>Brain and Behavior</i> , 2022, 12, e32418.	1.0	5
4	Aquaporin-4 and Cognitive Disorders. , 2022, 13, 61.		21
5	The stress hyperglycemia ratio predicts early hematoma expansion and poor outcomes in patients with spontaneous intracerebral hemorrhage. <i>Therapeutic Advances in Neurological Disorders</i> , 2022, 15, 175628642110706.	1.5	16
6	Correlation Between Urine Formaldehyde and Cognitive Abilities in the Clinical Spectrum of Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 820385.	1.7	8
7	Differential associations of visual memory with hippocampal subfields in subjective cognitive decline and amnesic mild cognitive impairment. <i>BMC Geriatrics</i> , 2022, 22, 153.	1.1	16
8	The Relationship Between Low-Density Lipoprotein Cholesterol and Progression of Mild Cognitive Impairment: The Influence of rs6859 in PVRL2. <i>Frontiers in Genetics</i> , 2022, 13, 823406.	1.1	4
9	Sarcopenia Index Based on Serum Creatinine and Cystatin C is Associated with Mortality, Nutritional Risk/Malnutrition and Sarcopenia in Older Patients. <i>Clinical Interventions in Aging</i> , 2022, Volume 17, 211-221.	1.3	14
10	Plasma A $\beta$ 2 as a biomarker for predicting A $\beta$ 2-PET status in Alzheimer's disease: a systematic review with meta-analysis. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2022, 93, 513-520.	0.9	10
11	Non-linear Character of Plasma Amyloid Beta Over the Course of Cognitive Decline in Alzheimer's Continuum. <i>Frontiers in Aging Neuroscience</i> , 2022, 14, 832700.	1.7	12
12	Resting-State Electroencephalography and P300 Evidence: Age-Related Vestibular Loss as a Risk Factor Contributes to Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2022, 86, 1107-1121.	1.2	6
13	Comparative study of two Chinese versions of Montreal Cognitive Assessment for Screening of Mild Cognitive Impairment. <i>Applied Neuropsychology Adult</i> , 2021, 28, 88-93.	0.7	14
14	Depression in patients with traumatic brain injury - Prevalence and association with cognitive and physical function. <i>Current Psychology</i> , 2021, 40, 3058-3064.	1.7	0
15	TOMM40 and APOE variants synergistically increase the risk of Alzheimer's disease in a Chinese population. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1667-1675.	1.4	8
16	Prediction of Alzheimer's disease using multi-variants from a Chinese genome-wide association study. <i>Brain</i> , 2021, 144, 924-937.	3.7	30
17	A 36-week multicenter, randomized, double-blind, placebo-controlled, parallel-group, phase 3 clinical trial of sodium oligomannate for mild-to-moderate Alzheimer's dementia. <i>Alzheimer's Research and Therapy</i> , 2021, 13, 62.	3.0	99
18	Changes in local brain function in mild cognitive impairment due to semantic dementia. <i>CNS Neuroscience and Therapeutics</i> , 2021, 27, 587-602.	1.9	0

#	ARTICLE	IF	CITATIONS
19	Validation of the Chinese Version of the Relevant Outcome Scale for Alzheimer's Disease (CROSA). <i>International Psychogeriatrics</i> , 2021, 33, 1193-1205.	0.6	1
20	Clinical characteristics of Lewy body dementia in Chinese memory clinics. <i>BMC Neurology</i> , 2021, 21, 144.	0.8	14
21	Performance of Mattis dementia rating scale-Chinese version in patients with mild cognitive impairment and Alzheimer's disease. <i>BMC Neurology</i> , 2021, 21, 172.	0.8	5
22	Comprehensive Management of Daily Living Activities, behavioral and Psychological Symptoms, and Cognitive Function in Patients with Alzheimer's Disease: A Chinese Consensus on the Comprehensive Management of Alzheimer's Disease. <i>Neuroscience Bulletin</i> , 2021, 37, 1025-1038.	1.5	16
23	Emotional Comparison Between Semantic Dementia and Alzheimer's Disease. <i>Frontiers in Psychiatry</i> , 2021, 12, 680332.	1.3	0
24	Changes of Regional Neural Activity Homogeneity in Preclinical Alzheimer's Disease: Compensation and Dysfunction. <i>Frontiers in Neuroscience</i> , 2021, 15, 646414.	1.4	16
25	Local Functional MR Change Pattern and Its Association With Cognitive Function in Objectively-Defined Subtle Cognitive Decline. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 684918.	1.7	19
26	A physician survey of poststroke aphasia diagnosis and treatment in China. <i>Medicine (United States)</i> , 2021, 100, e25833.	0.4	1
27	A disease-specific metabolic imaging marker for diagnosis and progression evaluation of semantic variant primary progressive aphasia. <i>European Journal of Neurology</i> , 2021, 28, 2927-2939.	1.7	5
28	Association between handgrip strength and cognition in a Chinese population with Alzheimer's disease and mild cognitive impairment. <i>BMC Geriatrics</i> , 2021, 21, 459.	1.1	15
29	A low follicle-stimulating hormone level is a protective factor for non-alcoholic fatty liver disease in older men aged over 80. <i>BMC Geriatrics</i> , 2021, 21, 544.	1.1	5
30	Validation of Chinese Version of SKT (Syndrom Kurztest): A Short Cognitive Performance Test for the Assessment of Memory and Attention. <i>Diagnostics</i> , 2021, 11, 2253.	1.3	2
31	Association Between Serum Follicle-Stimulating Hormone and Sarcopenia and Physical Disability Among Older Chinese Men: Evidence From a Cross-Sectional Study. <i>Frontiers in Medicine</i> , 2021, 8, 724649.	1.2	2
32	The genetic risk effects of APOE $\epsilon$ 4 and novel variants on Chinese familial and sporadic AD.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e053544.	0.4	0
33	Deep learning for polygenic score analysis for Alzheimer's disease risk prediction in the Chinese population.. <i>Alzheimer's and Dementia</i> , 2021, 17 Suppl 3, e056625.	0.4	0
34	Short-term delayed recall of auditory verbal learning test provides equivalent value to long-term delayed recall in predicting MCI clinical outcomes: A longitudinal follow-up study. <i>Applied Neuropsychology Adult</i> , 2020, 27, 73-81.	0.7	32
35	A novel homozygous mutation in TREM2 found in a Chinese early-onset dementia family with mild bone involvement. <i>Neurobiology of Aging</i> , 2020, 86, 201.e1-201.e7.	1.5	5
36	Development of a self-management support program for caregivers of relatives with dementia in Shanghai. <i>Geriatric Nursing</i> , 2020, 41, 98-104.	0.9	4

#	ARTICLE	IF	CITATIONS
37	Mortality of Alzheimer's Disease Patients: A 10-Year Follow-up Pilot Study in Shanghai. <i>Canadian Journal of Neurological Sciences</i> , 2020, 47, 226-230.	0.3	10
38	Medium-to-High Late-Life Physical Activity Is Associated with Lower Risk of Incident Dementia: The Shanghai Aging Study. <i>Journal of Alzheimer's Disease</i> , 2020, 73, 751-758.	1.2	9
39	Functional Connectivity Alterations of the Temporal Lobe and Hippocampus in Semantic Dementia and Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2020, 76, 1461-1475.	1.2	24
40	Differential Atrophy in the Hippocampal Subfield Volumes in Four Types of Mild Dementia. <i>Frontiers in Neuroscience</i> , 2020, 14, 699.	1.4	12
41	Brain amyloid accumulation and glucose hypometabolism in Chinese Alzheimer's disease population. <i>Alzheimer's and Dementia</i> , 2020, 16, e043567.	0.4	1
42	Association of brain amyloid accumulation and glucose hypometabolism with cognition domain of language. <i>Alzheimer's and Dementia</i> , 2020, 16, e043606.	0.4	0
43	Association of brain amyloid accumulation and glucose hypometabolism with memory loss. <i>Alzheimer's and Dementia</i> , 2020, 16, e043715.	0.4	0
44	Quantification of amyloid accumulation and glucose metabolism in Chinese Alzheimer's disease population. <i>Alzheimer's and Dementia</i> , 2020, 16, e043842.	0.4	0
45	White matter networks dissociate semantic control from semantic knowledge representations: Evidence from voxel-based lesion-symptom mapping. <i>Cognitive Neuropsychology</i> , 2020, 37, 450-465.	0.4	4
46	A comparative study on the validations of three cognitive screening tests in identifying subtle cognitive decline. <i>BMC Neurology</i> , 2020, 20, 78.	0.8	14
47	White matter basis for the hub-and-spoke semantic representation: evidence from semantic dementia. <i>Brain</i> , 2020, 143, 1206-1219.	3.7	22
48	A unified neurocognitive model of semantics language social behaviour and face recognition in semantic dementia. <i>Nature Communications</i> , 2020, 11, 2595.	5.8	39
49	Brain hemodynamic changes in amnesic mild cognitive impairment measured by pulsed arterial spin labeling. <i>Aging</i> , 2020, 12, 4348-4356.	1.4	5
50	A Conceptual Framework for Research on Cognitive Impairment with no Dementia in Memory Clinic. <i>Current Alzheimer Research</i> , 2020, 17, 517-525.	0.7	10
51	Joint Effect of ABCA7 rs4147929 and Body Mass Index on Progression from Mild Cognitive Impairment to Alzheimer's Disease: The Shanghai Aging Study. <i>Current Alzheimer Research</i> , 2020, 17, 185-195.	0.7	2
52	Smaller Head Circumference Combined with Lower Education Predicts High Risk of Incident Dementia: The Shanghai Aging Study. <i>Neuroepidemiology</i> , 2019, 53, 152-161.	1.1	4
53	Non-coding variability at the APOE locus contributes to the Alzheimer's risk. <i>Nature Communications</i> , 2019, 10, 3310.	5.8	91
54	Reliability and Validity of the Chinese Version of the Mild Behavioral Impairment Checklist for Screening for Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2019, 70, 747-756.	1.2	26

#	ARTICLE	IF	CITATIONS
55	Elevated Fasting Blood Glucose Level Increases the Risk of Cognitive Decline Among Older Adults with Diabetes Mellitus: The Shanghai Aging Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 1255-1265.	1.2	6
56	Mutation profile of APP, PSEN1, and PSEN2 in Chinese familial Alzheimer's disease. <i>Neurobiology of Aging</i> , 2019, 77, 154-157.	1.5	27
57	Neural substrates of amodal and modality-specific semantic processing within the temporal lobe: A lesion-behavior mapping study of semantic dementia. <i>Cortex</i> , 2019, 120, 78-91.	1.1	6
58	An abbreviated version of Silhouettes test: a brief validated mild cognitive impairment screening tool. <i>International Psychogeriatrics</i> , 2019, 31, 849-856.	0.6	9
59	The Number of Items on Each Stroop Test Card Is Unrelated to Its Sensitivity. <i>Neuropsychobiology</i> , 2019, 77, 38-44.	0.9	10
60	Distinct neural correlates of episodic memory among apolipoprotein E alleles in cognitively normal elderly. <i>Brain Imaging and Behavior</i> , 2019, 13, 255-269.	1.1	5
61	Mental Work Demands and Late-Life Cognitive Impairment: Results From the Shanghai Aging Study. <i>Journal of Aging and Health</i> , 2019, 31, 883-898.	0.9	12
62	One-year Outcome of Shanghai Mild Cognitive Impairment Cohort Study. <i>Current Alzheimer Research</i> , 2019, 16, 156-165.	0.7	13
63	Neuropsychological features in post-stroke cognitive impairment with no dementia patients with different Traditional Chinese Medicine syndromes. <i>Journal of Traditional Chinese Medicine</i> , 2019, 39, 97-102.	0.1	2
64	Comparing the neuropsychological profiles of mild dementia with Lewy bodies and mild Alzheimer's disease. <i>Psychogeriatrics</i> , 2018, 18, 64-71.	0.6	5
65	Identification of genetic risk factors in the Chinese population implicates a role of immune system in Alzheimer's disease pathogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 1697-1706.	3.3	71
66	Mutation Screening of the CHCHD2 Gene for Alzheimer's Disease and Frontotemporal Dementia in Chinese Mainland Population. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1283-1288.	1.2	15
67	White Matter Hyperintensity Predicts the Risk of Incident Cognitive Decline in Community Dwelling Elderly. <i>Journal of Alzheimer's Disease</i> , 2018, 61, 1333-1341.	1.2	17
68	The cost of Alzheimer's disease in China and reestimation of costs worldwide. <i>Alzheimer's and Dementia</i> , 2018, 14, 483-491.	0.4	404
69	Memory Deficits After Aneurysmal Subarachnoid Hemorrhage: A Functional Magnetic Resonance Imaging Study. <i>World Neurosurgery</i> , 2018, 111, e500-e506.	0.7	16
70	P1355: SMALL HEAD CIRCUMFERENCE IS ASSOCIATED WITH RISK OF INCIDENT DEMENTIA IN OLDER MEN: THE SHANGHAI AGING STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P430.	0.4	0
71	P3104: IDENTIFICATION OF GENETIC RISK FACTORS FOR ALZHEIMER'S DISEASE IN THE CHINESE POPULATION. <i>Alzheimer's and Dementia</i> , 2018, 14, P1106.	0.4	0
72	P2604: HIGH BLOOD PRESSURE IS RELATED TO COGNITIVE DECLINE AMONG CHINESE-DWELLING ELDERLY: THE SHANGHAI AGING STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P970.	0.4	0

#	ARTICLE	IF	CITATIONS
73	Comparative safety and effectiveness of cholinesterase inhibitors and memantine for Alzheimer's disease: a network meta-analysis of 41 randomized controlled trials. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 126.	3.0	97
74	Hypertension and High Blood Pressure Are Associated With Dementia Among Chinese Dwelling Elderly: The Shanghai Aging Study. <i>Frontiers in Neurology</i> , 2018, 9, 664.	1.1	14
75	Apolipoprotein E $\epsilon$ 4 Specifically Modulates the Hippocampus Functional Connectivity Network in Patients With Amnesic Mild Cognitive Impairment. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 289.	1.7	16
76	High Low-Density Lipoprotein Cholesterol Inversely Relates to Dementia in Community-Dwelling Older Adults: The Shanghai Aging Study. <i>Frontiers in Neurology</i> , 2018, 9, 952.	1.1	23
77	Chinese version of Montreal Cognitive Assessment Basic for discrimination among different severities of Alzheimer's disease. <i>Neuropsychiatric Disease and Treatment</i> , 2018, Volume 14, 2133-2140.	1.0	59
78	Lack of association between triggering receptor expressed on myeloid cells 2 polymorphism rs75932628 and late-onset Alzheimer's disease in a Chinese Han population. <i>Psychiatric Genetics</i> , 2018, 28, 16-18.	0.6	14
79	Glucose Metabolic Brain Network Differences between Chinese Patients with Lewy Body Dementia and Healthy Control. <i>Behavioural Neurology</i> , 2018, 2018, 1-12.	1.1	15
80	The neuropsychological profiles and semantic-critical regions of right semantic dementia. <i>NeuroImage: Clinical</i> , 2018, 19, 767-774.	1.4	11
81	Cognitive characteristics in Chinese non-demented PD patients based on gender difference. <i>Translational Neurodegeneration</i> , 2018, 7, 16.	3.6	14
82	Reorganization of cerebro-cerebellar circuit in patients with left hemispheric gliomas involving language network: A combined structural and resting-state functional MRI study. <i>Human Brain Mapping</i> , 2018, 39, 4802-4819.	1.9	51
83	Determining association of rho kinase 1 gene polymorphisms with risk of Alzheimer's disease: a multicenter pilot study. <i>Annals of Translational Medicine</i> , 2018, 6, 434-434.	0.7	2
84	Aberrant regional homogeneity of resting-state executive control, default mode, and salience networks in adult patients with moyamoya disease. <i>Brain Imaging and Behavior</i> , 2017, 11, 176-184.	1.1	18
85	Cortical Thickness and Microstructural White Matter Changes Detect Amnesic Mild Cognitive Impairment. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 415-428.	1.2	21
86	Consensus-based recommendations for the management of rapid cognitive decline due to Alzheimer's disease. <i>Alzheimer's and Dementia</i> , 2017, 13, 592-597.	0.4	17
87	APOE Genotype Effects on Intrinsic Brain Network Connectivity in Patients with Amnesic Mild Cognitive Impairment. <i>Scientific Reports</i> , 2017, 7, 397.	1.6	23
88	Prevalence, Risk Factors, and Complaints Screening Tool Exploration of Subjective Cognitive Decline in a Large Cohort of the Chinese Population. <i>Journal of Alzheimer's Disease</i> , 2017, 60, 371-388.	1.2	62
89	Caregivers' attitude toward disclosure of Alzheimer's disease diagnosis in Urban China. <i>International Psychogeriatrics</i> , 2017, 29, 1849-1855.	0.6	17
90	Topological Alterations and Symptom-Relevant Modules in the Whole-Brain Structural Network in Semantic Dementia. <i>Journal of Alzheimer's Disease</i> , 2017, 59, 1283-1297.	1.2	3

#	ARTICLE	IF	CITATIONS
91	Brain Network for the Core Deficits of Semantic Dementia: A Neural Network Connectivity-Behavior Mapping Study. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 267.	1.0	11
92	Genetic Features of MAPT, GRN, C9orf72 and CHCHD10 Gene Mutations in Chinese Patients with Frontotemporal Dementia. <i>Current Alzheimer Research</i> , 2017, 14, 1102-1108.	0.7	26
93	Î2-Amyloid Upregulates Intracellular Clusterin but not Secretory Clusterin in Primary Cultured Neurons and APP Mice. <i>Current Alzheimer Research</i> , 2017, 14, 1207-1214.	0.7	5
94	The Left Fusiform Gyrus is a Critical Region Contributing to the Core Behavioral Profile of Semantic Dementia. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 215.	1.0	34
95	Representing object categories by connections: Evidence from a multivariate connectivity pattern classification approach. <i>Human Brain Mapping</i> , 2016, 37, 3685-3697.	1.9	25
96	Association between olfactory identification and cognitive function in community-dwelling elderly: the Shanghai aging study. <i>BMC Neurology</i> , 2016, 16, 199.	0.8	24
97	Anxiety and depression symptoms among caregivers of care-recipients with subjective cognitive decline and cognitive impairment. <i>BMC Neurology</i> , 2016, 16, 191.	0.8	31
98	Validation of the Chinese Version of Montreal Cognitive Assessment Basic for Screening Mild Cognitive Impairment. <i>Journal of the American Geriatrics Society</i> , 2016, 64, e285-e290.	1.3	211
99	Is thyroid status associated with cognitive impairment in elderly patients in China?. <i>BMC Endocrine Disorders</i> , 2016, 16, 11.	0.9	17
100	Regional Gray Matter Atrophy in Vascular Mild Cognitive Impairment. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2016, 25, 95-101.	0.7	24
101	Progression and predictors of mild cognitive impairment in Chinese elderly: A prospective follow-up in the Shanghai Aging Study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2016, 4, 28-36.	1.2	44
102	Opposite Neural Trajectories of Apolipoprotein E Î4 and Î2 Alleles with Aging Associated with Different Risks of Alzheimer's Disease. <i>Cerebral Cortex</i> , 2016, 26, 1421-1429.	1.6	61
103	Direct evidence from intraoperative electrocortical stimulation indicates shared and distinct speech production center between Chinese and English languages. <i>Human Brain Mapping</i> , 2015, 36, 4972-4985.	1.9	36
104	Diabetes is Associated with Worse Executive Function in Both Eastern and Western Populations: Shanghai Aging Study and Mayo Clinic Study of Aging. <i>Journal of Alzheimer's Disease</i> , 2015, 47, 167-176.	1.2	23
105	The Brain Connectivity Basis of Semantic Dementia: A Selective Review. <i>CNS Neuroscience and Therapeutics</i> , 2015, 21, 784-792.	1.9	13
106	Associations between apolipoprotein E gene polymorphisms and Alzheimer's disease risk in a large Chinese Han population. <i>Clinical Interventions in Aging</i> , 2015, 10, 371.	1.3	9
107	Association between Tooth Loss and Cognitive Function among 3063 Chinese Older Adults: A Community-Based Study. <i>PLoS ONE</i> , 2015, 10, e0120986.	1.1	64
108	Comparison of vascular cognitive impairment - no dementia by multiple classification methods. <i>International Journal of Neuroscience</i> , 2015, 125, 823-830.	0.8	35

#	ARTICLE	IF	CITATIONS
109	Prevalence of mild cognitive impairment in an urban community in China: A cross-sectional analysis of the Shanghai Aging Study. <i>Alzheimer's and Dementia</i> , 2015, 11, 300.	0.4	153
110	Auditory Verbal Learning Test is Superior to Rey-Osterrieth Complex Figure Memory for Predicting Mild Cognitive Impairment to Alzheimer's Disease. <i>Current Alzheimer Research</i> , 2015, 12, 520-526.	0.7	84
111	Cognitive Decline in Patients with Alzheimer's Disease and Its Related Factors in a Memory Clinic Setting, Shanghai, China. <i>PLoS ONE</i> , 2014, 9, e95755.	1.1	28
112	Self-efficacy moderation and mediation roles on BPSD and social support influences on subjective caregiver burden in Chinese spouse caregivers of dementia patients. <i>International Psychogeriatrics</i> , 2014, 26, 1465-1473.	0.6	32
113	Self-Efficacy Partially Mediates between Social Support and Health-Related Quality of Life in Family Caregivers for Dementia Patients in Shanghai. <i>Dementia and Geriatric Cognitive Disorders</i> , 2014, 37, 34-44.	0.7	33
114	Spontaneous brain activity in adult patients with moyamoya disease: a resting-state fMRI study. <i>Brain Research</i> , 2014, 1546, 27-33.	1.1	31
115	P4-323: VALIDATION OF THE CHINESE VERSION OF RELEVANT OUTCOME SCALE FOR ALZHEIMER'S DISEASE (ROSA)., 2014, 10, P904-P904.		0
116	Longitudinal Changes in Clock Drawing Test (CDT) Performance before and after Cognitive Decline. <i>PLoS ONE</i> , 2014, 9, e97873.	1.1	22
117	Clustering and switching during a semantic verbal fluency test contribute to differential diagnosis of cognitive impairment. <i>Neuroscience Bulletin</i> , 2013, 29, 75-82.	1.5	104
118	Preliminary reliability and validity testing of a Self-Efficacy Questionnaire for Chinese Family Caregivers. <i>Aging and Mental Health</i> , 2013, 17, 630-637.	1.5	11
119	An Open-Label, Nonplacebo-Controlled Study on <i>Cistanche tubulosa</i> Glycoside Capsules (Memoregain <sup>®</sup> ) for Treating Moderate Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2013, 28, 363-370.	0.9	40
120	The Shape Trail Test: Application of a New Variant of the Trail Making Test. <i>PLoS ONE</i> , 2013, 8, e57333.	1.1	141
121	Partial Mediation Role of Self-Efficacy between Positive Social Interaction and Mental Health in Family Caregivers for Dementia Patients in Shanghai. <i>PLoS ONE</i> , 2013, 8, e83326.	1.1	11
122	Memory and Executive Screening (MES): a brief cognitive test for detecting mild cognitive impairment. <i>BMC Neurology</i> , 2012, 12, 119.	0.8	50
123	Application study of quick cognitive screening test in identifying mild cognitive impairment. <i>Neuroscience Bulletin</i> , 2010, 26, 47-54.	1.5	35
124	A Comparison Study of Mild Cognitive Impairment With 3 Memory Tests Among Chinese Individuals. <i>Alzheimer Disease and Associated Disorders</i> , 2009, 23, 253-259.	0.6	161