## Andrzej Hutorowicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3820616/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Palaeolimnology of Lake Zeribar, Iran, and its Climatic Implications. Quaternary Research, 2006, 66, 477-493.	1.7	58
2	Integrated assessment of ecological status and misclassification of lakes: The role of uncertainty and index combination rules. Ecological Indicators, 2015, 48, 605-615.	6.3	31
3	Phytoplankton Metric of Ecological Status Assessment for Polish Lakes and Its Performance along Nutrient Gradients. Polish Journal of Ecology, 2014, 62, 525-542.	0.2	26
4	Long-term changes in macrophyte vegetation after reduction of fish stock in a shallow lake. Aquatic Botany, 2008, 88, 265-272.	1.6	19
5	Changes in the quantitative relations of the phytoplankton in heated lakes. Archives of Polish Fisheries, 2009, 17, .	0.6	15
6	Phytoplankton metrics response to the increasing phosphorus and nitrogen gradient in shallow lakes. Journal of Elementology, 2012, , .	0.2	10
7	A comparison of epilimnetic versus metalimnetic phytoplankton assemblages in two mesotrophic lakes. Oceanological and Hydrobiological Studies, 2013, 42, .	0.7	7
8	Phytoplankton in an ecological status assessment of the vendace-type Lake Dejguny (northeastern) Tj ETQq0 0 C	) rgBT /Ov	erl9ck 10 Tf
9	Seasonal development of Vallisneria spiralis L. in a heated lake. Ecological Questions, 2008, 9, .	0.3	6
10	Ciliates on the Macrophytes in Industrially Heated Lakes (Kujawy Lakeland, Poland). Vestnik Zoologii, 2010, 44, e-1-e-11.	0.7	5
11	Spatial distribution of rotifers (Rotifera) in monospecies beds of invasive Vallisneria spiralis L. in heated lakes. Oceanological and Hydrobiological Studies, 2011, 40, 71-76.	0.7	5
12	Morphological variability of oospores of Chara baueri A. Braun (Characeae). Acta Societatis Botanicorum Poloniae, 2011, 76, 235-237.	0.8	5
13	The physicochemical background for the development of potentially harmful cyanobacterium Gloeotrichia echinulata J. S. Smith ex Richt. Journal of Elementology, 2015, , .	0.2	5
14	Rotifers in Heated Konin Lakes—A Review of Long-Term Observations. Water (Switzerland), 2020, 12, 1660.	2.7	4
15	Oospores of Chara tomentosa from Holocene sediments of Lake Zeribar (Iran). Biologia (Poland), 2008, 63, 162-166.	1.5	3

16	Uncertainty in phytoplankton-based lake ecological status classification: Implications of sampling frequency and metric simplification. Ecological Indicators, 2021, 127, 107754.	6.3	3	
17	A Retrospective Ecological Status Assessment of the Lakes Based on Historical and Current Maps of Submerged Vegetation $\hat{z} \in \mathbb{C}^{2}$ (Switzerland), 2020	97	ŋ	

17	12, 2607.	2.7	2	
18	An attempt to assess the ecological status of a lake based on historical and current maps of submarged vegetation. Archives of Polish Eicheries, 2017, 25, 33,42	0.6	2	

submerged vegetation. Archives of Polish Fisheries, 2017, 25, 33-42. 18

#	Article	IF	CITATIONS
19	The European Union Water Framework Directive and the ecological status assessment of inland waters. Archives of Polish Fisheries, 2014, 22, 3-5.	0.6	2
20	Rapid monitoring of cyanobacteria in lakes – a case study in the Wel River catchment, Poland. Limnological Review, 2020, 20, 41-49.	0.5	2
21	Baseline Water Temperature: Estimation of the Annual Cycle of Surface Water Temperature in Lakes in North-Central Poland over the 1951–1968 Period. Water (Switzerland), 2020, 12, 3574.	2.7	1
22	Chara strigosa A. Braun (Characeae) in Poland. Acta Societatis Botanicorum Poloniae, 2014, 67, 287-290.	0.8	1
23	The water clarity of Polish lakes with charophyte vegetation in the years 1953-1968. Biodiversity Research and Conservation, 2018, 49, 15-28.	0.3	0