
Thyago Proença de Moraes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3824120/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|------------|-----------|
| 1 | Impact of telemedicine on metabolic control and hospitalization of peritoneal dialysis patients during the COVID-19 pandemic: a national multicentric cohort study. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2022, 44, 473-481. | 0.9 | 4 |
| 2 | Mortality Trends After Transfer From Peritoneal Dialysis to Hemodialysis. Kidney International Reports, 2022, 7, 1062-1073. | 0.8 | 12 |
| 3 | Fatigue in incident peritoneal dialysis and mortality: A real-world side-by-side study in Brazil and the United States. PLoS ONE, 2022, 17, e0270214. | 2.5 | 2 |
| 4 | Effect of hemodiafiltration on measured physical activity: primary results of the HDFITÂrandomized controlled trial. Nephrology Dialysis Transplantation, 2021, 36, 1057-1070. | 0.7 | 22 |
| 5 | Clinical utility of a traditional score system for the evaluation of the peritoneal dialysis exit-site infection in a national multicentric cohort study. Peritoneal Dialysis International, 2021, 41, 292-297. | 2.3 | 4 |
| 6 | High prevalence of biochemical disturbances of chronic kidney disease - mineral and bone disorders (CKD-MBD) in a nation-wide peritoneal dialysis cohort: are guideline goals too hard to achieve?. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 173-181. | 0.9 | 4 |
| 7 | Cardiovascular mortality in peritoneal dialysis: the impact of mineral disorders. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 182-190. | 0.9 | 4 |
| 8 | Avaliação do cuidado Ãs pessoas que vivem com Diabetes Mellitus segundo o Modelo de Atenção Ãs Condições Crônicas. Research, Society and Development, 2021, 10, e0810817014. | 0.1 | 0 |
| 9 | The Diagnosis of Protein Energy Wasting in Chronic Peritoneal Dialysis Patients Is Influenced by the Method of Calculating Muscle Mass. A Prospective, Multicenter Study. Frontiers in Medicine, 2021, 8, 702749. | 2.6 | 3 |
| 10 | Percepção dos profissionais de saúde em relação à implantação do Modelo de Atenção Ãs Condiçõ Crônicas. Revista De Atenção à Saúde, 2021, 19, . | Jes 0.1 | 3 |
| 11 | Peritoneal dialysis modality transition and impact on phosphate and potassium serum levels. PLoS ONE, 2021, 16, e0257140. | 2.5 | 2 |
| 12 | Patient-reported outcome measures for life participation in peritoneal dialysis: a systematic review. Nephrology Dialysis Transplantation, 2021, 36, 890-901. | 0.7 | 9 |
| 13 | Extracellular Vesicles and Their Relationship with the Heart–Kidney Axis, Uremia and Peritoneal Dialysis. Toxins, 2021, 13, 778. | 3.4 | 9 |
| 14 | Potassium homeostasis and management of dyskalemia in kidney diseases: conclusions from a Kidney Disease: Improving Global Outcomes (KDIGO) Controversies Conference. Kidney International, 2020, 97, 42-61. | 5.2 | 260 |
| 15 | Antimicrobial therapy with aminoglycoside or meropenem in the intensive care unit for hospital associated infections and risk factors for acute kidney injury. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 723-728. | 2.9 | 12 |
| 16 | Reply to letter from A Karkar. Peritoneal Dialysis International, 2020, 40, 427-428. | 2.3 | 0 |
| 17 | Patient perception of vitality and measured physical activity in patients receiving haemodialysis. Nephrology, 2020, 25, 865-871. | 1.6 | 2 |
| 18 | Acute Kidney Injury in Patients Using Amikacin in Intensive Care Unit—A Paired Case–Control Study With Meropenem. American Journal of Therapeutics, 2020, 27, e403-e405. | 0.9 | 4 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Impacts of dialysis adequacy and intradialytic hypotension on changes in dialysis recovery time. BMC Nephrology, 2020, 21, 529. | 1.8 | 4 |
| 20 | Impact of hemodialysis and post-dialysis period on granular activity levels. BMC Nephrology, 2020, 21, 197. | 1.8 | 5 |
| 21 | Physical health-related quality of life at higher achieved hemoglobin levels among chronic kidney disease patients: a systematic review and meta-analysis. BMC Nephrology, 2020, 21, 259. | 1.8 | 12 |
| 22 | International Society for Peritoneal Dialysis practice recommendations: Prescribing high-quality goal-directed peritoneal dialysis. Peritoneal Dialysis International, 2020, 40, 244-253. | 2.3 | 159 |
| 23 | 2005 Guidelines on targets for solute and fluid removal in adults being treated with chronic peritoneal dialysis: 2019 Update of the literature and revision of recommendations. Peritoneal Dialysis International, 2020, 40, 254-260. | 2.3 | 14 |
| 24 | Pilot Study of Probiotic Supplementation on Uremic Toxicity and Inflammatory Cytokines in Chronic Kidney Patients. Current Nutrition and Food Science, 2020, 16, 470-480. | 0.6 | 0 |
| 25 | Influence of the intra-peritoneal segment of the swan neck peritoneal catheter on infectious and mechanical complications and technique survival. Clinical and Experimental Nephrology, 2019, 23, 135-141. | 1.6 | 10 |
| 26 | Intravenous-to-oral antibiotic switch therapy: a cross-sectional study in critical care units. BMC Infectious Diseases, 2019, 19, 650. | 2.9 | 33 |
| 27 | Transition between Different Renal Replacement Modalities: Gaps in Knowledge and Care—the Integrated Research Initiative. Peritoneal Dialysis International, 2019, 39, 4-12. | 2.3 | 24 |
| 28 | APOL1-Associated Kidney Disease in Brazil. Kidney International Reports, 2019, 4, 923-929. | 0.8 | 24 |
| 29 | Impact of Glucose Exposure on Outcomes of a Nation-Wide Peritoneal Dialysis Cohort – Results of the BRAZPD II Cohort. Frontiers in Physiology, 2019, 10, 150. | 2.8 | 3 |
| 30 | Design and methodology of the impact of HemoDiaFllTration on physical activity and self-reported outcomes: a randomized controlled trial (HDFIT trial) in Brazil. BMC Nephrology, 2019, 20, 98. | 1.8 | 9 |
| 31 | Cognition and renal function: findings from a Brazilian population. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2019, 41, 200-207. | 0.9 | 7 |
| 32 | Hypertension in patients on dialysis: diagnosis, mechanisms, and management. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2019, 41, 400-411. | 0.9 | 26 |
| 33 | Low-Fiber Intake Is Associated With High Production of Intraperitoneal Inflammation Biomarkers. , 2019, 29, 322-327. | | 9 |
| 34 | Peritonitis as a risk factor for longâ€ŧerm cardiovascular mortality in peritoneal dialysis patients: The case of a friendly fire?. Nephrology, 2018, 23, 253-258. | 1.6 | 23 |
| 35 | Peritonitis in Children on Chronic Peritoneal Dialysis: The Experience of a Large National Pediatric Cohort. Blood Purification, 2018, 45, 118-125. | 1.8 | 14 |
| 36 | Impact of the Karnofsky Performance Status on Survival and its Dynamics during the Terminal Year of Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2018, 38, 24-29. | 2.3 | 11 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The Impact of Uremic Toxicity Induced Inflammatory Response on the Cardiovascular Burden in Chronic Kidney Disease. Toxins, 2018, 10, 384. | 3.4 | 39 |
| 38 | APOL1 risk variants and kidney disease: what we know so far. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2018, 40, 388-402. | 0.9 | 18 |
| 39 | Temporal Trends and Factors Associated with Medication Prescription Patterns in Peritoneal Dialysis Patients. Peritoneal Dialysis International, 2018, 38, 293-301. | 2.3 | Ο |
| 40 | Comparison between types of dressing following catheter insertion and early exitâ€site infection in peritoneal dialysis. Journal of Clinical Nursing, 2017, 26, 3658-3663. | 3.0 | 9 |
| 41 | ISPD Catheter-Related Infection Recommendations: 2017 Update. Peritoneal Dialysis International, 2017, 37, 141-154. | 2.3 | 239 |
| 42 | Mobile health application to assist doctors in antibiotic prescription – an approach for antibiotic stewardship. Brazilian Journal of Infectious Diseases, 2017, 21, 660-664. | 0.6 | 29 |
| 43 | Impact of Renin-Angiotensin Aldosterone System Inhibition on Serum Potassium Levels among Peritoneal Dialysis Patients. American Journal of Nephrology, 2017, 46, 150-155. | 3.1 | 10 |
| 44 | Racial and social disparities in the access to automated peritoneal dialysis - results of a national PD cohort. Scientific Reports, 2017, 7, 5214. | 3.3 | 4 |
| 45 | Length of Time on Peritoneal Dialysis and Encapsulating Peritoneal Sclerosis — Position Paper for ISPD: 2017 Update. Peritoneal Dialysis International, 2017, 37, 362-374. | 2.3 | 113 |
| 46 | Lower Hemoglobin (HB) Levels Negatively Impact Quality Of Life (QOL) Among Peritoneal Dialysis (PD) Patients: Results From A National Representative Cohort Study In Brazil (BRAZPD). Value in Health, 2017, 20, A896. | 0.3 | 0 |
| 47 | Center-Centered in a Patient-Centered World?. Peritoneal Dialysis International, 2016, 36, 478-480. | 2.3 | 1 |
| 48 | Impact of Pre-Dialysis Care on Clinical Outcomes in Peritoneal Dialysis Patients. American Journal of Nephrology, 2016, 43, 104-111. | 3.1 | 11 |
| 49 | Potassium Serum Levels in Peritoneal Dialysis:Harmful in Excess, Worse in Deficiency. Indian Journal of Peritoneal Dialysis, 2016, 30, 12. | 0.0 | 0 |
| 50 | Automated Peritoneal Dialysis Is Associated with Better Survival Rates Compared to Continuous Ambulatory Peritoneal Dialysis: A Propensity Score Matching Analysis. PLoS ONE, 2015, 10, e0134047. | 2.5 | 24 |
| 51 | FP566DYNAMICS OF NUTRITIONAL AND METABOLIC MARKERS BEFORE DEATH IN PERITONEAL DIALYSIS: RESULTS FROM BRAZPD, A NATIONWIDE PROSPECTIVE STUDY. Nephrology Dialysis Transplantation, 2015, 30, iii263-iii263. | 0.7 | 0 |
| 52 | Impact of patient training patterns on peritonitis rates in a large national cohort study. Nephrology Dialysis Transplantation, 2015, 30, 137-142. | 0.7 | 57 |
| 53 | Evaluation of Salt Intake, Urinary Sodium Excretion and Their Relationship to Overhydration in Chronic Kidney Disease Patients. Blood Purification, 2015, 40, 59-65. | 1.8 | 9 |
| 54 | lcodextrin reduces insulin resistance in non-diabetic patients undergoing automated peritoneal dialysis: results of a randomized controlled trial (STARCH). Nephrology Dialysis Transplantation, 2015, 30, 1905-1911. | 0.7 | 37 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Systemic lupus erythematous and clinical outcomes in peritoneal dialysis. Lupus, 2015, 24, 290-298. | 1.6 | 4 |
| 56 | Low Serum Potassium Levels Increase the Infectious-Caused Mortality in Peritoneal Dialysis Patients: A Propensity-Matched Score Study. PLoS ONE, 2015, 10, e0127453. | 2.5 | 45 |
| 57 | Dialysis modality and quality of life. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2015, 37, 289-90. | 0.9 | 0 |
| 58 | Characterization of the Brazpd ii Cohort and Description of Trends in Peritoneal Dialysis Outcome across Time Periods. Peritoneal Dialysis International, 2014, 34, 714-723. | 2.3 | 54 |
| 59 | Novel Predictors of Peritonitis-Related Outcomes in the BRAZPD Cohort. Peritoneal Dialysis International, 2014, 34, 179-187. | 2.3 | 22 |
| 60 | Systemic IL-6 levels predict survival after peritoneal dialysis. Nature Reviews Nephrology, 2013, 9, 708-710. | 9.6 | 2 |
| 61 | Inflammation and the Peritoneal Membrane: Causes and Impact on Structure and Function during Peritoneal Dialysis. Mediators of Inflammation, 2012, 2012, 1-4. | 3.0 | 51 |
| 62 | Lack of Adequate Predialyis Care and Previous Hemodialysis, but Not Hemoglobin Variability, Are Independent Predictors of Anemia-Associated Mortality in Incident Brazilian Peritoneal Dialysis Patients: Results from the BRAZPD Study. Blood Purification, 2012, 34, 298-305. | 1.8 | 3 |
| 63 | Similar Outcomes of Catheters Implanted by Nephrologists and Surgeons: Analysis of the Brazilian Peritoneal Dialysis Multicentric Study. Seminars in Dialysis, 2012, 25, 565-568. | 1.3 | 18 |
| 64 | Back to Basics: Pitting Edema and the Optimization of Hypertension Treatment in Incident Peritoneal Dialysis Patients (BRAZPD). PLoS ONE, 2012, 7, e36758. | 2.5 | 8 |
| 65 | Predictive Value of Malnutrition Markers for Mortality in Peritoneal Dialysis Patients. , 2011, 21, 176-183. | | 63 |
| 66 | Comparative analysis of lipid and glucose metabolism biomarkers in non-diabetic hemodialysis and peritoneal dialysis patients. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2011, 33, 173-179. | 0.9 | 15 |
| 67 | Alteração do teor de cálcio no banho de DP para 2,5 mEq/L é eficaz no reestabelecimento dos valores preconizados por diretrizes atuais em pacientes com PTH < 150 pg/dL. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2010, 32, 275-280. | 0.9 | 5 |
| 68 | Low-calcium peritoneal dialysis solution is effective in bringing PTH levels to the range recommended by current guidelines in patients with PTH levels < 150 pg/dL. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2010, 32, 275-80. | 0.9 | 2 |
| 69 | Insulin Resistance and Glucose Homeostasis in Peritoneal Dialysis. Peritoneal Dialysis International, 2009, 29, 145-148. | 2.3 | 65 |
| 70 | Metabolic Impact of Peritoneal Dialysis. Contributions To Nephrology, 2009, 163, 117-123. | 1.1 | 15 |
| 71 | Inflamación y riesgo cardiovascular en diálisis peritoneal. , 2009, , 361-377. | | Ο |