

# Waltraud Kriven

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/3824212/waltraud-kriven-publications-by-citations.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

195  
papers

5,791  
citations

38  
h-index

69  
g-index

204  
ext. papers

6,526  
ext. citations

3.4  
avg, IF

5.86  
L-index

#	Paper	IF	Citations
195	Understanding the relationship between geopolymer composition, microstructure and mechanical properties. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2005</b> , 269, 47-58	5.1	972
194	Iron release from corroded iron pipes in drinking water distribution systems: effect of dissolved oxygen. <i>Water Research</i> , <b>2004</b> , 38, 1259-69	12.5	222
193	Formation of Ceramics from Metakaolin-Based Geopolymers. Part II: K-Based Geopolymer. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, 607-615	3.8	180
192	Physico-chemical characteristics of corrosion scales in old iron pipes. <i>Water Research</i> , <b>2001</b> , 35, 2961-9	12.5	178
191	Polymerized Organic-Inorganic Synthesis of Mixed Oxides. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 556-560	3.8	133
190	Formation of Ceramics from Metakaolin-Based Geopolymers: Part I: Cs-Based Geopolymer. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, 1-8	3.8	129
189	Inorganic delivery vector for intravenous injection. <i>Biomaterials</i> , <b>2004</b> , 25, 5995-6001	15.6	125
188	Possible Alternative Transformation Tougheners to Zirconia: Crystallographic Aspects. <i>Journal of the American Ceramic Society</i> , <b>1988</b> , 71, 1021-1030	3.8	109
187	Synthesis of oxide powders by way of a polymeric steric entrapment precursor route. <i>Journal of Materials Research</i> , <b>1999</b> , 14, 3417-3426	2.5	100
186	Atomic Structure of a Cesium Aluminosilicate Geopolymer: A Pair Distribution Function Study. <i>Chemistry of Materials</i> , <b>2008</b> , 20, 4768-4776	9.6	95
185	Chemical Synthesis and Characterization of Calcium Aluminate Powders. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 531-539	3.8	90
184	Physical Stabilization of the $\beta$ -Transformation in Dicalcium Silicate. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 1621-1627	3.8	90
183	Phase Transformations in Dicalcium Silicate: II, TEM Studies of Crystallography, Microstructure, and Mechanisms. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 2407-2419	3.8	89
182	X-Ray pair distribution function analysis of a metakaolin-based, $KAlSi_2O_6 \cdot 5.5H_2O$ inorganic polymer (geopolymer). <i>Journal of Materials Chemistry</i> , <b>2008</b> , 18, 5974		81
181	Crystallization and Densification of Nano-Size Amorphous Cordierite Powder Prepared by a PVA Solution-Polymerization Route. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 81, 2605-2612	3.8	81
180	The tetragonal $\rightarrow$ monoclinic, ferroelastic transformation in yttrium tantalate and effect of zirconia alloying. <i>Acta Materialia</i> , <b>2014</b> , 69, 196-202	8.4	75
179	Geopolymer-bamboo composite: A novel sustainable construction material. <i>Construction and Building Materials</i> , <b>2016</b> , 123, 501-507	6.7	73

178	Emergence and Extinction of a New Phase During On/Off Experiments Related to Flash Sintering of 3YSZ. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 1493-1497	3.8	70
177	Solid Solution Range and Microstructures of Melt-Grown Mullite. <i>Journal of the American Ceramic Society</i> , <b>1983</b> , 66, 649-654	3.8	69
176	Modeling Speciation in Highly Concentrated Alkaline Silicate Solutions. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2005</b> , 44, 8899-8908	3.9	68
175	Thermal Expansion of HfO <sub>2</sub> and ZrO <sub>2</sub> . <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 2213-2222	3.8	64
174	Bio-Resorbable Nanoceramics for Gene and Drug Delivery. <i>MRS Bulletin</i> , <b>2004</b> , 29, 33-37	3.2	63
173	Preparation of Portland Cement Components by Poly(vinyl alcohol) Solution Polymerization. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 82, 2049-2055	3.8	61
172	Crystal structure development during devitrification of quenched mullite. <i>Journal of the European Ceramic Society</i> , <b>2001</b> , 21, 2541-2562	6	59
171	Fabrication of Structural Leucite Glass-Ceramics from Potassium-Based Geopolymer Precursors. <i>Journal of the American Ceramic Society</i> , <b>2010</b> , 93, 2644-2649	3.8	58
170	High-Temperature Properties and Ferroelastic Phase Transitions in Rare-Earth Niobates (LnNbO <sub>4</sub> ). <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 3307-3319	3.8	57
169	In-situ measurements of lattice expansion related to defect generation during flash sintering. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 4965-4970	3.8	51
168	Elastic constants of yttria (Y <sub>2</sub> O <sub>3</sub> ) monocrystals to high temperatures. <i>Journal of Applied Physics</i> , <b>2001</b> , 89, 7791-7796	2.5	51
167	Microstructural and Microchemical Characterization of a Calcium Aluminate-Polymer Composite (MDF Cement). <i>Journal of the American Ceramic Society</i> , <b>1991</b> , 74, 1928-1933	3.8	51
166	Crystallization kinetics of yttrium aluminum garnet (Y <sub>3</sub> Al <sub>5</sub> O <sub>12</sub> ). <i>Journal of Materials Research</i> , <b>2001</b> , 16, 1795-1805	2.5	50
165	Characterization of Yttrium Phosphate and a Yttrium Phosphate/Yttrium Aluminate Laminate. <i>Journal of the American Ceramic Society</i> , <b>1995</b> , 78, 3121-3124	3.8	50
164	Chemical preparation and phase stability of Ca <sub>2</sub> SiO <sub>4</sub> and Sr <sub>2</sub> SiO <sub>4</sub> powders. <i>Journal of the European Ceramic Society</i> , <b>1993</b> , 11, 291-298	6	50
163	Phase Transformations in Dicalcium Silicate: I, Fabrication and Phase Stability of Fine-Grained $\beta$ Phase. <i>Journal of the American Ceramic Society</i> , <b>1992</b> , 75, 2400-2406	3.8	48
162	Elastic Properties of Mullite. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 81, 1025-1028	3.8	46
161	Fracture of multilayer oxide composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1998</b> , 241, 241-250	5.3	43

160	In Situ Mechanical Properties of Chamotte Particulate Reinforced, Potassium Geopolymer. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 907-915	3.8	42
159	Use of Geopolymeric Cements as a Refractory Adhesive for Metal and Ceramic Joins. <i>Ceramic Engineering and Science Proceedings</i> , 407-413	0.1	42
158	Porous Biphasic Calcium Phosphate Scaffolds from Cuttlefish Bone. <i>Journal of the American Ceramic Society</i> , <b>2011</b> , 94, 2362-2370	3.8	39
157	Synthesis and hydration study of Portland cement components prepared by the organic steric entrapment method. <i>Materials and Structures/Materiaux Et Constructions</i> , <b>2005</b> , 38, 87-92	3.4	38
156	Powder synthesis of barium titanate and barium orthotitanate via an ethylene glycol complex polymerization route. <i>Journal of Materials Research</i> , <b>1999</b> , 14, 3001-3006	2.5	38
155	Martensitic toughening of ceramics. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1990</b> , 127, 249-255	5.3	38
154	Electric field induced texture in titania during experiments related to flash sintering. <i>Journal of the European Ceramic Society</i> , <b>2016</b> , 36, 257-261	6	37
153	Quadrupole lamp furnace for high temperature (up to 2050K) synchrotron powder x-ray diffraction studies in air in reflection geometry. <i>Review of Scientific Instruments</i> , <b>2006</b> , 77, 093906	1.7	37
152	Crackling noise during failure of alumina under compression: the effect of porosity. <i>Journal of Physics Condensed Matter</i> , <b>2013</b> , 25, 292202	1.8	36
151	Weakening of Alkali-Activated Metakaolin During Aging Investigated by the Molybdate Method and Infrared Absorption Spectroscopy. <i>Journal of the American Ceramic Society</i> , <b>2010</b> , 93, 2585-2590	3.8	36
150	Preparation and Microstructure Characterization of Anodic Spark Deposited Barium Titanate Conversion Layers. <i>Journal of Materials Research</i> , <b>1999</b> , 14, 1437-1443	2.5	36
149	Predicting failure: acoustic emission of berlinite under compression. <i>Journal of Physics Condensed Matter</i> , <b>2014</b> , 26, 275401	1.8	35
148	Microcrack Nucleation in Ceramics Subject to a Phase Transformation. <i>Journal of the American Ceramic Society</i> , <b>1984</b> , 67, 626-630	3.8	35
147	Development of mechanical properties in dental resin composite: Effect of filler size and filler aggregation state. <i>Materials Science and Engineering C</i> , <b>2019</b> , 101, 274-282	8.3	33
146	Chemical stability, microstructure and mechanical behavior of LaPO <sub>4</sub> -containing ceramics. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1996</b> , 210, 123-134	5.3	33
145	A Strong and Damage-Tolerant Oxide Laminate. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 80, 2421-2424	3.8	32
144	Fully reacted high strength geopolymer made with diatomite as a fumed silica alternative. <i>Ceramics International</i> , <b>2017</b> , 43, 14784-14790	5.1	28
143	Experimental study of nonlinear acoustic bands and propagating breathers in ordered granular media embedded in matrix. <i>Granular Matter</i> , <b>2015</b> , 17, 49-72	2.6	28

142	Analytical Electron Microscopic Studies of Doped Dicalcium Silicates. <i>Journal of the American Ceramic Society</i> , <b>1988</b> , 71, 713-719	3.8	28
141	High-entropy, phase-constrained, lanthanide sesquioxide. <i>Journal of the American Ceramic Society</i> , <b>2020</b> , 103, 569-576	3.8	28
140	Alumina and spinel react into single-phase high-alumina spinel in . <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 644-653	3.8	25
139	In-situ determination of the HfO <sub>2</sub> -Ta <sub>2</sub> O <sub>5</sub> -temperature phase diagram up to 3000°C. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 4848-4861	3.8	25
138	In-situ investigation of Hf <sub>6</sub> Ta <sub>2</sub> O <sub>17</sub> anisotropic thermal expansion and topotactic, peritectic transformation. <i>Acta Materialia</i> , <b>2018</b> , 161, 127-137	8.4	25
137	A polymer solution technique for the synthesis of nano-sized Li <sub>2</sub> TiO <sub>3</sub> ceramic breeder powders. <i>Journal of Nuclear Materials</i> , <b>2008</b> , 373, 194-198	3.3	24
136	Broadening of Diffraction Peak Widths and Temperature Nonuniformity During Flash Experiments. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 3429-3434	3.8	24
135	Highly Porous Geopolymers Through Templating and Surface Interactions. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 2052-2059	3.8	22
134	Influence of pore structure on the strength behavior of particle- and fiber-reinforced metakaolin-based geopolymer composites. <i>Cement and Concrete Composites</i> , <b>2019</b> , 104, 103361	8.6	22
133	Complete Elastic Tensor for Mullite (~2.5Al <sub>2</sub> O <sub>3</sub> ·SiO <sub>2</sub> ) to High Temperatures Measured from Textured Fibers. <i>Journal of the American Ceramic Society</i> , <b>2002</b> , 85, 2005-2012	3.8	22
132	Phase Stability of Chemically Derived Enstatite (MgSiO <sub>3</sub> ) Powders. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 2625-2631	3.8	22
131	Properties of Geopolymer Composites Reinforced with Basalt Chopped Strand Mat or Woven Fabric. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 1192-1199	3.8	22
130	On the role of deformation twinning in domain reorganization and grain reorientation in ferroelastic crystals. <i>Journal of Materials Research</i> , <b>1997</b> , 12, 1771-1776	2.5	21
129	Preparation of Ceramic Powders by a Solution-Polymerization Route Employing PVA Solution. <i>Ceramic Engineering and Science Proceedings</i> , 469-476	0.1	21
128	Mechanical Properties and Microstructure of Ca <sub>2</sub> SiO <sub>4</sub> -TaZrO <sub>3</sub> Composites. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 65-72	3.8	21
127	CTEAS: a graphical-user-interface-based program to determine thermal expansion from high-temperature X-ray diffraction. <i>Journal of Applied Crystallography</i> , <b>2013</b> , 46, 550-553	3.8	20
126	A Forming Technique to Produce Spherical Ceramic Beads Using Sodium Alginate as a Precursor Binder Phase. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 3379-3388	3.8	19
125	Interfacial structure and chemistry in a ceramic/polymer composite material. <i>Journal of Materials Research</i> , <b>1992</b> , 7, 1545-1552	2.5	19

124	Optimization of Gas Adsorption Porosimetry for Geopolymer Analysis. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 3643-3649	3.8	18
123	Potassium-Based Geopolymer Composites Reinforced with Chopped Bamboo Fibers. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 49-55	3.8	18
122	Microstructure and Microchemistry of Fully-Reacted Geopolymers and Geopolymer Matrix Composites. <i>Ceramic Transactions</i> , <b>2012</b> , 227-250	0.1	18
121	Geopolymers: Nanoparticulate, Nanoporous Ceramics Made Under Ambient Conditions. <i>Microscopy and Microanalysis</i> , <b>2004</b> , 10, 404-405	0.5	18
120	Toughening of Mullite/Cordierite Laminated Composites by Transformation Weakening of Cristobalite Interphases. <i>Journal of the American Ceramic Society</i> , <b>2005</b> , 88, 1521-1528	3.8	18
119	Toughened Oxide Composites Based on Porous Alumina-Platelet Interphases. <i>Journal of the American Ceramic Society</i> , <b>2001</b> , 84, 767-774	3.8	18
118	Evolution of mechano-chemistry and microstructure of a calcium aluminate-polymer composite: Part II. Mixing rate effects. <i>Journal of Materials Research</i> , <b>1996</b> , 11, 1739-1747	2.5	18
117	A Submicron-Scale Duplex Zirconia and Alumina Composite by Polymer Complexation Processing. <i>Ceramic Engineering and Science Proceedings</i> , 69-76	0.1	18
116	Sodium silicate activated slag-fly ash binders: Part I Processing, microstructure, and mechanical properties. <i>Journal of the American Ceramic Society</i> , <b>2018</b> , 101, 2228-2244	3.8	17
115	In Situ Synchrotron X-Ray Diffraction Study of the Cubic to Rhombohedral Phase Transformation in Ln <sub>6</sub> WO <sub>12</sub> (Ln = Y, Ho, Er, Yb). <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 987-994	3.8	17
114	Mullite-Aluminum Phosphate Laminated Composite Fabricated by Tape Casting. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 1962-1964	3.8	17
113	Evolution of mechano-chemistry and microstructure of a calcium aluminate-polymer composite: Part I. Mixing time effects. <i>Journal of Materials Research</i> , <b>1995</b> , 10, 1746-1755	2.5	17
112	Mechanical behavior and microstructure of SiC and ceramics. <i>Journal of the European Ceramic Society</i> , <b>1998</b> , 18, 51-57	6	16
111	Sintering Behavior of Gehlenite. Part I: Self-Forming, Macro-/Mesoporous Gehlenite Pore-Forming Mechanism, Microstructure, Mechanical, and Physical Properties. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 1760-1773	3.8	16
110	Primary pulse transmission in coupled steel granular chains embedded in PDMS matrix: Experiment and modeling. <i>International Journal of Solids and Structures</i> , <b>2013</b> , 50, 3207-3224	3.1	15
109	Indentation-Induced Amorphization in Mullite Single Crystals. <i>Journal of the American Ceramic Society</i> , <b>2003</b> , 86, 1821-1822	3.8	15
108	5.9 Geopolymer-Based Composites <b>2018</b> , 269-280		15
107	Properties and Microstructure of Molybdenum Disilicide-SiAlON Particulate Ceramic Composites. <i>Journal of the American Ceramic Society</i> , <b>1997</b> , 80, 2837-2843	3.8	14



106	Phase Transformations in the High-Temperature Form of Pure and TiO <sub>2</sub> -Stabilized Ta <sub>2</sub> O <sub>5</sub> . <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 2947-2953	3.8	14
105	Processing and Characterization of Multiphase Ceramic Composites Part II: Triplex Composites with a Wide Sintering Temperature Range. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 793-798	3.8	14
104	High Temperature Microhardness of Single Crystal Mullite. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 87, 970-972	3.8	14
103	Nanoporosity in Aluminosilicate, Geopolymeric Cements. <i>Microscopy and Microanalysis</i> , <b>2004</b> , 10, 590-591	3.5	13
102	X-ray photoelectron spectroscopy studies of bond structure between polyvinyl alcohol and a titanate cross-coupling agent. <i>Journal of Materials Research</i> , <b>1995</b> , 10, 1565-1571	2.5	13
101	Laser ablated coatings on ceramic fibers for ceramic matrix composites. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1995</b> , 191, 249-256	5.3	13
100	Slag-fly ash and slag-metakaolin binders: Part II Properties of precursors and NMR study of poorly ordered phases. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 3204-3227	3.8	13
99	Phase Transformations in Dicalcium Silicate: III, Effects of Barium on the Stability of Fine-Grained $\beta$ -L and $\beta$ -Phases. <i>Journal of the American Ceramic Society</i> , <b>1993</b> , 76, 2628-2634	3.8	12
98	Synthesis and Characterization of Silicon Carbide Powders Converted from Metakaolin-Based Geopolymer. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 2521-2530	3.8	12
97	Rice Husk Ash as a Silica Source in a Geopolymer Formulation. <i>Ceramic Engineering and Science Proceedings</i> , 87-101	0.1	12
96	Crystal structure solution for the ABO (A = Zr, Hf; B = Nb, Ta) superstructure. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , <b>2019</b> , 75, 227-234	1.8	11
95	Structural effect of aliovalent doping in lead perovskites. <i>Journal of Solid State Chemistry</i> , <b>2015</b> , 225, 359-367	3.3	11
94	Polymer Adhesion to Geopolymer via Silane Coupling Agent Additives. <i>Journal of the American Ceramic Society</i> , <b>2012</b> , 95, 3758-3762	3.8	11
93	A curved image-plate detector system for high-resolution synchrotron X-ray diffraction. <i>Journal of Synchrotron Radiation</i> , <b>2009</b> , 16, 273-82	2.4	11
92	Sodium silicate activated slag-fly ash binders: Part III Composition of soft gel and calorimetry. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 3175-3190	3.8	11
91	Effect of High Tensile Strength Polypropylene Chopped Fiber Reinforcements on the Mechanical Properties of Sodium Based Geopolymer Composites. <i>Ceramic Engineering and Science Proceedings</i> , 47-56	0.1	11
90	Geopolymer reinforced with E-glass leno weaves. <i>Journal of the American Ceramic Society</i> , <b>2017</b> , 100, 2492-2501	3.8	10
89	Wave propagation through alumina-porous alumina laminates. <i>Journal of the European Ceramic Society</i> , <b>2015</b> , 35, 197-210	6	10

88	The Change of X-ray Diffraction Peak Width During in situ Conventional Sintering of Nanoscale Powders. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 765-768	3.8	10
87	Geopolymer with Hydrogel Characteristics via Silane Coupling Agent Additives. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 295-302	3.8	10
86	Alumina Region of the Lithium Aluminosilicate System: A New Window for Temperature Ultrastable Materials Design. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 2039-2041	3.8	10
85	In-situ transmission electron microscopy study of phase transformations in KNbO <sub>3</sub> perovskite. <i>Philosophical Magazine Letters</i> , <b>1997</b> , 75, 1-6	1	10
84	Microstructure and Nanoporosity of as-Set Geopolymers. <i>Ceramic Engineering and Science Proceedings</i> , 491-503	0.1	10
83	Stereological Observations of Platelet-Reinforced Mullite- and Zirconia-Matrix Composites. <i>Journal of the American Ceramic Society</i> , <b>1996</b> , 79, 3273-3281	3.8	10
82	Shear Induced Transformation in Enstatite. <i>Ceramic Engineering and Science Proceedings</i> , 383-390	0.1	10
81	Potassium Geopolymer Reinforced with Alkali-Treated Figue. <i>Ceramic Engineering and Science Proceedings</i> , 61-78	0.1	10
80	Bonding behavior of Cu/CuO thick film on a low-firing ceramic substrate. <i>Journal of Materials Research</i> , <b>1997</b> , 12, 2411-2418	2.5	9
79	Sintering Behavior of Gehlenite, Part II. Microstructure and Mechanical Properties. <i>Journal of the American Ceramic Society</i> , <b>2007</b> , 90, 2766-2770	3.8	9
78	Oxide laminated composites with aluminum phosphate (AlPO <sub>4</sub> ) and alumina platelets as crack deflecting materials. <i>Composites Part B: Engineering</i> , <b>2006</b> , 37, 509-514	10	9
77	Relationship Between the Orthorhombic and Hexagonal Phases in Dy <sub>2</sub> TiO <sub>5</sub> . <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 3739-3744	3.8	9
76	Effect of Curing Conditions on the Porosity Characteristics of Metakaolin Fly Ash Geopolymers. <i>Ceramic Engineering and Science Proceedings</i> , 11-15	0.1	9
75	Temperature gradients for thermophysical and thermochemical property measurements to 3000 °C for an aerodynamically levitated spheroid. <i>Review of Scientific Instruments</i> , <b>2019</b> , 90, 015109	1.7	8
74	Design and fabrication of ceramic beads by the vibration method. <i>Journal of the European Ceramic Society</i> , <b>2015</b> , 35, 3587-3594	6	8
73	Synthesis of NaTi <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> by the Inorganic/Organic Steric Entrapment Method and Its Thermal Expansion Behavior. <i>Journal of the American Ceramic Society</i> , <b>2016</b> , 99, 3586-3593	3.8	8
72	Sodium Geopolymer Reinforced with Jute Weave. <i>Ceramic Engineering and Science Proceedings</i> , <b>2015</b> , 39-60	0.1	8
71	In situ, high-temperature, synchrotron, powder diffraction studies of oxide systems in air, using a thermal-image furnace. <i>Measurement Science and Technology</i> , <b>2005</b> , 16, 1291-1298	2	8



70	Crystallography and microstructural studies of phase transformations in the Dy <sub>2</sub> O <sub>3</sub> system. <i>Journal of Materials Research</i> , <b>1998</b> , 13, 2920-2931	2.5	8
69	Barium Titanate and Barium Orthotitanate Powders Through An Ethylene Glycol Polymerization Route. <i>Ceramic Engineering and Science Proceedings</i> , 11-18	0.1	8
68	Synthetic Aragonite (CaCO <sub>3</sub> ) as a Potential Additive in Calcium Phosphate Cements: Evaluation in Tris-Free SBF at 37°C. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 3052-3061	3.8	7
67	Formation and Properties of 2Tb <sub>2</sub> O <sub>3</sub> -Al <sub>2</sub> O <sub>3</sub> . <i>Journal of the American Ceramic Society</i> , <b>1988</b> , 71, C454-C455	3.5	7
66	Formation of Al <sub>2</sub> Si <sub>3</sub> N <sub>4</sub> nanoparticles by carbothermal reduction and nitridation of geopolymers. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 6542-6551	3.8	6
65	Synthesis of LiFePO <sub>4</sub> powder by the organic-inorganic steric entrapment method. <i>Journal of Materials Research</i> , <b>2015</b> , 30, 2133-2143	2.5	6
64	Thermal Expansion of the Orthorhombic Phase in the Ln <sub>2</sub> TiO <sub>5</sub> System. <i>Journal of the American Ceramic Society</i> , <b>2015</b> , 98, 4096-4101	3.8	6
63	Mullite (3Al <sub>2</sub> O <sub>3</sub> -2SiO <sub>2</sub> )-Aluminum Phosphate (AlPO <sub>4</sub> ) <sub>x</sub> Oxide, Fibrous Monolithic Composites. <i>Journal of the American Ceramic Society</i> , <b>2004</b> , 87, 794-803	3.8	6
62	Combustion-synthesized SiAlON reinforced with SiC monofilaments. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1994</b> , 188, 341-351	5.3	6
61	Rapid, In-Situ, Ultra-High Temperature Investigations of Ceramics using Synchrotron X-Ray Diffraction. <i>Ceramic Engineering and Science Proceedings</i> , 313-324	0.1	6
60	Microstructural damage of Al <sub>2</sub> O <sub>3</sub> by high energy density plasma. <i>Acta Materialia</i> , <b>2017</b> , 132, 479-490	8.4	5
59	Properties and characterization of alumina platelet reinforced geopolymer composites. <i>Journal of the American Ceramic Society</i> , <b>2020</b> , 103, 5178-5185	3.8	5
58	Thermal Expansion of Ln <sub>6</sub> WO <sub>12</sub> (Ln = Y, Ho, Er, Yb) and Ln <sub>2</sub> WO <sub>6</sub> (Ln = Gd, Dy, Ho) In Situ Synchrotron X-ray Diffraction Study. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 2496-2505	3.8	5
57	Lattice constant prediction of defective rare earth titanate perovskites. <i>Journal of Solid State Chemistry</i> , <b>2014</b> , 219, 99-107	3.3	5
56	The effect of 3mol% Y <sub>2</sub> O <sub>3</sub> stabilized ZrO <sub>2</sub> produced by a steric entrapment method on the mechanical and sintering properties of Cr <sub>3</sub> C <sub>2</sub> based cermets. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2012</b> , 556, 878-884	5.3	5
55	Processing and Characterization of Multiphase Ceramic Composites Part III: Strong, Hard and Tough, High Temperature-Stable Quadruplex and Quintuplex Composites. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 799-805	3.8	5
54	Hot-stage transmission electron microscopy study of phase transformations in hexacelsian (BaAl <sub>2</sub> Si <sub>2</sub> O <sub>8</sub> ). <i>Journal of Materials Research</i> , <b>2002</b> , 17, 1287-1297	2.5	5
53	TEM study of synthetic hillebrandite (Ca <sub>2</sub> SiO <sub>4</sub> · H <sub>2</sub> O). <i>Journal of Materials Research</i> , <b>1993</b> , 8, 2948-2953	2.5	5

52	Residual $\text{Bi}_3\text{N}_4$ in $\text{O}^?$ Crystals in $\text{CeO}_2$ -Doped $\text{O}^?+\text{SiAlON}$ Ceramics. <i>Journal of the American Ceramic Society</i> , <b>1994</b> , 77, 2213-2216	3.8	5
51	Investigation of Plasma-Sprayed Dysprosia Coatings. <i>Journal of the American Ceramic Society</i> , <b>1989</b> , 72, 2023-2026	3.8	5
50	Mechanical behavior of K-geopolymers reinforced with silane-coated basalt fibers. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 437-447	3.8	5
49	Humidity Effects on the Completion of Geopolymerization in Dilute Evaporative Slurries. <i>Ceramic Engineering and Science Proceedings</i> , 25-30	0.1	5
48	Crystal structure and thermal expansion of a $\text{CsCe}_2\text{Cl}_7$ scintillator. <i>Journal of Solid State Chemistry</i> , <b>2015</b> , 227, 142-149	3.3	4
47	Development of a Gas-Fed Plasma Source for Pulsed High-Density Plasma/Material Interaction Studies. <i>IEEE Transactions on Plasma Science</i> , <b>2014</b> , 42, 3245-3252	1.3	4
46	Powder diffraction by fixed incident angle reflection using a curved position-sensitive detector. <i>Journal of Applied Crystallography</i> , <b>2010</b> , 43, 560-569	3.8	4
45	Creep characteristics of alumina, nickel aluminate spinel, zirconia composites. <i>Journal of Materials Research</i> , <b>2008</b> , 23, 556-564	2.5	4
44	Processing and Characterization of Multiphase Ceramic Composites Part I: Duplex Composites Formed In Situ from Solution. <i>Journal of the American Ceramic Society</i> , <b>2008</b> , 91, 784-792	3.8	4
43	$\text{SiCf}/\text{O}^?-\text{SiAlON}$ composite: properties and oxidation retained properties. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>1996</b> , 220, 176-184	5.3	4
42	Bone ash reinforced geopolymer composites. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 2767-2789	3.8	4
41	Acid resistance of metakaolin-based, bamboo fiber geopolymer composites. <i>Construction and Building Materials</i> , <b>2021</b> , 302, 124194	6.7	4
40	Interfacial Bonding of Carbon-Coated Glass Fiber Reinforced Cement	2.58-2.65	4
39	Ceramic Felt Reinforced Geopolymer Composites. <i>Ceramic Engineering and Science Proceedings</i> , 11-19	0.1	4
38	Amazonian Metakaolin Reactivity for Geopolymer Synthesis. <i>Advances in Materials Science and Engineering</i> , <b>2019</b> , 2019, 1-7	1.5	3
37	In Situ Synchrotron X-Ray Diffraction Study of the Rhombohedral-to-HT-Cubic Phase Transformation in $\text{Ln}_6\text{WO}_{12}$ ( $\text{Ln} = \text{Y}, \text{Ho}, \text{Er}, \text{Yb}$ ). <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 1256-1263	3.8	3
36	Synthesis and Thermal Expansion of $\text{Eu}$ cryptite Powders Produced by the Inorganic/Organic Steric Entrapment Method. <i>Journal of the American Ceramic Society</i> , <b>2014</b> , 97, 3087-3091	3.8	3
35	Nanocrystalline $\text{NbAl}_3$ powders and $\text{NbAl}_3/\text{Al}$ multilayers by laser ablation deposition. <i>Scripta Materialia</i> , <b>1997</b> , 9, 75-78		3

34	Experimental study of embedded and non-embedded ordered granular chains under impulsive excitation. <i>Acta Mechanica</i> , <b>2016</b> , 227, 2511-2527	2.1	3
33	Relative importance of Al(V) and reinforcement to the flexural strength of geopolymer composites. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 3452-3460	3.8	3
32	Amorphous self-healed, chopped basalt fiber-reinforced, geopolymer composites. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 3443-3451	3.8	3
31	Mixed Alkali Regional Metakaolin-Based Geopolymer. <i>Ceramic Engineering and Science Proceedings</i> , <b>2017</b> , 123-133	0.1	2
30	Properties of Cork Particle Reinforced Sodium Geopolymer Composites. <i>Ceramic Engineering and Science Proceedings</i> , <b>2017</b> , 79-82	0.1	2
29	Reply to comments: In-situ determination of the HfO <sub>2</sub> -Ta <sub>2</sub> O <sub>5</sub> -temperature phase diagram up to 3000°C. <i>Journal of the American Ceramic Society</i> , <b>2019</b> , 102, 7028-7030	3.8	2
28	Bamboo-Geopolymer Composite: A Preliminary Study. <i>Ceramic Engineering and Science Proceedings</i> , <b>2017</b> , 135-143	0.1	2
27	Thermal Properties and Phase Transition of 2ZrO <sub>2</sub> ?P <sub>2</sub> O <sub>5</sub> Studied by In Situ Synchrotron X-ray Diffraction. <i>Journal of the American Ceramic Society</i> , <b>2013</b> , 96, 1292-1299	3.8	2
26	A transmission electron microscopy study on the decomposition of synthetic hillebrandite (Ca <sub>2</sub> SiO <sub>4</sub> · 2H <sub>2</sub> O). <i>Journal of Materials Research</i> , <b>1995</b> , 10, 3084-3095	2.5	2
25	In Situ Transmission Electron Microscopy (TEM) Investigation of Fracture Mechanisms in a Calcium Aluminate MDF Cement.. <i>Materials Research Society Symposia Proceedings</i> , <b>1991</b> , 245, 283		2
24	Application of Ultramicrotomy to Tem Specimen Preparation of Particulate Inclusion and Composite Materials. <i>Materials Research Society Symposia Proceedings</i> , <b>1991</b> , 254, 271		2
23	Tailorable thermal expansion in leucite-pollucite materials derived from geopolymers for environmental barrier coatings. <i>Journal of the American Ceramic Society</i> , <b>2021</b> , 104, 3397-3410	3.8	2
22	A new class of entropy stabilized oxides: Commensurately modulated A <sub>6</sub> B <sub>2</sub> O <sub>17</sub> (A <sup>2+</sup> [Zr, Hf; B <sup>5+</sup> [Nb, Ta) structures. <i>Scripta Materialia</i> , <b>2021</b> , 204, 114139	5.6	2
21	In Situ Carbothermal Reduction/Nitridation Carbon-Nano Powder Added Geopolymer Composites. <i>Ceramic Engineering and Science Proceedings</i> , 15-28	0.1	2
20	Properties Of Granite Powder Reinforced Potassium Geopolymer. <i>Ceramic Engineering and Science Proceedings</i> , 1-10	0.1	2
19	Characterization of Tetragonal-Monoclinic, Ferroelastic Transformation and Domain Boundaries in Zirconia-Alloyed Yttrium Tantalate. <i>Microscopy and Microanalysis</i> , <b>2014</b> , 20, 1930-1931	0.5	1
18	Microstructure characterization of oxide coatings deposited by pulsed excimer laser ablation. <i>Journal of Materials Research</i> , <b>2003</b> , 18, 1623-1630	2.5	1
17	Fibrous monoliths of mullite-AlPO <sub>4</sub> and alumina/YAG-alumina platelets. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , <b>2004</b> , 380, 237-244	5.3	1

16	Microstructure and indentation fracture of dysprosium niobate. <i>Journal of Materials Research</i> , <b>2005</b> , 20, 1422-1427	2.5	1
15	Electrosynthesis and Microstructural Characterization of Anodic VOx Films. <i>Journal of Materials Research</i> , <b>2000</b> , 15, 1483-1489	2.5	1
14	Preparation and Hydration Kinetics of Pure CaAl <sub>2</sub> O <sub>4</sub> . <i>Materials Research Society Symposia Proceedings</i> , <b>1991</b> , 245, 199		1
13	Directions of zero thermal expansion and the peritectic transformation in HfTiO <sub>4</sub> . <i>Acta Materialia</i> , <b>2020</b> , 200, 187-199	8.4	1
12	Thermo-Mechanical Response of a Hot Surface Ignition Device under Aircraft Compression Ignition Engine Conditions <b>2021</b> ,		1
11	Geopolymers and Geopolymer-Derived Composites <b>2021</b> , 424-438		1
10	The Ageing Process of Alkali Activated Metakaolin. <i>Ceramic Transactions</i> , 315-324	0.1	1
9	Amorphous self-glazed, chopped basalt fiber reinforced, geopolymer-based composites. <i>International Journal of Applied Ceramic Technology</i> , <b>2021</b> , 18, 1097-1105	2	0
8	Thermal expansion and phase transformation in the rare earth di-titanate (RTiO) system. <i>Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials</i> , <b>2021</b> , 77, 397-407	1.8	0
7	Effect of Alkali Cations on the Polycondensation Reaction. <i>Ceramic Engineering and Science Proceedings</i> , <b>2017</b> , 61-68	0.1	
6	Strength Improvements in Clay-Based Ceramic Reinforced with Discontinuous Basalt Fiber. <i>Ceramic Engineering and Science Proceedings</i> , <b>2017</b> , 227-233	0.1	
5	MICA Platelet-Reinforced Geopolymer Composites. <i>Ceramic Engineering and Science Proceedings</i> , <b>2017</b> , 13-20	0.1	
4	MICROSTRUCTURE AND FLEXURE STRENGTHS OF DOLOMITE PARTICULATE- REINFORCED GEOPOLYMER COMPOSITES. <i>Ceramic Engineering and Science Proceedings</i> , <b>2019</b> , 171-181	0.1	
3	TEM Characterization of Pseudotetragonal Mullite. <i>Microscopy and Microanalysis</i> , <b>2001</b> , 7, 426-427	0.5	
2	Microstructure and Wear Characterization of Selflubricating Al <sub>2</sub> O <sub>3</sub> - MoS <sub>2</sub> Composite Ceramic Coatings. <i>Materials Research Society Symposia Proceedings</i> , <b>1988</b> , 140, 369		
1	Investigations on Growth of Textured and Single Crystal Oxide Fibers Using a Quadrupole Lamp Furnace	51-58	