

Samson Shenglong Yu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3824280/samson-shenglong-yu-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

1,929
citations

25
h-index

33
g-index

201
ext. papers

2,690
ext. citations

5
avg, IF

5.54
L-index

#	Paper	IF	Citations
170	Particle Filter Approach to Dynamic State Estimation of Generators in Power Systems. <i>IEEE Transactions on Power Systems</i> , 2015 , 30, 2665-2675	7	58
169	A ratiometric two-photon fluorescent probe for hydrazine and its applications. <i>Sensors and Actuators B: Chemical</i> , 2015 , 220, 1338-1345	8.5	48
168	A TICT based two-photon fluorescent probe for bisulfite anion and its application in living cells. <i>Sensors and Actuators B: Chemical</i> , 2016 , 235, 362-369	8.5	46
167	A new formation control of multiple underactuated surface vessels. <i>International Journal of Control</i> , 2018 , 91, 1011-1022	1.5	45
166	Event-Trigger Heterogeneous Nonlinear Filter for Wide-Area Measurement Systems in Power Grid. <i>IEEE Transactions on Smart Grid</i> , 2019 , 10, 2752-2764	10.7	44
165	Event-Trigger Particle Filter for Smart Grids With Limited Communication Bandwidth Infrastructure. <i>IEEE Transactions on Smart Grid</i> , 2018 , 9, 6918-6928	10.7	42
164	An Approach for Wind Power Integration Using Demand Side Resources. <i>IEEE Transactions on Sustainable Energy</i> , 2013 , 4, 917-924	8.2	42
163	State Estimation of Doubly Fed Induction Generator Wind Turbine in Complex Power Systems. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 4935-4944	7	38
162	An Impedance Network Boost Converter With a High-Voltage Gain. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 6661-6665	7.2	37
161	Dynamic Behavior of Coupled Memristor Circuits. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2015 , 62, 1607-1616	3.9	36
160	A Novel Quasi-Decentralized Functional Observer Approach to LFC of Interconnected Power Systems. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 3139-3151	7	34
159	A New Circuit for Emulating Memristors Using Inductive Coupling. <i>IEEE Access</i> , 2017 , 5, 1284-1295	3.5	33
158	A Nested Tensor Product Model Transformation. <i>IEEE Transactions on Fuzzy Systems</i> , 2019 , 27, 1-15	8.3	33
157	A Simple Floating Mutator for Emulating Memristor, Memcapacitor, and Meminductor. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020 , 67, 1334-1338	3.5	32
156	Demand-Side Regulation Provision From Industrial Loads Integrated With Solar PV Panels and Energy Storage System for Ancillary Services. <i>IEEE Transactions on Industrial Informatics</i> , 2018 , 14, 5038-5049	11.9	32
155	A DSE-Based Power System Frequency Restoration Strategy for PV-Integrated Power Systems Considering Solar Irradiance Variations. <i>IEEE Transactions on Industrial Informatics</i> , 2017 , 13, 2511-2518	11.9	31
154	A Novel Control Strategy of DFIG Wind Turbines in Complex Power Systems for Enhancement of Primary Frequency Response and LFOD. <i>IEEE Transactions on Power Systems</i> , 2018 , 33, 1811-1823	7	30

153	Parameter Identification of Chaotic and Hyper-Chaotic Systems Using Synchronization-Based Parameter Observer. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016 , 63, 1464-1475	3.9	30
152	Cooperative Dispatch of BESS and Wind Power Generation Considering Carbon Emission Limitation in Australia. <i>IEEE Transactions on Industrial Informatics</i> , 2015 , 11, 1313-1323	11.9	30
151	Stochastic Stability Condition for the Extended Kalman Filter With Intermittent Observations. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2017 , 64, 334-338	3.5	29
150	Simplified Load-Feedforward Control Design for Dual-Active-Bridge Converters With Current-Mode Modulation. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2018 , 6, 2073-2085	5.6	29
149	. <i>IEEE Transactions on Industrial Informatics</i> , 2016 , 12, 853-863	11.9	27
148	A Load-Forecasting-Based Adaptive Parameter Optimization Strategy of STATCOM Using ANNs for Enhancement of LFOD in Power Systems. <i>IEEE Transactions on Industrial Informatics</i> , 2018 , 14, 2463-2472	11.9	26
147	Roles of Dynamic State Estimation in Power System Modeling, Monitoring and Operation. <i>IEEE Transactions on Power Systems</i> , 2021 , 36, 2462-2472	7	26
146	Improvement of Stability and Power Factor in PCM Controlled Boost PFC Converter With Hybrid Dynamic Compensation. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2015 , 62, 320-328	3.9	25
145	Stochastic Event-Triggered Cubature Kalman Filter for Power System Dynamic State Estimation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2019 , 66, 1552-1556	3.5	25
144	A complex network theory analytical approach to power system cascading failure-From a cyber-physical perspective. <i>Chaos</i> , 2019 , 29, 053111	3.3	24
143	LLC resonant converter topologies and industrial applications A review. <i>Chinese Journal of Electrical Engineering</i> , 2020 , 6, 73-84	4	24
142	A Fully Decentralized Adaptive Droop Optimization Strategy for Power Loss Minimization in Microgrids With PV-BESS. <i>IEEE Transactions on Energy Conversion</i> , 2019 , 34, 385-395	5.4	24
141	Electrochemical study on Ce _{0.85} Sm _{0.15} O _{1.925} BaCe _{0.83} Y _{0.17} O ₃ composite electrolyte. <i>Journal of Alloys and Compounds</i> , 2015 , 632, 686-694	5.7	23
140	Dynamic State Estimation Based Control Strategy for DFIG Wind Turbine Connected to Complex Power Systems. <i>IEEE Transactions on Power Systems</i> , 2016 , 1-1	7	22
139	NdBa _{1-x} Co ₂ O _{5+δ} as cathode materials for IT-SOFC. <i>Solid State Ionics</i> , 2016 , 288, 54-60	3.3	22
138	A simple robust control for global asymptotic position stabilization of underactuated surface vessels. <i>International Journal of Robust and Nonlinear Control</i> , 2017 , 27, 5028-5043	3.6	21
137	A system decomposition approach to the design of functional observers. <i>International Journal of Control</i> , 2014 , 87, 1846-1860	1.5	21
136	. <i>IEEE Transactions on Power Systems</i> , 2013 , 28, 3513-3514	7	20

135	Realization of State-Estimation-Based DFIG Wind Turbine Control Design in Hybrid Power Systems Using Stochastic Filtering Approaches. <i>IEEE Transactions on Industrial Informatics</i> , 2016 , 12, 1084-1092	11.9	20
134	Application of Event-Triggered Cubature Kalman Filter for Remote Nonlinear State Estimation in Wireless Sensor Network. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 5133-5145	8.9	20
133	A Coupled Memcapacitor Emulator-Based Relaxation Oscillator. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2016 , 63, 1101-1105	3.5	19
132	A Novel Universal Interface for Constructing Memory Elements for Circuit Applications. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2019 , 66, 4793-4806	3.9	18
131	A Family of Module-Integrated High Step-Up Converters With Dual Coupled Inductors. <i>IEEE Access</i> , 2018 , 6, 16256-16266	3.5	17
130	Voltage Control Strategies for Solid Oxide Fuel Cell Energy System Connected to Complex Power Grids Using Dynamic State Estimation and STATCOM. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 3136-3145 ¹⁷	7.3	17
129	Dynamic behaviors of hyperbolic-type memristor-based Hopfield neural network considering synaptic crosstalk. <i>Chaos</i> , 2020 , 30, 033108	3.3	16
128	A generalised partial-fraction-expansion based frequency weighted balanced truncation technique. <i>International Journal of Control</i> , 2013 , 86, 833-843	1.5	16
127	A Generalized Additional Voltage Pumping Solution for High-Step-Up Converters. <i>IEEE Transactions on Power Electronics</i> , 2019 , 34, 6456-6467	7.2	16
126	Adsorptive removal of uranyl ions in aqueous solution using hydrothermal carbon spheres functionalized with 4-aminoacetophenone oxime group. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017 , 312, 187-198	1.5	15
125	A Simplified PWM Strategy for Three-Level Converters on Three-Phase Four-Wire Active Power Filter. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 4396-4406	7.2	15
124	Control of sub-harmonic oscillation in peak current mode buck converter with dynamic resonant perturbation. <i>International Journal of Circuit Theory and Applications</i> , 2015 , 43, 1399-1411	2	15
123	Effect of MgO addition and grain size on the electrical properties of Ce _{0.9} Gd _{0.1} O _{1.95} electrolyte for IT-SOFCs. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 11735-11744	6.7	14
122	A New Modulation/Demodulation Approach to DC Power-line Data Transmission for SRG-Integrated Microgrid. <i>IEEE Transactions on Power Electronics</i> , 2020 , 35, 12370-12382	7.2	13
121	Bifurcation Analysis of Five-Level Cascaded H-Bridge Inverter Using Proportional-Resonant Plus Time-Delayed Feedback. <i>International Journal of Bifurcation and Chaos in Applied Sciences and Engineering</i> , 2016 , 26, 1630031	2	13
120	A unified configurational optimization framework for battery swapping and charging stations considering electric vehicle uncertainty. <i>Energy</i> , 2021 , 218, 119536	7.9	13
119	An Enhanced Adaptive Phasor Power Oscillation Damping Approach With Latency Compensation for Modern Power Systems. <i>IEEE Transactions on Power Systems</i> , 2018 , 33, 4285-4296	7	13
118	A Novel DC-Power Control Method for Cascaded H-Bridge Multilevel Inverter. <i>IEEE Transactions on Industrial Electronics</i> , 2017 , 64, 6874-6884	8.9	12

117	Deadbeat Control for Single-Inductor Multiple-Output DCDC Converter With Effectively Reduced Cross Regulation. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020 , 8, 3372-3381	5.6	12
116	Control Design and Performance Analysis of a Double-Switched LLC Resonant Rectifier for Unity Power Factor and Soft-Switching. <i>IEEE Access</i> , 2020 , 8, 44511-44521	3.5	12
115	Analysis and generation of chaos using compositely connected coupled memristors. <i>Chaos</i> , 2018 , 28, 063115	3.3	12
114	Shortest Path Planning for Energy-Constrained Mobile Platforms Navigating on Uneven Terrains. <i>IEEE Transactions on Industrial Informatics</i> , 2018 , 14, 4264-4272	11.9	12
113	Novel Quasi-Decentralized SMC-Based Frequency and Voltage Stability Enhancement Strategies Using Valve Position Control and FACTS Device. <i>IEEE Access</i> , 2017 , 5, 946-955	3.5	12
112	A Robust Local Positive Feedback Based Performance Enhancement Strategy for Non-Recycling Folded Cascode OTA. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2020 , 67, 2897-2908	3.9	12
111	Modelling and characterization of dynamic behavior of coupled memristor circuits 2016 ,		12
110	Efficient and stable symmetrical electrode La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.7} Mo _{0.1} O ₃ for direct hydrocarbon solid oxide fuel cells. <i>Electrochimica Acta</i> , 2019 , 323, 134857	6.7	11
109	A Novel Multi-Shape Chaotic Attractor and Its FPGA Implementation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2019 , 66, 2062-2066	3.5	11
108	Exact and heuristic methods for optimizing lock-quay system in inland waterway. <i>European Journal of Operational Research</i> , 2019 , 277, 740-755	5.6	11
107	An Unscented Particle Filtering Approach to Decentralized Dynamic State Estimation for DFIG Wind Turbines in Multi-Area Power Systems. <i>IEEE Transactions on Power Systems</i> , 2020 , 35, 2670-2682	7	11
106	Dynamic Behavior Study and State Estimator Design for Solid Oxide Fuel Cells in Hybrid Power Systems. <i>IEEE Transactions on Power Systems</i> , 2016 , 31, 5190-5199	7	11
105	Cost-sensitive feature selection via the $\ell_{1,1}$ -norm. <i>International Journal of Approximate Reasoning</i> , 2019 , 104, 25-37	3.6	11
104	A Comparison Study for the Estimation of SOFC Internal Dynamic States in Complex Power Systems Using Filtering Algorithms. <i>IEEE Transactions on Industrial Informatics</i> , 2017 , 13, 1027-1035	11.9	10
103	A Novel Power and Signal Composite Modulation Approach to Powerline Data Communication for SRM in Distributed Power Grids. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 10436-10446	7.2	10
102	Discretization-Strategy-Based Solution for Berth Allocation and Quay Crane Assignment Problem. <i>Journal of Marine Science and Engineering</i> , 2022 , 10, 495	2.4	10
101	An Efficient Algorithm for Optimally Reshaping the TP Model Transformation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2017 , 64, 1187-1191	3.5	9
100	A Functional Observer Based Dynamic State Estimation Technique for Grid Connected Solid Oxide Fuel Cells. <i>IEEE Transactions on Energy Conversion</i> , 2018 , 33, 96-105	5.4	9

99	Ni _{1-x} Cu _x DC anodes for intermediate temperature solid oxide fuel cell. <i>Solid State Ionics</i> , 2016 , 288, 115-119	3.3	9
98	On the Existence and Design of Functional Observers for Linear Systems 2007 ,		9
97	An online maximum power point capturing technique for high-efficiency power generation of solar photovoltaic systems. <i>Journal of Modern Power Systems and Clean Energy</i> , 2019 , 7, 357-368	4	9
96	An MPC-Based Dual-Solver Optimization Method for DC Microgrids With Simultaneous Consideration of Operation Cost and Power Loss. <i>IEEE Transactions on Power Systems</i> , 2021 , 36, 936-947	7	9
95	A DSE-Based SMC Method of Sensorless DFIG Wind Turbines Connected to Power Grids for Energy Extraction and Power Quality Enhancement. <i>IEEE Access</i> , 2018 , 6, 76596-76605	3.5	9
94	Dynamic State Estimation for Power System Control and Protection. <i>IEEE Transactions on Power Systems</i> , 2021 , 1-1	7	9
93	Forming a Reliable Hybrid Microgrid Using Electric Spring Coupled With Non-Sensitive Loads and ESS. <i>IEEE Transactions on Smart Grid</i> , 2020 , 11, 2867-2879	10.7	8
92	Electrochemical performance of Ba _{0.8} Sr _{0.2} Co _{0.7} Fe _{0.2} Nb _{0.1} O _{3-x} Ce _{0.85} Sm _{0.15} O _{1.925} composite cathodes for intermediate temperature solid oxide fuel cells. <i>Journal of Alloys and Compounds</i> , 2016 , 656, 604-611	5.7	8
91	A Soft-PWM Approach to Power/Signal Synchronous Transmission for SRG-Based DC Microgrids. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 8450-8460	8.9	8
90	Continuous Finite-Time Integral Sliding Mode Control for Attitude Stabilization. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020 , 67, 2084-2088	3.5	8
89	Effect of grain size on the electrical properties of strontium and magnesium doped lanthanum gallate electrolytes. <i>Journal of Alloys and Compounds</i> , 2019 , 777, 244-251	5.7	8
88	Energy-Efficient Anti-Flocking Control for Mobile Sensor Networks on Uneven Terrains. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2018 , 65, 2022-2026	3.5	7
87	Advanced four-mode-modulation-based four-switch non-inverting buck-boost converter with extra operation zone. <i>IET Power Electronics</i> , 2020 , 13, 2049-2059	2.2	7
86	Effects of NiO on the conductivity of Ce _{0.85} Sm _{0.15} O _{1.925} and on electrochemical properties of the cathode/electrolyte interface. <i>Journal of Power Sources</i> , 2016 , 320, 86-93	8.9	7
85	Adaptive fuzzy dynamic surface control for uncertain discrete-time non-linear pure-feedback MIMO systems with network-induced time-delay based on state observer. <i>International Journal of Control</i> , 2019 , 92, 1707-1719	1.5	7
84	. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 1465-1478	5.6	7
83	Parameter Identification of Integrated Model of Hydraulic Turbine Regulating System With Uncertainties Using Three Different Approaches. <i>IEEE Transactions on Power Systems</i> , 2017 , 32, 3482-3491	7.1	6
82	Enhanced One-Cycle Control for Multicell Power Converters. <i>IEEE Transactions on Power Electronics</i> , 2020 , 35, 8846-8856	7.2	6

81	Impedance Modeling of DFIG Wind Farms With Various Rotor Speeds and Frequency Coupling. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 406-410	3.5	6
80	An enhanced Borg algorithmic framework for solving the hydro-thermal-wind Co-scheduling problem. <i>Energy</i> , 2021 , 218, 119512	7.9	6
79	Experimental Study of Fractional-Order RC Circuit Model Using the Caputo and Caputo-Fabrizio Derivatives. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2021 , 1-11	3.9	6
78	Combined Sliding-Mode Control for the IFDBC Interfaced DC Microgrids With Power Electronic Loads. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020 , 8, 3396-3410	5.6	5
77	A novel 3D non-autonomous system with parametrically excited abundant dynamics and bursting oscillations. <i>Chaos</i> , 2020 , 30, 043125	3.3	5
76	. <i>IEEE Access</i> , 2018 , 6, 44351-44361	3.5	5
75	Simulation of fuzzy-modified expert PID algorithms for blood glucose control 2008 ,		5
74	An Integrated Transmission Expansion and Sectionalizing-Based Black Start Allocation of BESS Planning Strategy for Enhanced Power Grid Resilience. <i>IEEE Access</i> , 2020 , 8, 148968-148979	3.5	5
73	A Novel Non-Autonomous Chaotic System With Infinite 2-D Lattice of Attractors and Bursting Oscillations. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2021 , 68, 1023-1027	3.5	5
72	An Autonomous Impedance Adaptation Strategy for Wireless Power Transfer System Using Phase-Controlled Switched Capacitors. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 2303-2316	5.6	5
71	A Self-Protected Single-Stage LLC Resonant Rectifier. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2021 , 9, 3361-3372	5.6	5
70	An advanced incremental conductance MPPT technique considering time-varying solar irradiances. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019 , 322, 012017	0.3	4
69	A design of single-switch two-stage DC-DC converters with PWM and PFM for off-grid solar power system. <i>Chinese Journal of Electrical Engineering</i> , 2017 , 3, 44-51	4	4
68	Functional Observability 2010 ,		4
67	Impedance Modeling and Stability Analysis of DFIG Wind Farm with LCC-HVDC Transmission. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2022 , 1-1	5.2	4
66	Roller Bearing Fault Diagnosis Based on Integrated Fault Feature and SVM. <i>Journal of Vibration Engineering and Technologies</i> ,1	2	4
65	. <i>IEEE Access</i> , 2020 , 8, 140293-140302	3.5	4
64	Modelling and analysis of signal flow platform implementation into retinal cell pathway 2016 ,		4

63	Dynamic surface control for discrete-time strict-feedback systems with network-induced delays using predictive event-triggered strategy. <i>International Journal of Systems Science</i> , 2019 , 50, 337-350	2.3	4
62	A PWM Strategy Based on State Transition for Cascaded H-Bridge Inverter Under Unbalanced DC Sources. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2020 , 8, 1686-1700	5.6	4
61	Square-Root Sigma-Point Filtering Approach to State Estimation for Wind Turbine Generators in Interconnected Energy Systems. <i>IEEE Systems Journal</i> , 2021 , 15, 1557-1566	4.3	4
60	Multi-bifurcation cascaded bursting oscillations and mechanism in a novel 3D non-autonomous circuit system with parametric and external excitation. <i>Nonlinear Dynamics</i> , 2021 , 105, 3699-3714	5	4
59	Impedance Strengthening and Weakening Networks for Power Converter Analysis and Design. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 9717-9721	7.2	4
58	Four Novel Embedded Z-Source DCDC Converters. <i>IEEE Transactions on Power Electronics</i> , 2022 , 37, 607-616	7.2	4
57	. <i>IEEE Transactions on Power Systems</i> , 2019 , 34, 3941-3950	7	3
56	An extendable single-switch n-cell boost converter with high voltage gain and low components stress for renewable energy. <i>International Journal of Circuit Theory and Applications</i> , 2020 , 48, 817-831	2	3
55	Synergistic electron doping and ion conductive phase incorporating of SrCoO ₃ - as desirable cathode materials for intermediate-temperature solid oxide fuel cells. <i>Ceramics International</i> , 2020 , 46, 28332-28341	5.1	3
54	Mathematical programming models for scheduling multiple cascaded waterway locks. <i>Computers and Industrial Engineering</i> , 2021 , 156, 107289	6.4	3
53	Advanced small-signal-based analytical approach to modelling high-order power converters. <i>IET Power Electronics</i> , 2019 , 12, 228-236	2.2	3
52	Enhancing the sinterability and electrical properties of BaZr _{0.1} Ce _{0.7} Y _{0.2} O _{3-δ} proton-conducting ceramic electrolyte. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 329-342	3.8	3
51	Hourglass-shaped impedance network based nonelectrolytic capacitors high step-up converter with low voltage stress. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 1147-1163	2	3
50	An exact approach to the generalized serial-lock scheduling problem from a flexible job-shop scheduling perspective. <i>Computers and Operations Research</i> , 2021 , 127, 105164	4.6	3
49	Controllability Analysis and Verification for High-Order DCDC Converters Using Switched Linear Systems Theory. <i>IEEE Transactions on Power Electronics</i> , 2021 , 1-1	7.2	3
48	A Novel Power and Signal Composite Modulation Strategy for CCC-Based SRG in Distributed Microgrid. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2021 , 11, 121-132	5.2	3
47	Rough sets and Laplacian score based cost-sensitive feature selection. <i>PLoS ONE</i> , 2018 , 13, e0197564	3.7	3
46	MPC-based double-layer real-time conditional cSelf-restoration for interconnected microgrids. <i>International Journal of Electrical Power and Energy Systems</i> , 2021 , 129, 106745	5.1	3

45	Design and HIL Realization of an Online Adaptive Dynamic Programming Approach for Real-time Economic Operations of Household Energy Systems. <i>IEEE Transactions on Smart Grid</i> , 2021 , 1-1	10.7	3
44	OFDM-Based Intrinsically Safe Power and Signal Synchronous Transmission for CC-PT-Controlled Buck Converters. <i>IEEE Transactions on Power Electronics</i> , 2022 , 1-1	7.2	3
43	A Novel Alternative to Traditional HSLC: An n-Switched-Cell Based Approach to High-Step-up Converters. <i>IEEE Access</i> , 2019 , 7, 114529-114538	3.5	2
42	A Family of Binary Memristor-Based Low-Pass Filters With Controllable Cut-Off Frequency. <i>IEEE Access</i> , 2020 , 8, 60199-60209	3.5	2
41	A dynamic state estimation based sliding mode controller for wind energy generation system connected to multimachine grids 2016 ,		2
40	An Investigation into Cascading Failure in Large-Scale Electric Grids: A Load-Redistribution Approach. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 1033	2.6	2
39	Operation optimization of wind-thermal systems considering emission problem 2014 ,		2
38	Dynamic surface control for discrete-time strict-feedback systems with network-induced time-varying delays and packets loss. <i>International Journal of Control</i> , 2019 , 1-10	1.5	2
37	Optimally solving the generalized serial-lock scheduling problem from a graph-theory-based multi-commodity network perspective. <i>European Journal of Operational Research</i> , 2021 , 288, 47-62	5.6	2
36	Novel method to operation conditions identification of high-order power converters. <i>Journal of Advanced Research</i> , 2021 , 28, 175-181	13	2
35	A novel observer-based approach to delay-dependent LFC of power systems with actuator faults and uncertain communications conditions. <i>International Journal of Electrical Power and Energy Systems</i> , 2021 , 131, 106957	5.1	2
34	Stabilization of fast-scale instabilities in PCM boost PFC converter with dynamic slope compensation 2015 ,		1
33	Global smooth leaderless consensus control of high-order nonholonomic chained systems. <i>International Journal of Control</i> , 2020 , 1-12	1.5	1
32	Design of distributed functional observers for interconnected time-delay systems 2013 ,		1
31	Variable length encoded genetic algorithm for optimal electrical distribution network routing 2017 ,		1
30	Low-order estimation scheme for large-scale systems with interconnection delays 2014 ,		1
29	Power system dynamic state estimation using particle filter 2014 ,		1
28	Spatial control of a large Pressurized Heavy Water Reactor using sliding mode observer and control 2008 ,		1

27	Impedance Modeling and Stability Analysis of All-DC Delivered Offshore Wind Farm. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2022 , 1-1	5.2	1
26	An enhanced neighborhood search algorithm for solving the split delivery vehicle routing problem with two-dimensional loading constraints. <i>Computers and Industrial Engineering</i> , 2021 , 162, 107720	6.4	1
25	A Novel Impedance-Network-Based Electric Spring. <i>IEEE Access</i> , 2020 , 8, 129123-129135	3.5	1
24	Central Difference Kalman Filter Approach Based Decentralized Dynamic States Estimator for DFIG Wind Turbines in Power Systems 2019 ,		1
23	Asymptotic Leaderless Consensus Control of Nonholonomic Chained Systems 2019 ,		1
22	Nonlinear H _∞ Filtering Based on Tensor Product Model Transformation. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2020 , 67, 1074-1078	3.5	1
21	A Novel Fault Diagnosis Technique of Inter-turn Short-Circuit Fault for SRM in Current Chopper Mode. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	1
20	A Five-Terminal Impedance Network Based Three-Port Converter. <i>IEEE Access</i> , 2018 , 6, 29474-29485	3.5	1
19	An X-shaped-switching-network high-step-up converter for grid integration of renewable energy sources. <i>AEU - International Journal of Electronics and Communications</i> , 2021 , 136, 153776	2.8	1
18	Replacing All ECs With NECs in Step-Up Converters: A Systematic Approach. <i>IEEE Transactions on Power Electronics</i> , 2022 , 37, 31-36	7.2	1
17	Functional Detectability and Asymptotic Functional Observer Design. <i>IEEE Transactions on Automatic Control</i> , 2022 , 1-1	5.9	1
16	Optimal intra-day operations of behind-the-meter battery storage for primary frequency regulation provision: A hybrid lookahead method. <i>Energy</i> , 2022 , 247, 123482	7.9	1
15	A novel patch-matching 2D denoising method for fault diagnosis of roller bearings. <i>Measurement Science and Technology</i> , 2020 , 31, 115018	2	0
14	A General Polynomial Reverse Design of Step-up Converters for EV Battery Applications. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	0
13	A multi-timescale smart grid energy management system based on adaptive dynamic programming and Multi-NN Fusion prediction method. <i>Knowledge-Based Systems</i> , 2022 , 241, 108284	7.3	0
12	A Novel Adaptive Model Predictive Control for Proton Exchange Membrane Fuel Cell in DC Microgrids. <i>IEEE Transactions on Smart Grid</i> , 2022 , 1-1	10.7	0
11	H_{∞} Functional Filtering for Linear Systems With Unknown Inputs. <i>IEEE Transactions on Automatic Control</i> , 2020 , 1-1	5.9	0
10	Non-electrolytic-capacitor boost converter with non-pulsating ripple-free output current. <i>International Journal of Circuit Theory and Applications</i> , 2021 , 49, 2719-2735	2	0

9	Generalized Flexible Voltage Pumping Module for Extra High Voltage Gain Converters in Electric Vehicles. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 6463-6471	6.8	o
8	A parameter-averaging approach to converter system order reduction. <i>Electrical Engineering</i> , 2021 , 103, 2021-2034	1.5	o
7	A Graph-Modeling Approach to Topology Simplification in Power Converters. <i>IEEE Transactions on Power Electronics</i> , 2022 , 37, 8248-8261	7.2	o
6	Pinning Decision in Interconnected Systems with Communication Disruptions under Multi-Agent Distributed Control Topology. <i>International Journal of Robotics and Control Systems</i> , 2021 , 2, 18-36		o
5	Vehicle Path Planning Method Based on Particle Swarm Optimization Algorithm. <i>Advanced Materials Research</i> , 2012 , 468-471, 2745-2748	0.5	
4	Call for Papers: Optimal Control in Diabetes <i>Optimal Control Applications and Methods</i> , 2008 , 29, 411-411.7		
3	An adaptive model predictive control strategy for a class of discrete-time linear systems with parametric uncertainty. <i>International Journal of Adaptive Control and Signal Processing</i> , 2021 , 35, 2389	2.8	
2	Guest Editorial Stability and Robustness of Power Grids With High Penetration of Power Electronics. <i>IEEE Journal on Emerging and Selected Topics in Circuits and Systems</i> , 2021 , 11, 1-4	5.2	
1	A Waveform-Subtraction Based Single-Stage Ripple-Suppression Converter Family for Multiple Waveform Generation. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 1890-1898	8.9	