Sharif Ahmad

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/382624/sharif-ahmad-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

208 7,036 46 72 g-index

213 7,800 4.2 6.48 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
208	Facile hydrophilic chitosan and graphene oxide modified sustainable non-woven fabric composite sieve membranes (NWF@Cs/Gx): Antifouling, protein rejection, and oil-water emulsion separation studies. <i>Chemical Engineering Research and Design</i> , 2022 , 181, 220-238	5.5	3
207	Electromagnetic interference shielding performance by thermally stable magnesium ferrite encapsulated polythiophene composite. <i>Journal of Materials Science: Materials in Electronics</i> , 2021 , 32, 19191-19202	2.1	2
206	Covalently functionalized ethylene diamine modified graphene oxide poly-paraphenylene diamine dispersed polyurethane anticorrosive nanocomposite coatings. <i>Progress in Organic Coatings</i> , 2021 , 150, 105966	4.8	5
205	Injectable, Self-Healing, and Biocompatible ,-Carboxymethyl Chitosan/Multialdehyde Guar Gum Hydrogels for Sustained Anticancer Drug Delivery. <i>Biomacromolecules</i> , 2021 , 22, 3731-3745	6.9	10
204	Antimicrobial polymer nanocomposite films and coatings 2021 , 379-397		
203	Self-Healing and Injectable Hydrogels for Anticancer Drug Delivery: A Study with Multialdehyde Gum Arabic and Succinic Anhydride Chitosan <i>ACS Applied Bio Materials</i> , 2020 , 3, 8460-8470	4.1	9
202	In-situ synthesis of synergistically active ceria doped polypyrrole oleo-polyesteramide hybrid nanocomposite coatings: Corrosion protection and flame retardancy behaviour. <i>Progress in Organic Coatings</i> , 2020 , 147, 105778	4.8	10
201	Significance of naturally derived materials for potential EMI shields 2020 , 63-72		
200	Conducting polymer composites: An efficient EMI shielding material 2020 , 257-266		1
199	Hydrophobic, Mechanically Robust Polysorbate-Enveloped Cerium Oxide-Dispersed Oleo-Polyetheramide Nanocomposite Coatings for Anticorrosive and Anti-Icing Applications. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 6617-6628	3.9	6
198	Polymeric nanocomposite coatings 2020 , 363-378		
197	Bi-doped barium ferrite decorated polythiophene nanocomposite: influence of Bi-doping on structure, morphology, thermal and EMI shielding behavior for X-band. <i>Journal of Materials Science</i> , 2020 , 55, 15894-15907	4.3	14
196	In situ synthesis of high-performance 4,4?-diaminodiphenylsulfone modified oleo-alkyd nanocomposite coatings: role of hybrid nanofillers on physico-mechanical, hydrophobic and corrosion protective performance. <i>New Journal of Chemistry</i> , 2020 , 44, 17924-17937	3.6	1
195	Synthesis and characterization of surface-active antimicrobial hyperbranched polyurethane coatings based on oleo-ethers of boric acid. <i>Arabian Journal of Chemistry</i> , 2020 , 13, 2689-2701	5.9	15
194	Recent Progress in the Synthesis and Property Enhancement of Waterborne Polyurethane Nanocomposites: Promising and Versatile Macromolecules for Advanced Applications. <i>Polymer Reviews</i> , 2020 , 60, 226-266	14	26
193	Periodate-Modified Gum Arabic Cross-linked PVA Hydrogels: A Promising Approach toward Photoprotection and Sustained Delivery of Folic Acid. <i>ACS Omega</i> , 2019 , 4, 16026-16036	3.9	34
192	Oleo-polyurethane-carbon nanocomposites: Effects of in-situ polymerization and sustainable precursor on structure, mechanical, thermal, and antimicrobial surface-activity. <i>Composites Part B: Engineering</i> , 2019 , 164, 683-692	10	20

(2018-2019)

191	Barium ferrite nanoparticles: a highly effective EMI shielding material. <i>Materials Research Express</i> , 2019 , 6, 055018	1.7	18
190	Waterborne reduced graphene oxide dispersed bio-polyesteramide nanocomposites: an approach towards eco-friendly anticorrosive coatings. <i>New Journal of Chemistry</i> , 2019 , 43, 4706-4720	3.6	16
189	Influence of carbon nanodots encapsulated polycarbazole hybrid on the corrosion inhibition performance of polyurethane nanocomposite coatings. <i>New Journal of Chemistry</i> , 2019 , 43, 10278-1029	9 8 .6	7
188	NiO nanofiller dispersed hybrid Soy epoxy anticorrosive coatings. <i>Progress in Organic Coatings</i> , 2019 , 133, 61-76	4.8	17
187	Recent development of carbon based materials for energy storage devices. <i>Materials Science for Energy Technologies</i> , 2019 , 2, 417-428	5.2	32
186	Novel mesoporous trimetallic strontium magnesium ferrite (Sr0.3Mg0.7Fe2O4) nanocubes: A selective and recoverable magnetic nanoadsorbent for Congo red. <i>Journal of Alloys and Compounds</i> , 2019, 791, 336-347	5.7	16
185	Formulation of a promising antimicrobial and anticorrosive bi-functional boronated hyperbranched oleo-polyurethane composite coating through the exploitation of functionalized reduced graphene oxide as chain extender. <i>Applied Surface Science</i> , 2019 , 494, 196-210	6.7	13
184	Mesoporous strontium ferrite/polythiophene composite: Influence of enwrappment on structural, thermal, and electromagnetic interference shielding. <i>Composites Part B: Engineering</i> , 2019 , 175, 107143	10	18
183	Periodate oxidized hyaluronic acid-based hydrogel scaffolds for tissue engineering applications. <i>International Journal of Biological Macromolecules</i> , 2019 , 137, 853-869	7.9	45
182	Conducting polyborozirconia(o-toluidine) nanostructures: Effect of boron and zirconia doping on synthesis, characterization and their corrosion protective performance. <i>Composites Communications</i> , 2019 , 16, 143-149	6.7	3
181	Impact of Nanoclay on the pH-Responsiveness and Biodegradable Behavior of Biopolymer-Based Nanocomposite Hydrogels. <i>Gels</i> , 2019 , 5,	4.2	1
180	Influence of medium on structure, morphology and electrochemical properties of polydiphenylamine/vanadium pentoxide composite. <i>SN Applied Sciences</i> , 2019 , 1, 1	1.8	3
179	Unveiling nanoconducting polymers and composites for corrosion protection 2019 , 373-395		
178	Vanadium Pentoxide-Enwrapped Polydiphenylamine/Polyurethane Nanocomposite: High-Performance Anticorrosive Coating. <i>ACS Applied Materials & amp; Interfaces</i> , 2019 , 11, 2374-2385	9.5	31
177	Highly efficient low cost EMI shielding by barium ferrite encapsulated polythiophene nanocomposite. <i>Journal of Alloys and Compounds</i> , 2019 , 779, 487-496	5.7	43
176	Surface-active antimicrobial and anticorrosive Oleo-Polyurethane/graphene oxide nanocomposite coatings: Synergistic effects of in-situ polymerization and IIInteraction. <i>Progress in Organic Coatings</i> , 2019 , 127, 168-180	4.8	37
175	Advances in Carbon Nanotubes-Hydrogel Hybrids in Nanomedicine for Therapeutics. <i>Advanced Healthcare Materials</i> , 2018 , 7, e1701213	10.1	86
174	Lignin nanoparticles: synthesis, characterization and corrosion protection performance. <i>New Journal of Chemistry</i> , 2018 , 42, 3415-3425	3.6	76

173	Recent development in hybrid conducting polymers: Synthesis, applications and future prospects. Journal of Industrial and Engineering Chemistry, 2018 , 60, 53-84	6.3	90
172	Castor oil-TiO2 hyperbranched poly (ester amide) nanocomposite: a sustainable, green precursor-based anticorrosive nanocomposite coatings. <i>Progress in Organic Coatings</i> , 2018 , 123, 326-33	36 ^{4.8}	22
171	Influence of boron incorporation on poly(phenyldiammine) nanostructures: Novel, well-defined and highly conducting nanospheres dispersed smart corrosion protective epoxy coatings. <i>Composites Communications</i> , 2018 , 9, 81-85	6.7	6
170	Synthesis and characterisation of poly (methylmethacrylate)-silica composites. <i>Materials Research Express</i> , 2018 , 5, 085312	1.7	7
169	Recent Advances in Structural Modifications of Hyperbranched Polymers and Their Applications. <i>Industrial & Description of Manager Structural Modifications of Hyperbranched Polymers and Their Applications.</i> **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Their Applications.** **Industrial & Description of Hyperbranched Polymers and Hyperbra	3.9	45
168	Graphene oxide dispersed polyvinyl chloride/alkyd green nanocomposite film: Processing and physico-mechanical properties. <i>Journal of Industrial and Engineering Chemistry</i> , 2018 , 68, 246-256	6.3	13
167	Green and sustainable anticorrosive coating derived from waterborne linseed alkyd using organic-inorganic hybrid cross linker. <i>Progress in Organic Coatings</i> , 2018 , 122, 189-198	4.8	21
166	Biocompatible and mechanically robust nanocomposite hydrogels for potential applications in tissue engineering. <i>Materials Science and Engineering C</i> , 2018 , 84, 168-179	8.3	37
165	Synergistic effect of nanosize and irradiation on epoxy/conducting poly(o-phenyldiamine) nanospheres composite coatings: Synthesis, characterization and corrosion protective performance. <i>Materials Chemistry and Physics</i> , 2018 , 204, 282-293	4.4	14
164	Na-Montmorillonite-Dispersed Sustainable Polymer Nanocomposite Hydrogel Films for Anticancer Drug Delivery. <i>ACS Omega</i> , 2018 , 3, 15809-15820	3.9	23
163	pH-Responsive Biocompatible Nanocomposite Hydrogels for Therapeutic Drug Delivery <i>ACS Applied Bio Materials</i> , 2018 , 1, 1810-1822	4.1	24
162	Reduced Graphene Oxide Reinforced Waterborne Soy Alkyd Nanocomposites: Formulation, Characterization, and Corrosion Inhibition Analysis. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 14820-14830	8.3	18
161	Linseed polyol-assisted, microwave-induced synthesis of nano CuO embedded in polyol-polyester matrix: antifungal behavior and coating properties. <i>Progress in Organic Coatings</i> , 2017 , 105, 200-211	4.8	9
160	High performance anti-corrosive epoxy li tania hybrid nanocomposite coatings. <i>New Journal of Chemistry</i> , 2017 , 41, 4599-4610	3.6	36
159	A review on conducting polymer reinforced polyurethane composites. <i>Journal of Industrial and Engineering Chemistry</i> , 2017 , 53, 1-22	6.3	70
158	Castor and Linseed oil polyurethane/TEOS hybrids as protective coatings: A synergistic approach utilising plant oil polyols, a sustainable resource. <i>Progress in Organic Coatings</i> , 2017 , 108, 1-14	4.8	24
157	Hyperbranched Soya Alkyd Nanocomposite: A Sustainable Feedstock-Based Anticorrosive Nanocomposite Coatings. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 9725-9734	8.3	27
156	Nanotechnology for Therapeutics 2017 , 25-40		1

(2014-2017)

155	Comparative studies of the rheological behaviour of oil epoxy and oil polyesteramide blends with polymethacrylic acid. <i>Arabian Journal of Chemistry</i> , 2017 , 10, S1814-S1820	5.9	2
154	Chapter 2:Design and Engineering of Nanogels. <i>RSC Smart Materials</i> , 2017 , 9-28	0.6	3
153	Recent trends on hydrogel based drug delivery systems for infectious diseases. <i>Biomaterials Science</i> , 2016 , 4, 1535-1553	7.4	45
152	Soy polyester urethane/TiO2 and Ce-TiO2 nanocomposites: preparation, characterization and evaluation of electrochemical corrosion resistance performance. <i>RSC Advances</i> , 2016 , 6, 10584-10596	3.7	18
151	Synergistic Effects of Linseed Oil Based Waterborne Alkyd and 3-Isocynatopropyl Triethoxysilane: Highly Transparent, Mechanically Robust, Thermally Stable, Hydrophobic, Anticorrosive Coatings. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 3062-3075	8.3	41
150	Conducting poly(o-anisidine) nanofibre dispersed epoxy-siloxane composite coatings: synthesis, characterization and corrosion protective performance. <i>New Journal of Chemistry</i> , 2016 , 40, 803-817	3.6	17
149	Recent Advances in Environment-Friendly Alkyd Nanocomposites Towards Greener Coatings 2016 ,		3
148	Montmorillonite/graphene oxide/chitosan composite: Synthesis, characterization and properties. <i>International Journal of Biological Macromolecules</i> , 2015 , 79, 923-33	7.9	43
147	Recent advances in vegetable oils based environment friendly coatings: A review. <i>Industrial Crops and Products</i> , 2015 , 76, 215-229	5.9	159
146	Facile microwave-assisted preparation of waterborne polyesteramide/OMMT clay bio-nanocomposites for protective coatings. <i>Industrial Crops and Products</i> , 2015 , 67, 484-491	5.9	16
145	Nitric oxide inhibition, antioxidant, and antitumour activities of novel copper(II) bis-benzimidazole diamide nanocoordination complexes. <i>New Journal of Chemistry</i> , 2015 , 39, 4316-4327	3.6	12
144	High-Performance Soya Polyurethane Networked Silica Hybrid Nanocomposite Coatings. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 12770-12787	3.9	47
143	Conducting poly(o-anisidine-co-o-phenyldiammine) nanorod dispersed epoxy composite coatings: synthesis, characterization and corrosion protective performance. <i>RSC Advances</i> , 2015 , 5, 94933-94948	3.7	12
142	Nanoferrite dispersed waterborne epoxy-acrylate: Anticorrosive nanocomposite coatings. <i>Progress in Organic Coatings</i> , 2015 , 80, 77-86	4.8	82
141	Linseed oil polyol/ZnO bionanocomposite towards mechanically robust, thermally stable, hydrophobic coatings: a novel synergistic approach utilising a sustainable resource. <i>RSC Advances</i> , 2015 , 5, 47928-47944	3.7	25
140	Hydrogels in tissue engineering: scope and applications. <i>Current Pharmaceutical Biotechnology</i> , 2015 , 16, 606-20	2.6	27
139	Electrochemical corrosion resistance performance of sustainable resource-based nanoconducting polymer composites in alkaline medium. <i>Journal of Solid State Electrochemistry</i> , 2014 , 18, 1855-1867	2.6	9
138	Vegetable oil based eco-friendly coating materials: A review article. <i>Arabian Journal of Chemistry</i> , 2014 , 7, 469-479	5.9	257

137	Recent advances in hydrogel based drug delivery systems for the human body. <i>Journal of Materials Chemistry B</i> , 2014 , 2, 147-166	7.3	313
136	Influence of microwave irradiation on various properties of nanopolythiophene and their anticorrosive nanocomposite coatings. <i>RSC Advances</i> , 2014 , 4, 50594-50605	3.7	21
135	Physico-mechanical and electrochemical corrosion behavior of soy alkyd/Fe3O4 nanocomposite coatings. <i>RSC Advances</i> , 2014 , 4, 14936-14947	3.7	64
134	Polyorthotoluidine dispersed castor oil polyurethane anticorrosive nanocomposite coatings. <i>RSC Advances</i> , 2014 , 4, 20984-20999	3.7	23
133	Linseed polyurethane/tetraethoxyorthosilane/fumed silica hybrid nanocomposite coatings: Physico-mechanical and potentiodynamic polarization measurements studies. <i>Progress in Organic Coatings</i> , 2014 , 77, 957-964	4.8	24
132	Rheological Behaviour of Dehydrated Castor Oil Epoxy (Dcoe) Blend with Polymethylmethacrylate (Pmma). <i>Polymers From Renewable Resources</i> , 2014 , 5, 91-98	0.4	
131	Plant oil polyol nanocomposite for antibacterial polyurethane coating. <i>Progress in Organic Coatings</i> , 2013 , 76, 541-547	4.8	30
130	Facile green synthesis of nickel nanostructures using natural polyol and morphology dependent dye adsorption properties. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 12868	13	50
129	s-Triazine Ring-Modified Waterborne Alkyd: Synthesis, Characterization, Antibacterial, and Electrochemical Corrosion Studies. <i>ACS Sustainable Chemistry and Engineering</i> , 2013 , 1, 1246-1257	8.3	59
128	Polyol induced interpenetrating networks: chitosan-methylmethacrylate based biocompatible and pH responsive hydrogels for drug delivery system. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 168-178	7.3	38
127	Synthesis, characterization and the effect of the s-triazine ring on physico-mechanical and electrochemical corrosion resistance performance of waterborne castor oil alkyd. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14227	13	67
126	Hydrogels: Smart Materials for Drug Delivery. Oriental Journal of Chemistry, 2013, 29, 861-870	0.8	55
125	Fe3O4 inverse spinal super paramagnetic nanoparticles. <i>Materials Chemistry and Physics</i> , 2012 , 132, 196	-202	136
124	Synthesis and characterization of corrosion protective polyurethanefattyamide/silica hybrid coating material. <i>Progress in Organic Coatings</i> , 2012 , 73, 112-117	4.8	56
123	Plant oil polyol based poly (ester urethane) metallohybrid coatings. <i>Progress in Organic Coatings</i> , 2012 , 73, 118-122	4.8	20
122	Development of polyaniline-polydimethylsiloxane adduct nanoparticle dispersed butylated melamine formaldehyde cured soy alkyd. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 365-372	2.9	7
121	Waterborne vegetable oil epoxy coatings: Preparation and characterization. <i>Progress in Organic Coatings</i> , 2012 , 75, 248-252	4.8	38
120	Copper nano composites functionalized by bis-benzimidazole diamide ligand: Effect of size, co-anion dependent conductivity and band gap studies. <i>Materials Chemistry and Physics</i> , 2012 , 137, 118-	128	2

119	Development of Nanostructured Poly (o-toluidine) Reinforced OrganicIhorganic Hybrid Composites. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2012 , 22, 662-670	3.2	12
118	Interpenetrating biopolymer network based hydrogels for an effective drug delivery system. <i>Carbohydrate Polymers</i> , 2012 , 87, 1433-1439	10.3	60
117	Renewable resources in corrosion resistance 2012,		8
116	Preparation and characterization of nanostructured biohybrid. <i>Progress in Organic Coatings</i> , 2011 , 72, 469-472	4.8	14
115	Microwave Assisted Synthesis of Bio Based Metallopolyurethaneamide. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2011 , 21, 61-68	3.2	11
114	Studies on Ambient Cured Biobased Mn(II), Co(II) and Cu(II) Containing Metallopolyesteramides. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2011 , 21, 646-654	3.2	13
113	Synthesis and Characterization of Ricinoleamide-Based Polyurethane. <i>JAOCS, Journal of the American Oil ChemistskSociety</i> , 2011 , 88, 1989-1996	1.8	16
112	Modification of novel bio-based resin-epoxidized soybean oil by conventional epoxy resin. <i>Polymer Engineering and Science</i> , 2011 , 51, 1087-1091	2.3	7 ²
111	Effect of microwave processing on the spectral, mechanical, thermal, and morphological characteristics of sustainable resource based castor oil Epoxy/PVA blends. <i>Advances in Polymer Technology</i> , 2011 , 30, 96-109	1.9	13
110	Rapid intercalation of sustainable resource-based linseed oil fatty amide polymer precursor in cloisite 93A by microwave-assisted method. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 2317-2323	2.9	6
109	New biocidal metal complexes of bisphenol-A formaldehyde polymer containing piperazine. Journal of Coordination Chemistry, 2011 , 64, 2639-2648	1.6	9
108	Studies on Boron Containing Poly(urethane fattyamide). <i>Macromolecular Symposia</i> , 2010 , 290, 79-84	0.8	9
107	Development of Novel Bio-Based Soybean Oil Epoxy Resins as a Function of Hardener Stoichiometry. <i>Polymer-Plastics Technology and Engineering</i> , 2010 , 49, 657-661		51
106	Development of Anticorrosive Poly(Ether-Urethane) Amide Coatings from Linseed Oil: A Sustainable Resource. <i>Journal of Polymers and the Environment</i> , 2010 , 18, 208-215	4.5	16
105	Linseed amide diol/DGEBA epoxy blends for coating applications: Preparation, characterization, ageing studies and coating properties. <i>Progress in Organic Coatings</i> , 2010 , 67, 170-179	4.8	22
104	Studies on self cured zinc-containing Pongamia glabra oil based polyesteramide. <i>Progress in Organic Coatings</i> , 2010 , 69, 517-521	4.8	19
103	Nanostructured Iron Oxide Platform for Impedimetric Cholesterol Detection. <i>Electroanalysis</i> , 2010 , 22, 1045-1055	3	43
102	Pongamia glabra seed oil based poly(urethanefatty amide). <i>Journal of Applied Polymer Science</i> , 2010 , 117, NA-NA	2.9	1

101	Silica Reinforced OrganicIhorganic Hybrid Polyurethane Nanocomposites From Sustainable Resource. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 412-419	2.6	49
100	Compatibility and biodegradability studies of linseed oil epoxy and PVC blends. <i>Biomass and Bioenergy</i> , 2010 , 34, 396-401	5.3	42
99	Carbon nanotubes Ethitosan nanobiocomposite for immunosensor. <i>Thin Solid Films</i> , 2010 , 519, 1160-11	6 6 .2	36
98	Nanostructured polyaniline reinforced sustainable resource (soy oil alkyd) based composites. <i>Polymer Composites</i> , 2010 , 31, 32-37	3	13
97	A comparative study on camphorsulphonic acid modified montmorillonite clay based conducting polymer nanocomposites. <i>Polymer Composites</i> , 2010 , 31, 906-912	3	8
96	Hybrid cross-linked polyaniline-WO3 nanocomposite thin film for NO(x) gas sensing. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 1792-6	1.3	26
95	Poly (urethane fatty amide) resin from linseed oil renewable resource. <i>Progress in Organic Coatings</i> , 2009 , 64, 27-32	4.8	63
94	Effect of dopant on the corrosion protective performance of environmentally benign nanostructured conducting composite coatings. <i>Progress in Organic Coatings</i> , 2009 , 65, 405-409	4.8	21
93	Development of sustainable resource-based nanostructured polyaniline/castor oil polyurethane composites. <i>Advances in Polymer Technology</i> , 2009 , 28, 26-31	1.9	13
92	Comparison of corrosion protective performance of nanostructured polyaniline and poly(1-naphthylamine)-based alkyd coatings on mild steel. <i>Materials and Corrosion - Werkstoffe Und Korrosion</i> , 2009 , 60, 280-286	1.6	13
91	Synthesis, characterization, and anticorrosive coating properties of waterborne interpenetrating polymer network based on epoxy-acrylic-oleic acid with butylated melamine formaldehyde. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 827-838	2.9	17
90	Synthesis and characterization of poly(esteramide-urethane) from linseed oil as anticorrosive coatings. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 3268-3273	2.9	21
89	Development and characterization of boron incorporated linseed oil polyurethanes. <i>Journal of Applied Polymer Science</i> , 2009 , 116, 499-508	2.9	15
88	Iron oxide-chitosan nanobiocomposite for urea sensor. <i>Sensors and Actuators B: Chemical</i> , 2009 , 138, 572-580	8.5	175
87	High performance corrosion resistant polyaniline/alkyd ecofriendly coatings. <i>Current Applied Physics</i> , 2009 , 9, 80-86	2.6	51
86	Effect of solvent on the characteristics of nanostructured composites of poly (1-naphthylamine) with poly (vinyl alcohol). <i>Current Applied Physics</i> , 2009 , 9, 581-587	2.6	6
85	Soft Template Synthesis of Super Paramagnetic Fe3O4 Nanoparticles a Novel Technique. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2009 , 19, 355-360	3.2	126
84	Cholesterol biosensor based on electrochemically prepared polyaniline conducting polymer film in presence of a nonionic surfactant. <i>Journal of Polymer Research</i> , 2009 , 16, 363-373	2.7	41

(2008-2009)

83	Synthesis, Characterization and Performance of Amine Modified Linseed Oil Fatty Amide Coatings. JAOCS, Journal of the American Oil ChemistskSociety, 2009 , 86, 573-580	1.8	25
82	Development of novel conducting composites of nanostructured poly(1-naphthylamine) with poly(vinyl chloride). <i>Polymer Composites</i> , 2009 , 30, 528-533	3	6
81	Grafting of glycidyl methacrylate onto swift-nickel-ions irradiated polypropylene films using chemical initiator. <i>Polymer Engineering and Science</i> , 2009 , 49, 881-888	2.3	
80	Fumed silica nanoparticlesEhitosan nanobiocomposite for ochratoxin-A detection. Electrochemistry Communications, 2009 , 11, 1919-1923	5.1	31
79	Iron oxide-chitosan hybrid nanobiocomposite based nucleic acid sensor for pyrethroid detection. <i>Biochemical Engineering Journal</i> , 2009 , 46, 132-140	4.2	65
78	Cerium oxide-chitosan based nanobiocomposite for food borne mycotoxin detection. <i>Applied Physics Letters</i> , 2009 , 95, 173703	3.4	56
77	Synthesis and Characterization of Boron Incorporated Polyester Polyol from Linseed Oil: A Sustainable Material. <i>Macromolecular Symposia</i> , 2009 , 277, 130-137	0.8	12
76	A nanostructured cerium oxide film-based immunosensor for mycotoxin detection. <i>Nanotechnology</i> , 2009 , 20, 055105	3.4	94
75	Development of novel waterborne poly(1-naphthylamine)/poly(vinylalcohol)Eesorcinol formaldehyde-cured corrosion resistant composite coatings. <i>Progress in Organic Coatings</i> , 2008 , 62, 32-	-3 9 .8	11
74	Synthesis, characterization and corrosion protective properties of boron-modified polyurethane from natural polyol. <i>Progress in Organic Coatings</i> , 2008 , 63, 25-32	4.8	33
73	Evaluation of antibacterial activity of nanostructured poly(1-naphthylamine) and its composites. Journal of Biomaterials Science, Polymer Edition, 2008, 19, 1535-46	3.5	3
72	Template Polymerization of Nano-Scale Poly(1-Naphthylamine): Effect of Oxidant on the Spectral, Thermal and Morphological Characteristics. <i>Designed Monomers and Polymers</i> , 2008 , 11, 201-214	3.1	14
71	Comparative study of polyaniline and poly(1-naphthylamine) dispersed oil polyurethane coatings. <i>Anti-Corrosion Methods and Materials</i> , 2008 , 55, 308-316	0.8	9
70	Iron oxide nanoparticles-chitosan composite based glucose biosensor. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 676-83	11.8	376
69	Pseudo template synthesis of poly (1-naphthylamine): effect of environment on nanostructured morphology. <i>Journal of Nanoparticle Research</i> , 2008 , 10, 1209-1214	2.3	13
68	Pyridine-poly(urethane ester amide) coatings from linseed oil. <i>Journal of Polymer Research</i> , 2008 , 15, 343-350	2.7	30
67	Influence of polymerization conditions on the template free synthesis of nanoparticles of poly (1-naphthylamine). <i>Polymer Bulletin</i> , 2008 , 60, 487-493	2.4	2
66	Effect of Dopant on the Nanostructured Morphology of Poly (1-naphthylamine) Synthesized by Template Free Method. <i>Nanoscale Research Letters</i> , 2008 , 3, 45-48	5	26

65	Corrosion-protective performance of nano polyaniline/ferrite dispersed alkyd coatings 2008 , 5, 123-12	28	53
64	Template free synthesis of nanoparticles of poly (1-naphthylamine): influence of alcoholic medium on polymerization. <i>Colloid and Polymer Science</i> , 2008 , 286, 459-462	2.4	8
63	Development of nanostructured polyaniline dispersed smart anticorrosive composite coatings. <i>Polymers for Advanced Technologies</i> , 2008 , 19, 882-888	3.2	23
62	Water-borne melamineformaldehyde-cured epoxyficrylate corrosion resistant coatings. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 215-222	2.9	19
61	Nanocomposite polymer electrolytes by in situ polymerization of methyl methacrylate: For electrochemical applications. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 3042-3048	2.9	18
60	Copolymerization of poly(1-naphthylamine) with aniline and o-toluidine. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 2604-2610	2.9	21
59	In situ development of Zn/Cd-incorporated poly(esteramide-urethane) from sustainable resource. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 584-593	2.9	19
58	Effect of processing conditions on the characteristics of nanostructured composites of poly(1-naphthylamine). <i>Advances in Polymer Technology</i> , 2008 , 27, 40-46	1.9	4
57	ChitosanIron oxide nanobiocomposite based immunosensor for ochratoxin-A. <i>Electrochemistry Communications</i> , 2008 , 10, 1364-1368	5.1	115
56	Self-cured polymers from non-drying oil. <i>Chemistry and Chemical Technology</i> , 2008 , 2, 285-293	0.9	4
55	Investigation of Miscibility of Linseed Oil Epoxy with Poly(vinyl alcohol). <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2007 , 44, 1115-1120	2.2	4
54	Miscibility behavior of blend of polyesteramides of linseed oil and dehydrated castor oil with poly(methacrylic acid). <i>Journal of Applied Polymer Science</i> , 2007 , 103, 1367-1374	2.9	10
53	Development of linseed oil based polyesteramide without organic solvent at lower temperature. Journal of Applied Polymer Science, 2007 , 104, 1143-1148	2.9	37
52	Functionalization of industrial polypropylene films via the swift-heavy-ion-induced grafting of glycidyl methacrylate. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 3578-3587	2.9	4
51	Epoxidation, hydroxylation, acrylation and urethanation of Linum usitatissimum seed oil and its derivatives. <i>European Journal of Lipid Science and Technology</i> , 2007 , 109, 134-146	3	59
50	Electrochromic properties of polyaniline thin film nanostructures derived from solutions of ionic liquid/polyethylene glycol. <i>Electrochimica Acta</i> , 2007 , 52, 7453-7463	6.7	45
49	Studies on zinc-containing linseed oil based polyesteramide. <i>Reactive and Functional Polymers</i> , 2007 , 67, 928-935	4.6	46
48	Development of novel conducting composites of linseed-oil-based poly(urethane amide) with nanostructured poly(1-naphthylamine). <i>Polymer International</i> , 2007 , 56, 1173-1181	3.3	26

(2006-2007)

47	Cd and Zn-incorporated polyesteramide coating materials from seed oil a renewable resource. <i>Progress in Organic Coatings</i> , 2007 , 59, 68-75	4.8	25
46	High performance corrosion protective DGEBA/polypyrrole composite coatings. <i>Progress in Organic Coatings</i> , 2007 , 59, 138-145	4.8	53
45	Effect of ferrofluid concentration on electrical and magnetic properties of the Fe3O4/PANI nanocomposites. <i>Journal of Magnetism and Magnetic Materials</i> , 2007 , 314, 93-99	2.8	91
44	Synthesis and characterization of in situ prepared poly (methyl methacrylate) nanocomposites. <i>Bulletin of Materials Science</i> , 2007 , 30, 31-35	1.7	83
43	Miscibility Studies of Polyesteramides of Linseed Oil and Dehydrated Castor Oil with Poly(vinyl alcohol). <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 437-451	3	18
42	Synthesis, characterization, antibacterial and corrosion protective properties of epoxies, epoxy-polyols and epoxy-polyurethane coatings from linseed and Pongamia glabra seed oils. <i>International Journal of Biological Macromolecules</i> , 2007 , 40, 407-22	7.9	93
41	Role of fumed silica on ion conduction and rheology in nanocomposite polymeric electrolytes. <i>Polymer</i> , 2006 , 47, 3583-3590	3.9	79
40	The effect of nanosized TiO2 addition on poly(methylmethacrylate) based polymer electrolytes. <i>Journal of Power Sources</i> , 2006 , 159, 205-209	8.9	66
39	Development and characterization of vinylated polyesteramide from non-edible seeds oils. <i>Progress in Organic Coatings</i> , 2006 , 56, 1-7	4.8	13
38	Development of aminelicid cured Annona squamosa oil epoxy anticorrosive polymeric coatings. <i>Progress in Organic Coatings</i> , 2006 , 55, 268-275	4.8	29
37	Studies on epoxy-butylated melamine formaldehyde-based anticorrosive coatings from a sustainable resource. <i>Progress in Organic Coatings</i> , 2006 , 56, 207-213	4.8	23
36	Studies on miscibility of dehydrated castor oil epoxy blend with poly(methyl methacrylate). <i>Journal of Applied Polymer Science</i> , 2006 , 100, 3094-3100	2.9	10
35	Miscibility studies on linseed oil epoxy blend with poly(methacrylic acid). <i>Journal of Applied Polymer Science</i> , 2006 , 99, 2512-2519	2.9	4
34	Synthesis, characterization, and antimicrobial studies of newly developed metal-chelated epoxy resins. <i>Journal of Applied Polymer Science</i> , 2006 , 101, 1347-1355	2.9	42
33	Synthesis and characterization of antibacterial polychelates of ureafformaldehyde resin with Cr(III), Mn(II), Fe(III), Co(II), Ni(II), Cu(II), and Zn(II) metal ions. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 928	3 -33 6	50
32	Synthesis, formulation, and characterization of siloxane-modified epoxy-based anticorrosive paints. Journal of Applied Polymer Science, 2006 , 100, 4981-4991	2.9	36
31	Studies on Melamine Modified Polyesteramide as Anticorrosive Coatings from Linseed Oil: A Sustainable Resource. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2006 , 43, 773-783	3 ^{2.2}	15
30	Alumina-Incorporated Polyesteramide from Non-Edible Seed Oils. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2006 , 43, 1409-1419	2.2	13

29	Development of a Sustainable Resource Based Conducting Composite of Polyaniline-Poly(esteramideurethane). <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2006 , 43, 679-687	2.2	6
28	Synthesis and Characterization of Piperazine-Modified Linseed Oil Fatty Amide Coatings. <i>International Journal of Polymer Analysis and Characterization</i> , 2006 , 11, 171-184	1.7	3
27	Synthesis and Characterization of Novel Poly(1-Naphthylamine)-Montmorillonite Nanocomposites Intercalated by Emulsion Polymerization. <i>Journal of Macromolecular Science - Physics</i> , 2006 , 45, 1109-11	234	8
26	Ambient Cured Tartaric Acid Modified Oil Fatty Amide Anticorrosive Coatings. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2005 , 42, 751-764	2.2	19
25	Compatibility Studies on Dehydrated Castor Oil Epoxy Blend with Poly(Methacrylic Acid). <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2005 , 42, 1409-1421	2.2	15
24	Conducting Semi-interpenetrating Polymer Network of Polypyrrole with Poly(esteramide urethane) Synthesized from a Sustainable Resource. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2005 , 42, 521-533	2.2	10
23	Nanocomposite electrolytes with fumed silica in poly(methyl methacrylate): thermal, rheological and conductivity studies. <i>Journal of Power Sources</i> , 2005 , 140, 151-156	8.9	46
22	Studies on new polyetheramide-butylated melamine formaldehyde based anticorrosive coatings from a sustainable resource. <i>Progress in Organic Coatings</i> , 2005 , 52, 85-91	4.8	37
21	Synthesis, characterization and development of high performance siloxane-modified epoxy paints. <i>Progress in Organic Coatings</i> , 2005 , 54, 248-255	4.8	152
20	Synthesis, characterization, and performance evaluation of hard, anticorrosive coating materials derived from diglycidyl ether of bisphenol A acrylates and methacrylates. <i>Journal of Applied Polymer Science</i> , 2005 , 95, 494-501	2.9	14
19	Ambient-cured polyesteramide-based anticorrosive coatings from linseed oil sustainable resource. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 1818-1824	2.9	27
18	Corrosion studies of polyaniline/coconut oil poly(esteramide urethane) coatings. <i>Polymers for Advanced Technologies</i> , 2005 , 16, 541-548	3.2	24
17	Acrylic-melamine modified DGEBA-epoxy coatings and their anticorrosive behavior. <i>Progress in Organic Coatings</i> , 2004 , 50, 47-54	4.8	47
16	Newly developed urethane modified polyetheramide-based anticorrosive coatings from a sustainable resource. <i>Progress in Organic Coatings</i> , 2004 , 50, 224-230	4.8	77
15	Air drying polyesteramide from a sustainable resource. <i>Progress in Organic Coatings</i> , 2004 , 51, 250-256	4.8	40
14	Composite polymeric electrolytes based on PMMA-LiCF3SO3-SiO2. <i>Ionics</i> , 2004 , 10, 268-272	2.7	1
13	Studies on poly(styrene-co-maleic anhydride)-modified polyesteramide-based anticorrosive coatings synthesized from a sustainable resource. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2538-25	2 4 ⁹	43
12	Pseudothermoset blends of poly (methyl methacrylate) and polypyrrole morphological, thermal, and conductivity studies. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 82-91	2.9	13

LIST OF PUBLICATIONS

11	Composite gel electrolytes based on poly(methylmethacrylate) and hydrophilic rumed silica. Electrochimica Acta, 2004 , 49, 2343-2349	6.7	37	
10	Urethane modified boron filled polyesteramide: a novel anti-microbial polymer from a sustainable resource. <i>European Polymer Journal</i> , 2004 , 40, 2097-2104	5.2	47	
9	Composite polymeric electrolytes based on PMMA-LiCF3SO3-SiO2. <i>Ionics</i> , 2003 , 9, 439-443	2.7	3	
8	A polyesteramide from Pongamia glabra oil for biologically safe anticorrosive coating. <i>Progress in Organic Coatings</i> , 2003 , 47, 95-102	4.8	92	
7	External Stimuli Responsive Characteristics of Epoxy-Polyamide/Starch Blend Films. <i>Journal of Macromolecular Science - Pure and Applied Chemistry</i> , 2003 , 40, 1183-1197	2.2	2	
6	Studies on ambient cured polyurethane modified epoxy coatings synthesized from a sustainable resource. <i>Progress in Crystal Growth and Characterization of Materials</i> , 2002 , 45, 83-88	3.5	56	
5	Studies on urethane-modified alumina-filled polyesteramide anticorrosive coatings cured at ambient temperature. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 1855-1865	2.9	80	
4	Influence of Carbon on the Hot Corrosion Behaviour of Fe-Base Alloys. <i>Materials Transactions, JIM</i> , 1989 , 30, 707-716		6	
3	Oxidation behaviour of silicated hromate and oxide coated 303 steel in presence of ionic salts over temperature range 400 do 00°C. Corrosion Engineering Science and Technology, 1985, 20, 71-83		1	
2	Hot Corrosion Behaviour of 18Cr–8Ni Austenitic Steel in Presence of Na2SO4 and Transition Metal Salts. <i>Transactions of the Japan Institute of Metals</i> , 1984 , 25, 168-178		7	
1	Biobased Pharmaceutical Polymer Nanocomposite: Synthesis, Chemistry and Antifungal Study327-350		1	