

Mamoru Okamoto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3827104/publications.pdf>

Version: 2024-02-01

36
papers

4,432
citations

257101

24
h-index

395343

33
g-index

39
all docs

39
docs citations

39
times ranked

4437
citing authors

#	ARTICLE	IF	CITATIONS
1	Strategies for engineering improved nitrogen use efficiency in crop plants via redistribution and recycling of organic nitrogen. <i>Current Opinion in Biotechnology</i> , 2022, 73, 263-269.	3.3	19
2	GABA signalling modulates stomatal opening to enhance plant water use efficiency and drought resilience. <i>Nature Communications</i> , 2021, 12, 1952.	5.8	92
3	Improving Nitrogen Use Efficiency Through Overexpression of Alanine Aminotransferase in Rice, Wheat, and Barley. <i>Frontiers in Plant Science</i> , 2021, 12, 628521.	1.7	27
4	Strengths and Weaknesses of National Variety Trial Data for Multi-Environment Analysis: A Case Study on Grain Yield and Protein Content. <i>Agronomy</i> , 2020, 10, 753.	1.3	10
5	Understanding the Interactions between Biomass, Grain Production and Grain Protein Content in High and Low Protein Wheat Genotypes under Controlled Environments. <i>Agronomy</i> , 2019, 9, 706.	1.3	10
6	Opposite fates of the purine metabolite allantoin under water and nitrogen limitations in bread wheat. <i>Plant Molecular Biology</i> , 2019, 99, 477-497.	2.0	41
7	Aluminum-Activated Malate Transporters Can Facilitate GABA Transport. <i>Plant Cell</i> , 2018, 30, 1147-1164.	3.1	71
8	Nitrate uptake and its regulation in relation to improving nitrogen use efficiency in cereals. <i>Seminars in Cell and Developmental Biology</i> , 2018, 74, 97-104.	2.3	43
9	RNA Catabolites Contribute to the Nitrogen Pool and Support Growth Recovery of Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 1539.	1.7	29
10	Exploring the potential for top-dressing bread wheat with ammonium chloride to minimize grain yield losses under drought. <i>Soil Science and Plant Nutrition</i> , 2018, 64, 642-652.	0.8	5
11	Molecular genetics to discover and improve nitrogen use efficiency in crop plants. , 2017, , 93-122.		11
12	Detecting spikes of wheat plants using neural networks with Laws texture energy. <i>Plant Methods</i> , 2017, 13, 83.	1.9	61
13	Quantifying the Onset and Progression of Plant Senescence by Color Image Analysis for High Throughput Applications. <i>PLoS ONE</i> , 2016, 11, e0157102.	1.1	26
14	Evaluation of Australian wheat genotypes for response to variable nitrogen application. <i>Plant and Soil</i> , 2016, 399, 247-255.	1.8	31
15	The Genetic Control of Grain Protein Content under Variable Nitrogen Supply in an Australian Wheat Mapping Population. <i>PLoS ONE</i> , 2016, 11, e0159371.	1.1	25
16	Genetic Basis for Variation in Wheat Grain Yield in Response to Varying Nitrogen Application. <i>PLoS ONE</i> , 2016, 11, e0159374.	1.1	25
17	The Genetics of Nitrogen Use Efficiency in Crop Plants. <i>Annual Review of Genetics</i> , 2015, 49, 269-289.	3.2	217
18	Genetic approaches to enhancing nitrogen-use efficiency (NUE) in cereals: challenges and future directions. <i>Functional Plant Biology</i> , 2015, 42, 921.	1.1	75

#	ARTICLE	IF	CITATIONS
19	Soybean <i>SAT1</i> (<i>Symbiotic Ammonium Transporter 1</i>) encodes a bHLH transcription factor involved in nodule growth and NH ₄ ⁺ transport. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 4814-4819.	3.3	92
20	Rice DUR3 mediates high-affinity urea transport and plays an effective role in improvement of urea acquisition and utilization when expressed in <i>Arabidopsis</i> . New Phytologist, 2012, 193, 432-444.	3.5	104
21	Dissection of the AtNRT2.1:AtNRT2.2 Inducible High-Affinity Nitrate Transporter Gene Cluster. Plant Physiology, 2007, 143, 425-433.	2.3	330
22	Interference with the citrulline-based nitric oxide synthase assay by argininosuccinate lyase activity in <i>Arabidopsis</i> extracts. FEBS Journal, 2007, 274, 4238-4245.	2.2	42
23	Inhibition of Restriction Enzyme's DNA Sequence Recognition by PUVA Treatment. Photochemistry and Photobiology, 2007, 74, 269-273.	1.3	0
24	Response to Zemojtel et al: Plant nitric oxide synthase: back to square one. Trends in Plant Science, 2006, 11, 526-527.	4.3	246
25	High-Affinity Nitrate Transport in Roots of <i>Arabidopsis</i> Depends on Expression of the NAR2-Like Gene AtNRT3.1. Plant Physiology, 2006, 140, 1036-1046.	2.3	239
26	Determination of the Essentiality of the Eight Cysteine Residues of the NrtA Protein for High-Affinity Nitrate Transport and the Generation of a Functional Cysteine-less Transporter. Biochemistry, 2005, 44, 5471-5477.	1.2	7
27	Differential expression of three members of the AMT1 gene family encoding putative high-affinity NH ₄ ⁺ transporters in roots of <i>Oryza sativa</i> subspecies indica. Plant, Cell and Environment, 2003, 26, 907-914.	2.8	105
28	Identification of a Plant Nitric Oxide Synthase Gene Involved in Hormonal Signaling. Science, 2003, 302, 100-103.	6.0	812
29	Microarray Analysis of the Nitrate Response in <i>Arabidopsis</i> Roots and Shoots Reveals over 1,000 Rapidly Responding Genes and New Linkages to Glucose, Trehalose-6-Phosphate, Iron, and Sulfate Metabolism. Plant Physiology, 2003, 132, 556-567.	2.3	611
30	Regulation of NRT1 and NRT2 Gene Families of <i>Arabidopsis thaliana</i> : Responses to Nitrate Provision. Plant and Cell Physiology, 2003, 44, 304-317.	1.5	333
31	Inhibition of restriction enzyme's DNA sequence recognition by PUVA treatment. Nucleic Acids Symposium Series, 2003, 3, 297-298.	0.3	0
32	The regulation of nitrate and ammonium transport systems in plants. Journal of Experimental Botany, 2002, 53, 855-864.	2.4	391
33	Antimicrobial DNA-binding Photosensitizers from the Common Rush, <i>Juncus effusus</i> . Photochemistry and Photobiology, 2002, 76, 51-56.	1.3	25
34	Antimicrobial DNA-binding photosensitizers from the common rush, <i>Juncus effusus</i> . Photochemistry and Photobiology, 2002, 76, 51-6.	1.3	10
35	Inhibition of Restriction Enzyme's DNA Sequence Recognition by PUVA Treatment. Photochemistry and Photobiology, 2001, 74, 269.	1.3	1
36	Regulation of a putative high-affinity nitrate transporter (Nrt2;1At) in roots of <i>Arabidopsis thaliana</i> . Plant Journal, 1999, 17, 563-568.	2.8	261