

Young-Ho Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3827174/publications.pdf>

Version: 2024-02-01

23
papers

218
citations

1040056

9
h-index

1058476

14
g-index

23
all docs

23
docs citations

23
times ranked

268
citing authors

#	ARTICLE	IF	CITATIONS
1	Cementless Total Hip Arthroplasty With a Metal-on-Metal Bearing in Patients Younger Than 50 Years. <i>Journal of Arthroplasty</i> , 2011, 26, 1481-1487.	3.1	41
2	Risk Factors Associated with Dislocation after Bipolar Hemiarthroplasty in Elderly Patients with Femoral Neck Fracture. <i>Hip and Pelvis</i> , 2016, 28, 104-111.	1.6	24
3	The incidence of hip dislocation and suture failure according to two different types of posterior soft tissue repair techniques in total hip arthroplasty: a prospective randomized controlled trial. <i>International Orthopaedics</i> , 2018, 42, 2049-2056.	1.9	21
4	The cartilage degeneration and joint motion of bipolar hemiarthroplasty. <i>International Orthopaedics</i> , 2012, 36, 2015-2020.	1.9	18
5	Long-Term Outcomes After Metal-on-Metal Total Hip Arthroplasty With a 28-mm Head: A 17- to 23-Year Follow-Up Study of a Previous Report. <i>Journal of Arthroplasty</i> , 2018, 33, 2165-2172.	3.1	16
6	Isolated Acetabular Revision With Ceramic-on-Ceramic Bearings Using a Ceramic Head With a Metal Sleeve. <i>Journal of Arthroplasty</i> , 2014, 29, 2420-2423.	3.1	13
7	Do we really need a surgery for hip fractures in elderly patients? Mortality rate and influencing factors. <i>Arthroplasty</i> , 2019, 1, 7.	2.2	13
8	Is bipolar hemiarthroplasty a reliable option for Ficat stage III osteonecrosis of the femoral head? 15- to 24-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2012, 132, 1789-1796.	2.4	12
9	Acetabular revision arthroplasty using press-fitted jumbo cups: an average 10-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2019, 139, 1149-1160.	2.4	12
10	Acetabular Cup Revision. <i>Hip and Pelvis</i> , 2017, 29, 155-158.	1.6	10
11	The Comparison of Compression Hip Screw and Bipolar Hemiarthroplasty for the Treatment of AO Type A2 Intertrochanteric Fractures. <i>Hip and Pelvis</i> , 2014, 26, 99-106.	1.6	8
12	Psychological Changes and Employment Outcomes After Kyphosis Correction in Patients With Ankylosing Spondylitis. <i>Spine</i> , 2019, 44, 996-1002.	2.0	7
13	Acetabular cup migration after primary cementless total hip arthroplasty in rheumatoid arthritis and its influencing factors: a comparative study with osteoarthritic hip. <i>International Orthopaedics</i> , 2020, 44, 1047-1053.	1.9	7
14	Comparison of the Effect of Hydroxyapatite and Allogeneous Bone as an Adjunct to Autogenous Iliac Bone Grafting in Posterolateral Spinal Fusion. <i>The Journal of the Korean Orthopaedic Association</i> , 2008, 43, 347.	0.1	5
15	Modification of the Weaver-Dunn procedure. <i>International Orthopaedics</i> , 1999, 23, 113-113.	1.9	4
16	Apophyseal Avulsion Fracture of Ischial Tuberosity during Soccer: A Case Report and Literature Review. <i>The Korean Journal of Sports Medicine</i> , 2017, 35, 202.	0.2	3
17	Revision Total Hip Arthroplasty Using a Wagner Revision Stem. <i>The Journal of the Korean Hip Society</i> , 2010, 22, 137-142.	0.2	2
18	Risk Factors for Dislocation after Primary Total Hip Arthroplasty with the Transtrochanteric Approach. <i>The Journal of the Korean Hip Society</i> , 2010, 22, 52-57.	0.2	1

#	ARTICLE	IF	CITATIONS
19	Persistency and Change of the Bone Mineral Density with Alendronate Treatment after Hip Fracture. The Journal of the Korean Hip Society, 2010, 22, 312-318.	0.2	1
20	The Efficacy of a Periarticular Soft Tissue Injection of Bupivacaine and Morphine in Total Hip Arthroplasty: a Prospective Study. The Journal of the Korean Hip Society, 2010, 22, 266-272.	0.2	0
21	Treatment of Periprosthetic Femoral Fracture according to the Vancouver Classification. The Journal of the Korean Orthopaedic Association, 2007, 42, 147.	0.1	0
22	The Third Generation Alumina-on-Alumina Bearing Total Hip Arthroplasty in Patients Under the Age of Forty: A Minimum Five-Year Follow Up Study. The Journal of the Korean Orthopaedic Association, 2011, 46, 478.	0.1	0
23	Cementless Total Hip Arthroplasty Using the ABC I Hydroxyapatite-coated Prosthesis : Minimum 10 Year Follow-up. Hip and Pelvis, 2013, 25, 166-172.	1.6	0