
Valentina Milani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3827285/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------------|---------------|
| 1 | Effect of n-3 polyunsaturated fatty acids in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2008, 372, 1223-1230. | 13.7 | 1,178 |
| 2 | n–3 Fatty Acids in Patients with Multiple Cardiovascular Risk Factors. New England Journal of Medicine, 2013, 368, 1800-1808. | 27.0 | 464 |
| 3 | Cyclosporine A in ReperfusedÂMyocardialÂInfarction. Journal of the American College of Cardiology, 2016, 67, 365-374. | 2.8 | 144 |
| 4 | The predictive value of stable precursor fragments of vasoactive peptides in patients with chronic heart failure: data from the GISSIâ€heart failure (GISSIâ€HF) trial. European Journal of Heart Failure, 2010, 12, 338-347. | 7.1 | 129 |
| 5 | Prevalence and Prognostic Value of Elevated Urinary Albumin Excretion in Patients With Chronic Heart Failure. Circulation: Heart Failure, 2010, 3, 65-72. | 3.9 | 101 |
| 6 | Benign thyroid nodules treatment using percutaneous laser ablation (PLA) and radiofrequency ablation (RFA). International Journal of Hyperthermia, 2017, 33, 295-299. | 2.5 | 101 |
| 7 | Prognostic value of osteoprotegerin in chronic heart failure: The GISSI-HF trial. American Heart Journal, 2010, 160, 286-293. | 2.7 | 60 |
| 8 | Plasma n-3 polyunsaturated fatty acids in chronic heart failure in the GISSI-Heart Failure Trial: Relation with fish intake, circulating biomarkers, and mortality. American Heart Journal, 2013, 165, 208-215.e4. | 2.7 | 60 |
| 9 | Surgical Atrioventricular Valve Replacement With Melody Valve in Infants and Children. Circulation: Cardiovascular Interventions, 2018, 11, e007145. | 3.9 | 60 |
| 10 | Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Postâ€Hoc Analysis of the GISSIâ€HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQqC |) 0307rgBT | /Osverlock 10 |
| 11 | Prognostic value of chromogranin A in chronic heart failure: data from the GISSIâ€Heart Failure trial. European Journal of Heart Failure, 2010, 12, 549-556. | 7.1 | 50 |
| 12 | Receptor and post-receptor abnormalities contribute to insulin resistance in myotonic dystrophy type 1 and type 2 skeletal muscle. PLoS ONE, 2017, 12, e0184987. | 2.5 | 35 |
| 13 | Weight loss induced by deep transcranial magnetic stimulation in obesity: A randomized, doubleâ€blind, shamâ€controlled study. Diabetes, Obesity and Metabolism, 2019, 21, 1849-1860. | 4.4 | 32 |
| 14 | Red blood cell oleic acid levels reflect olive oil intake while omega-3 levels reflect fish intake and the use of omega-3 acid ethyl esters: The Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico–Heart Failure trial. Nutrition Research, 2016, 36, 989-994. | 2.9 | 30 |
| 15 | Antibody responses to BNT162b2 mRNA vaccine: Infectionâ€naÃ⁻ve individuals with abdominal obesity warrant attention. Obesity, 2022, 30, 606-613. | 3.0 | 28 |
| 16 | Copeptin levels are associated with organ dysfunction and death in the intensive care unit after out-of-hospital cardiac arrest. Critical Care, 2015, 19, 132. | 5.8 | 27 |
| 17 | Regular Wine Consumption in Chronic Heart Failure. Circulation: Heart Failure, 2015, 8, 428-437. | 3.9 | 26 |
| 18 | Prediction of clinical outcomes in Crohn's disease by using confocal laser endomicroscopy: results from a prospective multicenter study. Gastrointestinal Endoscopy, 2018, 87, 1505-1514.e3. | 1.0 | 25 |

VALENTINA MILANI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Elevations of inflammatory markers PTX3 and sST2 after resuscitation from cardiac arrest are associated with multiple organ dysfunction syndrome and early death. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1847-57. | 2.3 | 24 |
| 20 | Improving cardiovascular prevention in general practice: Results of a comprehensive personalized strategy in subjects at high risk. European Journal of Preventive Cardiology, 2016, 23, 947-955. | 1.8 | 22 |
| 21 | Impact of the Bird-Beak Configuration on Postoperative Outcome After Thoracic Endovascular Aortic Repair: A Meta-analysis. Journal of Endovascular Therapy, 2019, 26, 771-778. | 1.5 | 22 |
| 22 | Cardiac magnetic resonance for ischaemia and viability detection. Guiding patient selection to revascularization in coronary chronic total occlusions: The CARISMA_CTO study design. International Journal of Cardiology, 2018, 272, 356-362. | 1.7 | 16 |
| 23 | Elevated plasma heparin-binding protein is associated with early death after resuscitation from cardiac arrest. Critical Care, 2016, 20, 251. | 5.8 | 15 |
| 24 | Adiponectin in chronic heart failure: influence of diabetes and genetic variants. European Journal of Clinical Investigation, 2011, 41, 1330-1338. | 3.4 | 14 |
| 25 | Are all people with diabetes and cardiovascular risk factors or microvascular complications at very high risk? Findings from the Risk and Prevention Study. Acta Diabetologica, 2017, 54, 123-131. | 2.5 | 14 |
| 26 | High frequency deep transcranial magnetic stimulation acutely increases β-endorphins in obese humans. Endocrine, 2019, 64, 67-74. | 2.3 | 13 |
| 27 | Interaction of Galectin-3 Concentrations with the Treatment Effects of Î ² -Blockers and RAS Blockade in Patients with Systolic Heart Failure: A Derivation-Validation Study from TIME-CHF and GISSI-HF. Clinical Chemistry, 2016, 62, 605-616. | 3.2 | 12 |
| 28 | Tri-Ponderal Mass Index vs body Mass Index in discriminating central obesity and hypertension in adolescents with overweight. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1613-1621. | 2.6 | 12 |
| 29 | Aortic arch variant with a common origin of the innominate and left carotid artery as a determinant of thoracic aortic disease: a systematic review and meta-analysis. European Journal of Cardio-thoracic Surgery, 2020, 57, 422-427. | 1.4 | 10 |
| 30 | Abdominal obesity phenotype is associated with COVID-19 chest X-ray severity score better than BMI-based obesity. Eating and Weight Disorders, 2022, 27, 345-359. | 2.5 | 10 |
| 31 | Diagnostic evaluation of people with hypertension in low income country: cohort study of "essential" method of risk stratification. BMJ: British Medical Journal, 2008, 337, a1387-a1387. | 2.3 | 9 |
| 32 | Longitudinal profile of NT-proBNP levels in ischemic heart failure patients undergoing surgical ventricular reconstruction: The Biomarker Plus study. International Journal of Cardiology, 2018, 260, 24-30. | 1.7 | 8 |
| 33 | TNNT2 Missplicing in Skeletal Muscle as a Cardiac Biomarker in Myotonic Dystrophy Type 1 but Not in Myotonic Dystrophy Type 2. Frontiers in Neurology, 2019, 10, 992. | 2.4 | 8 |
| 34 | Elucidating the mechanisms underlying left ventricular function recovery in patients with ischemic heart failure undergoing surgical remodeling: A 3-dimensional ultrasound analysis. Journal of Thoracic and Cardiovascular Surgery, 2021, , . | 0.8 | 8 |
| 35 | Body mass index stratification in hospitalized Italian adults with congenital heart disease in relation to complexity, diagnosis, sex and age. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 367-377. | 2.6 | 7 |
| 36 | Modes of death and prognostic outliers in chronic heart failure. American Heart Journal, 2019, 208, 100-109. | 2.7 | 7 |

VALENTINA MILANI

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | One-week longitudinal daily description of moral distress, coping, and general health in healthcare workers during the first wave of the COVID-19 outbreak in Italy: A quantitative diary study. Acta Biomedica, 2021, 92, e2021461. | 0.3 | 6 |
| 38 | A multicenter observational study on the management of hyperglycemia in patients with acute coronary syndrome. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 916-923. | 2.6 | 5 |
| 39 | Correlation of Clinical and Ultrasound Variables to Vulnerability of Carotid Plaques in Patients Submitted to Carotid Endarterectomy. Annals of Vascular Surgery, 2020, 67, 213-222. | 0.9 | 5 |
| 40 | Reference highâ€resolution manometry values after magnetic sphincter augmentation. Neurogastroenterology and Motility, 2021, 33, e14139. | 3.0 | 5 |
| 41 | Sealing Devices in Chimney Aortic Repair (CH EVAS) Versus Chimney Aortic Repair with Conventional Devices (CH EVAR): A Systematic Review. CardioVascular and Interventional Radiology, 2019, 42, 487-494. | 2.0 | 4 |
| 42 | Comparable outcomes between genders in patients undergoing surgical ventricular reconstruction for ischaemic heart failure. ESC Heart Failure, 2021, 8, 291-299. | 3.1 | 3 |
| 43 | Could fat distribution have a greater influence than BMI on the antibody titre after SARS oVâ€2 vaccine?. Obesity, 2022, , . | 3.0 | 1 |
| 44 | Authors' Reply. Annals of Vascular Surgery, 2021, 72, e1. | 0.9 | 0 |