Valentina Milani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3827285/publications.pdf

Version: 2024-02-01

44 papers

2,863 citations

361296 20 h-index 254106 43 g-index

46 all docs

46 docs citations

46 times ranked

4362 citing authors

#	Article	IF	CITATIONS
1	Abdominal obesity phenotype is associated with COVID-19 chest X-ray severity score better than BMI-based obesity. Eating and Weight Disorders, 2022, 27, 345-359.	1.2	10
2	Antibody responses to BNT162b2 mRNA vaccine: Infectionâ€naÃ⁻ve individuals with abdominal obesity warrant attention. Obesity, 2022, 30, 606-613.	1.5	28
3	Could fat distribution have a greater influence than BMI on the antibody titre after SARSâ€CoVâ€2 vaccine?. Obesity, 2022, , .	1.5	1
4	Comparable outcomes between genders in patients undergoing surgical ventricular reconstruction for ischaemic heart failure. ESC Heart Failure, 2021, 8, 291-299.	1.4	3
5	Elucidating the mechanisms underlying left ventricular function recovery in patients with ischemic heart failure undergoing surgical remodeling: A 3-dimensional ultrasound analysis. Journal of Thoracic and Cardiovascular Surgery, 2021, , .	0.4	8
6	Reference highâ€resolution manometry values after magnetic sphincter augmentation. Neurogastroenterology and Motility, 2021, 33, e14139.	1.6	5
7	Authors' Reply. Annals of Vascular Surgery, 2021, 72, e1.	0.4	O
8	Tri-Ponderal Mass Index vs body Mass Index in discriminating central obesity and hypertension in adolescents with overweight. Nutrition, Metabolism and Cardiovascular Diseases, 2021, 31, 1613-1621.	1.1	12
9	One-week longitudinal daily description of moral distress, coping, and general health in healthcare workers during the first wave of the COVID-19 outbreak in Italy: A quantitative diary study. Acta Biomedica, 2021, 92, e2021461.	0.2	6
10	Aortic arch variant with a common origin of the innominate and left carotid artery as a determinant of thoracic aortic disease: a systematic review and meta-analysis. European Journal of Cardio-thoracic Surgery, 2020, 57, 422-427.	0.6	10
11	Correlation of Clinical and Ultrasound Variables to Vulnerability of Carotid Plaques in Patients Submitted to Carotid Endarterectomy. Annals of Vascular Surgery, 2020, 67, 213-222.	0.4	5
12	Impact of the Bird-Beak Configuration on Postoperative Outcome After Thoracic Endovascular Aortic Repair: A Meta-analysis. Journal of Endovascular Therapy, 2019, 26, 771-778.	0.8	22
13	TNNT2 Missplicing in Skeletal Muscle as a Cardiac Biomarker in Myotonic Dystrophy Type 1 but Not in Myotonic Dystrophy Type 2 . Frontiers in Neurology, 2019, 10 , 992 .	1.1	8
14	Weight loss induced by deep transcranial magnetic stimulation in obesity: A randomized, doubleâ€blind, shamâ€controlled study. Diabetes, Obesity and Metabolism, 2019, 21, 1849-1860.	2.2	32
15	Body mass index stratification in hospitalized Italian adults with congenital heart disease in relation to complexity, diagnosis, sex and age. Nutrition, Metabolism and Cardiovascular Diseases, 2019, 29, 367-377.	1.1	7
16	High frequency deep transcranial magnetic stimulation acutely increases \hat{l}^2 -endorphins in obese humans. Endocrine, 2019, 64, 67-74.	1.1	13
17	Modes of death and prognostic outliers in chronic heart failure. American Heart Journal, 2019, 208, 100-109.	1.2	7
18	Sealing Devices in Chimney Aortic Repair (CH EVAS) Versus Chimney Aortic Repair with Conventional Devices (CH EVAR): A Systematic Review. CardioVascular and Interventional Radiology, 2019, 42, 487-494.	0.9	4

#	Article	IF	CITATIONS
19	Prediction of clinical outcomes in Crohn's disease by using confocal laser endomicroscopy: results from a prospective multicenter study. Gastrointestinal Endoscopy, 2018, 87, 1505-1514.e3.	0.5	25
20	Longitudinal profile of NT-proBNP levels in ischemic heart failure patients undergoing surgical ventricular reconstruction: The Biomarker Plus study. International Journal of Cardiology, 2018, 260, 24-30.	0.8	8
21	Surgical Atrioventricular Valve Replacement With Melody Valve in Infants and Children. Circulation: Cardiovascular Interventions, 2018, 11, e007145.	1.4	60
22	Cardiac magnetic resonance for ischaemia and viability detection. Guiding patient selection to revascularization in coronary chronic total occlusions: The CARISMA_CTO study design. International Journal of Cardiology, 2018, 272, 356-362.	0.8	16
23	Prognostic Impact of Diabetes and Prediabetes on Survival Outcomes in Patients With Chronic Heart Failure: A Postâ€Hoc Analysis of the GISSIâ€HF (Gruppo Italiano per lo Studio della Sopravvivenza nella) Tj ETQq1	110678431	.45₫gBT /O∨
24	Are all people with diabetes and cardiovascular risk factors or microvascular complications at very high risk? Findings from the Risk and Prevention Study. Acta Diabetologica, 2017, 54, 123-131.	1.2	14
25	Benign thyroid nodules treatment using percutaneous laser ablation (PLA) and radiofrequency ablation (RFA). International Journal of Hyperthermia, 2017, 33, 295-299.	1.1	101
26	Receptor and post-receptor abnormalities contribute to insulin resistance in myotonic dystrophy type 1 and type 2 skeletal muscle. PLoS ONE, 2017, 12, e0184987.	1.1	35
27	Red blood cell oleic acid levels reflect olive oil intake while omega-3 levels reflect fish intake and the use of omega-3 acid ethyl esters: The Gruppo Italiano per lo Studio della Sopravvivenza nell'Infarto Miocardico–Heart Failure trial. Nutrition Research, 2016, 36, 989-994.	1.3	30
28	Elevated plasma heparin-binding protein is associated with early death after resuscitation from cardiac arrest. Critical Care, 2016, 20, 251.	2.5	15
29	Cyclosporine A in ReperfusedÂMyocardialÂInfarction. Journal of the American College of Cardiology, 2016, 67, 365-374.	1.2	144
30	Improving cardiovascular prevention in general practice: Results of a comprehensive personalized strategy in subjects at high risk. European Journal of Preventive Cardiology, 2016, 23, 947-955.	0.8	22
31	Interaction of Galectin-3 Concentrations with the Treatment Effects of \hat{l}^2 -Blockers and RAS Blockade in Patients with Systolic Heart Failure: A Derivation-Validation Study from TIME-CHF and GISSI-HF. Clinical Chemistry, 2016, 62, 605-616.	1.5	12
32	Copeptin levels are associated with organ dysfunction and death in the intensive care unit after out-of-hospital cardiac arrest. Critical Care, 2015, 19, 132.	2.5	27
33	A multicenter observational study on the management of hyperglycemia in patients with acute coronary syndrome. Nutrition, Metabolism and Cardiovascular Diseases, 2015, 25, 916-923.	1.1	5
34	Regular Wine Consumption in Chronic Heart Failure. Circulation: Heart Failure, 2015, 8, 428-437.	1.6	26
35	Elevations of inflammatory markers PTX3 and sST2 after resuscitation from cardiac arrest are associated with multiple organ dysfunction syndrome and early death. Clinical Chemistry and Laboratory Medicine, 2015, 53, 1847-57.	1.4	24
36	Plasma n-3 polyunsaturated fatty acids in chronic heart failure in the GISSI-Heart Failure Trial: Relation with fish intake, circulating biomarkers, and mortality. American Heart Journal, 2013, 165, 208-215.e4.	1.2	60

#	Article	IF	CITATIONS
37	n–3 Fatty Acids in Patients with Multiple Cardiovascular Risk Factors. New England Journal of Medicine, 2013, 368, 1800-1808.	13.9	464
38	Adiponectin in chronic heart failure: influence of diabetes and genetic variants. European Journal of Clinical Investigation, 2011, 41, 1330-1338.	1.7	14
39	Prevalence and Prognostic Value of Elevated Urinary Albumin Excretion in Patients With Chronic Heart Failure. Circulation: Heart Failure, 2010, 3, 65-72.	1.6	101
40	Prognostic value of chromogranin A in chronic heart failure: data from the GISSIâ€Heart Failure trial. European Journal of Heart Failure, 2010, 12, 549-556.	2.9	50
41	The predictive value of stable precursor fragments of vasoactive peptides in patients with chronic heart failure: data from the GISSIâ€heart failure (GISSIâ€HF) trial. European Journal of Heart Failure, 2010, 12, 338-347.	2.9	129
42	Prognostic value of osteoprotegerin in chronic heart failure: The GISSI-HF trial. American Heart Journal, 2010, 160, 286-293.	1.2	60
43	Effect of n-3 polyunsaturated fatty acids in patients with chronic heart failure (the GISSI-HF trial): a randomised, double-blind, placebo-controlled trial. Lancet, The, 2008, 372, 1223-1230.	6.3	1,178
44	Diagnostic evaluation of people with hypertension in low income country: cohort study of "essential" method of risk stratification. BMJ: British Medical Journal, 2008, 337, a1387-a1387.	2.4	9