

# Tanya T Paull

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3828127/tanya-t-paull-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114  
papers

13,378  
citations

55  
h-index

115  
g-index

122  
ext. papers

14,921  
ext. citations

12.8  
avg, IF

6.78  
L-index

#	Paper	IF	Citations
114	Characterization of DNA-PK-Bound End Fragments Using GLASS-ChIP.. <i>Methods in Molecular Biology</i> , <b>2022</b> , 2444, 171-182	1.4	0
113	Redox activation of ATM enhances GSNOR translation to sustain mitophagy and tolerance to oxidative stress. <i>EMBO Reports</i> , <b>2021</b> , 22, e50500	6.5	11
112	Characterization of DNA-PK-bound end fragments using GLASS-ChIP. <i>Methods in Enzymology</i> , <b>2021</b> , 661, 205-217	1.7	
111	Quantifying DNA End Resection in Human Cells. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2153, 59-69	1.4	4
110	Poly-ADP-ribosylation drives loss of protein homeostasis in ATM and Mre11 deficiency. <i>Molecular Cell</i> , <b>2021</b> , 81, 1515-1533.e5	17.6	14
109	The Cancer-Associated ATM R3008H Mutation Reveals the Link between ATM Activation and Its Exchange. <i>Cancer Research</i> , <b>2021</b> , 81, 426-437	10.1	3
108	Homology-directed repair protects the replicating genome from metabolic assaults. <i>Developmental Cell</i> , <b>2021</b> , 56, 461-477.e7	10.2	12
107	Cellular functions of the protein kinase ATM and their relevance to human disease. <i>Nature Reviews Molecular Cell Biology</i> , <b>2021</b> , 22, 796-814	48.7	23
106	DNA damage and regulation of protein homeostasis. <i>DNA Repair</i> , <b>2021</b> , 105, 103155	4.3	1
105	Reconsidering pathway choice: a sequential model of mammalian DNA double-strand break pathway decisions. <i>Current Opinion in Genetics and Development</i> , <b>2021</b> , 71, 55-62	4.9	3
104	Mitochondria at the crossroads of ATM-mediated stress signaling and regulation of reactive oxygen species. <i>Redox Biology</i> , <b>2020</b> , 32, 101511	11.3	22
103	ATM and PRDM9 regulate SPO11-bound recombination intermediates during meiosis. <i>Nature Communications</i> , <b>2020</b> , 11, 857	17.4	38
102	The ARK Assay Is a Sensitive and Versatile Method for the Global Detection of DNA-Protein Crosslinks. <i>Cell Reports</i> , <b>2020</b> , 30, 1235-1245.e4	10.6	7
101	DNA-dependent protein kinase promotes DNA end processing by MRN and CtIP. <i>Science Advances</i> , <b>2020</b> , 6, eaay0922	14.3	51
100	Growth-Regulated Hsp70 Phosphorylation Regulates Stress Responses and Prion Maintenance. <i>Molecular and Cellular Biology</i> , <b>2020</b> , 40,	4.8	1
99	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells. <i>PLoS Biology</i> , <b>2020</b> , 18, e3000606	9.7	14
98	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells <b>2020</b> , 18, e3000606		

97	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells <b>2020</b> , 18, e3000606		
96	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells <b>2020</b> , 18, e3000606		
95	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells <b>2020</b> , 18, e3000606		
94	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells <b>2020</b> , 18, e3000606		
93	Proteome-wide identification of HSP70/HSC70 chaperone clients in human cells <b>2020</b> , 18, e3000606		
92	RNA-DNA hybrids and the convergence with DNA repair. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , <b>2019</b> , 54, 371-384	8.7	12
91	Purification and Biophysical Characterization of the Mre11-Rad50-Nbs1 Complex. <i>Methods in Molecular Biology</i> , <b>2019</b> , 2004, 269-287	1.4	3
90	RPA Phosphorylation Inhibits DNA Resection. <i>Molecular Cell</i> , <b>2019</b> , 75, 145-153.e5	17.6	33
89	Systematic bromodomain protein screens identify homologous recombination and R-loop suppression pathways involved in genome integrity. <i>Genes and Development</i> , <b>2019</b> , 33, 1751-1774	12.6	47
88	ATM directs DNA damage responses and proteostasis via genetically separable pathways. <i>Science Signaling</i> , <b>2018</b> , 11,	8.8	55
87	Homeodomain Proteins Directly Regulate ATM Kinase Activity. <i>Cell Reports</i> , <b>2018</b> , 24, 1471-1483	10.6	6
86	20 Years of Mre11 Biology: No End in Sight. <i>Molecular Cell</i> , <b>2018</b> , 71, 419-427	17.6	71
85	Mitochondrial redox sensing by the kinase ATM maintains cellular antioxidant capacity. <i>Science Signaling</i> , <b>2018</b> , 11,	8.8	45
84	MRI Is a DNA Damage Response Adaptor during Classical Non-homologous End Joining. <i>Molecular Cell</i> , <b>2018</b> , 71, 332-342.e8	17.6	55
83	Sae2/CtIP prevents R-loop accumulation in eukaryotic cells. <i>ELife</i> , <b>2018</b> , 7,	8.9	37
82	Targeting p38 $\alpha$ Increases DNA Damage, Chromosome Instability, and the Anti-tumoral Response to Taxanes in Breast Cancer Cells. <i>Cancer Cell</i> , <b>2018</b> , 33, 1094-1110.e8	24.3	49
81	ZMYM3 regulates BRCA1 localization at damaged chromatin to promote DNA repair. <i>Genes and Development</i> , <b>2017</b> , 31, 260-274	12.6	47
80	Rad50 ATPase activity is regulated by DNA ends and requires coordination of both active sites. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, 5255-5268	20.1	22

79	Regulation of the DNA Damage Response by DNA-PKcs Inhibitory Phosphorylation of ATM. <i>Molecular Cell</i> , <b>2017</b> , 65, 91-104	17.6	73
78	The Conserved ATM Kinase RAG2-S365 Phosphorylation Site Limits Cleavage Events in Individual Cells Independent of Any Repair Defect. <i>Cell Reports</i> , <b>2017</b> , 21, 979-993	10.6	4
77	Genetic Separation of Sae2 Nuclease Activity from Mre11 Nuclease Functions in Budding Yeast. <i>Molecular and Cellular Biology</i> , <b>2017</b> , 37,	4.8	8
76	Single-Molecule Imaging Reveals How Mre11-Rad50-Nbs1 Initiates DNA Break Repair. <i>Molecular Cell</i> , <b>2017</b> , 67, 891-898.e4	17.6	114
75	Nbs1 Converts the Human Mre11/Rad50 Nuclease Complex into an Endo/Exonuclease Machine Specific for Protein-DNA Adducts. <i>Molecular Cell</i> , <b>2016</b> , 64, 593-606	17.6	98
74	Mre11 Is Essential for the Removal of Lethal Topoisomerase 2 Covalent Cleavage Complexes. <i>Molecular Cell</i> , <b>2016</b> , 64, 580-592	17.6	101
73	EXD2 promotes homologous recombination by facilitating DNA end resection. <i>Nature Cell Biology</i> , <b>2016</b> , 18, 271-280	23.4	46
72	Single-molecule imaging reveals the mechanism of Exo1 regulation by single-stranded DNA binding proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, E1170-9	11.5	65
71	CtIP: A DNA damage response protein at the intersection of DNA metabolism. <i>DNA Repair</i> , <b>2015</b> , 32, 75-81	4.3	65
70	Sumoylation influences DNA break repair partly by increasing the solubility of a conserved end resection protein. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1004899	6	26
69	Direct measurement of single-stranded DNA intermediates in mammalian cells by quantitative polymerase chain reaction. <i>Analytical Biochemistry</i> , <b>2015</b> , 479, 48-50	3.1	11
68	ATM functions at the peroxisome to induce pexophagy in response to ROS. <i>Nature Cell Biology</i> , <b>2015</b> , 17, 1259-1269	23.4	266
67	BRCA1 and CtIP Are Both Required to Recruit Dna2 at Double-Strand Breaks in Homologous Recombination. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124495	3.7	23
66	Damage-induced BRCA1 phosphorylation by Chk2 contributes to the timing of end resection. <i>Cell Cycle</i> , <b>2015</b> , 14, 437-48	4.7	26
65	Mechanisms of ATM Activation. <i>Annual Review of Biochemistry</i> , <b>2015</b> , 84, 711-38	29.1	287
64	The Mre11/Rad50/Nbs1 complex: recent insights into catalytic activities and ATP-driven conformational changes. <i>Experimental Cell Research</i> , <b>2014</b> , 329, 139-47	4.2	40
63	ATP-driven Rad50 conformations regulate DNA tethering, end resection, and ATM checkpoint signaling. <i>EMBO Journal</i> , <b>2014</b> , 33, 482-500	13	111
62	Polo-like kinase 3 regulates CtIP during DNA double-strand break repair in G1. <i>Journal of Cell Biology</i> , <b>2014</b> , 206, 877-94	7.3	74

61	Catalytic and noncatalytic roles of the CtIP endonuclease in double-strand break end resection. <i>Molecular Cell</i> , <b>2014</b> , 54, 1022-33	17.6	132
60	Rad17, the clamp loader that loads more than clamps. <i>EMBO Journal</i> , <b>2014</b> , 33, 783-5	13	2
59	Correction for Fu et al., Phosphorylation-Regulated Transitions in an Oligomeric State Control the Activity of the Sae2 DNA Repair Enzyme. <i>Molecular and Cellular Biology</i> , <b>2014</b> , 34, 4213-4213	4.8	78
58	Quantitation of DNA double-strand break resection intermediates in human cells. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, e19	20.1	144
57	Phosphorylation-regulated transitions in an oligomeric state control the activity of the Sae2 DNA repair enzyme. <i>Molecular and Cellular Biology</i> , <b>2014</b> , 34, 778-93	4.8	36
56	Direct activation of ATM by resveratrol under oxidizing conditions. <i>PLoS ONE</i> , <b>2014</b> , 9, e97969	3.7	22
55	Proteome-wide detection and quantitative analysis of irreversible cysteine oxidation using long column UPLC-pSRM. <i>Journal of Proteome Research</i> , <b>2013</b> , 12, 4302-15	5.6	19
54	Visualization of local DNA unwinding by Mre11/Rad50/Nbs1 using single-molecule FRET. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 18868-73	11.5	44
53	DNA-dependent protein kinase regulates DNA end resection in concert with Mre11-Rad50-Nbs1 (MRN) and ataxia telangiectasia-mutated (ATM). <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 37112-25	5.4	42
52	Functional activation of ATM by the prostate cancer suppressor NKX3.1. <i>Cell Reports</i> , <b>2013</b> , 4, 516-29	10.6	29
51	The SOSS1 single-stranded DNA binding complex promotes DNA end resection in concert with Exo1. <i>EMBO Journal</i> , <b>2013</b> , 32, 126-39	13	65
50	Ataxia telangiectasia-mutated (ATM) kinase activity is regulated by ATP-driven conformational changes in the Mre11/Rad50/Nbs1 (MRN) complex. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 12840-51	5.4	65
49	The ATM protein kinase and cellular redox signaling: beyond the DNA damage response. <i>Trends in Biochemical Sciences</i> , <b>2012</b> , 37, 15-22	10.3	241
48	Loss of ATM kinase activity leads to embryonic lethality in mice. <i>Journal of Cell Biology</i> , <b>2012</b> , 198, 295-304	10.3	80
47	ATM protein-dependent phosphorylation of Rad50 protein regulates DNA repair and cell cycle control. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 31542-56	5.4	56
46	Human Mre11/human Rad50/Nbs1 and DNA ligase IIIalpha/XRCC1 protein complexes act together in an alternative nonhomologous end joining pathway. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 33845-53	5.4	101
45	Mre11-Rad50-Xrs2 and Sae2 promote 5Tstrand resection of DNA double-strand breaks. <i>Nature Structural and Molecular Biology</i> , <b>2010</b> , 17, 1478-85	17.6	171
44	53BP1 promotes ATM activity through direct interactions with the MRN complex. <i>EMBO Journal</i> , <b>2010</b> , 29, 574-85	13	94

43	Saccharomyces cerevisiae Mre11/Rad50/Xrs2 and Ku proteins regulate association of Exo1 and Dna2 with DNA breaks. <i>EMBO Journal</i> , <b>2010</b> , 29, 3370-80	13	175
42	Ancient and recent adaptive evolution of primate non-homologous end joining genes. <i>PLoS Genetics</i> , <b>2010</b> , 6, e1001169	6	23
41	ATM activation in the presence of oxidative stress. <i>Cell Cycle</i> , <b>2010</b> , 9, 4805-11	4.7	140
40	ATM activation by oxidative stress. <i>Science</i> , <b>2010</b> , 330, 517-21	33.3	797
39	Making the best of the loose ends: Mre11/Rad50 complexes and Sae2 promote DNA double-strand break resection. <i>DNA Repair</i> , <b>2010</b> , 9, 1283-91	4.3	63
38	Single-stranded DNA-binding protein hSSB1 is critical for genomic stability. <i>Nature</i> , <b>2008</b> , 453, 677-81	50.4	187
37	A forward chemical genetic screen reveals an inhibitor of the Mre11-Rad50-Nbs1 complex. <i>Nature Chemical Biology</i> , <b>2008</b> , 4, 119-25	11.7	285
36	The P. furiosus mre11/rad50 complex promotes 5Tstrand resection at a DNA double-strand break. <i>Cell</i> , <b>2008</b> , 135, 250-60	56.2	124
35	Multiple autophosphorylation sites are dispensable for murine ATM activation in vivo. <i>Journal of Cell Biology</i> , <b>2008</b> , 183, 777-83	7.3	83
34	The Mre11/Rad50 complex and its roles in processing of DNA double-strand breaks. <i>FASEB Journal</i> , <b>2008</b> , 22, 405.2	0.9	
33	Hyperthermia activates a subset of ataxia-telangiectasia mutated effectors independent of DNA strand breaks and heat shock protein 70 status. <i>Cancer Research</i> , <b>2007</b> , 67, 3010-7	10.1	132
32	Activation and regulation of ATM kinase activity in response to DNA double-strand breaks. <i>Oncogene</i> , <b>2007</b> , 26, 7741-8	9.2	408
31	Rad50 adenylate kinase activity regulates DNA tethering by Mre11/Rad50 complexes. <i>Molecular Cell</i> , <b>2007</b> , 25, 647-61	17.6	85
30	Ctp1/CtIP and the MRN complex collaborate in the initial steps of homologous recombination. <i>Molecular Cell</i> , <b>2007</b> , 28, 351-2	17.6	104
29	Sae2 is an endonuclease that processes hairpin DNA cooperatively with the Mre11/Rad50/Xrs2 complex. <i>Molecular Cell</i> , <b>2007</b> , 28, 638-51	17.6	225
28	Collaboration of Werner syndrome protein and BRCA1 in cellular responses to DNA interstrand cross-links. <i>Nucleic Acids Research</i> , <b>2006</b> , 34, 2751-60	20.1	73
27	Purification and biochemical characterization of ataxia-telangiectasia mutated and Mre11/Rad50/Nbs1. <i>Methods in Enzymology</i> , <b>2006</b> , 408, 529-39	1.7	34
26	MDC1 maintains genomic stability by participating in the amplification of ATM-dependent DNA damage signals. <i>Molecular Cell</i> , <b>2006</b> , 21, 187-200	17.6	490

25	ATM activation by DNA double-strand breaks through the Mre11-Rad50-Nbs1 complex. <i>Science</i> , <b>2005</b> , 308, 551-4	33.3	1072
24	Saving the ends for last: the role of pol mu in DNA end joining. <i>Molecular Cell</i> , <b>2005</b> , 19, 294-6	17.6	23
23	The Mre11/Rad50/Xrs2 complex and non-homologous end-joining of incompatible ends in <i>S. cerevisiae</i> . <i>DNA Repair</i> , <b>2005</b> , 4, 1281-94	4.3	44
22	Involvement of human MOF in ATM function. <i>Molecular and Cellular Biology</i> , <b>2005</b> , 25, 5292-305	4.8	196
21	The Mre11/Rad50/Nbs1 complex and its role as a DNA double-strand break sensor for ATM. <i>Cell Cycle</i> , <b>2005</b> , 4, 737-40	4.7	139
20	Direct activation of the ATM protein kinase by the Mre11/Rad50/Nbs1 complex. <i>Science</i> , <b>2004</b> , 304, 93-6	33.3	587
19	The rad50 signature motif: essential to ATP binding and biological function. <i>Journal of Molecular Biology</i> , <b>2004</b> , 335, 937-51	6.5	75
18	Regulation of Mre11/Rad50 by Nbs1: effects on nucleotide-dependent DNA binding and association with ataxia-telangiectasia-like disorder mutant complexes. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 45171-81	5.4	77
17	Direct DNA binding by Brca1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2001</b> , 98, 6086-91	11.5	213
16	New glimpses of an old machine. <i>Cell</i> , <b>2001</b> , 107, 563-5	56.2	16
15	A critical role for histone H2AX in recruitment of repair factors to nuclear foci after DNA damage. <i>Current Biology</i> , <b>2000</b> , 10, 886-95	6.3	1695
14	A mechanistic basis for Mre11-directed DNA joining at microhomologies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2000</b> , 97, 6409-14	11.5	167
13	V(D)J recombination: links to transposition and double-strand break repair. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , <b>1999</b> , 64, 161-7	3.9	19
12	Nbs1 potentiates ATP-driven DNA unwinding and endonuclease cleavage by the Mre11/Rad50 complex. <i>Genes and Development</i> , <b>1999</b> , 13, 1276-88	12.6	411
11	The 3' to 5' exonuclease activity of Mre 11 facilitates repair of DNA double-strand breaks. <i>Molecular Cell</i> , <b>1998</b> , 1, 969-79	17.6	696
10	Cell-free V(D)J recombination. <i>Nature</i> , <b>1997</b> , 388, 488-91	50.4	127
9	Stimulation of V(D)J cleavage by high mobility group proteins. <i>EMBO Journal</i> , <b>1997</b> , 16, 2665-70	13	205
8	Yeast HMG proteins NHP6A/B potentiate promoter-specific transcriptional activation in vivo and assembly of preinitiation complexes in vitro. <i>Genes and Development</i> , <b>1996</b> , 10, 2769-81	12.6	94

7	DNA looping by <i>Saccharomyces cerevisiae</i> high mobility group proteins NHP6A/B. Consequences for nucleoprotein complex assembly and chromatin condensation. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 8744-54	5.4	89
6	HU and functional analogs in eukaryotes promote Hin invertasome assembly. <i>Biochimie</i> , <b>1994</b> , 76, 992-1004	10.4	20
5	The nonspecific DNA-binding and -bending proteins HMG1 and HMG2 promote the assembly of complex nucleoprotein structures. <i>Genes and Development</i> , <b>1993</b> , 7, 1521-34	12.6	287
4	DNA replication initiates at multiple sites on plasmid DNA in <i>Xenopus</i> egg extracts. <i>Nucleic Acids Research</i> , <b>1992</b> , 20, 1457-62	20.1	129
3	Upregulation of <i>E. coli</i> 38kDa proteins induced by glutaraldehyde and formaldehyde. <i>Current Microbiology</i> , <b>1990</b> , 21, 117-121	2.4	2
2	ATM and PRDM9 Regulate SPO11-bound Recombination Intermediates During Meiosis		2
1	DNA-dependent protein kinase promotes DNA end processing by MRN and CtIP		2