

Gonzalo Barluenga

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3830382/gonzalo-barluenga-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

43
papers

1,136
citations

17
h-index

33
g-index

49
ext. papers

1,305
ext. citations

6
avg, IF

4.73
L-index

#	Paper	IF	Citations
43	Static and dynamic behaviour of recycled tyre rubber-filled concrete. <i>Cement and Concrete Research</i> , 2002 , 32, 1587-1596	10.3	259
42	Fire performance of recycled rubber-filled high-strength concrete. <i>Cement and Concrete Research</i> , 2004 , 34, 109-117	10.3	161
41	SBR latex modified mortar rheology and mechanical behaviour. <i>Cement and Concrete Research</i> , 2004 , 34, 527-535	10.3	116
40	Cracking control of concretes modified with short AR-glass fibers at early age. Experimental results on standard concrete and SCC. <i>Cement and Concrete Research</i> , 2007 , 37, 1624-1638	10.3	82
39	Fatigue behaviour of recycled tyre rubber-filled concrete and its implications in the design of rigid pavements. <i>Construction and Building Materials</i> , 2007 , 21, 1918-1927	6.7	71
38	Lime cement mortars for coating with improved thermal and acoustic performance. <i>Construction and Building Materials</i> , 2015 , 75, 306-314	6.7	46
37	Enhancement of durability of concrete composites containing natural pozzolans blended cement through the use of Polypropylene fibers. <i>Composites Part B: Engineering</i> , 2014 , 61, 214-221	10	40
36	Combined effect of Polypropylene fibers and Silica Fume to improve the durability of concrete with natural Pozzolans blended cement. <i>Construction and Building Materials</i> , 2015 , 96, 556-566	6.7	37
35	Fiber-matrix interaction at early ages of concrete with short fibers. <i>Cement and Concrete Research</i> , 2010 , 40, 802-809	10.3	32
34	Thermal enhanced cement-lime mortars with phase change materials (PCM), lightweight aggregate and cellulose fibers. <i>Construction and Building Materials</i> , 2019 , 221, 586-594	6.7	28
33	Influence of date palm fiber and shrinkage reducing admixture on self-compacting concrete performance at early age in hot-dry environment. <i>Construction and Building Materials</i> , 2017 , 154, 721-733	6.7	25
32	Early age monitoring of self-compacting concrete with mineral additions. <i>Construction and Building Materials</i> , 2015 , 77, 66-73	6.7	24
31	Early age and hardened performance of cement pastes combining mineral additions. <i>Materials and Structures/Materiaux Et Constructions</i> , 2013 , 46, 921-941	3.4	23
30	Effect of silica-based nano and micro additions on SCC at early age and on hardened porosity and permeability. <i>Construction and Building Materials</i> , 2015 , 81, 154-161	6.7	20
29	Hardened properties and microstructure of SCC with mineral additions. <i>Construction and Building Materials</i> , 2015 , 94, 728-736	6.7	18
28	Self-levelling cement mortar containing grounded slate from quarrying waste. <i>Construction and Building Materials</i> , 2010 , 24, 1601-1607	6.7	18
27	Brick masonry identification in a complex historic building, the Main College of the University of Alcalá (Madrid) (Spain). <i>Construction and Building Materials</i> , 2014 , 54, 39-46	6.7	17

26	Assessment of lime-cement mortar microstructure and properties by P- and S- ultrasonic waves. <i>Construction and Building Materials</i> , 2017 , 139, 334-341	6.7	13
25	A multiscale model for pervious lime-cement mortar with perlite and cellulose fibers. <i>Construction and Building Materials</i> , 2018 , 160, 136-144	6.7	13
24	Effects of nano-components on early age cracking of self-compacting concretes. <i>Construction and Building Materials</i> , 2014 , 73, 89-96	6.7	12
23	Influence of nanoclays on flowability and rheology of SCC pastes. <i>Construction and Building Materials</i> , 2020 , 243, 118285	6.7	12
22	Effect of curing temperature and relative humidity on early age and hardened properties of SCC. <i>Construction and Building Materials</i> , 2018 , 167, 235-242	6.7	10
21	Quality Control Parameters for on-site evaluation of pumped Self-Compacting Concrete. <i>Construction and Building Materials</i> , 2017 , 154, 1112-1120	6.7	8
20	On the capillary water absorption of cement-lime mortars containing phase change materials: Experiments and simulations. <i>Building Simulation</i> , 2020 , 13, 19-31	3.9	8
19	Methodology for monitoring Cement Based Materials at Early Age combining NDT techniques. <i>Construction and Building Materials</i> , 2018 , 193, 373-383	6.7	7
18	Laboratory characterization of brick walls rendered with a pervious lime-cement mortar. <i>Journal of Building Engineering</i> , 2019 , 23, 241-249	5.2	6
17	Study on the Compressive Behaviour of Sustainable Cement-Based Composites under One-Hour of Direct Flame Exposure. <i>Sustainability</i> , 2020 , 12, 10548	3.6	4
16	Aumento de la tenacidad de hormigones autocompactables reforzados con fibras cortas de polipropileno. <i>Materiales De Construccion</i> , 2010 , 60, 83-97	1.8	4
15	PCM Cement-Lime Mortars for Enhanced Energy Efficiency of Multilayered Building Enclosures under Different Climatic Conditions. <i>Materials</i> , 2020 , 13,	3.5	4
14	Seismic reponse of a new design for vertical joints in architectural panels. <i>Engineering Structures</i> , 2003 , 25, 1655-1664	4.7	3
13	Rheological Characterization of Self-compacting Concrete Pastes with Polymeric Admixtures. <i>RILEM Bookseries</i> , 2020 , 491-499	0.5	3
12	Effect of full scale pumping at early age and on hardened microstructure and properties of SCC with fly ash in hot-dry curing conditions. <i>Construction and Building Materials</i> , 2018 , 191, 1128-1138	6.7	3
11	Early Age Drying Shrinkage Evaluation of Self-Compacting Concretes and Pastes with Mineral Additions 2015 ,		1
10	A new bonded vertical joint design for architectural panels. <i>Construction and Building Materials</i> , 2010 , 24, 918-926	6.7	1
9	Rheology Evaluation of Cement Paste with Nanoclays, Nanosilica and Polymeric Admixtures for Digital Fabrication. <i>RILEM Bookseries</i> , 2020 , 144-152	0.5	1

8	Early crack detection using modified spectral clustering method assisted with FE analysis for distress anticipation in cement-based composites. <i>Scientific Reports</i> , 2021 , 11, 19685	4.9	1
7	Synergies on rheology and structural build-up of fresh cement pastes with nanoclays, nanosilica and viscosity modifying admixtures. <i>Construction and Building Materials</i> , 2021 , 308, 125097	6.7	1
6	Rheology and Build-Up of Fresh SCC Pastes Evaluated with the Mini-slump Cone Test. <i>RILEM Bookseries</i> , 2020 , 160-167	0.5	1
5	Effect of hot-dry environment on fiber-reinforced self-compacting concrete 2016 ,		1
4	Evaluation of the energy storage capacity of Phase Change Material cement-lime mortars by using heat flux meters and ultrasonic pulse transmission. <i>Journal of Energy Storage</i> , 2022 , 50, 104674	7.8	1
3	Self-Compacting Concrete with Nanosilica and Carbon Nanofibers 2015 , 493-498		
2	Effect of Particle Size and Amount of Nanosilica and Microsilica on Early Age and Hardened Structure of Self Compacting Concrete 2015 , 487-492		
1	Effects of Nanoclays on SCC Paste Rheology. <i>RILEM Bookseries</i> , 2020 , 517-524	0.5	