

Jacqueline Alblas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3830693/jacqueline-alblas-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

4,861

citations

33

h-index

69

g-index

69

ext. papers

5,280

ext. citations

5.8

avg, IF

5.25

L-index

#	Paper	IF	Citations
68	The Added Value of the "Co" in Co-Culture Systems in Research on Osteoarthritis Pathology and Treatment Development.. <i>Frontiers in Bioengineering and Biotechnology</i> , 2022 , 10, 843056	5.8	
67	Use of Therapeutic Pathogen Recognition Receptor Ligands for Osteo-Immunomodulation. <i>Materials</i> , 2021 , 14,	3.5	2
66	Possibilities and limitations of an three-dimensional bone marrow model for the prediction of clinical responses in patients with relapsed multiple myeloma. <i>Haematologica</i> , 2019 , 104, e523-e526	6.6	2
65	A Human Hematopoietic Niche Model Supporting Hematopoietic Stem and Progenitor Cells In Vitro. <i>Advanced Healthcare Materials</i> , 2019 , 8, e1801444	10.1	17
64	The Osteoinductive Effect of Controlled Bone Morphogenic Protein 2 Release Is Location Dependent. <i>Tissue Engineering - Part A</i> , 2019 , 25, 193-202	3.9	4
63	BMP-2 gene delivery in cell-loaded and cell-free constructs for bone regeneration. <i>PLoS ONE</i> , 2019 , 14, e0220028	3.7	10
62	Endosteal and Perivascular Subniches in a 3D Bone Marrow Model for Multiple Myeloma. <i>Tissue Engineering - Part C: Methods</i> , 2018 , 24, 300-312	2.9	18
61	Cellular immunotherapy on primary multiple myeloma expanded in a 3D bone marrow niche model. <i>Oncolimmunology</i> , 2018 , 7, e1434465	7.2	37
60	Phosphate Functional Groups Improve Oligo[(Polyethylene Glycol) Fumarate] Osteoconduction and BMP-2 Osteoinductive Efficacy. <i>Tissue Engineering - Part A</i> , 2018 , 24, 819-829	3.9	19
59	Neutrophils Inhibit Synthesis of Mineralized Extracellular Matrix by Human Bone Marrow-Derived Stromal Cells. <i>Frontiers in Immunology</i> , 2018 , 9, 945	8.4	19
58	Growth plate expression profiling: Large and small breed dogs provide new insights in endochondral bone formation. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 138-148	3.8	3
57	Liposomal drug delivery in an in vitro 3D bone marrow model for multiple myeloma. <i>International Journal of Nanomedicine</i> , 2018 , 13, 8105-8118	7.3	7
56	Osteoinduction by Ex Vivo Nonviral Bone Morphogenetic Protein Gene Delivery Is Independent of Cell Type. <i>Tissue Engineering - Part A</i> , 2018 , 24, 1423-1431	3.9	3
55	Histological characteristics of diffuse idiopathic skeletal hyperostosis. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 140-146	3.8	13
54	3D bioprinting of methacrylated hyaluronic acid (MeHA) hydrogel with intrinsic osteogenicity. <i>PLoS ONE</i> , 2017 , 12, e0177628	3.7	169
53	Inflammation-Induced Osteogenesis in a Rabbit Tibia Model. <i>Tissue Engineering - Part C: Methods</i> , 2017 , 23, 673-685	2.9	10
52	Gelatin Microspheres as Vehicle for Cardiac Progenitor Cells Delivery to the Myocardium. <i>Advanced Healthcare Materials</i> , 2016 , 5, 1071-9	10.1	32

51	Proinflammatory T cells and IL-17 stimulate osteoblast differentiation. <i>Bone</i> , 2016 , 84, 262-270	4.7	103
50	Establishment of an Early Vascular Network Promotes the Formation of Ectopic Bone. <i>Tissue Engineering - Part A</i> , 2016 , 22, 253-62	3.9	10
49	Neutrophils contribute to fracture healing by synthesizing fibronectin+ extracellular matrix rapidly after injury. <i>Clinical Immunology</i> , 2016 , 164, 78-84	9	46
48	Osteophilic properties of bone implant surface modifications in a cassette model on a decorticated goat spinal transverse process. <i>Acta Biomaterialia</i> , 2016 , 37, 195-205	10.8	16
47	Bone morphogenetic protein-2 nonviral gene therapy in a goat iliac crest model for bone formation. <i>Tissue Engineering - Part A</i> , 2015 , 21, 1672-9	3.9	12
46	Proinflammatory Mediators Enhance the Osteogenesis of Human Mesenchymal Stem Cells after Lineage Commitment. <i>PLoS ONE</i> , 2015 , 10, e0132781	3.7	53
45	Prolonged presence of VEGF promotes vascularization in 3D bioprinted scaffolds with defined architecture. <i>Journal of Controlled Release</i> , 2014 , 184, 58-66	11.7	165
44	Tuning the degradation rate of calcium phosphate cements by incorporating mixtures of polylactic-co-glycolic acid microspheres and glucono-delta-lactone microparticles. <i>Tissue Engineering - Part A</i> , 2014 , 20, 2870-82	3.9	19
43	CXCL12/stromal-cell-derived factor-1 effectively replaces endothelial progenitor cells to induce vascularized ectopic bone. <i>Stem Cells and Development</i> , 2014 , 23, 2950-8	4.4	14
42	Suppression of the immune system as a critical step for bone formation from allogeneic osteoprogenitors implanted in rats. <i>Journal of Cellular and Molecular Medicine</i> , 2014 , 18, 134-42	5.6	20
41	Gene delivery of bone morphogenetic protein-2 plasmid DNA promotes bone formation in a large animal model. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2014 , 8, 763-70	4.4	38
40	Stromal cell-derived factor-1 stimulates cell recruitment, vascularization and osteogenic differentiation. <i>Tissue Engineering - Part A</i> , 2014 , 20, 466-73	3.9	8
39	Porous bioprinted constructs in BMP-2 non-viral gene therapy for bone tissue engineering. <i>Journal of Materials Chemistry B</i> , 2013 , 1, 6619-6626	7.3	72
38	Non-viral gene therapy for bone tissue engineering. <i>Biotechnology and Genetic Engineering Reviews</i> , 2013 , 29, 206-20	4.1	21
37	Bone morphogenetic protein-2 plasmid DNA as a substitute for bone morphogenetic protein-2 protein in bone tissue engineering. <i>Tissue Engineering - Part A</i> , 2013 , 19, 2686-92	3.9	13
36	Sustained release of BMP-2 in bioprinted alginate for osteogenicity in mice and rats. <i>PLoS ONE</i> , 2013 , 8, e72610	3.7	146
35	Cardiac tissue engineering using tissue printing technology and human cardiac progenitor cells. <i>Biomaterials</i> , 2012 , 33, 1782-90	15.6	293
34	A differential effect of bone morphogenetic protein-2 and vascular endothelial growth factor release timing on osteogenesis at ectopic and orthotopic sites in a large-animal model. <i>Tissue Engineering - Part A</i> , 2012 , 18, 2052-62	3.9	82

33	Biofabrication of osteochondral tissue equivalents by printing topologically defined, cell-laden hydrogel scaffolds. <i>Tissue Engineering - Part C: Methods</i> , 2012 , 18, 33-44	2.9	312
32	The osteoinductive potential of printable, cell-laden hydrogel-ceramic composites. <i>Journal of Biomedical Materials Research - Part A</i> , 2012 , 100, 2412-20	5.4	17
31	Hypoxia impedes hypertrophic chondrogenesis of human multipotent stromal cells. <i>Tissue Engineering - Part A</i> , 2012 , 18, 1957-66	3.9	52
30	Hypoxia impedes vasculogenesis of in vitro engineered bone. <i>Tissue Engineering - Part A</i> , 2012 , 18, 208-18	3.9	19
29	Distinct tissue formation by heterogeneous printing of osteo- and endothelial progenitor cells. <i>Tissue Engineering - Part A</i> , 2011 , 17, 2113-21	3.9	102
28	Systemic inflammation and fracture healing. <i>Journal of Leukocyte Biology</i> , 2011 , 89, 669-73	6.5	119
27	Organ printing: the future of bone regeneration?. <i>Trends in Biotechnology</i> , 2011 , 29, 601-6	15.1	177
26	Scaffold porosity and oxygenation of printed hydrogel constructs affect functionality of embedded osteogenic progenitors. <i>Tissue Engineering - Part A</i> , 2011 , 17, 2473-86	3.9	76
25	The role of endothelial progenitor cells in prevascularized bone tissue engineering: development of heterogeneous constructs. <i>Tissue Engineering - Part A</i> , 2010 , 16, 2355-67	3.9	80
24	Growth factor interactions in bone regeneration. <i>Tissue Engineering - Part B: Reviews</i> , 2010 , 16, 551-66	7.9	73
23	Use of fluorochrome labels in in vivo bone tissue engineering research. <i>Tissue Engineering - Part B: Reviews</i> , 2010 , 16, 209-17	7.9	122
22	Luciferase labeling for multipotent stromal cell tracking in spinal fusion versus ectopic bone tissue engineering in mice and rats. <i>Tissue Engineering - Part A</i> , 2010 , 16, 3343-51	3.9	43
21	Modulating endochondral ossification of multipotent stromal cells for bone regeneration. <i>Tissue Engineering - Part B: Reviews</i> , 2010 , 16, 385-95	7.9	69
20	Relating cell proliferation to in vivo bone formation in porous Ca/P scaffolds. <i>Journal of Biomedical Materials Research - Part A</i> , 2010 , 92, 303-10	5.4	12
19	Orthotopic location has limited benefit from allogeneic or autologous multipotent stromal cells seeded on ceramic scaffolds. <i>Tissue Engineering - Part A</i> , 2009 , 15, 3231-9	3.9	15
18	Influence of endothelial progenitor cells and platelet gel on tissue-engineered bone ectopically in goats. <i>Tissue Engineering - Part A</i> , 2009 , 15, 3669-77	3.9	30
17	The effect of photopolymerization on stem cells embedded in hydrogels. <i>Biomaterials</i> , 2009 , 30, 344-53	15.6	310
16	Evaluation of photocrosslinked Lutrol hydrogel for tissue printing applications. <i>Biomacromolecules</i> , 2009 , 10, 1689-96	6.9	162

15	Photopolymerized thermosensitive hydrogels: synthesis, degradation, and cytocompatibility. <i>Biomacromolecules</i> , 2008 , 9, 919-26	6.9	85
14	Three-dimensional fiber deposition of cell-laden, viable, patterned constructs for bone tissue printing. <i>Tissue Engineering - Part A</i> , 2008 , 14, 127-33	3.9	320
13	Comparing various off-the-shelf methods for bone tissue engineering in a large-animal ectopic implantation model: bone marrow, allogeneic bone marrow stromal cells, and platelet gel. <i>Tissue Engineering - Part A</i> , 2008 , 14, 1435-43	3.9	12
12	In vivo bioluminescence imaging study to monitor ectopic bone formation by luciferase gene marked mesenchymal stem cells. <i>Journal of Orthopaedic Research</i> , 2008 , 26, 901-9	3.8	32
11	Three-Dimensional Fiber Deposition of Cell-Laden, Viable, Patterned Constructs for Bone Tissue Printing. <i>Tissue Engineering</i> , 2008 , 14, 127-133		29
10	Hydrogels as extracellular matrices for skeletal tissue engineering: state-of-the-art and novel application in organ printing. <i>Tissue Engineering</i> , 2007 , 13, 1905-25		382
9	Differences in potency of CXC chemokine ligand 8-, CC chemokine ligand 11-, and C5a-induced modulation of integrin function on human eosinophils. <i>Journal of Immunology</i> , 2005 , 175, 6092-9	5.3	18
8	Signal regulatory protein alpha ligation induces macrophage nitric oxide production through JAK/STAT- and phosphatidylinositol 3-kinase/Rac1/NAPDH oxidase/H2O2-dependent pathways. <i>Molecular and Cellular Biology</i> , 2005 , 25, 7181-92	4.8	64
7	Flavonoids influence monocytic GTPase activity and are protective in experimental allergic encephalitis. <i>Journal of Experimental Medicine</i> , 2004 , 200, 1667-72	16.6	154
6	The role of MAP kinase in TPA-mediated cell cycle arrest of human breast cancer cells. <i>Oncogene</i> , 1998 , 16, 131-9	9.2	83
5	Acute loss of cell-cell communication caused by G protein-coupled receptors: a critical role for c-Src. <i>Journal of Cell Biology</i> , 1998 , 140, 1199-209	7.3	105
4	Mitogenic signaling of insulin-like growth factor I in MCF-7 human breast cancer cells requires phosphatidylinositol 3-kinase and is independent of mitogen-activated protein kinase. <i>Journal of Biological Chemistry</i> , 1997 , 272, 31163-71	5.4	188
3	C-terminal truncation of the neurokinin-2 receptor causes enhanced and sustained agonist-induced signaling. Role of receptor phosphorylation in signal attenuation. <i>Journal of Biological Chemistry</i> , 1995 , 270, 8944-51	5.4	64
2	Secondary structure at the 3Rterminal region of RNA coliphages: comparison with tRNA. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1990 , 1050, 110-8		16
1	A pseudosubstrate peptide inhibits protein kinase C-mediated phosphorylation in permeabilized Rat-1 cells. <i>FEBS Letters</i> , 1990 , 261, 147-50	3.8	22